

Resource  
Guide

For Families of Children  
with Mild Hearing Loss

Department of Health & Human Services  
Maine Center for Disease Control & Prevention (Maine CDC)  
Maine Newborn Hearing Program



No baby is too young for  
a hearing test...

# Notes

Please contact us with comments or questions.

**Maine Department of Health & Human Services  
Maine Center for Disease Control & Prevention  
Newborn Hearing Program  
11 State House Station  
Augusta ME 04333-0011**

**207-287-5357 or 1-800-698-3624 (Voice)**

**Or**

**1-800-606-0215 (TTY)**

John Elias Baldacci  
Governor



Brenda Harvey  
Commissioner

Printed with support of federal grant funds from the  
U.S. Department of Health & Human Services  
Public Health Services  
Centers for Disease Control and Prevention  
Grant # UR3 ICCU124774-03  
State appropriation # 013-10A-2133-032  
05/2007

#### **NON-DISCRIMINATION NOTICE**

The Maine Department of Health & Human Services does not discriminate on the basis of disability, race, color, creed, gender, age, or national origin, in admission to, access to, or operations of its programs, services, or activities, or its hiring or employment practices. This notice is provided as required by Title II of the Americans with Disabilities Act of 1990 and in accordance with the Civil Rights Act of 1964 as amended, Section 504 of the Rehabilitation Act of 1973, as amended, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972 and the Maine Human Rights Act. Questions, concerns, complaints or requests for additional information regarding the ADA may be forwarded to DHHS' ADA Compliance/EEO Coordinator, State House Station #11, Augusta, Maine 04333, 207-287-3488 (V), 207-287-4479 (TTY). Individuals who need auxiliary aids for effective communication in program and services of DHHS are invited to make their needs and preferences known to the ADA Compliance/EEO Coordinator. This notice is available in alternate formats, upon request.

Dear Parents,

You have just found out that your baby has a mild hearing loss. You may have many questions.

This booklet may help answer some questions and give you some basic information about mild hearing loss. We hope this information helps you and your family.

You still may have questions about your own baby's hearing loss after reading this booklet. There are many resources in Maine that can help answer questions and offer support. One program, "Early Childhood and Family Services," (ECFS) is available to help all families who have children with hearing loss. A professional from this program can meet with you to answer your questions, provide information, and offer support. Contact information is in the back of this booklet.

Remember to take the time to enjoy your baby. Smile, talk, sing, read, and play with your child. This builds a solid foundation for communication.

Sincerely,  
The Maine Newborn Hearing Program  
Advisory Board Members



## Mild Hearing Loss

In Maine, 40 to 60 babies are born each year with a hearing loss. Hearing loss in infants happens more often than you would think. Sixty percent of all babies that have a hearing loss have a “mild” hearing loss.

Early identification is important. Children with mild hearing loss are likely to develop normal language and communication skills with early diagnosis and support services.

Educating yourself about the hearing loss, knowing its effects and the things you can do to help your baby is important. Each family member reacts in his/her own way when told their child has a hearing loss. Families may experience feelings of loss, sadness, and uncertainty. This is natural.

Some children who have a mild hearing loss may need extra help in the important early years of life. This extra help is called *early intervention*. Early intervention is any service or therapy that helps a child develop. Your audiologist and ECFS consultant can help you with technology, support, and information. Meeting other families who have children with a similar hearing loss may help you understand what can work best for your child and your family.

Raising children may be the most rewarding and challenging job you will ever have. For every challenge, there are joys and surprises you may never have imagined.



## Hearing and the Learning of Language

The ability to share feelings and thoughts with other people using language is one of the most important skills we learn as infants.

We know that children's brains learn language best in the early years, from birth to age three. Young children without hearing loss generally develop spoken language naturally. We also know that any degree of hearing loss can interfere with the easy development of spoken language. The bigger the hearing loss, the more help the baby needs.

Your baby has a mild hearing loss. This means your baby can have difficulty hearing certain speech sounds (such as *s*, *f*, *th*) and "small words" (such as *a* or *the*). Your baby may have trouble hearing someone talking from a distance or in a noisy room. Most babies with mild hearing loss often benefit from hearing aids. All babies with mild hearing loss benefit from the steps parents and family members can take to help them learn language.


Communication and language grow out of relationships. Children learn best from adults and family members who talk with them and interact with them. Babies with mild hearing loss need their family to help them learn to listen and learn to talk.

Families may need support to help their babies learn language. That support is available from many agencies and providers in Maine and nationwide. You can find information about some of the agencies in Maine in the back of this booklet. These agencies have professionals who can provide information on a variety of topics and provide ongoing support to guide you.

The first step is getting to know your baby and learning as much as you can about how babies learn language. The most important goal is that your child develops language.

Helpful hints are in the "Communicating with your Baby" section.





## How Hearing Works

### Parts of the Ear

The ear is divided into three parts: **the outer ear, the middle ear, and the inner ear**. Sound passes through all three parts of the ear before it goes to the brain. The brain interprets the sound and tells us what we are hearing.

### Outer Ear:

The outer ear is the part of the ear that is visible outside the body. It catches sound from outside the ear and the sound travels to the **ear canal**. The sound pushes against the **eardrum**. The eardrum separates the outer ear from the middle ear.

### Middle Ear:

There are three bones in the middle ear commonly called the **hammer, anvil, and stirrup**. When the eardrum moves, it makes the three bones in the middle ear move.

### Inner Ear:

The inner ear is connected to the middle ear bones. This part of the ear contains the **cochlea** and the **hearing nerve**. The cochlea contains hair cells that respond to sound. The hearing nerve connects the cochlea to the brain.

The three parts of the ear work together to help us hear.

## Hearing Loss

You have been told that your child has a “mild” hearing loss. Usually, the word “mild” means something that is not very serious. But, for a baby, a mild hearing loss really matters. You will learn more about the hearing loss over time, as you work with your audiologist. You will learn how loud a sound needs to be for your baby to hear it. This information (loud/soft) is about the “degree” of hearing loss. Over time, you will also understand how clear the sound is to your baby. Your audiologist may also have talked with you about how sound will be heard with amplification (hearing aids). The “degree” of hearing loss can range from mildly hard of hearing to profound deafness. A child with a mild hearing loss is considered hard of hearing.

Some children have more than one cause or site of hearing loss. Some common sites of hearing loss are:

- **Conductive Hearing Loss**

This type of hearing loss is caused by a problem in the outer or middle ear. A conductive loss prevents sound from reaching the nerves in the inner ear. A child with a conductive hearing loss usually has difficulty with hearing soft sounds.

- **Sensorineural Hearing Loss**

This type of hearing loss is caused by damage to the nerves in the inner ear that prevents sounds from reaching the brain. A child with a sensorineural loss has difficulty hearing sounds clearly and hearing sounds that are not loud enough.

- **Mixed Hearing Loss**

This type of hearing loss is a combination of both conductive and sensorineural losses. An example of a mixed hearing loss is sensorineural loss *and* an additional temporary conductive loss due to an ear infection or fluid in the middle ear.

- **Auditory Neuropathy / Auditory Dys-synchrony**

This type of hearing “loss” is caused by a miscommunication between the parts of the ear, the auditory nerve, and the listening center in the brain. The basic parts of the ear are able to detect sound, but there is a “bad connection” between the external parts of the hearing system and the auditory nerve. The “bad connection” prevents the information about the sound from being sent to the brain in a synchronized or organized way. A child with this hearing problem may be able to hear that sounds are present at times, but the sounds are not heard clearly or consistently.



# Hearing Tests for Infants and Young Children

## Preparing for Testing

Talk with your audiologist before you go so your baby is prepared for the specific tests to be done. **Some** of the tests require the baby to be asleep or quiet and calm, while others require an awake and cooperative baby. Bring extra diapers, a blanket and anything that will help your baby be more comfortable and calm during the testing.

These are the types of tests used to measure a baby's hearing. The audiologist may recommend one or more of these tests.

**Otoscope Exam:** This is a simple test where a lighted tool called an otoscope is used to look inside the ear canal and see the eardrum. This exam can help find out if there is fluid or an infection in the baby's middle ear.

**Tympanometry:** This test is used to find out how well the middle ear is working. A small, soft probe is placed at the opening to the baby's ear canal and a tiny puff of air is pumped in and out to see how well the eardrum moves. There may be just a slight feeling of pressure in the ear. Some babies may fuss when they feel this pressure.

**Otoacoustic Emissions (OAE):** In an OAE test, a small, soft probe containing a microphone and receiver is placed in the baby's ear canal. The microphone makes sounds and the sounds reflected back from the cochlea are recorded and measured by a computer. It is necessary for the baby to be quiet and calm for this test to be completed.

**Auditory Brainstem Response (ABR):** This test measures the baby's brainwave activity in response to sounds. Small sensors are put on the baby's head and earphones are placed over the baby's ears. Different sounds are sent through the earphones. A computer measures and analyzes the baby's electrical brain response to the different sounds. Some different types of ABR testing are Tone Pip and Auditory Steady State Response (ASSR). The baby must be asleep for this type of testing to be accurate. Natural sleep is preferred, however, sedation is used at times.


**Visual Reinforcement Audiometry (VRA):** In this test, the baby is taught to respond to sound by turning to a lighted animated toy. The test can be done with the sound coming through earphones, speakers or through hearing aids. It gives information about the degree of hearing loss for tones and for speech. The results of this test are highly accurate. This test is generally fun for the baby. He/she needs to be awake and alert.

**Medical Evaluation:** An otolaryngologist (ENT) is a special doctor who works with your baby's doctor, audiologist and possibly a genetics doctor to determine the possible cause of the hearing loss. Together, they will work to make recommendations for more testing, treatment and hearing aids, if needed. The ENT examines the baby's head, neck and ears and asks about your family's and baby's medical history. The ENT must give medical clearance before hearing aids can be issued.



# The Audiogram

After a series of hearing tests, the audiologist can provide you with an audiogram.



The audiogram tells what your child can hear. The numbers across the top of the chart show pitch - how high (treble) or low (bass) a sound is. The numbers on the side show volume - how soft or loud a sound is.

Pictures on the audiogram represent the sounds objects make. For example, the tree represents the high, soft sound of wind and the lawnmower represents the low, loud sound of a lawnmower engine.

The shape that looks like a banana is often called the "speech banana." People with normal hearing can hear the sounds shown by the letters and pictures in the "speech banana."

After testing your baby's hearing, the audiologist marks X's and O's on the chart. The X is used for the left ear and the O is used for the right ear. The audiologist looks at the pattern of the X and O marks and determines the level of your baby's hearing. Your baby will usually be able to hear the sounds **below** the X and O marks.

## Levels of Hearing Loss

As your child's hearing is plotted on the audiogram, the audiologist determines your child's hearing loss by matching it to one of the following general categories:

Category	Level
Hearing within normal limits:	0—15 dB HL
Slight Hearing Loss:	16—25 dB HL
Mild Hearing Loss:	26—40 dB HL
Moderate Hearing Loss:	41—55 dB HL
Moderately-Severe Hearing Loss:	56—70 dB HL
Severe Hearing Loss:	71—90 dB HL
Profound Hearing Loss:	91 dB HL or greater

# Amplification for Your Baby

Amplification describes the way sound is made louder for your baby. Some babies wear hearing aids. Some babies may use another kind of amplification called an “FM system.” These two types of amplification are described below:

## Hearing Aids

When a baby has a mild hearing loss, audiologists often recommend hearing aids. Hearing aids can be used by tiny babies. Hearing aids make sounds louder but they do not provide normal hearing. The audiologist will recommend a hearing aid that matches your baby’s hearing loss.

The most common type of hearing aid recommended for babies is Behind The Ear (BTE). This type of hearing aid fits behind the ear and directs sound into the ear with an earmold. Since babies and small children grow quickly they usually need to have new earmolds made often so the hearing aid fits well.

## FM Systems

An FM system has two parts, a microphone that the talker wears and a receiver that the baby wears. The FM system is designed to amplify the talker’s voice so that it is louder than any competing background noise. It makes the speech “close,” as if the talker were right next to the baby. This is useful when your baby begins to play at a distance, at home, at daycare, or at preschool

## Using the Amplification

Your baby’s hearing aid and/or FM system is special for him/her. It is custom fit and adjusted for his/her specific hearing loss. The hearing aids must be worn as recommended by your audiologist. It is difficult for a baby to learn to listen, but learning to listen comes before learning to talk. Help your baby use the amplification consistently and allow many good opportunities to listen. Try to keep the room quiet so that your voice is not lost in noise. You should talk with your baby face-to-face. For example, play on the floor so the baby does not have to look up to see your face.

There will be many trips to your audiologist for testing. You will continue to learn more about how your baby hears with each appointment. The hearing aids will need to be adjusted as more is learned about the loudness and clarity of sound that your baby hears. Parents are the best observers of their baby’s listening and responding behaviors, so remember to share what you notice with your audiologist at each appointment. This will help them make the best adjustments to your baby’s hearing aids to help him/her learn to listen.



# Communicating with Your Baby

## Talking to your baby:

- Hold, touch, rock, gesture, sing, and play with your baby.
- Read aloud to your baby every day. Be sure to show your baby the pictures. Even tiny babies can enjoy books.
- Talk often and gesture with your baby from the day he/she is born. Tell your baby what you are doing. Your baby was born ready to communicate.
- Remember to make sure your baby can see you while communicating. Eye contact and facial expressions are very important. Your baby loves to see your face.
- Listen and look as your baby communicates with you. Wait to give a response after your baby looks around or looks at an object and then looks back at you.
- Use a normal talking voice. Speak naturally.

## Making it easier for your baby to listen:

- Bring your baby close to you. Always talk face-to-face.
- If your baby has amplification, be sure to use it consistently.
- Listen to your environment. You can make it quiet by moving away from background noises such as TV's, fans or blowers.
- Lighting is also important. Remember to keep your baby facing away from the light source. When your baby has bright light or sunshine in his/her face, it makes it harder for your baby to see you.
- Playing on the floor is important. All babies need time to play on their tummies. A baby with hearing loss may cry more on their tummy if they cannot see you. Get down to your baby's level as often as possible and change your baby's position frequently.

## Words of Advice:

- Keep good records of everything to do with your baby's hearing loss (medical records, notes, audiograms, etc.). Ask for copies when you take the baby to a provider. Put them in one notebook or box. Bring all of this information with you when you bring your child to a new doctor, audiologist or specialist.
- Ask questions.
- Meet other families who share your concerns about babies and children with hearing loss.

If you want more information, contact one of the agencies listed in the back of this booklet. They are here to help you.

# Financial Support

The agencies listed below may help your family with the extra expense related to your child's hearing loss.

## **Child Development Services:**

The Child Development Service (CDS) System is a part of the Department of Education. CDS is a statewide network of regional sites that ensures the coordination and delivery of early intervention services, special education and related services for eligible children (birth to school age five) with developmental delays and/or disabilities. Each regional site can provide information specific to the local area. CDS will help you find funding for Early Intervention Services. For more information and to find your local CDS agency contact:

**Central Office, Augusta: 207-624-6660 (Voice)  
1-888-577-6690(TTY)**

Child Development Services  
146 State House Station  
Burton Cross State Office Building, 5th Floor  
Augusta, ME 04333

## **MaineCare:**

MaineCare is a free or low-cost health insurance program for Maine families with children. Many services are covered. There are eligibility requirements, such as income guidelines, but special rules may apply for children with disabling conditions. For more information contact:

**Statewide Toll Free: 1-800-977-6740 option 3 (Voice)  
1-800-977-6741 (TTY)**

Office of Medical Services  
442 Civic Center Drive  
Augusta, ME 04333-0011

## **Social Security & Supplemental Security Income Disability Programs:**

(Sometimes called SSI and SSDI) are federal programs that provide assistance to children and adults with disabilities. There are eligibility requirements, such as income and medical guidelines. For more information contact:

**Augusta Office: 207-622-1451 (Voice)  
Nationwide Toll Free: 1-800-772-1213 (Voice)**

Disability Determination Services  
Department of Health & Human Services  
330 Civic Center Drive  
Augusta, ME 04330-8035

# Statewide Family Support Agencies

## Child Development Services

The Child Development System (CDS) is a part of the Department of Education. CDS is a statewide network of regional sites that ensures the coordination and delivery of early intervention services, special education and related services for eligible children (birth to school age five) with developmental delays and/or disabilities. Each regional site can provide information specific to the local area. Early intervention, special education, and related services are provided to eligible children. For more information and to find your local CDS agency contact:

**Central Office, Augusta: 207-624-6660 (Voice)** Child Development Services  
**1-888-577-6690(TTY)** 146 State House Station  
 Burton Cross State Office Building, 5th Floor  
 Augusta, ME 04333

## Early Childhood and Family Services

Statewide Educational Services (SES), a division of the Maine Educational Center for the Deaf and Hard of Hearing offers support through its Early Childhood and Family Services (ECFS) program to children newborn to five years of age who are deaf, hard of hearing, or have a suspected hearing loss. ECFS is a state-funded, independent agency providing information, support and training to families and professionals throughout Maine. Their services include home visits and are provided without cost to families. For more information contact:

**Statewide Toll Free: 1-866-231-8910 (Voice)** Early Childhood Family Services  
**(207) 781-6335 (Voice)** Mackworth Island  
 Falmouth, ME 04105

## Maine Newborn Hearing Program

The Maine Newborn Hearing Program (MNHP) is part of the Maine CDC, Department of Health and Human Services. The MNHP coordinates newborn hearing screening programs and follow-up of infants with hearing loss.

A parent packet with information about state and national resources, programs, websites, and publications is available by request without cost to families and providers. The MNHP Coordinator is available for resource and referral information. For more information contact:

**207-287-5357 or 1-800-698-3624 (Voice)** Maine Newborn Hearing Program  
**1-800-606-0215 (TTY)** Key Bank Plaza, 7th Floor  
 286 Water Street  
 Augusta, ME 04333-0011