
MAINE'S STRATEGIC PREVENTION FRAMEWORK STATE INCENTIVE GRANT

SUBSTANCE CONSUMPTION AND CONSEQUENCES

COUNTY PROFILE: ANDROSCOGGIN COUNTY



PREPARED FOR: MAINE OFFICE OF SUBSTANCE ABUSE



Office of Substance Abuse Department of Health and Human Services

John E. Baldacci, Governor

Brenda M. Harvey, Commissioner

BY: HORNBY ZELLER ASSOCIATES, INC. NOVEMBER 2009

This document updates the original county profiles that were compiled for SPF SIG grantees in 2006. The County Profile is meant to accompany *Maine's Strategic Prevention Framework Guide to Evaluation and Planning* and provides a starting point for answering some important questions. The following pages contain tables, charts and figures for Androscoggin County and District 3 (Western) that come from a variety of sources, including: the Maine Youth Drug and Alcohol Survey (MYDAUS); the Behavioral Risk Factor Surveillance System (BRFSS); the Young Adult Drug and Alcohol Use Survey (YADAUS); the Fatality Analysis Report System (FARS); Uniform Crime Reports (UCR); and the Treatment Data System (TDS).


Census Quick Facts for Androscoggin County and Maine: 2008		
	Androscoggin	Maine
Population, 2008 estimate	106,877	1,316,456
Population, percent change, April 1, 2000 to July 1, 2008	3.0%	3.3%
Population estimates base (April 1) 2000	103,793	1,274,922
Persons under 5 years old, percent, 2008	6.4%	5.4%
Persons under 18 years old, percent, 2008	22.6%	20.9%
Persons 65 years old and over, percent, 2008	14.5%	15.1%
Female persons, percent, 2008	51.2%	51.2%
White persons, percent, 2008 (a)	95.7%	96.4%
Black persons, percent, 2008 (a)	1.9%	1.0%
American Indian and Alaska Native persons, percent, 2008 (a)	0.3%	0.6%
Asian persons, percent, 2008 (a)	0.7%	0.9%
Native Hawaiian and Other Pacific Islander, percent, 2008 (a)		
Persons reporting two or more races, percent, 2008	1.3%	1.1%
Persons of Hispanic or Latino origin, percent, 2008 (b)	1.6%	1.3%
White persons not Hispanic, percent, 2008	94.3%	95.3%
Housing units, 2008	48,355	700,480
Median household income, 2007	\$45,254	\$45,832
Persons below poverty, percent, 2007	14.1%	12.2%
Land area, 2000 (square miles)	470.27	30,861.55
Persons per square mile, 2000	220.8	41.3

SOURCE: US Census Bureau State & County QuickFacts


(a) Includes persons reporting only one race.

(b) Hispanics may be of any race, so also are included in applicable race categories.

LIFETIME CONSUMPTION PATTERNS AMONG 6TH TO 12TH GRADERS




Lifetime alcohol use




Lifetime misuse of prescription drugs


Lifetime marijuana use




LIFETIME CONSUMPTION PATTERNS AMONG 6TH TO 12TH GRADERS, BY GRADE



Lifetime alcohol use




Lifetime misuse of prescription drugs




Lifetime marijuana use


PREVIOUS 30-DAY CONSUMPTION PATTERNS AMONG 6TH TO 12TH GRADERS



Previous 30-day use of alcohol


Previous 30-day misuse of prescription drugs






Previous 30-day use of marijuana


PREVIOUS **30**-DAY CONSUMPTION PATTERNS AMONG 6TH TO **12**TH GRADERS, BY GRADE



Previous 30-day use of alcohol




Previous 30-day prescription drug misuse



Previous 30-day marijuana use


BINGE DRINKING AMONG 6TH TO 12TH GRADERS




Percentage of students who participated in

Source: MYDAUS, 2008

Percentage of students who participated in binge drinking within the last 2 weeks



AGE FIRST TRIED ALCOHOL OR MARIJUANA



Age first tried alcohol (more than 1-2 sips), grades 11 and 12


Source: MYDAUS, 2004, 2006, 2008

100 90 80 70 Percent 60 50 40 30 20 10 0 2004 2006 2008 14 or Older 32.3 30.7 29.0 Less than 14 13.9 14.4 13.8 Never Used 53.8 54.9 57.2


Source: MYDAUS, 2004, 2006, 2008

Age first tried marijuana, grades 11 and 12

PERCEPTIONS ON EASE OF ACCESS AMONG 6TH TO 12TH GRADERS, BY GRADE GROUPS




Access to alcohol




Access to marijuana


PERCEPTIONS THAT USE IS WRONG AMONG 6TH TO 12TH GRADERS, BY GRADE GROUPS




Source: MYDAUS, 2008

Parents think that alcohol use by youth is wrong






Parents think that marijuana use by youth is wrong




PERCEPTIONS OF GETTING CAUGHT AMONG 6TH TO 12TH GRADERS, BY GRADE GROUPS




Caught by police for alcohol

Caught by parents for alcohol




Source: MYDAUS, 2008





Caught by police for marijuana

PERCEPTIONS OF HARM FROM USE AND FAMILY RULES AMONG 6TH TO 12TH GRADERS, BY GRADE GROUPS




Harm from trying marijuana





Family has clear rules around alcohol/drug use



CONSUMPTION TRENDS: 2004 - 2008


Lifetime and Past Month Use, by Year		Lifetime		Past Month				
ANDROSCOGGIN COUNTY	2004	2006	2008	2004	2006	2008		
Cigarettes	n/a	n/a	n/a	13.5%	12.0%	10.6%		
Alcohol	47.5%	42.9%	40.7%	27.8%	26.0%	22.3%		
Marijuana	25.7%	23.7%	22.5%	14.7%	13.4%	11.9%		
Hallucinogens	4.0%	4.0%	4.3%	2.0%	1.6%	1.9%		
Cocaine	4.1%	4.1%	3.8%	2.1%	1.7%	1.7%		
Ecstasy	3.8%	3.5%	2.9%	1.2%	1.5%	1.4%		
Inhalants	11.9%	13.4%	11.7%	5.0%	5.6%	4.3%		
Stimulants	3.5%	3.1%	2.7%	1.7%	1.5%	1.5%		
Heroin	1.8%	2.0%	1.8%	0.8%	1.1%	1.1%		
Prescription Drugs	14.8%	11.7%	11.7%	6.6%	6.2%	5.7%		
Other Illegal Drugs	10.6%	10.7%	9.6%	5.7%	5.6%	5.0%		
Binge Drinking (Past 2 Weeks)	n/a	n/a	n/a	14.7%	13.3%	10.7%		
SOURCE: MYDAUS 2004-2008. All percentages represent th	ne proport	ion of stu	dents who	indicated	l "Yes".			

TRENDS FOR INTERVENING VARIABLES AND CONTRIBUTING FACTORS: 2004 - 2008

Intervening Variables, by grade groups and year		6th to 8th		9th to 12th					
ANDROSCOGGIN COUNTY	2004	2006	2008	2004	2006	2008			
Access to alcohol is easy	28.3%	31.2%	28.3%	66.5%	63.1%	61.1%			
Access to other drugs is easy	9.2%	8.5%	7.8%	23.4%	22.0%	19.6%			
Access to marijuana is easy	19.3%	18.2%	14.9%	66.2%	63.9%	60.9%			
Would be caught by police (alcohol)	44.3%	43.5%	45.8%	12.1%	13.0%	12.8%			
Would be caught by police (marijuana)	53.0%	53.2%	54.2%	17.5%	15.2%	16.4%			
Would be caught by parents (alcohol)	75.0%	75.1%	77.4%	40.3%	41.7%	42.5%			
Consuming 1-2 alcohol drinks per day is harmful	72.7%	75.5%	75.2%	67.6%	67.6%	68.7%			
Consuming 5+ alcohol drinks once or twice per week is harmful	n/a	87.8%	87.5%	n/a	79.8%	81.9%			
Trying marijuana is harmful	64.6%	67.2%	67.5%	40.0%	39.9%	38.4%			
Regularly smoking marijuana is harmful	86.9%	87.8%	87.3%	72.7%	71.0%	71.5%			
Family has clear rules around alcohol/drug use	88.1%	88.3%	89.3%	76.2%	78.7%	78.8%			
Regular alcohol use by youth is wrong	88.4%	89.6%	91.5%	57.6%	60.3%	65.0%			
Regular marijuana use by youth is wrong	92.0%	92.6%	94.9%	67.6%	69.0%	70.0%			
Other drug use by youth is wrong	97.1%	97.3%	97.8%	91.1%	91.6%	91.8%			
Parents think regular alcohol use by youth is wrong	28.3%	31.2%	28.3%	84.0%	84.0%	86.0%			
Parents think regular marijuana use by youth is wrong	97.5%	97.8%	97.9%	91.5%	90.5%	90.0%			
Community thinks regular alcohol use by youth is wrong	94.1%	93.6%	94.0%	82.1%	79.1%	78.2%			
Community thinks regular marijuana use by youth is wrong	88.3%	86.6%	87.9%	72.5%	67.8%	69.1%			
SOURCE: MYDAUS 2004-2008. All percentages represent the proportion	on of stude	nts who inc	dicated "Ye	es".					


SUBSTANCE CONSUMPTION: ADULTS

ANY ALCOHOL, HEAVY DRINKING AND BINGE DRINKING





Any Alcohol in the Past Month, by District: 2007-08

Source: BRFSS 2007-08



Source: BRFSS 2007-08





Source: BRFSS 2007-08

SUBSTANCE CONSUMPTION: ADULTS

ALCOHOL AND DRUG USE, BY DISTRICT

	Maine		Maine York (1) (N=722) (N=45)		Cumberland (2) (N=45)		Western (3) (N=134)		MidCoast (4) (N=66)		Central (5) (N=260)		Peqnuis (6) (N=81)		Downeast (7) (N=36)		Aroostook (8 (N=55)	
	#	- <u>122)</u> %	#	- 3) %	#) %	#	%	#	<u>-00)</u> %	#	- <u>200)</u> %	#	_01) %	#	-30) %	#	- 33) %
Any use in Past Year		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		10		,0		,,,		,0		10		,0		10		
Alcohol	583	80.7%	36	80.0%	41	91.1%	100	74.6%	55	83.3%	220	84.6%	65	80.2%	26	72.2%	40	72.7%
Marijuana	270	38.0%	24	54.5%	24	53.3%	45	33.8%	20	30.8%	108	42.5%	24	29.6%	12	35.3%	13	23.6%
Painkillers or tranquilizers	118	16.6%	12	27.3%	10	22.2%	25	18.8%	11	17.2%	34	13.4%	10	12.3%	7	20.0%	9	16.4%
Over the counter	33	4.7%	3	7.0%	4	8.9%	3	2.3%	7	11.1%	9	3.6%	2	2.5%	1	2.9%	4	7.4%
Any of the above	600	83.1%	37	82.2%	41	91.1%	104	77.6%	55	83.3%	227	87.3%	66	81.5%	28	77.8%	42	76.4%
Any use in Past Month																		
Alcohol	490	68.2%	33	73.3%	40	88.9%	77	57.5%	47	71.2%	184	71.0%	55	67.9%	20	55.6%	34	61.8%
Marijuana	197	27.7%	18	40.9%	17	37.8%	35	26.3%	16	24.6%	77	30.3%	18	22.2%	7	20.6%	9	16.4%
Painkillers or tranquilizers	60	8.4%	5	11.4%	7	15.6%	9	6.8%	5	7.8%	19	7.5%	7	8.6%	4	11.4%	4	7.3%
Over the counter	15	2.1%	-	-	2	4.4%	2	1.5%	3	4.8%	4	1.6%	-	-	1	2.9%	3	5.6%
Any of the above	511	70.8%	35	77.8%	40	88.9%	82	61.2%	48	72.7%	193	74.2%	57	70.4%	22	61.1%	34	61.8%
Average number of alcohe	olic dri	inks cons	sumed	on week	days													
None	557	86.1%	33	80.5%	32	82.1%	106	87.6%	49	84.5%	204	89.1%	59	79.7%	28	82.4%	46	90.2%
1-2 drinks	69	10.7%	4	9.8%	5	12.8%	15	12.4%	5	8.6%	18	7.9%	12	16.2%	5	14.7%	5	9.8%
5 or more drinks	21	3.2%	4	9.8%	2	5.1%	-	-	4	6.9%	6	3.1%	3	4.1%	1	2.9%	-	
Average number of alcohe	olic dri	inks cons	sumed	on weeki	nights													
None	436	65.8%	26	61.9%	12	28.6%	93	77.5%	34	58.6%	156	65.3%	53	69.7%	26	74.3%	36	70.6%
1-2 drinks	195	29.4%	12	28.6%	28	66.7%	25	20.8%	21	36.2%	67	28.0%	20	26.3%	9	25.7%	13	25.5%
5 or more drinks	32	4.8%	4	9.5%	2	4.8%	2	1.7%	3	5.2%	15	6.7%	3	3.9%	0	0.0%	2	3.9%
Average number of alcohe	olic dri		sumed		ends								-					
None	222	32.5%	15	34.9%	5	11.9%	53	43.1%	19	30.2%	67	27.1%	26	32.9%	14	40.0%	23	45.1%
1-2 drinks	245	35.9%	14	32.6%	12	28.6%	42	34.1%	27	42.9%	87	35.2%	33	41.8%	14	40.0%	16	31.4%
5 or more drinks SOURCE: YADAUS 2008	216	31.6%	14	32.6%	25	59.5%	28	22.8%	15	23.8%	93	37.7%	20	25.3%	7	20.0%	12	23.5%

SOURCE: YADAUS 2008

SUBSTANCE CONSUMPTION: ADULT

INTERVENING	VARIABL	ES AND	Солт	RIBUTI		TORS (A	CCESS		NFORC	EMENT)	, вү D	ISTRICT						
	Maine York (1)		rk (1)	Cumbe	erland (2)	West	Western (3)		Coast (4)	Cent	ral (5)	Peqnuis (6)		Down	east (7)	Aroos	stook (8)	
	(N=722)		(N=45)		(N=45)		(N=	(N=134)		(N=66)		(N=260)		=81)	(N=36)		(N=55)	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Access to Alcol	hol (Under	21)			_													
Easy	228	82.0%	14	82.4%	15	93.8%	37	71.2%	26	89.7%	90	81.8%	21	84.0%	10	90.9%	15	83.3%
Hard	50	12.0%	3	17.6%	1	6.3%	15	28.8%	3	10.3%	20	18.2%	4	16.0%	1	9.1%	3	16.7%
Access to Marij	juana																	
Easy	453	64.3%	30	69.8%	36	80.0%	78	58.6%	40	61.5%	166	66.1%	45	57.0%	26	72.2%	32	60.4%
Hard	252	35.7%	13	30.2%	9	20.0%	55	41.4%	25	38.5%	85	33.9%	34	43.0%	10	27.8%	21	39.6%
Access to Rx D	rugs																	
Easy	299	42.4%	22	51.2%	22	51.1%	59	44.4%	26	40.0%	98	38.9%	34	43.0%	17	47.2%	21	39.6%
Hard	407	57.6%	21	48.8%	23	48.9%	74	55.6%	39	60.0%	154	61.1%	45	57.0%	19	52.8%	32	60.4%
Do the bars, tav	verns and/c	or restaul	rants n	ear you	offer spe	cials on a	alcohol	?										
Yes	303	42.9%	21	50.0%	22	50.0%	47	35.3%	27	42.9%	100	39.4%	38	47.5%	16	45.7%	32	58.2%
No	76	10.8%	5	11.9%	4	9.1%	18	13.5%	8	12.7%	21	8.3%	11	13.8%	5	14.3%	4	7.3%
Unsure	327	46.3%	16	38.1%	18	40.9%	68	51.1%	28	44.4%	133	52.4%	31	38.8%	14	40.0%	19	34.5%
_How often do y	ou go to or	ne of thes	se esta	blishmei	nts beca	use of dri	nk spec	cials										
Never	539	76.8%	33	76.7%	25	59.5%	105	79.5%	54	83.1%	197	78.5%	58	73.4%	28	80.0%	39	70.9%
Rarely	101	14.4%	5	11.6%	12	28.6%	18	13.6%	5	7.7%	35	13.9%	11	13.9%	5	14.3%	10	18.2%
Occasionally	45	6.4%	3	7.0%	4	9.5%	7	5.3%	3	4.6%	13	5.2%	9	11.4%	2	5.7%	4	7.3%
Frequently	17	2.4%	2	4.7%	1	2.4%	2	1.5%	3	4.6%	6	2.4%	1	1.3%	-	-	2	3.6%
Do you believe	your local	police de	epartm	_	rces alco	ohol laws	and pol	icies?										
Yes	416	58.5%	30	69.8%	27	61.4%	73	54.5%	41	63.1%	152	59.1%	46	59.0%	16	45.7%	31	56.4%
No	85	12.0%	3	7.0%	5	11.4%	18	13.4%	5	7.7%	31	12.1%	9	11.5%	7	20.0%	7	12.7%
Unsure	210	29.5%	10	23.3%	12	27.3%	43	32.1%	19	29.2%	74	28.8%	23	29.5%	12	34.3%	17	30.9%
How willing are					_				_									
Willing	108	15.5%	9	20.9%	11	25.6%	14	10.5%	7	10.9%	52	21.0%	10	12.7%	4	11.4%	1	1.9%
Not willing	492	70.4%	23	53.5%	23	53.5%	107	80.5%	42	65.6%	156	62.9%	62	78.5%	28	80.0%	51	94.4%
Unsure	99 Southink of	14.2%	11	25.6%	9 will food	20.9%	12	9.0%	15	23.4%	40	16.1%	7	8.9%	3	8.6%	2	3.7%
How likely do y															04	<u> </u>		C4 00/
Likely	447	63.2%	31	72.1%	26	59.1%	79	59.8%	50	76.9%	153	60.0%	53	67.9%	21	60.0%	34	61.8%
Not likely	163	23.1%	7	16.3%	13	29.5%	31	23.5%	12	18.5%	60	23.5%	17	21.8%	9	25.7%	14	25.5%
	97	13.7%	5	11.6%	5	11.4%	22	16.7%	3	4.6%	42	16.5%	8	10.3%	5	14.3%	7	12.7%

SOURCE: YADAUS 2008


SUBSTANCE CONSUMPTION: ADULT

INTERVENIN	IG VARIA	BLES AND		TRIBUT	ING FAC	rors (R	ISK OF	Harm a	ND EN	IPLOYME	ЕΝТ), В	Y DISTF	RICT					
	Maine (N=722)				Cumber	Cumberland (2)		ern (3)	MidC	MidCoast (4)		ral (5)	Peqnuis (6)		Downeast (7)		Aroostook (8	
					(N=45)		(N=	(N=134)		(N=66)		260)	(N=81)		(N=36)		(N=55)	
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Harm from drinking 1-2 alcoholic drinks a few times a week																		
Harmful	178	25.2%	15	34.9%	4	9.3%	41	30.8%	14	21.5%	49	19.3%	24	30.4%	11	31.4%	20	36.4%
Not harmful	529	74.8%	28	65.1%	39	90.7%	92	69.2%	51	78.5%	205	80.7%	55	69.6%	24	68.6%	35	63.6%
Harm from dr	rinking 5 c	or more alc	oholic	drinks in	one sittii	ng												
Harmful	513	72.2%	33	76.7%	25	56.8%	96	71.6%	51	78.5%	181	71.0%	57	71.3%	27	77.1%	43	78.2%
Not harmful	198	27.8%	10	23.3%	19	43.2%	38	28.4%	14	21.5%	74	29.0%	23	28.8%	8	22.9%	12	21.8%
Harm from us	sing presc	ription dru	gs in o	rder to g	et high													
Harmful	619	88.7%	36	90.0%	37	86.0%	114	86.4%	57	93.4%	221	87.7%	71	88.8%	33	94.3%	50	90.9%
Not harmful	79	11.3%	4	10.0%	6	14.0%	18	13.6%	4	6.6%	31	12.3%	9	11.3%	2	5.7%	5	9.1%
Harm from try	ying marij	uana once	or twic	e														
Harmful	184	26.1%	9	20.9%	7	16.3%	41	30.6%	14	22.2%	43	17.0%	32	40.5%	14	40.0%	24	43.6%
Not harmful	521	73.9%	34	79.1%	36	83.7%	93	69.4%	49	77.8%	210	83.0%	47	59.5%	21	60.0%	31	56.4%
Harm from sn	noking ma	arijuana reg	gularly		_													
Harmful	448	63.3%	22	52.4%	23	52.3%	87	65.4%	43	66.2%	153	60.2%	54	67.5%	25	71.4%	41	74.5%
Not harmful	260	36.7%	20	47.6%	21	47.7%	46	34.6%	22	33.8%	101	39.8%	26	32.5%	10	28.6%	14	25.5%
To your know	/ledge, do	es your em	nployer	have an	alcohol a	nd/or dru	g policy	? (Amon	g those	employe	d)							
Yes	346	61.0%	22	64.7%	15	37.5%	61	61.6%	34	59.6%	119	62.3%	46	65.7%	23	76.7%	26	56.5%
No	73	12.9%	2	5.9%	5	12.5%	18	18.2%	7	12.3%	20	10.5%	13	18.6%	2	6.7%	6	13.0%
Unsure	148	26.1%	10	29.4%	20	50.0%	20	20.0%	16	28.1%	52	27.2%	11	15.7%	5	16.7%	14	30.4%

SOURCE: YADAUS 2008


CONSEQUENCES OF SUBSTANCE USE

CRASH FATALITIES AND CRIME




Source: FARS, 1999-2008

Violent Crimes per 1,000 People in Androscoggin: 2002 to 2008




*Violent crime includes aggravated assault, robbery and sexual assault. Source: UCR, 2002-2008.

Average Number of Fatalities From Crashes in Which Driver Was Over the Legal Limit Per 100.000 People, by County: 2005-2008



Source: FARS, 1999-2008

Property Crimes per 1,000 People in Androscoggin: 2002 to 2008




*Property crime includes burglary, larceny, and car theft. Source: UCR, 2002-2008.


CONSEQUENCES OF SUBSTANCE USE

TREATMENT FOR SUBSTANCE ABUSE

Primary Treatment Admissions Among Adults 18 and Older, by Substance: Androscoggin County, SFY2005 to SFY2008




Number of Primary Treatment Admissions for Synthetic Opiates per 1,000 Adults, by County: 2008



Number of Primary Treatment Admissions for Alcohol per 1,000 Adults, by County: 2008

Number of Primary Treatment Admissions for Marijuana per 1,000 Adults, by County: 2008



SOURCE: TDS. These charts represent the primary substance for which an individual was admitted; some individuals may use more than one substance.

EXPLANATION OF TERMS USED IN THE PROFILE

Alcohol-related is a fatal crash in which a driver was alcohol involved.

Binge drinking for adults is defined as 5 or more alcoholic beverages for men in one occasion, and 4 or more alcoholic beverages for women in one occasion. For youth, there is no distinction between gender and binge drinking is defined as 5 or more alcohol beverages in one occasion.

Heavy use of alcohol for adults is defined more than one drink per day for women or two drinks per day for men and is considered a public health concern by the U.S. Centers for Disease Control and Prevention.

Lifetime use of a substance refers to whether a person has ever used the substance, even once.

Misuse of prescription drugs, for youth, means that a student used a pharmaceutical that was not specifically prescribed by a doctor. For adults, misuse means that a person used painkillers or tranquillizers in order to get high.

Previous 30-day use refers to whether the person used the substance within the 30-day period prior to the administration of the survey.

Property crime includes burglary, larceny and car theft. These crimes frequently are committed in order to obtain money to purchase drugs. Drugattribution rates for property crime range from approximately seven percent for motor vehicle theft to 30 percent for burglary and larceny, although this may vary by geographic region. Reported property crimes are an under report of the total number of actual crimes.

Rate per 1,000/100,000 reflects a special kind of ratio that indicates the frequency with which an event occurs in a defined population over a period of time. The components of a rate include the number of incidents (e.g., number of arrests) and the population in question. Performing this calculation helps make the total number of incidents within a small county comparable to the total number of incidents found in a larger one.

Violent crime includes aggravated assault, robbery and sexual assault. Violence is often associated with alcohol and drinking on the part of the victim or a perpetrator can increase the risk of assaults and assault-related injuries. Approximately 23 percent of sexual assaults, 30 percent of physical assaults, and 3 percent of robberies are attributable to alcohol although this may vary by geographic region. Reported violent crimes are an under report of the total number of actual violent crimes.

Treatment admission reporting is required for publicly funded treatment facilities, although some private facilities report voluntarily. The data included here includes all admissions by the primary substance for which the individual sought treatment; some individuals may receive treatment for abusing more than one substance. The data do not distinguish whether a person returned more than once in the same year.



The Department of Health and Human Services does not discriminate on the basis of disability, race, color, creed, gender, sexual orientation, age or national origin in admission or access to or operations of its programs, services, or activities, or its hiring or employment practices. This notice is provided as required by Title II of the Americans with Disabilities Act of 1990 and in accordance with the Civil Rights Act of 1964 as amended, Section 504 of the Rehabilitation Act of 1973 as amended, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972 and the Maine Human Rights Act. Questions, concerns, complaints or requests for additional information regarding the ADA may be forwarded to DHHS ADA Compliance/EEO Coordinator, SHS #11, Augusta, ME 04333; (207) 287-4289 (V) or (207) 287-3488 (V), TTY: 800-606-0215. Individuals who need auxiliary aids or services for effective communication in programs and services of DHHS are invited to make their needs and preferences known to the ADA Compliance/EEO Coordinator. This information is available in alternate formats upon request.

Caring. Responsive. Well-Managed. We Are DHHS.