
Maine's Strategic Prevention Framework State Incentive Grant

SUBSTANCE CONSUMPTION AND CONSEQUENCES

COUNTY PROFILE SUPPLEMENT: FRANKLIN COUNTY



Prepared for: Maine Office of Substance Abuse



BY: HORNBY ZELLER ASSOCIATES, INC.

November 2009

INTRODUCTION

This document updates the original county profiles that were compiled for SPF SIG grantees in 2006. The County Profile is meant to accompany *Maine's Strategic Prevention Framework Guide to Evaluation and Planning* and provides a starting point for answering some important questions. The following pages contain tables, charts and figures for Franklin County and District 3 (Western) that come from a variety of sources, including: the Maine Youth Drug and Alcohol Survey (MYDAUS); the Behavioral Risk Factor Surveillance System (BRFSS); the Young Adult Drug and Alcohol Use Survey (YADAUS); the Fatality Analysis Report System (FARS); Uniform Crime Reports (UCR); and the Treatment Data System (TDS).

Census Quick Facts for Franklin County and Maine: 2008		
	Franklin	Maine
Population, 2008 estimate	29,857	1,316,456
Population, percent change, April 1, 2000 to July 1, 2008	1.3%	3.3%
Population estimates base (April 1) 2000	29,464	1,274,922
Persons under 5 years old, percent, 2008	4.8%	5.4%
Persons under 18 years old, percent, 2008	19.1%	20.9%
Persons 65 years old and over, percent, 2008	14.8%	15.1%
Female persons, percent, 2008	51.6%	51.2%
White persons, percent, 2008 (a)	97.8%	96.4%
Black persons, percent, 2008 (a)	0.4%	1.0%
American Indian and Alaska Native persons, percent, 2008 (a)	0.4%	0.6%
Asian persons, percent, 2008 (a)	0.5%	0.9%
Native Hawaiian and Other Pacific Islander, percent, 2008 (a)		
Persons reporting two or more races, percent, 2008	0.9%	1.1%
Persons of Hispanic or Latino origin, percent, 2008 (b)	0.8%	1.3%
White persons not Hispanic, percent, 2008	97.1%	95.3%
Housing units, 2008	20,420	700,480
Median household income, 2007	\$39,929	\$45,832
Persons below poverty, percent, 2007	16.0%	12.2%
Land area, 2000 (square miles)	1,697.81	30,861.55
Persons per square mile, 2000	17.4	41.3


SOURCE: US Census Bureau State & County QuickFacts.

⁽a) Includes persons reporting only one race.

⁽b) Hispanics may be of any race, so also are included in applicable race categories.


LIFETIME CONSUMPTION PATTERNS AMONG 6TH TO 12TH GRADERS

Lifetime alcohol use




Source: MYDAUS, 2008

Lifetime marijuana use




Source: MYDAUS, 2008

Lifetime misuse of prescription drugs




LIFETIME CONSUMPTION PATTERNS AMONG 6TH TO 12TH GRADERS, BY GRADE

Lifetime alcohol use




Source: MYDAUS, 2008

Lifetime marijuana use




Source: MYDAUS, 2008

Lifetime misuse of prescription drugs




PREVIOUS 30-DAY CONSUMPTION PATTERNS AMONG 6TH TO 12TH GRADERS

Previous 30-day use of alcohol




Previous 30-day use of marijuana




Source: MYDAUS, 2008

Previous 30-day misuse of prescription drugs




Previous 30-day use of alcohol




Source: MYDAUS, 2008

Previous 30-day marijuana use



Source: MYDAUS, 2008


Previous 30-day prescription drug misuse



BINGE DRINKING AMONG 6TH TO 12TH GRADERS


AGE FIRST TRIED ALCOHOL OR MARIJUANA

Percentage of students who participated in binge drinking within the last two weeks




Source: MYDAUS, 2008

Percentage of students who participated in binge drinking within the last 2 weeks




Source: MYDAUS, 2008

Age first tried alcohol (more than 1-2 sips), grades 11 and 12




Source: MYDAUS, 2004, 2006, 2008


Age first tried marijuana, grades 11 and 12




Source: MYDAUS, 2004, 2006, 2008

PERCEPTIONS ON EASE OF ACCESS AMONG 6TH TO 12TH GRADERS, BY GRADE GROUPS






PERCEPTIONS THAT USE IS WRONG AMONG 6TH TO 12TH GRADERS, BY GRADE GROUPS




Source: MYDAUS, 2008

Parents think that alcohol use by youth is wrong




Source: MYDAUS, 2008

Regular marijuana use by youth is wrong




Source: MYDAUS, 2008

Parents think that marijuana use by youth is wrong




Perceptions of Getting Caught among 6th to 12th graders, by grade groups

Caught by police for alcohol




Source: MYDAUS, 2008

Caught by police for marijuana




Source: MYDAUS, 2008

Caught by parents for alcohol




PERCEPTIONS OF HARM FROM USE AND FAMILY RULES AMONG 6TH TO 12TH GRADERS, BY GRADE GROUPS




Source: MYDAUS, 2008

Harm from trying marijuana




Source: MYDAUS, 2008

Harm from 5+ alcohol drinks once or twice per week



Source: MYDAUS, 2008

Family has clear rules around alcohol/drug use



CONSUMPTION TRENDS: 2004 - 2008

Lifetime and Past Month Use, by Year		Lifetime		Past Month			
FRANKLIN COUNTY	2004	2006	2008	2004	2006	2008	
Cigarettes	n/a	n/a	n/a	16.6%	16.0%	10.1%	
Alcohol	53.5%	53.3%	48.6%	34.5%	35.2%	27.1%	
Marijuana	26.3%	31.2%	25.9%	13.7%	17.1%	14.1%	
Hallucinogens	3.6%	5.2%	4.3%	1.7%	1.9%	1.6%	
Cocaine	4.2%	4.5%	3.6%	1.4%	1.3%	1.7%	
Ecstasy	3.2%	4.2%	3.7%	1.4%	1.6%	1.6%	
Inhalants	11.9%	12.1%	10.4%	5.1%	3.8%	3.2%	
Stimulants	3.2%	3.7%	2.6%	1.3%	1.4%	1.1%	
Heroin	2.0%	1.6%	1.1%	1.1%	1.0%	0.6%	
Prescription Drugs	14.8%	13.5%	10.0%	7.4%	7.0%	4.7%	
Other Illegal Drugs	12.2%	13.4%	11.0%	6.0%	6.3%	6.1%	
Binge Drinking (Past 2 Weeks)	n/a	n/a	n/a	19.7%	19.9%	12.9%	
SOURCE: MYDAUS 2004-2008. All percentages represent t	he proport	ion of stud	dents who	indicated	d "Yes".		

SOURCE. MITDAUS 2004-2006. All percentages represent the proportion of students who indicated thes

TRENDS FOR INTERVENING VARIABLES AND CONTRIBUTING FACTORS: 2004 - 2008


Intervening Variables, by grade groups and year		6th to 8th		9th to 12th				
FRANKLIN COUNTY	2004	2006	2008	2004	2006	2008		
Access to alcohol is easy	28.7%	31.0%	34.3%	69.8%	69.4%	63.1%		
Access to other drugs is easy	6.4%	7.4%	8.3%	17.7%	18.3%	14.4%		
Access to marijuana is easy	19.5%	21.4%	18.3%	69.3%	71.9%	65.7%		
Would be caught by police (alcohol)	38.4%	38.4%	39.8%	10.2%	10.3%	10.1%		
Would be caught by police (marijuana)	49.5%	48.3%	48.2%	12.6%	13.1%	14.9%		
Would be caught by parents (alcohol)	71.5%	71.5%	72.5%	38.4%	34.4%	41.7%		
Consuming 1-2 alcohol drinks per day is harmful	69.9%	73.4%	76.5%	57.2%	61.5%	64.5%		
Consuming 5+ alcohol drinks once or twice per week is harmful	n/a	89.5%	86.7%	n/a	74.1%	79.6%		
Trying marijuana is harmful	69.5%	71.2%	73.1%	35.6%	34.8%	35.3%		
Regularly smoking marijuana is harmful	90.1%	90.1%	88.8%	71.6%	67.5%	69.2%		
Family has clear rules around alcohol/drug use	28.3%	31.2%	28.3%	77.4%	80.4%	80.1%		
Regular alcohol use by youth is wrong	85.3%	87.4%	90.6%	48.6%	52.0%	57.0%		
Regular marijuana use by youth is wrong	90.7%	92.0%	93.7%	65.2%	61.2%	64.2%		
Other drug use by youth is wrong	96.7%	97.0%	97.3%	90.8%	89.5%	91.8%		
Parents think regular alcohol use by youth is wrong	92.3%	93.2%	94.7%	77.3%	79.2%	83.1%		
Parents think regular marijuana use by youth is wrong	97.0%	98.4%	96.5%	90.3%	88.1%	90.6%		
Community thinks regular alcohol use by youth is wrong	91.1%	92.8%	94.4%	78.9%	75.1%	74.1%		
Community thinks regular marijuana use by youth is wrong	84.4%	85.1%	88.5%	60.5%	60.1%	62.7%		
SOURCE: MYDAUS 2004-2008. All percentages represent the proportion	on of stude	nts who inc	dicated "Ye	es".				

Hornby Zeller Associates, Inc. Page 12

SUBSTANCE CONSUMPTION: ADULTS


ANY ALCOHOL, HEAVY DRINKING AND BINGE DRINKING

Any Alcohol in the Past Month, by District: 2007-08




Source: BRFSS 2007-08

At Risk for Binge Drinking in the Past Month, by District: 2007-08



Source: BRFSS 2007-08

Heavy Alcohol Use (1-2 Drinks per Day) in the Past Month, by District: 2007-08



Source: BRFSS 2007-08

SUBSTANCE CONSUMPTION: ADULTS

ALCOHOL AND DRUG USE, BY DISTRICT

	Maine (N=722)			rk (1) =45)		erland (2) =45)		ern (3) =134)			qnuis (6) Downeast (7) N=81) (N=36)			Aroostook (8) (N=55)				
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Any use in Past Year																		
Alcohol	583	80.7%	36	80.0%	41	91.1%	100	74.6%	55	83.3%	220	84.6%	65	80.2%	26	72.2%	40	72.7%
Marijuana	270	38.0%	24	54.5%	24	53.3%	45	33.8%	20	30.8%	108	42.5%	24	29.6%	12	35.3%	13	23.6%
Painkillers or tranquilizers	118	16.6%	12	27.3%	10	22.2%	25	18.8%	11	17.2%	34	13.4%	10	12.3%	7	20.0%	9	16.4%
Over the counter	33	4.7%	3	7.0%	4	8.9%	3	2.3%	7	11.1%	9	3.6%	2	2.5%	1	2.9%	4	7.4%
Any of the above	600	83.1%	37	82.2%	41	91.1%	104	77.6%	55	83.3%	227	87.3%	66	81.5%	28	77.8%	42	76.4%
Any use in Past Month																		
Alcohol	490	68.2%	33	73.3%	40	88.9%	77	57.5%	47	71.2%	184	71.0%	55	67.9%	20	55.6%	34	61.8%
Marijuana	197	27.7%	18	40.9%	17	37.8%	35	26.3%	16	24.6%	77	30.3%	18	22.2%	7	20.6%	9	16.4%
Painkillers or tranquilizers	60	8.4%	5	11.4%	7	15.6%	9	6.8%	5	7.8%	19	7.5%	7	8.6%	4	11.4%	4	7.3%
Over the counter	15	2.1%	-	-	2	4.4%	2	1.5%	3	4.8%	4	1.6%	-	-	1	2.9%	3	5.6%
Any of the above	511	70.8%	35	77.8%	40	88.9%	82	61.2%	48	72.7%	193	74.2%	57	70.4%	22	61.1%	34	61.8%
Average number of alcoho	olic dri	nks cons	sumed	on week	days													
None	557	86.1%	33	80.5%	32	82.1%	106	87.6%	49	84.5%	204	89.1%	59	79.7%	28	82.4%	46	90.2%
1-2 drinks	69	10.7%	4	9.8%	5	12.8%	15	12.4%	5	8.6%	18	7.9%	12	16.2%	5	14.7%	5	9.8%
5 or more drinks	21	3.2%	4	9.8%	2	5.1%	-	-	4	6.9%	6	3.1%	3	4.1%	1	2.9%	-	-
Average number of alcoho	olic dri	nks cons	sumed	on weeki	nights													
None	436	65.8%	26	61.9%	12	28.6%	93	77.5%	34	58.6%	156	65.3%	53	69.7%	26	74.3%	36	70.6%
1-2 drinks	195	29.4%	12	28.6%	28	66.7%	25	20.8%	21	36.2%	67	28.0%	20	26.3%	9	25.7%	13	25.5%
5 or more drinks	32	4.8%	4	9.5%	2	4.8%	2	1.7%	3	5.2%	15	6.7%	3	3.9%	0	0.0%	2	3.9%
Average number of alcoho	olic dri	nks cons	sumed	on week	ends													
None	222	32.5%	15	34.9%	5	11.9%	53	43.1%	19	30.2%	67	27.1%	26	32.9%	14	40.0%	23	45.1%
1-2 drinks	245	35.9%	14	32.6%	12	28.6%	42	34.1%	27	42.9%	87	35.2%	33	41.8%	14	40.0%	16	31.4%
5 or more drinks	216	31.6%	14	32.6%	25	59.5%	28	22.8%	15	23.8%	93	37.7%	20	25.3%	7	20.0%	12	23.5%

Source: YADAUS 2008

SUBSTANCE CONSUMPTION: ADULT

	Maine (N=722)			rk (1) =45)		rland (2) =45)		ern (3) :134)		Coast (4) =66)		ral (5) 260)		uis (6) =81)		east (7) =36)		stook (8) =55)
_	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Access to Alcoh	ol (Under	21)																
Easy	228	82.0%	14	82.4%	15	93.8%	37	71.2%	26	89.7%	90	81.8%	21	84.0%	10	90.9%	15	83.3%
Hard	50	12.0%	3	17.6%	1	6.3%	15	28.8%	3	10.3%	20	18.2%	4	16.0%	1	9.1%	3	16.7%
Access to Marijuana																		
Easy	453	64.3%	30	69.8%	36	80.0%	78	58.6%	40	61.5%	166	66.1%	45	57.0%	26	72.2%	32	60.4%
Hard	252	35.7%	13	30.2%	9	20.0%	55	41.4%	25	38.5%	85	33.9%	34	43.0%	10	27.8%	21	39.6%
Access to Rx Dr	rugs																	
Easy	299	42.4%	22	51.2%	22	51.1%	59	44.4%	26	40.0%	98	38.9%	34	43.0%	17	47.2%	21	39.6%
Hard	407	57.6%	21	48.8%	23	48.9%	74	55.6%	39	60.0%	154	61.1%	45	57.0%	19	52.8%	32	60.4%
Do the bars, tav	erns and/c	or restaui	ants n	ear you d	offer spe	cials on a	alcohol?	?										
Yes	303	42.9%	21	50.0%	22	50.0%	47	35.3%	27	42.9%	100	39.4%	38	47.5%	16	45.7%	32	58.2%
No	76	10.8%	5	11.9%	4	9.1%	18	13.5%	8	12.7%	21	8.3%	11	13.8%	5	14.3%	4	7.3%
Unsure	327	46.3%	16	38.1%	18	40.9%	68	51.1%	28	44.4%	133	52.4%	31	38.8%	14	40.0%	19	34.5%
How often do yo	ou go to or	ne of thes	se esta	blishmer	its beca	use of dri	ink spec	ials										
Never	539	76.8%	33	76.7%	25	59.5%	105	79.5%	54	83.1%	197	78.5%	58	73.4%	28	80.0%	39	70.9%
Rarely	101	14.4%	5	11.6%	12	28.6%	18	13.6%	5	7.7%	35	13.9%	11	13.9%	5	14.3%	10	18.2%
Occasionally	45	6.4%	3	7.0%	4	9.5%	7	5.3%	3	4.6%	13	5.2%	9	11.4%	2	5.7%	4	7.3%
Frequently	17	2.4%	2	4.7%	1	2.4%	2	1.5%	3	4.6%	6	2.4%	1	1.3%	-	-	2	3.6%
Do you believe	your local	police de	partme	ent enfor	ces alco	hol laws	and pol	icies?										
Yes	416	58.5%	30	69.8%	27	61.4%	73	54.5%	41	63.1%	152	59.1%	46	59.0%	16	45.7%	31	56.4%
No	85	12.0%	3	7.0%	5	11.4%	18	13.4%	5	7.7%	31	12.1%	9	11.5%	7	20.0%	7	12.7%
Unsure	210	29.5%	10	23.3%	12	27.3%	43	32.1%	19	29.2%	74	28.8%	23	29.5%	12	34.3%	17	30.9%
How willing are	you to pro	vide alco	hol to	someon	e under :	21 years	of age?											
Willing	108	15.5%	9	20.9%	11	25.6%	14	10.5%	7	10.9%	52	21.0%	10	12.7%	4	11.4%	1	1.9%
Not willing	492	70.4%	23	53.5%	23	53.5%	107	80.5%	42	65.6%	156	62.9%	62	78.5%	28	80.0%	51	94.4%
Unsure	99	14.2%	11	25.6%	9	20.9%	12	9.0%	15	23.4%	40	16.1%	7	8.9%	3	8.6%	2	3.7%
How likely do yo	ou think so	omeone f	rom yo	ur town	will face	legal cor	nsequer	ices if the	ey serv	ed or pro	vided a	lcohol to	a mino	r?				
Likely	447	63.2%	31	72.1%	26	59.1%	79	59.8%	50	76.9%	153	60.0%	53	67.9%	21	60.0%	34	61.8%
Not likely	163	23.1%	7	16.3%	13	29.5%	31	23.5%	12	18.5%	60	23.5%	17	21.8%	9	25.7%	14	25.5%
Unsure	97	13.7%	5	11.6%	5	11.4%	22	16.7%	3	4.6%	42	16.5%	8	10.3%	5	14.3%	7	12.7%

Source: YADAUS 2008

SUBSTANCE CONSUMPTION: ADULT

INTERVENING VARIABLES AND CONTRIBUTING FACTORS (RISK OF HARM AND EMPLOYMENT), BY DISTRICT


	Maine (N=722)		Yor	k (1)	Cumbe	land (2)	West	ern (3)	MidC	coast (4)	Cent	ral (5)	Peqnuis (6)		Downeast (7)		Aroostook (8)	
			(N:	=45)	(N=	:45)	(N=	134)	(N:	=66)	(N=	260)	(N	l=81)	(N:	=36)	(N:	(N=55)
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%
Harm from drinking 1-2 alcoholic drinks a few times																		
Harmful	178	25.2%	15	34.9%	4	9.3%	41	30.8%	14	21.5%	49	19.3%	24	30.4%	11	31.4%	20	36.4%
Not harmful	529	74.8%	28	65.1%	39	90.7%	92	69.2%	51	78.5%	205	80.7%	55	69.6%	24	68.6%	35	63.6%
Harm from dri																		
Harmful	513	72.2%	33	76.7%	25	56.8%	96	71.6%	51	78.5%	181	71.0%	57	71.3%	27	77.1%	43	78.2%
Not harmful	198	27.8%	10	23.3%	19	43.2%	38	28.4%	14	21.5%	74	29.0%	23	28.8%	8	22.9%	12	21.8%
Harm from us	Harm from using prescription drugs in order to get high																	
Harmful	619	88.7%	36	90.0%	37	86.0%	114	86.4%	57	93.4%	221	87.7%	71	88.8%	33	94.3%	50	90.9%
Not harmful	79	11.3%	4	10.0%	6	14.0%	18	13.6%	4	6.6%	31	12.3%	9	11.3%	2	5.7%	5	9.1%
Harm from try	ing marij	uana onc	e or twic	е														
Harmful	184	26.1%	9	20.9%	7	16.3%	41	30.6%	14	22.2%	43	17.0%	32	40.5%	14	40.0%	24	43.6%
Not harmful	521	73.9%	34	79.1%	36	83.7%	93	69.4%	49	77.8%	210	83.0%	47	59.5%	21	60.0%	31	56.4%
Harm from sm	oking m	arijuana re	egularly															
Harmful	448	63.3%	22	52.4%	23	52.3%	87	65.4%	43	66.2%	153	60.2%	54	67.5%	25	71.4%	41	74.5%
Not harmful	260	36.7%	20	47.6%	21	47.7%	46	34.6%	22	33.8%	101	39.8%	26	32.5%	10	28.6%	14	25.5%
To your know	ledge, do	es your e	mployer	r have an	alcohol a	nd/or dru	ıg policy	? (Amon	g those	employe	ed)							
Yes	346	61.0%	22	64.7%	15	37.5%	61	61.6%	34	59.6%	119	62.3%	46	65.7%	23	76.7%	26	56.5%
No	73	12.9%	2	5.9%	5	12.5%	18	18.2%	7	12.3%	20	10.5%	13	18.6%	2	6.7%	6	13.0%
Unsure	148	26.1%	10	29.4%	20	50.0%	20	20.0%	16	28.1%	52	27.2%	11	15.7%	5	16.7%	14	30.4%

SOURCE: YADAUS 2008

CONSEQUENCES OF SUBSTANCE USE


CRASH FATALITIES AND CRIME

Average (5-year) Number of Fatalities from Alcoholrelated Crashes, Franklin: 1999 to 2008




Source: FARS, 1999-2008

Violent Crimes per 1,000 People in Franklin: 2002 to 2008




*Violent crime includes aggravated assault, robbery and sexual assault. Source: UCR, 2002-2008.

Average Number of Fatalities From Crashes in Which Driver Was Over the Legal Limit Per 100,000 People, by County: 2005-2008



Source: FARS, 1999-2008

Property Crimes per 1,000 People Franklin: 2002 to 2008




*Property crime includes burglary, larceny, and car theft.

Source: UCR, 2002-2008.


CONSEQUENCES OF SUBSTANCE USE

TREATMENT FOR SUBSTANCE ABUSE


Primary Treatment Admissions Among Adults 18 and Older, by Substance: Franklin County, SFY2005 to SFY2008




Number of Primary Treatment Admissions for Alcohol per 1,000 Adults, by County: 2008



Number of Primary Treatment Admissions for Synthetic Opiates per 1,000 Adults, by County: 2008



Number of Primary Treatment Admissions for Marijuana per 1,000 Adults, by County: 2008



SOURCE: TDS. These charts represent the primary substance for which an individual was admitted; some individuals may use more than one substance.

Hornby Zeller Associates, Inc.
Page 18

EXPLANATION OF TERMS USED IN THE PROFILE

Alcohol-related is a fatal crash in which a driver was alcohol involved.

Binge drinking for adults is defined as 5 or more alcoholic beverages for men in one occasion, and 4 or more alcoholic beverages for women in one occasion. For youth, there is no distinction between gender and binge drinking is defined as 5 or more alcohol beverages in one occasion.

Heavy use of alcohol for adults is defined more than one drink per day for women or two drinks per day for men and is considered a public health concern by the U.S. Centers for Disease Control and Prevention.

Lifetime use of a substance refers to whether a person has ever used the substance, even once.

Misuse of prescription drugs, for youth, means that a student used a pharmaceutical that was not specifically prescribed by a doctor. For adults, misuse means that a person used painkillers or tranquillizers in order to get high.

Previous 30-day use refers to whether the person used the substance within the 30-day period prior to the administration of the survey.

Property crime includes robbery, larceny and car theft.

Rate per 1,000/10,000/100,000 reflects a special kind of ratio that indicates the frequency with which an event occurs in a defined population over a period of time. The components of a rate include the number of incidents (e.g., number of arrests) and the population in question. Performing this calculation helps make the total number of incidents within a small county comparable to the total number of incidents found in a larger one.

Violent crime includes aggravated assault, burglary and sexual assault.

Treatment admission reporting is required for publicly funded treatment facilities, although some private facilities report voluntarily. The data included here includes all admissions by the primary substance for which the individual sought treatment; some individuals may receive treatment for abusing more than one substance. The data do not distinguish whether a person returned more than once in the same year.



Brenda M. Harvey, Commissioner

The Department of Health and Human Services does not discriminate on the basis of disability, race, color, creed, gender, sexual orientation, age or national origin in admission or access to or operations of its programs, services, or activities, or its hiring or employment practices. This notice is provided as required by Title II of the Americans with Disabilities Act of 1990 and in accordance with the Civil Rights Act of 1964 as amended, Section 504 of the Rehabilitation Act of 1973 as amended, the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972 and the Maine Human Rights Act. Questions, concerns, complaints or requests for additional information regarding the ADA may be forwarded to DHHS ADA Compliance/EEO Coordinator, SHS #11, Augusta, ME 04333; (207) 287-4289 (V) or (207) 287-3488 (V), TTY: 800-606-0215. Individuals who need auxiliary aids or services for effective communication in programs and services of DHHS are invited to make their needs and preferences known to the ADA Compliance/EEO Coordinator. This information is available in alternate formats upon request.

> Caring. Responsive. Well-Managed. We Are DHHS.