MAINE'S STRATEGIC PREVENTION FRAMEWORK STATE INCENTIVE GRANT

SUBSTANCE CONSUMPTION AND CONSEQUENCES

COUNTY PROFILE SUPPLEMENT: AROOSTOOK



PREPARED FOR: MAINE OFFICE OF SUBSTANCE ABUSE

BY: HORNBY ZELLER ASSOCIATES, INC.


REVISED SEPTEMBER 2006

SUBSTANCE CONSUMPTION AND CONSEQUENCES AROOSTOOK COUNTY

INTRODUCTION

As part of the needs assessment, Strategic Prevention Framework State Incentive Grant Phase I grantees are asked to examine countywide consumption and consequence data in order to identify substance prevention priorities. The following pages contain charts and figures for Aroostook County that come from a variety of sources and mirror the statewide epidemiological work done in the past year. This document provides a starting point for answering some of the key questions that are asked in the SPF SIG needs assessment process outlined in *Maine's Strategic Prevention Framework Guide to Assessment and Planning*.

COUNTY POPULATION




Source: National Center for Health Statistics and U.S. Census Bureau, 2003.


Source: National Center for Health Statistics and U.S. Census Bureau, 2003.

The residents of Aroostook County are very similar to the State in terms of age. Therefore, observed differences between the county and the State are likely <u>not</u> attributable to a different age composition.

LIFETIME CONSUMPTION PATTERNS AMONG 6TH TO 12TH GRADERS




th graders: Lifetime misuse of prescription drugs among 6th through 12th graders: Aroostook County and Maine, 2006



Source: MYDAUS, 2006. The symbol "-" indicates data were suppressed to protect confidentiality.


Source: MYDAUS, 2006




Lifetime marijuana use among 6th through 12th graders: Aroostook County and Maine, 2006

Source: MYDAUS, 2006


LIFETIME CONSUMPTION AMONG 6TH TO 12TH GRADERS, BY GRADE




Source: MYDAUS, 2006




Source: MYDAUS, 2006. The symbol "-" indicates data were suppressed to protect






100




Source: MYDAUS, 2006. The symbol "-" indicates data were suppressed to protect confidentiality.

Previous 30-day consumption patterns among $\mathbf{6}^{\text{TH}}$ to $\mathbf{12}^{\text{TH}}$ graders




Previous 30-day use of alcohol among 6th through 12th graders: Aroostook County and Maine, 2006

Source: MYDAUS, 2006



Previous 30-day use of marijuana among 6th through 12th graders: Aroostook County and Maine, 2006

Source: MYDAUS, 2006



30

20

10

0

Aroostook

☐ Maine

No Use

95.9

94.0

Previous 30-day misuse of prescription drugs among 6th through 12th graders: Aroostook County and Maine, 2006

Source: MYDAUS, 2006. The symbol "-" indicates data were suppressed to protect confidentiality.

3-5 times

1.1

1.2

6-9 times

-

0.5

10 or more

1.0

1.1


1-2 times

1.8


3.2

Previous 30-day consumption patterns Among $\mathbf{6}^{\text{th}}$ to 12 $^{\text{th}}$ Graders, by Grade

Previous 30-day alcohol use, by grade:




Source: MYDAUS, 2006.



Previous 30-day marijuana use, by grade: Aroostook County and Maine, 2006

Source: MYDAUS, 2006. The symbol "-" indicates data were suppressed to protect confidentiality.


Previous 30-day prescription drug misuse, by grade: Aroostook County and Maine, 2006



Source: MYDAUS, 2006. The symbol "-" indicates data were suppressed to protect confidentiality.


BINGE DRINKING AMONG 6TH TO 12TH GRADERS

Percentage of students who participated in binge drinking within the last 2 weeks, by grade: Aroostook County and Maine, 2006



Source: MYDAUS, 2006. The symbol "-" indicates data were suppressed to protect confidentiality.


Percentage of students who participated in binge drinking within the last 2 weeks, by gender: Aroostook County and Maine, 2006



Source: MYDAUS, 2006


Hornby Zeller Associates, Inc.

AGE FIRST TRIED ALCOHOL OR MARIJUANA



Age first tried alcohol (more than 1-2 sips), grades 11 and 12: Aroostook County, 2002, 2004 and 2006


Source: MYDAUS, 2002-2006



Age first tried marijuana, grades 11 and 12: Aroostook County, 2002, 2004 and 2006


Source: MYDAUS, 2002-2006

Alcohol and Drug Consumption Among Adults 18 and Older



Lifetime use among adults age 18 and older, by substance: Aroostook County and Maine, 2004


Note: Prescription drug use refers to use that was not prescribed by a doctor. Source: Maine General Population Survey, 2004.




Past 30-day use of alcohol and marijuana among adults age 18 and older: Aroostook County and Maine, 2004


Note: For prescription drugs and other drugs, there were too few cases for a reliable estimate. Source: Maine General Population Survey, 2004.

Adults age 18 and older who have particpated in binge drinking*: Aroostook County and Maine, 2004



*Binge drinking is defined as 5 or more alcoholic beverages for men in one occasion and 4 or more alcoholic beverages for women in one occasion. Source: Maine General Population Survey, 2004.






*Binge drinking is defined as 5 or more alcoholic beverages for men in one occasion and 4 or more alcoholic beverages for women in one occasion. Source: Maine General Population Survey, 2004.


PRESCRIPTION DRUG CONSUMPTION (ALL AGES)


Gender distribution of individuals who crossed the threshold for prescription drug purchases, by county: 2004



Source: Prescription Monitoring Program (PMP), State Fiscal Year 2004.

Median age of individuals crossing the threshold for prescription drug purchases, by county: 2004






AN – Androscoggin AK – Aroostook CD – Cumberland FN – Franklin HK – Hancock KC – Kennebec KN – Knox LN – Lincoln

OD – Oxford PT – Penobscot PS – Piscataquis SC – Sagadahoc ST – Somerset WO – Waldo WN – Washington YK – York


ALCOHOL- AND DRUG- RELATED ARRESTS



Juvenile arrests for alcohol violations, per 100,000 youth age 10-17: Aroostook County and Maine, 1991-2002

Notes: Data reflect all alcohol violations combined (OUI, liquor law violations and drunkeness). Source: OSA Indicator data. (Department of Public Safety - Uniform crime reporting), 1991-2002.

Juvenile arrests for drug violations, per 100,000 youth age 10-17: Aroostook County and Maine, 1991-2002




Notes: Data reflect all drug violations combined (possession, sale, use, growing, manufacturing). Source: OSA Indicator data. (Department of Public Safety - Uniform crime reporting), 1991-2002.

FATAL TRAFFIC ACCIDENTS INVOLVING ALCOHOL


These results should be interpreted with caution as estimates are based on low numbers.

Percent of all youth drivers* in fatal crashes who were



*Youth drivers includes drivers under the age of 21. Source: Fatality Analysis Reporting System (FARS) 1994-2003.

ALCOHOL- AND DRUG- RELATED SUSPENSIONS/ REMOVALS




Suspensions/removals (3-year average) due to alcohol or drugs per 100,000 youth ages 12 to 17: Aroostook County and Maine, 2001-02 to 2003-04

Source: Lobster Book, Safe and Drug Free Schools (SDFS), 2001-02 to 2003-04.

SUBSTANCE USE CONSEQUENCES: ADULTS AROOSTOOK COUNTY


CRIME AND ARRESTS



*Violent crime includes aggravated assault, burglary and sexual assault. Property crime includes robbery, larceny, and car theft.


Source: Uniform Crime Reporting (UCR), 1994-2002.

Arrests for alcohol violations, per 100,000 adults age 18 and over: Aroostook County and Maine, 1991-2000




Notes: Data reflect all alcohol violations combined (OUI, liquor law violations and drunkeness). Source: OSA Indicator data. (Department of Public Safety - Uniform crime reporting), 1991-2000.

Adult OUI arrests, per 100,000 adults age 18 and over: Aroostook County and Maine, 1991-2002



Source: OSA Indicator data. (Department of Public Safety - Uniform crime reporting), 1991-2002.

Arrests for drug violations, per 100,000 adults age 18 and over: Aroostook County and Maine, 1991-2000




Notes: Data reflect all drug violations combined (possession, sale, use, growing, manufacturing). Source: OSA Indicator data. (Department of Public Safety - Uniform crime reporting), 1991-2000.

FATAL TRAFFIC ACCIDENTS INVOLVING ALCOHOL


These results should be interpreted with caution as estimates are based on low numbers.


Percent of total fatal crashes over 5 years that were alcohol-



*The total number of fatal crashes is 10 or less in each 5-year period. Source: Fatality Analysis Reporting System (FARS) 1994-2003.


AN – Androscoggin	OD – Oxford
AK – Aroostook	PT – Penobscot
CD – Cumberland	PS – Piscataquis
FN – Franklin	SC – Sagadahoc
HK – Hancock	ST – Somerset
KC – Kennebec	WO – Waldo
KN – Knox	WN – Washington
LN – Lincoln	YK – York





*Young adult drivers includes drivers between the ages of 21 and 29. Source: Fatality Analysis Reporting System (FARS) 1994-2003.

Percent of all adult drivers* in fatal crashes who were alcohol-involved: Aroostook County and Maine, 1994 to 1998 and 1999 to 2003




*Adult drivers includes drivers age 30 and older. Source: Fatality Analysis Reporting System (FARS) 1994-2003.

Hornby Zeller Associates, Inc.

SUBSTANCE USE CONSEQUENCES: ADULTS AROOSTOOK COUNTY


MORTALITY



Note: It is estimated that roughly 20 percent of suicides and 30 percent of homicides are attributable to substance use (alcohol and/or drugs).

Source: National Center for Health Statistics Multiple Cause of Death Public-Use Files, 1999-2001.


Overdose deaths per 100,000 people: Aroostook County and Maine, 1997- 2003



Source: Maine Drug Enforcement Agency (MDEA), 1997-2003.


SUBSTANCE USE CONSEQUENCES: ADULTS AROOSTOOK COUNTY

TREATMENT




Treatment admissions (all ages) per 100,000: Aroostook


Source: Treatment Data System (TDS), 2000-2003 and U.S. Census Bureau.




Percent of total treatment admissions among adults (18 and older) involving alcohol*: Aroostook County and Maine, 2000 to 2004


*Alcohol may have been the primary, secondary or tertiary substance for which treament was sought. Source: Treatment Data System (TDS) for state fiscal years 2000 to 2004.





*Marijuana may have been the primary, secondary or tertiary substance for which treament was sought. Source: Treatment Data System (TDS) for state fiscal years 2000 to 2004.





*Prescription drugs may have been the primary, secondary or tertiary substance for which treament was sought.

Source: Treatment Data System (TDS) for state fiscal years 2000 to 2004.

Alcohol-involved is a driver who had alcohol in his or her system, although the amount could be less than the legal limit.

Alcohol-related is a fatal crash in which a driver was alcohol involved.

Alcohol violations include Operating Under the Influence (OUI), liquor law violations and drunkenness.

Binge drinking for adults is defined as 5 or more alcoholic beverages for men in one occasion, and 4 or more alcoholic beverages for women in one occasion. For youth, there is no distinction between gender and binge drinking is defined as 5 or more alcohol beverages in one occasion.

Drug violations include possession, sale, use, growing and manufacturing.

Lifetime use of a substance refers to whether a person has ever used the substance, even once.

Misuse of prescription drugs, for youth, means that a student used a pharmaceutical that was not specifically prescribed by a doctor. For adults, misuse means that a person used painkillers or tranquillizers in any form that were not medically prescribed.

Previous 30-day use refers to whether the person used the substance within the 30-day period prior to the administration of the survey.

Property crime includes robbery, larceny and car theft.

Rate per 1,000 or 100,000 reflects a special kind of ratio that indicates the frequency with which an event occurs in a defined population over a period of time. The components of a rate include the number of incidents (e.g., number of arrests) and the population in question. Performing this calculation helps make the total number of incidents within a small county comparable to the total number of incidents found statewide.

Removal from school is defined as long-term suspension or expulsion (see below).

Suspension is defined as temporary removal from school greater than 10 days; two types of suspensions are counted in this category: (1) a single suspension of more than 10 days, and (2) multiple short-term suspensions of the same student totaling more than 10 days.

Thresholds for prescription drugs are set by the State and are used every quarter to help identify patients who may be obtaining an unsafe level of prescription dispensing.

Violent crime includes aggravated assault, burglary and sexual assault.

Treatment admission reporting is required for publicly funded treatment facilities, although some private facilities report voluntarily. The data included here includes all admissions and does not distinguish whether a person returned more than once in the same year.