

### III. Hypoallergenic Formulas (for cow's milk and soy protein allergy and/or malabsorptive disorders)

Hydrolyzed formulas are similar to milk-based and soy-based formulas with changes made to the protein component. They meet the requirements established by the American Academy of Pediatrics, Committee on Nutrition for the minimum level of 29 nutrients and the maximum level of 9 nutrients. The milk protein (whey or casein) is heat treated and broken down enzymatically to create a protein that is easier to digest. These infant formulas were designed for infants who have problems with the digestion of protein or severe allergy problems to protein. In many cases these formulas are provided to infants with feeding problems, milk or soy protein allergies or enzyme deficiencies. The fat in these formulas may contain medium-chain triglycerides (MCT), which are also easier to digest and absorb. Due to the changes in the fat component, some of these formulas are also useful for problems with fat malabsorption, short gut syndrome and severe chronic diarrhea.

Elemental (amino acid) formulas are indicated for confirmed diagnoses of: eosinophilic esophagitis, eosinophilic enteropathy, severe food allergies or upon consultative recommendation of an allergist or pediatric gastroenterologist.

All hydrolysate and elemental formulas must be prescribed by a licensed health care provider prior to issuance. According to WIC Federal Regulations (7 CFR, Part 246), monthly formula issuance amounts are based on infant age, feeding choice (partially breastfed or fully formula fed) and form of formula (powder, concentrate, ready to feed). Partially breastfed infants needing supplemental formula may receive a maximum of one can of powdered formula in the first 30 days of life, and will have monthly issuance tailored according to individual need throughout the rest of the first year. WIC maximum formula issuance amounts for all age groups, infant feeding choices and forms of formula are included for each item listed.

#### **For WIC participants who are enrolled in the MaineCare program:**

- **Hydrolysate formulas** will be provided by WIC up to the federal maximum issuance per month. Any medically necessary amounts needed over WIC's federal maximum will be provided by MaineCare.
- All **elemental (amino acid-based) formulas** will be provided by MaineCare

#### **If the infant is not enrolled in MaineCare:**

- The Maine CDC WIC Nutrition Program will provide the formula in amounts not to exceed the federal maximum issuance per month.

#### **Prescriptions for these formulas must include:**

- **specific formula name**
- **diagnosis**
- **length of time the product is needed**
- **amount of formula prescribed per day**

Health care providers may use the **Maine CDC WIC Nutrition Program/MaineCare Request/Prior Authorization for Medical Formula/WIC-Eligible Nutritionals** form to obtain approval and prior authorization for MaineCare coverage. **This form must be sent to the local WIC office in order for MaineCare to approve coverage of the formula prescribed.**

**NOTE: Hypoallergenic formulas not included on this formulary may be authorized for issuance through WIC on a case-by-case basis.**

| Hydrolysates for Infants (less than 12 months of age)                             |   |   |  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
|---|---|---|--|--|--|--------------------------------------|------------|-------------|-------------|-------------------------|------------|------------|-------------|-------------------------|------------|------------|------------|-------------|---------------|---------------|---------------|--------------------------------|------------|------------|-------------|-------------------------|--------|--------|--------|-----------------------------|------------|------------|-------------|-------------------------|--------|--------|--------|--------------|------------|------------|------------|-------------|---------------|---------------|---------------|--------------------------------|-----------|-----------|-----------|
| Product Name  | Description   | Packaging   | Composition  | Indications  | Maximum Monthly WIC Issuance Amounts   |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| <b>Gerber Extensive HA</b><br>(Nestle Nutrition)                                  | Nutritionally complete, 100% extensively hydrolyzed whey protein formula<br><br><b>49% of fat from MCT oil</b>  | <b>Powder:</b><br>14.1 oz. cans, 6 cans/case<br><b>Reconstitution:</b> 96 fl. oz. at standard dilution<br><b>NDC:</b> 50000-5985-52   | <b>CHO:</b> corn maltodextrin, potato starch<br><b>PRO:</b> enzymatically hydrolyzed whey protein isolate (from cow's milk)<br><b>FAT:</b> MCT, soy, high oleic sunflower, high-2-palmitic vegetable, M. alpina, and C. cohnii oils and citric acid esters of mono- and di-glycerides (CITREM)<br><b>Probiotic:</b> B. lactis<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 20 cal./fl. oz.<br><b>Osmolality =</b> 220 mOsm/kg H <sub>2</sub> O                     | For infants 0-12 months for the management of cow's milk protein allergy   | <table border="1"> <thead> <tr> <th colspan="4">Maximum Monthly WIC Issuance Amounts</th> </tr> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b> 14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td colspan="4" style="background-color: #f2f2f2;"></td> </tr> <tr> <th>Partially breastfed infants</th> <th>1-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> <tr> <td><b>Powder:</b> 14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table>  | Maximum Monthly WIC Issuance Amounts |            |             |             | Non-breastfed infants   | 0-3 months | 4-5 months | 6-11 months | <b>Powder:</b> 14.1 oz. | 9 cans     | 10 cans    | 7 cans     |             |               |               |               | Partially breastfed infants    | 1-3 months | 4-5 months | 6-11 months | <b>Powder:</b> 14.1 oz. | 4 cans | 5 cans | 4 cans |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
|   |   |   |  |  | Maximum Monthly WIC Issuance Amounts   |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| Non-breastfed infants   | 0-3 months  | 4-5 months  | 6-11 months  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| <b>Powder:</b> 14.1 oz.   | 9 cans  | 10 cans   | 7 cans   |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
|   |   |   |  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| Partially breastfed infants   | 1-3 months  | 4-5 months  | 6-11 months  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| <b>Powder:</b> 14.1 oz.   | 4 cans  | 5 cans  | 4 cans   |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| <b>Nutramigen® and Nutramigen® with Enflora™ LGG®</b><br>(Mead Johnson Nutrition) | Nutritionally complete extensively hydrolyzed protein formula for infants.<br><br><b>Lactose Free</b><br><br><b>Note:</b> Nutramigen is available in <b>ready to feed</b> only.<br><br><b>Nutramigen with Enflora LGG</b> is available in <b>powder</b> only. | <b>Powder:</b> 12.6 oz. cans, 6 cans/case (use packed level scoops)<br><b>Reconstitution:</b> 87 fl. oz. at standard dilution<br><b>NDC:</b> 00087-123941<br><br><b>Ready to Feed:</b><br>8 oz. bottle, 24 bottles/case<br><b>NDC:</b> 00087-510246 | <b>CHO:</b> corn syrup solids, modified corn starch<br><b>PRO:</b> casein hydrolysate (from milk), L-amino acids<br><b>FAT:</b> palm olein, soy, coconut, high oleic sunflower, M. alpina, and C. cohnii oils,<br><b>Probiotic:</b> <i>Lactobacillus rhamnosus GG</i> (powder only)<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 20 cal./fl. oz.<br><br><b>Osmolality=</b><br>300 mOsm/kg H <sub>2</sub> O (powder)<br>270 mOsm/kg H <sub>2</sub> O (8 fl oz. RTU) | Formula for infants and children with sensitivity to intact proteins of milk and other foods, infants with galactosemia, or infants with severe or multiple food allergies, including allergy to intact proteins in cow's milk and soy formulas.<br><br><b>If used as a milk substitute for children &gt;12 months, total dietary calcium should be assessed for adequacy.</b> | <table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b> 12.6 oz.</td> <td>10 cans</td> <td>11 cans</td> <td>8 cans</td> </tr> <tr> <td>RTF (32 oz.)</td> <td>26 bottles</td> <td>28 bottles</td> <td>20 bottles</td> </tr> <tr> <td>RTF (2 oz.)</td> <td>416 nursettes</td> <td>456 nursettes</td> <td>321 nursettes</td> </tr> <tr> <td>RTF (8 oz. bottles in 6-packs)</td> <td>17 6-packs</td> <td>19 6-packs</td> <td>13 6-packs</td> </tr> <tr> <td colspan="4" style="background-color: #f2f2f2;"></td> </tr> <tr> <th>Partially breastfed infants</th> <th>1-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> <tr> <td><b>Powder:</b> 12.6 oz.</td> <td>5 cans</td> <td>6 cans</td> <td>4 cans</td> </tr> <tr> <td>RTF (32 oz.)</td> <td>12 bottles</td> <td>14 bottles</td> <td>10 bottles</td> </tr> <tr> <td>RTF (2 oz.)</td> <td>192 nursettes</td> <td>237 nursettes</td> <td>169 nursettes</td> </tr> <tr> <td>RTF (8 oz. bottles in 6-packs)</td> <td>8 6-packs</td> <td>9 6-packs</td> <td>7 6-packs</td> </tr> </tbody> </table> | Non-breastfed infants                | 0-3 months | 4-5 months  | 6-11 months | <b>Powder:</b> 12.6 oz. | 10 cans    | 11 cans    | 8 cans      | RTF (32 oz.)            | 26 bottles | 28 bottles | 20 bottles | RTF (2 oz.) | 416 nursettes | 456 nursettes | 321 nursettes | RTF (8 oz. bottles in 6-packs) | 17 6-packs | 19 6-packs | 13 6-packs  |                         |        |        |        | Partially breastfed infants | 1-3 months | 4-5 months | 6-11 months | <b>Powder:</b> 12.6 oz. | 5 cans | 6 cans | 4 cans | RTF (32 oz.) | 12 bottles | 14 bottles | 10 bottles | RTF (2 oz.) | 192 nursettes | 237 nursettes | 169 nursettes | RTF (8 oz. bottles in 6-packs) | 8 6-packs | 9 6-packs | 7 6-packs |
|   |   |   |  |  | Non-breastfed infants  | 0-3 months                           | 4-5 months | 6-11 months |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| <b>Powder:</b> 12.6 oz.   | 10 cans   | 11 cans   | 8 cans   |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| RTF (32 oz.)  | 26 bottles  | 28 bottles  | 20 bottles   |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| RTF (2 oz.)   | 416 nursettes   | 456 nursettes   | 321 nursettes  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| RTF (8 oz. bottles in 6-packs)  | 17 6-packs  | 19 6-packs  | 13 6-packs   |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
|   |   |   |  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| Partially breastfed infants   | 1-3 months  | 4-5 months  | 6-11 months  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| <b>Powder:</b> 12.6 oz.   | 5 cans  | 6 cans  | 4 cans   |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| RTF (32 oz.)  | 12 bottles  | 14 bottles  | 10 bottles   |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| RTF (2 oz.)   | 192 nursettes   | 237 nursettes   | 169 nursettes  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |
| RTF (8 oz. bottles in 6-packs)  | 8 6-packs   | 9 6-packs   | 7 6-packs  |  |  |                                      |            |             |             |                         |            |            |             |                         |            |            |            |             |               |               |               |                                |            |            |             |                         |        |        |        |                             |            |            |             |                         |        |        |        |              |            |            |            |             |               |               |               |                                |           |           |           |

| Hydrolysates for Infants (less than 12 months of age)                  |  |  |  |  |                                      |                   |                   |                    |
|--|--|--|--|--|--------------------------------------|-------------------|-------------------|--------------------|
| Product Name   | Description  | Packaging  | Composition  | Indications  | Maximum Monthly WIC Issuance Amounts |                   |                   |                    |
| <b>Similac Expert Care®</b><br><b>Alimentum®</b><br>(Abbott Nutrition) | Nutritionally complete hypoallergenic infant formula, containing a predigested protein for babies with cow's milk protein allergies<br><br>33% fat from MCT<br><b>Lactose Free.</b><br><b>Gluten Free</b><br><b>RTF is also Corn Free.</b> | <b>Powder:</b> 12.1 oz. cans, 6 cans/case (use unpacked level scoops)<br><b>Reconstitution:</b> 87 fl. oz. at standard dilution<br><b>NDC:</b> 70074-0647-12<br><br><b>Ready to Feed:</b> 32 oz. bottles, 6 cans/case;<br><b>NDC:</b> 70074-0575-13<br><b>-OR-</b><br>8 oz. bottles, 24 bottles/case;<br><b>NDC:</b> 70074-0575-09   | <b>CHO:</b> corn maltodextrin, sugar (powder); sugar, modified tapioca starch (RTF)<br><b>PRO:</b> casein hydrolysate , L-cystine, L-tyrosine, L-tryptophan<br><b>FAT:</b> high oleic safflower, MCT, soy, M. alpina and C. cohnii oils, (powder); safflower, MCT, soy, M. alpina and C. cohnii oils (RTF)<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 20 cal./fl.oz.<br><b>Osmolality=</b><br>320 mOsm/kg H <sub>2</sub> O (powder);<br>370 mOsm/kg H <sub>2</sub> O (RTF) | For infants with colic symptoms due to protein sensitivity, including severe food allergies, sensitivity to intact protein, protein maldigestion or fat malabsorption  | <b>Non-breastfed infants</b>         | <b>0-3 months</b> | <b>4-5 months</b> | <b>6-11 months</b> |
|  |  |  |  |  | <b>Powder:</b> 12.1 oz.              | 10 cans           | 11 cans           | 8 cans             |
|  |  |  |  |  | <b>RTF (32 oz.)</b>                  | 26 bottles        | 28 bottles        | 20 bottles         |
|  |  |  |  |  | <b>RTF (8 oz. bottles in 6-pks)</b>  | 17 6-packs        | 19 6-packs        | 13 6-packs         |
|  |  |  |  |  |                                      |                   |                   |                    |
|  |  |  |  |  | <b>Partially breastfed infants</b>   | <b>1-3 months</b> | <b>4-5 months</b> | <b>6-11 months</b> |
|  |  |  |  |  | <b>Powder:</b> 12.1 oz.              | 5 cans            | 6 cans            | 4 cans             |
| <b>RTF (32 oz.)</b>  | 12 bottles   | 14 bottles   | 10 bottles   |  |                                      |                   |                   |                    |
| <b>RTF (8 oz. bottles in 6-pks)</b>                                    | 8 6-packs  | 9 6-packs  | 7 6-packs  |  |                                      |                   |                   |                    |
| <b>Pregestimil®</b><br>(Mead Johnson Nutrition™)                       | Nutritionally complete infant formula with easily digested protein, fat and carbohydrate sources.<br><br>55% of fat from MCT.<br><br><b>Lactose Free</b>   | <b>Powder:</b> 16 oz. cans, 6 cans/case (use packed level scoops)<br><b>Reconstitution:</b> 112 fl. oz. at standard dilution<br><b>NDC:</b> 00087-036701<br><br><b>Ready to Feed:</b><br><b>20 cal/ounce:</b> 2 oz. nursettes, 48 nursettes/case<br><b>NDC:</b> 00087-143341<br><br><b>-OR-</b><br><br><b>24 cal/ounce:</b> 2 oz. nursettes, 48 nursettes/case<br><b>NDC:</b> 00087-143441 | <b>CHO:</b> corn syrup solids, modified corn starch)<br><b>PRO:</b> casein hydrolysate (from milk), L-amino acids<br><b>FAT:</b> MCT, soy, high oleic safflower or sunflower, M. alpina, and C. cohnii oils; corn oil (powder only)<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 20 cal./fl.oz.<br><b>Osmolality=</b><br>320 mOsm/kg H <sub>2</sub> O (powder)<br>290 mOsm/kg H <sub>2</sub> O (20 cal/oz RTU)<br>340 mOsm/kg H <sub>2</sub> O (24 cal/oz RTU)               | For infants with fat malabsorption or steatorrhea, which may be associated with cystic fibrosis, short bowel syndrome, intractable diarrhea, or severe protein-calorie malnutrition.<br><br><b>If used as a milk substitute for children &gt;12 months, total dietary calcium should be assessed for adequacy.</b><br><br><b>Not recommended for use in very low birth weight infants.</b> | <b>Non-breastfed infants</b>         | <b>0-3 months</b> | <b>4-5 months</b> | <b>6-11 months</b> |
|  |  |  |  |  | <b>Powder:</b> 16 oz.                | 7 cans            | 8 cans            | 6 cans             |
|  |  |  |  |  | <b>RTF (2 oz.)</b>                   | 416 nursettes     | 456 nursettes     | 321 nursettes      |
|  |  |  |  |  |                                      |                   |                   |                    |
|  |  |  |  |  | <b>Partially breastfed infants</b>   | <b>1-3 months</b> | <b>4-5 months</b> | <b>6-11 months</b> |
|  |  |  |  |  | <b>Powder:</b> 16 oz.                | 3 cans            | 4 cans            | 3 cans             |
|  |  |  |  |  | <b>RTF (2 oz.)</b>                   | 192 nursettes     | 237 nursettes     | 169 nursettes      |

| Hydrolysates for Children (older than 12 months of age)                   |   |   |   |   |  |             |
|---|---|---|---|---|--|-------------|
| Product Name  | Description   | Packaging   | Composition   | Indications   | Maximum Monthly WIC Issuance Amounts           |             |
| <b>Nutramigen® with Enflora™ LGG® Toddler</b><br>(Mead Johnson Nutrition) | Extensively hydrolyzed formula designed for older infants and children aged 9 – 36 months with cow's milk allergy<br><br><b>Lactose Free</b>  | <b>Powder:</b> 12.6 oz., 6 cans/case (use packed level scoops)<br><br><b>Reconstitution:</b> 86 fl. oz. at standard dilution<br><br><b>NDC:</b> 00087-510734  | <b>CHO:</b> corn syrup solids, modified corn starch<br><b>PRO:</b> casein hydrolysate (from milk), L-amino acids<br><b>FAT:</b> palm olein, soy, coconut, high oleic sunflower, M. alpina, and C. cohnii oils,<br><b>Probiotic:</b> <i>Lactobacillus rhamnosus GG</i><br><br>Contains vitamins and minerals, including increased calcium and vitamins to meet needs of older infants and toddlers<br><br><b>Standard dilution:</b> 20 cal./fl. oz.<br><b>Osmolality=</b> 300 mOsm/kg H <sub>2</sub> O | For older infants and children aged 9 – 36 months with cow's milk or soy formula allergy  | <b>Non-breastfed infants 9-11 months</b>       |             |
|   |   |   |   |   | <b>Powder:</b> 12.6 oz.                        | 8 cans      |
|   |   |   |   |   | <b>Partially breastfed infants 9-11 months</b> |             |
|   |   |   |   |   | <b>Powder:</b> 12.6 oz.                        | 4 cans      |
|   |   |   |   |   | <b>Children</b>                                |             |
| <b>Powder:</b> 12.6 oz.   |   |   |   |   | 10 cans  |             |
| <b>Pediasure Peptide 1.0</b><br>(Abbott Nutrition)                        | Nutritionally complete peptide-based formula for children.<br><br><b>Gluten free</b><br><b>Suitable for lactose intolerance</b><br><b>Low residue</b><br><b>Kosher</b><br><b>Halal</b>                | <b>Ready to feed:</b> 8 oz bottles, 24 bottles/case (unflavored, vanilla, strawberry)<br><b>NDC (for single bottle):</b><br><b>Unflavored:</b> 70074-0621-24<br><b>Vanilla:</b> 70074-0621-20<br><b>Strawberry:</b> 70074-0621-22 | <b>CHO:</b> corn maltodextrin, short-chain fructooligosaccharides; sucrose (flavored only)<br><b>PRO:</b> whey protein hydrolysate, hydrolyzed sodium caseinate<br><b>FAT:</b> interesterified canola, MCT, canola oils<br><br>Contains vitamins and minerals<br><br><b>Prepared dilution:</b> 30 cal./fl.oz.<br><b>Osmolality =</b> 390 mOsm/kg H <sub>2</sub> O (flavored); 250 mOsm/kg H <sub>2</sub> O (unflavored)   | For children 1-13 years of age with malabsorption, maldigestion or other GI conditions.   | <b>Children</b>                                |             |
|   |   |   |   |   | <b>RTF:</b> 8 oz.                              | 113 bottles |
| <b>Pediasure Peptide 1.5</b><br>(Abbott Nutrition)                        | Nutritionally complete peptide-based medical food. Contains Nutraflora® scFOS®, prebiotic fiber<br><br><b>Gluten free</b><br><b>Suitable for lactose intolerance</b><br><b>Kosher</b><br><b>Halal</b> | <b>Ready to feed:</b> 8 oz bottles, 24 bottles/case (vanilla)<br><b>NDC (for single bottle):</b> 70074-0566-56  | <b>CHO:</b> corn maltodextrin, short-chain fructooligosaccharides<br><b>PRO:</b> whey protein hydrolysate, hydrolyzed sodium caseinate<br><b>FAT:</b> interesterified canola , MCT, canola oils<br><br>Contains vitamins and minerals<br><br><b>Prepared dilution:</b> 45 cal./fl.oz.<br><b>Osmolality =</b> 450 mOsm/kg H <sub>2</sub> O   | For children 1-13 years old with malabsorption, maldigestion or other GI conditions who are fluid restricted, have increased caloric requirements, or are at risk of malnutrition | <b>Children</b>                                |             |
|   |   |   |   |   | <b>RTF:</b> 8 oz.                              | 113 bottles |

| Hydrolysates for Children (older than 12 months of age) |  |  |  |  |  |
|---|--|--|--|--|--|
| Product Name  | Description  | Packaging  | Composition  | Indications  | Maximum Monthly WIC Issuance Amounts     |
| <b>Peptamen Junior®</b><br>(Nestlé Nutrition USA)       | Complete peptide-based diet for children ages 1-10 with gastrointestinal impairment. For oral or tube feeding uses.<br><br><b>Suitable for lactose intolerance</b><br><b>Gluten Free</b><br><b>Low Residue</b> | <b>Ready to Feed:</b><br>250 mL cans, 24 cans/case (unflavored, vanilla, chocolate, strawberry)<br><br><b>NDC:</b><br><b>Unflavored:</b><br>98706-0062-53<br><b>Vanilla:</b><br>98716-0062-52<br><b>Strawberry:</b><br>98716-0601-40 | <b>CHO:</b> maltodextrin, sugar, cornstarch, guar gum<br><b>PRO:</b> enzymatically hydrolyzed whey protein (from milk)<br><b>FAT:</b> MCT (coconut and/or palm kernel), soybean, canola oils<br><b>Artificial sweeteners:</b> acesulfame potassium and sucralose<br><br>Contains vitamins and minerals<br><br><b>Prepared dilution:</b> 30 cal./fl. oz.<br><b>Osmolality =</b><br>260 mOsm/kg H <sub>2</sub> O (unflavored);<br>380 mOsm/kg H <sub>2</sub> O (vanilla);<br>400 mOsm/kg H <sub>2</sub> O (strawberry) | For children age 1-13 with impaired GI function due to conditions such as short bowel syndrome, cerebral palsy, cystic fibrosis, Crohn's disease, chronic diarrhea, delayed gastric emptying, growth failure, and malabsorption                                      | <b>Children</b>                          |
|   |  |  |  |  | <b>RTF:</b> 8.45 oz. (250 mL)   107 cans |
| <b>Peptamen Junior® Fiber</b><br>(Nestlé Nutrition USA) | Complete peptide-based diet with added fiber. For children ages 1-10 with gastrointestinal impairment. For oral or tube feeding uses.<br><br><b>Suitable for lactose intolerance</b><br><b>Gluten Free</b>     | <b>Ready to Feed:</b><br>250 mL cartons, 24 cartons/case (vanilla)<br><br><b>NDC:</b> 98716-0602-00  | <b>CHO:</b> maltodextrin, sugar, cornstarch, guar gum,<br><b>PRO:</b> enzymatically hydrolyzed whey protein (from milk)<br><b>FAT:</b> MCT (coconut and/or palm kernel), soybean, and canola oils<br><b>Fiber:</b> 1.8 gm./carton from pea fiber, fructooligosaccharides, inulin<br><b>Artificial sweeteners:</b> acesulfame potassium and sucralose<br><br>Contains vitamins and minerals<br><br><b>Prepared dilution:</b> 30 cal./fl. oz.<br><b>Osmolality =</b> 390 mOsm/kg H <sub>2</sub> O                      | For dietary management of GI-compromised children aged 1-10 years, including those with short bowel syndrome, cerebral palsy, cystic fibrosis, Crohn's disease, HIV/AIDS, malabsorption, chronic diarrhea, delayed gastric emptying, growth failure, or pancreatitis | <b>Children</b>                          |
|   |  |  |  |  | <b>RTF:</b> 8.45 oz. (250 mL)   107 cans |

| Hydrolysates for Children (older than 12 months of age)        |   |  |  |  |  |
|--|---|--|--|--|--|
| Product Name   | Description   | Packaging  | Composition  | Indications  | Maximum Monthly WIC Issuance Amounts     |
| <b>Peptamen® Junior with Prebio™</b><br>(Nestlé Nutrition USA) | Nutritionally complete peptide-based medical food with added soluble fiber. For oral or tube feeding uses.<br><br><b>Suitable for lactose intolerance</b><br><b>Gluten Free</b>             | <b>Ready to Feed:</b><br>250 mL cartons, 24 cartons/case<br><b>NDC:</b><br><b>Vanilla:</b> 98716-0162-61<br><b>Chocolate:</b><br>98716-0364-15 | <b>CHO:</b> sugar, maltodextrin, cornstarch, guar gum<br><b>PRO:</b> enzymatically hydrolyzed whey protein (from milk)<br><b>FAT:</b> MCT (coconut and/or palm kernel), soybean, canola oils<br><b>Fiber:</b> 0.9 gm/8.45 fl. oz. from Fructooligosaccharides, inulin<br><br>Contains vitamins and minerals<br><br><b>Prepared dilution:</b> 30 cal./fl. oz.<br><b>Osmolality</b> = 390 mOsm/kg H <sub>2</sub> O (chocolate)<br>435 mOsm/kg H <sub>2</sub> O (chocolate) | For patients 1-13 years of age with impaired GI function, including chronic diarrhea, short-bowel syndrome, chronic pancreatitis, delayed gastric emptying, HIV/AIDS, malabsorption, radiation enteritis, hypoalbuminemia, and cystic fibrosis. Ideal for long-term tube feeding | <b>Children</b>                          |
|  |   |  |  |  | <b>RTF:</b> 8.45 oz. (250 mL)   107 cans |
| <b>Peptamen Junior 1.5</b><br>(Nestlé Nutrition USA)           | Complete peptide-based diet for children ages 1-10 with gastrointestinal impairment.<br><br>For tube feeding use only.<br><br><b>Suitable for lactose intolerance</b><br><b>Gluten Free</b> | <b>Ready to Feed:</b><br>250 mL cartons, 24 cartons/case (unflavored)<br><br><b>NDC:</b><br>98716-0073-63                                      | <b>CHO:</b> maltodextrin, cornstarch, guar gum<br><b>PRO:</b> enzymatically hydrolyzed whey protein (from milk)<br><b>FAT:</b> MCT (coconut and/or palm kernel), soybean, canola oils, tuna oil<br><b>Fiber:</b> 1.4 gm/8.45 fl. oz. from Fructooligosaccharides, inulin<br><br>Contains vitamins and minerals<br><br><b>Prepared dilution:</b> 45 cal./fl. oz.<br><b>Osmolality</b> = 450 mOsm/kg H <sub>2</sub> O  | For children ages 1-13 years old with impaired GI function who need calorically-dense feedings. Intended for tube feeding use only.  | <b>Children</b>                          |
|  |   |  |  |  | <b>RTF:</b> 8.45 oz.(250 mL)   107 cans  |

| Elemental/Amino Acid-Based Formulas for Infants (less than 12 months of age)   |   |  |   |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
|--|---|--|---|--|--|-----------------------|------------|-------------|------------------------------------|----------------------------|-------------------|--------------------|----------------------------|------------------------------------|-------------------|-------------------|--------------------|----------------------------|--------|--------|--------|
| Product Name   | Description   | Packaging  | Composition   | Indications  | Maximum Monthly WIC Issuance Amounts   |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Alfamino Infant</b><br>(Nestle Nutrition)   | Nutritionally complete, hypoallergenic amino acid-based infant formula<br><br><b>43% of fat from MCT oils</b><br><br><b>Lactose Free</b><br><b>Gluten Free</b>                          | <b>Powder:</b> 14.1 oz. (400g) cans, 6 cans/case<br><b>Reconstitution:</b> 94 fl. oz. at standard dilution<br><br><b>NDC:</b> 13034-0788-21                    | <b>CHO:</b> corn syrup solids, potato starch, maltodextrin<br><b>PRO:</b> free amino acids<br><b>FAT:</b> MCT, soybean, high oleic sunflower, high-s-palmitic vegetable, M. alpina, and C. cohnii oils and citric acid esters of mono- and di-glycerides (CITREM)<br><br>Contains vitamins and minerals<br><br><b>Standard Dilution:</b> 20 cal./fl. oz.<br><br><b>Osmolality:</b> 330 mOsm/kg H <sub>2</sub> O | For infants 0-12 months with cow's milk protein allergy, multiple food allergies, eosinophilic GI disorders, malabsorptive conditions, and short bowel syndrome (SBS)<br><br><b>Specialist consultation recommended.</b>   | <table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td><b>Partially breastfed infants</b></td> <td><b>1-3 months</b></td> <td><b>4-5 months</b></td> <td><b>6-11 months</b></td> </tr> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table> | Non-breastfed infants | 0-3 months | 4-5 months  | 6-11 months                        | <b>Powder:</b><br>14.1 oz. | 9 cans            | 10 cans            | 7 cans                     | <b>Partially breastfed infants</b> | <b>1-3 months</b> | <b>4-5 months</b> | <b>6-11 months</b> | <b>Powder:</b><br>14.1 oz. | 4 cans | 5 cans | 4 cans |
|  |   |  |   |  | Non-breastfed infants  | 0-3 months            | 4-5 months | 6-11 months |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 9 cans  | 10 cans  | 7 cans  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Partially breastfed infants</b>   | <b>1-3 months</b>   | <b>4-5 months</b>  | <b>6-11 months</b>  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 4 cans  | 5 cans   | 4 cans  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td><b>Partially breastfed infants</b></td> <td><b>1-3 months</b></td> <td><b>4-5 months</b></td> <td><b>6-11 months</b></td> </tr> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table> | Non-breastfed infants   | 0-3 months   | 4-5 months  | 6-11 months  | <b>Powder:</b><br>14.1 oz.   | 9 cans                | 10 cans    | 7 cans      | <b>Partially breastfed infants</b> | <b>1-3 months</b>          | <b>4-5 months</b> | <b>6-11 months</b> | <b>Powder:</b><br>14.1 oz. | 4 cans                             | 5 cans            | 4 cans            |                    |                            |        |        |        |
| Non-breastfed infants  | 0-3 months  | 4-5 months   | 6-11 months   |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 9 cans  | 10 cans  | 7 cans  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Partially breastfed infants</b>   | <b>1-3 months</b>   | <b>4-5 months</b>  | <b>6-11 months</b>  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 4 cans  | 5 cans   | 4 cans  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Elecare®</b><br>(Abbott Nutrition)  | Nutritionally complete, amino acid-based infant formula.<br><br>33% of fat from MCT<br><br><b>Free of Milk and Soy Protein, Lactose, Gluten, Fructose and Galactose</b><br><b>Halal</b> | <b>Powder:</b> 14.1 oz can; 6 cans/case (use unpacked level scoops)<br><b>Reconstitution:</b> 95 fl. oz. at standard dilution<br><br><b>NDC:</b> 70074-0535-11 | <b>CHO:</b> corn syrup solids<br><b>PRO:</b> Free L-amino acids<br><b>FAT:</b> high oleic safflower, MCT and soy, M. alpina and C. cohnii oils<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 20 cal./fl.oz.<br><b>Osmolality =</b> 350 mOsm/kg H <sub>2</sub> O  | For infants who cannot tolerate intact protein; designed for the management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI tract impairment and other conditions requiring an elemental diet.<br><br><b>Specialist consultation recommended.</b> | <table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td><b>Partially breastfed infants</b></td> <td><b>1-3 months</b></td> <td><b>4-5 months</b></td> <td><b>6-11 months</b></td> </tr> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table> | Non-breastfed infants | 0-3 months | 4-5 months  | 6-11 months                        | <b>Powder:</b><br>14.1 oz. | 9 cans            | 10 cans            | 7 cans                     | <b>Partially breastfed infants</b> | <b>1-3 months</b> | <b>4-5 months</b> | <b>6-11 months</b> | <b>Powder:</b><br>14.1 oz. | 4 cans | 5 cans | 4 cans |
|  |   |  |   |  | Non-breastfed infants  | 0-3 months            | 4-5 months | 6-11 months |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 9 cans  | 10 cans  | 7 cans  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Partially breastfed infants</b>   | <b>1-3 months</b>   | <b>4-5 months</b>  | <b>6-11 months</b>  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 4 cans  | 5 cans   | 4 cans  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td><b>Partially breastfed infants</b></td> <td><b>1-3 months</b></td> <td><b>4-5 months</b></td> <td><b>6-11 months</b></td> </tr> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table> | Non-breastfed infants   | 0-3 months   | 4-5 months  | 6-11 months  | <b>Powder:</b><br>14.1 oz.   | 9 cans                | 10 cans    | 7 cans      | <b>Partially breastfed infants</b> | <b>1-3 months</b>          | <b>4-5 months</b> | <b>6-11 months</b> | <b>Powder:</b><br>14.1 oz. | 4 cans                             | 5 cans            | 4 cans            |                    |                            |        |        |        |
| Non-breastfed infants  | 0-3 months  | 4-5 months   | 6-11 months   |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 9 cans  | 10 cans  | 7 cans  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Partially breastfed infants</b>   | <b>1-3 months</b>   | <b>4-5 months</b>  | <b>6-11 months</b>  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 4 cans  | 5 cans   | 4 cans  |  |  |                       |            |             |                                    |                            |                   |                    |                            |                                    |                   |                   |                    |                            |        |        |        |

| Elemental/Amino Acid-Based Formulas for Infants (less than 12 months of age) |   |   |   |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
|--|---|---|---|--|---|-----------------------|------------|-------------|-------------|----------------------------|--------|---------|--------|--|--|--|--|-----------------------------|------------|------------|-------------|----------------------------|--------|--------|--------|
| Product Name   | Description   | Packaging   | Composition   | Indications  | Maximum Monthly WIC Issuance Amounts  |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
| <b>Neocate® Infant DHA/ARA</b><br>(Nutricia North America)                   | Nutritionally complete amino acid based infant formula containing nucleotides.<br><br>33% fat from MCT<br><br><b>Lactose, Sucrose and Milk Free</b><br><b>Halal</b><br><b>Kosher Pareve</b> | <b>Powder:</b> 14.1 oz. (400g) can, 4 cans/case (unflavored)<br><b>Reconstitution:</b> 97 fl. oz. at standard dilution<br><br><b>NDC:</b> 49735-0125-95                             | <b>CHO:</b> corn syrup solids<br><b>PRO:</b> L- amino acids<br><b>FAT:</b> MCT, high oleic sunflower, sunflower, canola, M. alpina and C. cohnii oils<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 20 cal./fl.oz.<br><b>Osmolality</b> = 340 mOsm/kg H <sub>2</sub> O   | For infants with cow/soy milk protein allergy, multiple food allergies, and food allergy-associated conditions such as short bowel syndrome (SBS), food protein-induced enterocolitis syndrome (FPIES), eosinophilic esophagitis (EoE), malabsorption, or other GI disorders.<br><br><b>Specialist consultation recommended.</b> | <table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>8 cans</td> <td>9 cans</td> <td>7 cans</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>Partially breastfed infants</th> <th>1-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>3 cans</td> </tr> </tbody> </table>  | Non-breastfed infants | 0-3 months | 4-5 months  | 6-11 months | <b>Powder:</b><br>14.1 oz. | 8 cans | 9 cans  | 7 cans |  |  |  |  | Partially breastfed infants | 1-3 months | 4-5 months | 6-11 months | <b>Powder:</b><br>14.1 oz. | 4 cans | 5 cans | 3 cans |
|  |   |   |   |  | Non-breastfed infants   | 0-3 months            | 4-5 months | 6-11 months |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 8 cans  | 9 cans  | 7 cans  |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
|  |   |   |   |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
| Partially breastfed infants  | 1-3 months  | 4-5 months  | 6-11 months   |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 4 cans  | 5 cans  | 3 cans  |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
| <b>Neocate Syneo Infant</b><br>(Nutricia North America)                      | Nutritionally complete amino acid based infant formula with both prebiotics and probiotics<br><br>Halal   | <b>Powder:</b> 14.1 oz. (400g) can, 4 cans/case (unflavored) (use unpacked level scoops)<br><b>Reconstitution:</b> 95 fl. oz. at standard dilution<br><br><b>NDC:</b> 49735-0114-36 | <b>CHO:</b> corn syrup solids, oligofructose, inulin<br><b>PRO:</b> L- amino acids<br><b>FAT:</b> MCT, high oleic sunflower, sunflower, canola, M. alpina and C. cohnii oils<br><b>Prebiotic and probiotic</b> blend of short-chain fructooligosaccharides and long-chain fructooligosaccharides (scFOS/lcFOS) and <i>Bifidobacterium breve</i> M-16V ( <i>B. breve</i> M-16V).<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 20 cal./fl.oz.<br><b>Osmolality</b> = 360 mOsm/kg H <sub>2</sub> O | For infants with cow milk allergy, multiple food allergies and related GI and allergic conditions, including FPIES and EoE.<br><br><b>Specialist consultation recommended.</b>   | <table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>Partially breastfed infants</th> <th>1-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table> | Non-breastfed infants | 0-3 months | 4-5 months  | 6-11 months | <b>Powder:</b><br>14.1 oz. | 9 cans | 10 cans | 7 cans |  |  |  |  | Partially breastfed infants | 1-3 months | 4-5 months | 6-11 months | <b>Powder:</b><br>14.1 oz. | 4 cans | 5 cans | 4 cans |
|  |   |   |   |  | Non-breastfed infants   | 0-3 months            | 4-5 months | 6-11 months |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 9 cans  | 10 cans   | 7 cans  |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
|  |   |   |   |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
| Partially breastfed infants  | 1-3 months  | 4-5 months  | 6-11 months   |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |
| <b>Powder:</b><br>14.1 oz.   | 4 cans  | 5 cans  | 4 cans  |  |   |                       |            |             |             |                            |        |         |        |  |  |  |  |                             |            |            |             |                            |        |        |        |

| Elemental/Amino Acid-Based Formulas for Infants (less than 12 months of age) |  |  |   |   |  |                       |                   |                    |             |                            |        |        |        |                                    |                   |                   |                    |                           |        |        |        |
|--|--|--|---|---|--|-----------------------|-------------------|--------------------|-------------|----------------------------|--------|--------|--------|------------------------------------|-------------------|-------------------|--------------------|---------------------------|--------|--------|--------|
| Product Name   | Description  | Packaging  | Composition   | Indications   | Maximum Monthly WIC Issuance Amounts   |                       |                   |                    |             |                            |        |        |        |                                    |                   |                   |                    |                           |        |        |        |
| <b>PurAmino</b><br>(Mead Johnson Nutrition™)                                 | Nutritionally complete, hypoallergenic, amino acid-based formula for infants and toddlers with severe cow's milk protein allergy and/or multiple food protein allergies.<br><br><b>Lactose Free</b><br><b>Kosher</b><br><b>Halal</b> | <b>Powder:</b> 14.1 oz. can, 4 cans/case (use unpacked level scoops)<br><br><b>Reconstitution:</b> 98 fl. oz. at standard dilution<br><br><b>NDC:</b> 00087-510480 | <b>CHO:</b> corn syrup solids, modified tapioca starch<br><b>PRO:</b> L-amino acids<br><b>FAT:</b> high oleic sunflower, MCT, soy, M. alpina and C. cohnii oils<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 20 cal./fl.oz.<br><b>Osmolality</b> = 350 mOsm/kg H <sub>2</sub> O | Infants and toddlers with cow's milk protein allergy and multiple food protein allergies (not effectively managed by an extensively hydrolyzed formula), protein maldigestion, malabsorption, short bowel syndrome and eosinophilic esophagitis.<br><br><b>When used as a milk substitute, the total calcium content of the diet should be assessed.</b><br><br><b>Specialist consultation recommended.</b> | <table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td><b>Powder:</b><br/>14.1 oz.</td> <td>8 cans</td> <td>9 cans</td> <td>7 cans</td> </tr> <tr> <td><b>Partially breastfed infants</b></td> <td><b>1-3 months</b></td> <td><b>4-5 months</b></td> <td><b>6-11 months</b></td> </tr> <tr> <td><b>Powder:</b><br/>14.1oz.</td> <td>4 cans</td> <td>5 cans</td> <td>3 cans</td> </tr> </tbody> </table> | Non-breastfed infants | 0-3 months        | 4-5 months         | 6-11 months | <b>Powder:</b><br>14.1 oz. | 8 cans | 9 cans | 7 cans | <b>Partially breastfed infants</b> | <b>1-3 months</b> | <b>4-5 months</b> | <b>6-11 months</b> | <b>Powder:</b><br>14.1oz. | 4 cans | 5 cans | 3 cans |
|  |  |  |   |   | Non-breastfed infants  | 0-3 months            | 4-5 months        | 6-11 months        |             |                            |        |        |        |                                    |                   |                   |                    |                           |        |        |        |
|  |  |  |   |   | <b>Powder:</b><br>14.1 oz.   | 8 cans                | 9 cans            | 7 cans             |             |                            |        |        |        |                                    |                   |                   |                    |                           |        |        |        |
|  |  |  |   |   | <b>Partially breastfed infants</b>   | <b>1-3 months</b>     | <b>4-5 months</b> | <b>6-11 months</b> |             |                            |        |        |        |                                    |                   |                   |                    |                           |        |        |        |
| <b>Powder:</b><br>14.1oz.  | 4 cans   | 5 cans   | 3 cans  |   |  |                       |                   |                    |             |                            |        |        |        |                                    |                   |                   |                    |                           |        |        |        |

| Elemental/Amino Acid-Based Formulas for Children (older than 12 months of age) |   |   |   |  |                                      |
|--|---|---|---|--|--------------------------------------|
| Product Name   | Description   | Packaging   | Composition   | Indications  | Maximum Monthly WIC Issuance Amounts |
| <b>Alfamino Jr.</b><br>(Nestle Nutrition)                                      | Nutritionally complete, hypoallergenic amino acid-based formula for children. For oral or tube feeding use<br><br><b>65% of fat from MCT oil</b><br><br><b>Lactose Free</b><br><b>Gluten Free</b>   | <b>Powder:</b><br>14.1 oz. (400g) cans, 6 cans/case (use unpacked level scoops)<br><b>Reconstitution:</b> 62 fl. oz. at standard dilution<br><br><b>NDC:</b> 13034-0787-95  | <b>CHO:</b> corn syrup solids, potato starch, maltodextrin<br><b>PRO:</b> free amino acids<br><b>FAT:</b> MCT and soybean oils and citric acid esters of mono- and di-glycerides (CITREM)<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 30 cal./fl. oz.<br><b>Osmolality:</b> 590 mOsm/kg H <sub>2</sub> O | For children 1-13 years of age with cow's milk protein allergy, multiple food allergies, eosinophilic GI disorders, malabsorptive conditions, and short bowel syndrome<br><br><b>Specialist consultation recommended.</b>  | <b>Children</b>                      |
|  |   |   |   |  | <b>Powder:</b> 14.1 oz.              |
| <b>Elecare Jr.</b><br>(Abbott Nutrition)                                       | Nutritionally complete amino acid-based medical food.<br><br>33% of fat from MCT<br><br><b>Milk Protein Free</b><br><b>Lactose Free</b><br><b>Gluten Free</b><br><b>Soy Protein Free</b><br><b>Fructose Free</b><br><b>Galactose Free</b><br><b>Halal</b> | <b>Powder:</b> 14.1 oz can; 6 cans/case (unflavored, vanilla) (use unpacked level scoops)<br><b>Reconstitution:</b> 62 fl. oz. at standard dilution<br><br><b>NDC:</b><br><b>Unflavored:</b> 70074-0552-54<br><br><b>Vanilla:</b> 70074-0565-86 | <b>CHO:</b> corn syrup solids<br><b>PRO:</b> L-amino acids<br><b>FAT:</b> high oleic safflower, MCT and soy oils,<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 30 cal/fl. oz<br><b>Osmolality =</b> 590 mOsm/kg H <sub>2</sub> O  | For children ≥12 months who cannot tolerate intact or hydrolyzed protein; designed for the management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI tract impairment and other conditions requiring an elemental diet.<br><br><b>Specialist consultation recommended.</b> | <b>Children</b>                      |
|  |   |   |   |  | <b>Powder:</b> 14.1 oz.              |

| Elemental/Amino Acid-Based Formulas for Children (older than 12 months of age) |  |   |   |  |   |
|--|--|---|---|--|---|
| Product Name   | Description  | Packaging   | Composition   | Indications  | Maximum Monthly WIC Issuance Amounts            |
| <b>Neocate® Junior</b><br>(Nutricia North America)                             | Nutritionally complete, powdered amino acid based medical food<br><br><b>35% of fat from MCT</b>                                   | <b>Powder:</b> 14.1 oz (400g) can, 4 cans/case (unflavored, tropical, chocolate)<br><b>Reconstitution:</b> 64 fl. oz. (unflavored), 60 oz. (flavored) at standard dilution<br><br><b>NDC:</b><br><b>Unflavored:</b> 49735-0117-90<br><b>Tropical:</b> 49735-0121-24<br><b>Chocolate:</b> 49735-0126-90          | <b>CHO:</b> corn syrup solids; sucrose (chocolate only)<br><b>PRO:</b> L-amino acids<br><b>FAT:</b> palm kernel, coconut, canola, high oleic safflower oils<br>Both tropical and chocolate flavors contain <b>artificial sweeteners:</b> acesulfame potassium (Tropical) and sucralose (Chocolate)<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 30 cal./fl. oz.<br><b>Osmolality</b> = 550 mOsm/kg H <sub>2</sub> O (unflavored); 630 mOsm/kg H <sub>2</sub> O (tropical fruit); 650 mOsm/kg H <sub>2</sub> O (chocolate) | For children over 1 year of age with cow/soy milk allergy, multiple food protein intolerance, food allergy-associated conditions such as short bowel syndrome (SBS), food protein-induced enterocolitis syndrome (FPIES), eosinophilic esophagitis (EoE), malabsorption, gastroesophageal reflux or other GI disorders.<br><br><b>Specialist consultation recommended.</b> | <b>Children</b>                                 |
|  |  |   |   |  | <b>Powder:</b> 14 oz.<br>Unflavored<br>Flavored |
| <b>Neocate® Junior with Prebiotics</b><br>(Nutricia North America)             | Nutritionally complete, powdered amino acid based medical food with prebiotic fiber for children<br><br><b>35% of fat from MCT</b> | <b>Powder:</b> 14.1 oz (400g) can, 4 cans/case (unflavored, tropical, chocolate)<br><b>Reconstitution:</b> 64 fl. oz. (unflavored), 61 (vanilla), 63 (strawberry) at standard dilution<br><br><b>NDC:</b><br><b>Unflavored:</b> 49735-012912<br><b>Strawberry:</b> 49735-016456<br><b>Vanilla:</b> 49735-010627 | <b>CHO:</b> corn syrup solids; fructooligosaccharide, inulin; sucrose (vanilla and strawberry only)<br><b>PRO:</b> L-amino acids<br><b>FAT:</b> palm kernel, coconut, canola, high oleic safflower oils<br><br>Both strawberry and vanilla flavors contain sucralose, an artificial sweetener<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 30 cal./fl.oz.<br><b>Osmolality</b> = 550 mOsm/kg H <sub>2</sub> O (unflavored); 630 mOsm/kg H <sub>2</sub> O (strawberry); 650 mOsm/kg H <sub>2</sub> O (vanilla)             | For children over 1 year of age with cow/soy milk allergy, multiple food protein intolerance, food allergy-associated conditions such as short bowel syndrome (SBS), food protein-induced enterocolitis syndrome (FPIES), eosinophilic esophagitis (EoE), malabsorption, gastroesophageal reflux or other GI disorders.<br><br><b>Specialist consultation recommended.</b> | <b>Children</b>                                 |
|  |  |   |   |  | <b>Powder:</b> 14 oz.                           |

| Elemental/Amino Acid-Based Formulas for Children (older than 12 months of age) |  |   |  |  |   |          |  |                           |             |
|--|--|---|--|--|---|----------|--|---------------------------|-------------|
| Product Name   | Description  | Packaging   | Composition  | Indications  | Maximum Monthly WIC Issuance Amounts  |          |  |                           |             |
| <b>PurAmino Toddler</b><br>(Mead Johnson Nutrition)                            | Nutritionally complete, iron-fortified, hypoallergenic, amino acid-based medical food<br><br><b>Lactose Free</b><br><b>Kosher</b><br><b>Halal</b>                                    | <b>Powder:</b><br>14.1 oz. can, 4 cans/case<br><br><b>Reconstitution:</b> 66 fl. oz. at standard dilution<br><br><b>NDC:</b> 00087-511732                                       | <b>CHO:</b> corn syrup solids, modified tapioca starch<br><b>PRO:</b> free amino acids<br><b>FAT:</b> high oleic sunflower, MCT, soy, M. alpina and C. Cohnii oils<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 30 kcal/oz<br><b>Osmolality:</b> not available   | For the dietary management of severe cow's milk protein allergy (not effectively managed by an extensively hydrolyzed formula), multiple food allergies, protein maldigestion, malabsorption, short bowel syndrome and eosinophilic esophagitis.<br>When used as a milk substitute, the total calcium content of the diet should be assessed.<br><br><b>Specialist consultation recommended.</b> | <table border="1"> <thead> <tr> <th colspan="2">Children</th> </tr> </thead> <tbody> <tr> <td><b>Powder</b><br/>14.1 oz.</td> <td>13 cans</td> </tr> </tbody> </table>    | Children |  | <b>Powder</b><br>14.1 oz. | 13 cans     |
|  |  |   |  |  | Children  |          |  |                           |             |
| <b>Powder</b><br>14.1 oz.  | 13 cans  |   |  |  |   |          |  |                           |             |
| <table border="1"> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>    |  |   |  |  |   |          |  |                           |             |
|  |  |   |  |  |   |          |  |                           |             |
| <b>Vivonex® Pediatric</b><br>(Nestlé Clinical Nutrition)                       | Nutritionally complete 100% free amino acid formula for children.<br><br>70% of fat from MCT<br><br><b>Lactose Free</b><br><b>Gluten Free</b><br><b>Low Residue</b><br><b>Kosher</b> | <b>Powder:</b> 1.7 oz. packets, 36 packets/case (unflavored)<br><br><b>Packet yield =</b> 250 ml (mix one packet with 220 mL H <sub>2</sub> O)<br><br><b>NDC:</b> 43900-0713-19 | <b>CHO:</b> maltodextrin, modified corn starch<br><b>PRO:</b> Free L-amino acids<br><b>FAT:</b> MCT (coconut and/or palm kernel), soybean oils<br><br>Contains vitamins and minerals<br><br><b>Standard dilution:</b> 200 kcals/packet<br><b>Osmolality =</b> 360 mOsm/kg H <sub>2</sub> O | For oral or tube feeding in children (ages 1-13) with GI impairment from Crohn's disease, intestinal failure, severe short bowel syndrome, GI trauma/surgery or malabsorption syndrome or burn injuries<br><br><b>This product is only appropriate for use in individuals &gt; 1 year old.</b><br><br><b>Specialist consultation recommended.</b>  | <table border="1"> <thead> <tr> <th colspan="2">Children</th> </tr> </thead> <tbody> <tr> <td><b>Powder</b><br/>1.7 oz.</td> <td>107 packets</td> </tr> </tbody> </table> | Children |  | <b>Powder</b><br>1.7 oz.  | 107 packets |
|  |  |   |  |  | Children  |          |  |                           |             |
| <b>Powder</b><br>1.7 oz.   | 107 packets  |   |  |  |   |          |  |                           |             |
| <table border="1"> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>    |  |   |  |  |   |          |  |                           |             |
|  |  |   |  |  |   |          |  |                           |             |