Maine Perinatal Indicators of Health by Education¹

2016-2020 Maine Pregnancy Risk Assessment Monitoring System Survey Results

¹Education is a proxy for socioeconomic status and is a marker for systematic class discrimination's impact on perinatal health

Highest Maternal Degree		High School or Less Estimate		Some College (no degree) Estimate		Associate Degree or Higher Estimate		State Estimate
Indicator	N	[95% CI]	N	[95% CI]	N	[95% CI]	N	[95% CI]
Health Care Access								
Preventative visit 12 months before								
pregnancy (regular check-up with doctor or								
OBGYN, visit for family planning, or visit for	4222	50.2	0.40	64.6	2420	82.0	4207	68.1
teeth cleaning)	1222	[46.7-53.6] 84.1	840	[60.6-68.3] 89.5	2139	[80.1-83.8] 92.8	4207	[66.3-69.7] 89.2
Adequate prenatal care	1220	[81.3-86.5]	841	[86.9-91.7]	2134	[91.5-94.0]	4201	[88.0-90.4]
	1220	84.9	041	92.1	2134	97.9	4201	92.4
Postpartum checkup	1215	[82.3-87.3]	838	[89.6-94.0]	2130	[97.1-98.4]	4188	[91.3-93.4]
If depression before pregnancy, had a visit		58.0		48.3		44.0	1200	50.7
for depression	276	[50.5-65.1]	195	[39.7-57.0]	274	[37.4-50.7]	745	[46.4-55.1]
·		53.3		54.3		74.1		63.4
Dental insurance during pregnancy	1177	[49.8-56.8]	820	[50.2-58.3]	2104	[71.8-76.1]	4106	[61.6-65.1]
Type of Insurance Before Pregnancy:						•		
		31.3		56.4		88.8		63.3
Private	1200	[28.2-34.5]	821	[52.4-60.4]	2094	[87.1-90.3]	4121	[61.5-65.1]
		43.7		24.7		6.3		22.4
MaineCare	1200	[40.3-47.2]	821	[21.4-28.4]	2094	[5.1-7.6]	4121	[20.8-24.0]
No income	1200	25.0	024	18.9	2004	4.9	4121	14.3
No insurance	1200	[22.1-28.1]	821	[15.9-22.3]	2094	[3.9-6.1]	4121	[13.0-15.7]
Type of Insurance During Pregnancy:		28.3		52.5		86.9	1	60.8
Private	1185	[25.3-31.5]	812	[48.4-56.6]	2089	[85.1-88.5]	4092	[59.0-62.6]
		67.6		45.3		12.4	1002	37.0
MaineCare	1185	[64.3-70.8]	812	[41.3-49.4]	2089	[10.8-14.1]	4092	[35.3-38.9]
		4.1		2.1		0.7		2.1
No insurance	1185	[3.0-5.6]	812	[1.2-3.7]	2089	[0.4-1.3]	4092	[1.6-2.7]
Type of Insurance After Pregnancy:								
		25.4		49.4		84.7		58.0
Private	1213	[22.5-28.4]	837	[45.4-53.4]	2101	[82.8-86.4]	4156	[56.2-59.8]
	40.0	57.9	00-	38.2	2424	10.4	44-6	31.7
MaineCare	1213	[54.5-61.3]	837	[34.4-42.2]	2101	[9.0-12.0]	4156	[30.0-33.5]
No insurance	1213	16.7	837	12.4 [10.0-15.4]	2101	4.9	4156	10.3
Mental Health and Stress	1213	[14.3-19.5]	03/	[10.0-15.4]	2101	[3.9-6.1]	4130	[9.2-11.5]
1		30.7		27.3		14.2		22.2
Depression before pregnancy	1217	[27.6-33.9]	834	[23.9-31.0]	2136	[12.6-16.0]	4193	[20.7-23.7]
z ap. assion service programey	,	26.9		19.9		10.7		17.9
Depression during pregnancy	1215	[23.9-30.0]	830	[16.9-23.4]	2119	[9.3-12.3]	4169	[16.5-19.3]

		16.2		11.4		7.9		11.3
Depression after pregnancy	1210	[13.8-19.0]	836	[9.0-14.2]	2125	[6.7-9.3]	4176	[10.2-12.5]
3 or more stressors 12 months before baby		38.0		39.6		19.6		29.5
born	1213	[34.7-41.4]	837	[35.7-43.6]	2138	[17.7-21.6]	4193	[27.9-31.2]
Health care worker asked about depression		90.3		90.5		87.6		89.1
during pregnancy	1195	[88.2-92.2]	827	[87.8-92.6]	2113	[85.9-89.1]	4139	[87.9-90.1]
Health care worker asked about depression		95.1		97.1		94.0		94.9
after pregnancy	1008	[93.2-96.5]	762	[95.5-98.2]	2073	[92.7-95.0]	3847	[94.0-95.7]
Experienced abuse before, during, or after		9.3		8.4		2.3		5.8
pregnancy	1208	[7.4-11.6]	828	[6.3-10.9]	2130	[1.7-3.2]	4171	[5.0-6.8]
Breastfeeding								
		82.9		87.2		96.3		90.2
Ever breastfed	1150	82.9 [80.2-85.4]	819	87.2 [84.2-89.7]	2098	96.3 [95.3-97.1]	4070	90.2 [89.0-91.2]
	1150		819		2098		4070	
	1150 916	[80.2-85.4]	819 716	[84.2-89.7]	2098	[95.3-97.1]	4070	[89.0-91.2]
Ever breastfed		[80.2-85.4] 69.1		[84.2-89.7] 78.1		[95.3-97.1] 88.0		[89.0-91.2] 80.5
Ever breastfed If breastfed, breastfed at least 2 months		[80.2-85.4] 69.1		[84.2-89.7] 78.1		[95.3-97.1] 88.0		[89.0-91.2] 80.5
Ever breastfed If breastfed, breastfed at least 2 months Stopped breastfeeding due to returning to		[80.2-85.4] 69.1 [65.4-72.6]		[84.2-89.7] 78.1 [74.3-81.5]		[95.3-97.1] 88.0 [86.3-89.5]		[89.0-91.2] 80.5 [78.9-82.0]
Ever breastfed If breastfed, breastfed at least 2 months Stopped breastfeeding due to returning to work or school, or too many household	916	[80.2-85.4] 69.1 [65.4-72.6] 27.9	716	[84.2-89.7] 78.1 [74.3-81.5] 28.3	2000	[95.3-97.1] 88.0 [86.3-89.5] 34.2	3635	[89.0-91.2] 80.5 [78.9-82.0] 30.0
Ever breastfed If breastfed, breastfed at least 2 months Stopped breastfeeding due to returning to work or school, or too many household duties	916	[80.2-85.4] 69.1 [65.4-72.6] 27.9	716	[84.2-89.7] 78.1 [74.3-81.5] 28.3	2000	[95.3-97.1] 88.0 [86.3-89.5] 34.2	3635	[89.0-91.2] 80.5 [78.9-82.0] 30.0
Ever breastfed If breastfed, breastfed at least 2 months Stopped breastfeeding due to returning to work or school, or too many household duties Received breastfeeding support at the	916	[80.2-85.4] 69.1 [65.4-72.6] 27.9	716	[84.2-89.7] 78.1 [74.3-81.5] 28.3	2000	[95.3-97.1] 88.0 [86.3-89.5] 34.2	3635	[89.0-91.2] 80.5 [78.9-82.0] 30.0

Notes:

N=unweighted sample size and %=weighted percentage (95% confidence interval [CI])

Sub-totals may not sum to the State column due to missing data

Produced by the Data, Research, and Vital Statistics Office/Maine Center for Disease Control and Prevention (12/16/22) (12/16/2022)