



January 14, 2025

Maine Coastal Program  
32 Blossom Lane  
21 State House Station  
Augusta, Maine 04330

**RE: CZMA Federal Consistency Review Submission  
Kennebunkport Marina  
Kennebunkport, Maine 04046**

To Whom it May Concern,

On behalf of KPT Marine, LLC (Applicant), Walsh Engineering Associates, Inc. (WEA), is pleased to submit the enclosed Coastal Zone Management Act (CZMA) Federal Consistency Review submission for the proposed dredging project to take place in the Kennebunk River, at the Kennebunkport Marina. A Federal Consistency Review is required because two federal permits from the U.S. Army Corps of Engineers (USACE) are necessary to conduct the dredging/disposal work. This project also requires a state permit from the Maine Department of Environmental Protection (DEP) and local permits from the Town of Kennebunkport. A list of all permits required for the project, the associated regulatory entities, and the status of permit application submissions are shown in the table below:


Required Permit/Approval	Regulatory Entity	Status
Section 408	USACE	Submitted 11/12/2024
Individual Standard Permit	USACE	Submitted 11/12/2024
Natural Resources Protection Act Individual Permit	Maine DEP	Submitted 11/15/2024
Kennebunk River Committee Approval	Town of Kennebunkport/Kennebunk	To be submitted February/ March 2025
Kennebunk River Harbor Master Approval	Town of Kennebunkport/Kennebunk	To be submitted February/ March 2025
Activities and Land Use Permit	Town of Kennebunkport	To be submitted following River Committee/Harbor Master approval
Site Plan Review	Town of Kennebunkport	To be submitted following River Committee/Harbor Master approval
Flood Hazard Development Permit	Town of Kennebunkport	To be submitted following River Committee/Harbor Master approval



A Federal Consistency Submission Form is included with this letter, as well as copies of the USACE Section 408 and Individual Standard Permit applications that were submitted on November 12, 2024, and the Maine DEP Natural Resources Protection Act (NRPA) Individual Permit application that was submitted on November 15, 2024.

On behalf of the applicant, thank you in advance for your review of this submission. We look forward to working with you and the Maine Coastal Program to make this project successful.

Respectfully,



Leyna Tobey, PE – Project Manager  
Walsh Engineering Associates, Inc.

cc. KPT Marine, LLC – Shawn Dumas  
USACE – Heather Stukas  
Maine DEP – Alison Sirois

Enc. Federal Consistency Submission Form  
USACE Section 408 Permit Application (Submitted on November 12, 2024)  
USACE Individual Standard Permit Application (Submitted on November 12, 2024)  
Maine DEP NRPA Individual Permit Application (Submitted on November 15, 2024)



## **Federal Consistency Submission Form**





# Maine Coastal Program

## Coastal Zone Management Act

### Federal Consistency Submission Form

The Maine Coastal Program (MCP) is the lead agency for Coastal Zone Management in Maine. MCP strongly suggests that applicants for a federal consistency determination or certification use this form for activities regulated under the Coastal Zone Management Act (CZMA) of 1972, as amended, and the National Oceanic and Atmospheric Administration (NOAA) Federal Consistency Regulations under 15 CFR Part 930. Although use of this form is not required, it is provided to applicants to facilitate the submission and timely review of a consistency determination or certification. Federal agencies and applicants are only required to provide the information listed in NOAA's Federal Consistency Regulations unless otherwise described in the [Maine Guide to Federal Consistency Review](#), as approved by NOAA.

#### I. Applicant Information:

Project/Activity Name: Kennebunkport Marina Dredging		
Contact Name: Shawn Dumas (on behalf of KPT Marine, LLC, Applicant)	Authorized Agent (if applicable): Walsh Engineering Associates, Inc. (c/o - Leyna Tobey)	
Federal Agency: N/A		
Address: 67 Ocean Avenue		
City: Kennebunkport	State: ME	Zip Code: 04046
Email: leyna@walsh-eng.com (Authorized Agent)	Phone Number: 207-553-9898 (Authorized Agent)	

#### II. Federal Consistency Category:

<input type="checkbox"/>	Federal Agency Activity (15 CFR Part 930, subpart C)
<input checked="" type="checkbox"/>	Federal License or Permit Activity (15 CFR Part 930, subpart D)
<input type="checkbox"/>	Outer Continental Shelf Activity (15 CFR Part 930, subpart E)
<input type="checkbox"/>	Federal Financial Assistance Activity to State/Local Government (15 CFR Part 930, subpart F)

#### III. Summary Description:

<p>The project includes dredging of the Kennebunk River at the Kennebunkport Marina to provide adequate depth for navigation.</p>
---



**IV. Select enforceable policies relevant to project or activity:**

<input checked="" type="checkbox"/>	Natural Resources Protection Act (38 M.R.S. §§480-A to 480-S; and 480-U to 480-HH)
<input type="checkbox"/>	Site Location of Development Law (38 M.R.S. §§481 to 485-A; 486-A, -B; 487-A to 490-FF)
<input type="checkbox"/>	Maine Metallic Mineral Mining Act (38 M.R.S. §§490-LL to 490-TT)
<input type="checkbox"/>	MaineDOT Traffic Movement Permit Law (23 M.R.S. §704-A)
<input type="checkbox"/>	Erosion Control and Sedimentation Law (38 M.R.S. §420-C)
<input type="checkbox"/>	Expedited Permitting of Grid-scale Wind Energy Development (35-A M.R.S. §§3451-3459)
<input type="checkbox"/>	Solar Energy Development Decommissioning Law (35-A M.R.S. chapter 34-D)
<input type="checkbox"/>	Storm Water Management Law (38 M.R.S. §420-D)
<input type="checkbox"/>	Maine Waterway Development and Conservation Act (38 M.R.S. §§630 to 636-A; 640)
<input type="checkbox"/>	Protection and Improvement of Air Law (38 M.R.S. §§581 to 610-A, -B)
<input type="checkbox"/>	Protection and Improvement of Waters Act (38 M.R.S. §§361-A, 362, 362-A, 363-D, 372; 410-N; 411 to 424; 451, 451-A, 452; 464 to 470)
<input type="checkbox"/>	Nutrient Management Act (7 M.R.S. §§4201 to 4214)
<input type="checkbox"/>	Land Use Regulation Law (12 M.R.S. §§681 to 689)
<input type="checkbox"/>	Maine Hazardous Waste, Septage and Solid Waste Management Act (38 M.R.S. §§1301 to 1310-BB; 1316 to 1316-L; 1317 to 1319-Y)
<input type="checkbox"/>	Uncontrolled Hazardous Substance Sites Law (38 M.R.S. §§1362, 1367, 1367-B)
<input type="checkbox"/>	Asbestos Law (38 M.R.S. §§1273 and 1281)
<input type="checkbox"/>	Lead Abatement Law (38 M.R.S. §§1296 and 1298(3))
<input type="checkbox"/>	Sale of Consumer Products Affecting the Environmental Law (38 M.R.S. §§1608 and 1609-10)
<input type="checkbox"/>	Mercury-Added Products and Services Law (38 M.R.S. §§1661 to 1661-C; 1665-A, -B; 1672)
<input type="checkbox"/>	Solid Waste Management and Recycling Law (38 M.R.S. §§2101; 2133, sub-§2(A); 2165)
<input type="checkbox"/>	Priority Toxic Chemical Use Reduction Law (38 M.R.S. §§2321 to 2330)
<input type="checkbox"/>	Wellhead Protection Law (38 M.R.S. §§1391 to 1399)
<input type="checkbox"/>	Nuclear Facility Decommissioning Laws (PL 1999 c. 739; PL 1999 c. 741)
<input type="checkbox"/>	Oil Discharge Prevention & Pollution Control Law (38 M.R.S. §§541 to 560)
<input type="checkbox"/>	Oil Storage Facilities and Ground Water Protection Law (38 M.R.S. §§561; 562-A; 563, sub-§1(A) and 2; 563-A to -B; 564; 565-A; 566-A; 568; 568-A to -B; 569-C; 570; 570-C to -G, I to M)
<input checked="" type="checkbox"/>	Maine Endangered Species Act (12 M.R.S. §12801 to 12810; 12 M.R.S. §6971 to 6976; 12 M.R.S. §10001, sub-§§19 and 62)
<input type="checkbox"/>	General Licensing and Enforcement Authorities; Fees (38 M.R.S. §§341-D; 344 to 349; 352 to 353; 353-A, -B)
<input type="checkbox"/>	Maine Rivers Act (12 M.R.S. §§403; 407)
<input type="checkbox"/>	Marine Resources Law (12 M.R.S. §§6171 to 6192; 6432-A)
<input type="checkbox"/>	Importing of Certain Marine Organisms (12 M.R.S. §6071)
<input type="checkbox"/>	Aquaculture Leasing Laws (12 M.R.S. §6071-A; 12 M.R.S. §6072; 12 M.R.S. §6072-A; 12 M.R.S. §6073)
<input type="checkbox"/>	Subdivision Law (30-A M.R.S. §§4401 to 4408)
<input type="checkbox"/>	Mandatory Shoreland Zoning Law (38 M.R.S. §§435 to 448)
<input type="checkbox"/>	Coastal Management Policies Act (38 M.R.S. §§1801 to 1802)
<input type="checkbox"/>	Coastal Barrier Resources System Act (38 M.R.S. §§1901 to 1905)



**V. Supporting Documentation. Please list all maps, diagrams, reports, and other materials below:**


Copies of the U.S. Army Corps of Engineers Section 408 Permit and Individual Standard Permit applications and the Maine Department of Environmental Protection Natural Resources Protection Act (NRPA) Individual Permit application are attached to this Federal Consistency Submission Form. These applications include a project description, dredging plans, an alternatives analysis, and more.

**VI. Other Coordination. Please list all agencies and contacts required to review this project below:**

U.S. Army Corps of Engineers: Section 408 Permit, Individual Standard Permit  
Maine DEP: NRPA Individual Permit Application  
Town of Kennebunkport: Kennebunk River Committee Approval, Harbor Master Approval, Activities and Land Use Permit, Site Plan Review, Flood Hazard Development Permit Review

**VII. Statement of Determination/Certification and Signature. Check one and sign below:**

<input type="checkbox"/>	<b>FEDERAL AGENCY CONSISTENCY DETERMINATION.</b> Based upon the information, data, and analysis included herein, the federal agency or its authorized agent finds the proposed activity is consistent to the maximum extent practicable with the enforceable policies of the Maine Coastal Program.
<input type="checkbox"/>	<b>FEDERAL AGENCY NEGATIVE DETERMINATION.</b> Based upon the information, data, and analysis included herein, the federal agency or its authorized agent finds the proposed activity will not have any reasonably foreseeable effects on Maine's coastal uses or resources.
<input checked="" type="checkbox"/>	<b>NON-FEDERAL APPLICANT CONSISTENCY CERTIFICATION.</b> Based upon the information, data, and analysis included herein, the non-federal applicant certifies that the proposed activity complies with the enforceable policies of Maine Coastal Program and will be conducted in a manner consistent with such program.

Signature: 	Digitally signed by Leyna Tobey, PE Date: 2025.01.14 14:10:03-05'00'
Printed Name: Leyna Tobey	Date: 1/14/2025



**USACE Section 408 Permit Application  
(Submitted on November 12, 2024)**



# **Army Corp of Engineers Section 408**

For

Kennebunkport Marina  
67 Ocean Ave  
Kennebunkport, ME 04046

November 12, 2024

## **Applicant**

KPT Marine, LLC  
67 Ocean Ave  
Kennebunkport, ME 04046

Prepared By:



One Karen Drive, Suite 2A  
Westbrook, Maine  
207.553.9898





November 12, 2024

U.S. Army Corps of Engineers – Maine Project Office  
Heather S. Stukas – Project Manager  
442 Civic Center Drive, Suite 350  
Augusta, ME 04330

**RE: Section 408 Permit  
Kennebunkport Marina Dredging  
67 Ocean Avenue  
Kennebunkport, Maine**

Dear Ms. Stukas:

Walsh Engineering Associates, Inc. (WEA) is requesting permission for a single-phased review for a private entity (KPT Marine, LLC; Kennebunkport Marina; Applicant) to make alterations adjacent to, and to temporarily occupy, a U.S. Army Corps of Engineers (USACE) Federally Authorized Civil Work Project under 33 USC 408 (Section 408). The applicant is proposing to mechanically dredge a portion of the Kennebunk River adjacent to, but not within, the Kennebunk River Federal Navigation Project (FNP). The proposed dredging actions are not anticipated to be injurious to the public interest or impair the usefulness of the USACE project.

The Kennebunkport Marina is located at 67 Ocean Avenue in Kennebunkport, Maine with 187 feet of frontage on the Kennebunk River. The Town of Kennebunkport Assessor's Office identifies the parcel as Map 10, Block 1, Lot 2. The facility is a 0.44-acre parcel of land with a 3,210 square foot 1.5-story office building and a 690 square foot 1-story cottage. The property maintains associated parking areas and 45 boat slips.

The shoaling that is occurring in the Kennebunkport Marina area makes vessels more susceptible to groundings and exposes them to hazardous conditions when tides and weather create rough seas. Bathymetric surveys of the FNP have identified sufficient shoaling that presents a navigational hazard.

### **Proposed Action**

The Applicant is proposing to mechanically dredge the following:

- Proposed dredged volume = 3,675 cubic yards of silt and sand
- Area of dredge = 211-foot x 175-foot area (36,925 square feet)
- Proposed dredge depth = elevation -6.0 feet mean low water, with about 1 foot of over-dig

The purpose of this project is to dredge the shoaled areas of the FNP to restore safe vessel navigation at the Kennebunkport Marina, and to dispose of dredged material in the most appropriate location. The dredged material will be transported by barge to an open water placement





disposal site known as the Isle of Shoals North Disposal Site. Please refer to Figure 1 – Plan View, Figure 2 – Section Views, and Figure 3 – Section 408 Plan, attached to this letter, for detailed dredging information.

### **Alteration, Occupation, and Use of the FNP**

Federal Navigation Projects are authorized, constructed, and maintained on the premise that they will be accessible and available to all on equal terms. These Projects include a wide array of channels and harbors that provide for the needs of fishing vessels, commercial shippers, recreational boaters, and national defense.

Given the anticipated timing for receiving USACE Individual Standard Permit Approval, Maine Department of Environmental Protection (DEP) Natural Resources Protection Act (NRPA) Approval, and a Disposal Authorization, WEA anticipates that the dredging equipment would temporarily occupy the area during the winter 2025-2026 dredge window. WEA will be working closely with the Kennebunkport Marina and the designated dredging company to ensure the alteration of the FNP by dredging will be in the manner and amount that has been designated and approved. The dredge will only temporarily occupy the FNP for the amount of time needed to dredge the area (anticipated to be two days).

A 1976 USACE map showing the original limits of the Kennebunk River FNP is attached to this letter, as well as an updated map from 2020 showing revised coordinates for the upstream limits of the FNP.

### **Operation, Maintenance, and Repair**

Sand shoals accumulate rapidly in this area of the Kennebunk River, creating the need for regular maintenance dredging. The Kennebunkport Marina site has an extensive history of dredging. The proposed dredge area is coincidental with the area that was previously permitted under Maine DEP Permit #L-18612-4E-A-N in 1994. Since that time, the Kennebunkport Marina was dredged in 2005 under Permit ##L-18612-4E-B-N, and in Winter 2015-2016 under Maine DEP's Permit by Rule (PBR) process and U.S. Army Corps of Engineers (USACE) Permit #NAE-2005-28. Any dredging that takes place is only a temporary measure until the Kennebunkport Marina identifies the need for additional dredging in the future.

### **Potential Impacts to Usefulness of the FNP**

No potential impacts to the usefulness of the FNP are anticipated. The project is not anticipated to be injurious to the public interest.

### **Statement of No Objection**

Please see the Statement of No Objection Letter from the project's Non-Federal Sponsor, the Town of Kennebunkport, attached to this letter.

### **Endangered Species**

The National Marine Fisheries Service and the U.S. Fish and Wildlife Service have been consulted to ensure that the proposed activity will not significantly affect any species or critical habitat





designated as endangered or threatened pursuant to the Endangered Species Act (ESA) of 1973. It is our determination that the project is not likely to adversely affect threatened or endangered species.

### **Cultural Resources**

The Maine Historic Preservation Commission (MHPC) and the Tribal Historic Preservation Officers (THPO) of Maine have been notified regarding this project. Copies of these notifications are included with this letter. Any responses received from the MHPC and THPO will be forwarded to the project manager assigned to this project.

### **Essential Fish Habitat Assessment**

According to the National Oceanic and Atmospheric Administration (NOAA) Fisheries Essential Fish Habitat (EFH) Mapper, the project location is mapped within a New England/Mid-Atlantic EFH for the following species: Acadian redfish (larvae); haddock (juvenile); little skate (adult); monkfish (eggs, larvae, juvenile, adult); silver hake (eggs, larvae, adult); and winter flounder (eggs). The project is likely to have short-term and localized impacts to EFH, with no significant impacts to these habitats anticipated.

### **Additional Requirements – Water Quality Certification**

The Maine DEP *“has combined the decision concerning water quality certification with the review of an application for a state permit that already requires compliance with state water quality standards...the issuance of the order approving the project constitutes both the state permit and the water quality certification.”* The project team is planning to file a Maine DEP NRPA Permit Application concurrently with this Section 408 Application. In accordance with the statement quoted above, the NRPA Permit Approval will constitute both the state permit and the Water Quality Certification and can be provided to the USACE upon receipt.

This Section 408 Permit Application is being submitted concurrently with a USACE Individual Standard Permit Application for the project. If you have any questions or concerns with this project, please feel free to contact me at (207) 553-9898 or by e-mail at [leyna@walsh-eng.com](mailto:leyna@walsh-eng.com). We look forward to working with you on this project.

Respectfully,

A handwritten signature in dark ink that reads "Leyna L. Tobey". The signature is fluid and cursive, with the first name "Leyna" being more prominent.

Leyna Tobey, PE – Project Manager  
Walsh Engineering Associates, Inc.

cc. Kennebunkport Marina

Enc. Section 408 Project Plans

Figure 1 – Dredging Plan View, Figure 2 – Dredging Section View, Figure 3 – Section 408 Plan  
Kennebunk River FNP Maps

USACE 1976 Kennebunk River FNP Map, USACE 202 Kennebunk River FNP Map  
Statement of No Objection Letter from Non-Federal Sponsor






Town of Kennebunkport Letter dated October 31, 2024  
Cultural Resources Correspondence  
MHPC Notification Letter dated October 25, 2024  
THPO Notification Letter dated October 25, 2024



Kennebunkport Marina Dredging			
Elevation	Area (sf)	Incremental Volume (cu. yd.)	Cumulative Volume (cu. yd.)
0 to -1	1,065	20	20
-1 to -2	2,075	55	75
-2 to -3	3,425	100	175
-3 to -4	7,520	200	375
-4 to -5	20,810	525	900
-5 to -6	28,525	915	1,815
-6 to -7	31,500	1,125	2,940
Total Dredge Volume w/ 25% Bulking Factor			3,675 cu. yd.



**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024


## KENNEBUNKPORT MARINA DREDGING

KENNEBUNKPORT MARINA  
67 OCEAN AVE  
KENNEBUNKPORT, ME 04046


Sheet Title:  
**FIG 1:  
PLAN VIEW**

Job No.: 643.1  
Date: OCT. 23, 2024  
Scale: 1" = 20'  
Drawn: CAR/MNW  
Checked: WRW





Kennebunkport Marina Dredging Section A-A'



**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

KENNEBUNKPORT MARINA DREDGING


KENNEBUNKPORT MARINA  
67 OCEAN AVE  
KENNEBUNKPORT, ME 04046

Sheet Title:	<b>FIG 2: SECTION VIEW</b>
Job No.:	643.1
Date:	December 2023
Scale:	1" = 20'
Drawn:	CAR/MNW
Checked:	WRW



PLAN REFERENCES:

1. BATHYMETRY CONDUCTED BY WEA ON NOVEMBER 17, 2023 USING A HYDROLITE SONARMITE ECHOSOUNDER AND CARLSON BRX7 GNSS RECEIVER.
2. TOPOGRAPHIC DATA COLLECTED BY WEA VIA A DJI M300 DRONE EQUIPPED WITH A ZENMUSE L1 LIDAR CAMERA ON NOVEMBER 21, 2023.
3. ALL ELEVATIONS ON THIS PLAN ARE BASED ON THE MLLW VERTICAL DATUM. ELEVATIONS IN NAVD88 HAVE BEEN RAISED BY 5.15 FEET TO THE MLLW DATUM.
4. A PLAN TITLED "BOUNDARY SURVEY AT YACHTSMAN LODGE & MARINA" PREPARED BY OWEN HASKELL, INC. OF 390 U.S. ROUTE ONE, UNIT 10, FALMOUTH, MAINE 04105, DATED APRIL 26, 2018.
5. A PLAN TITLED "SITE PLAN SHOWING THE PROPERTY OF THE KENNEBUNKPORT MARINA" PREPARED BY WILLIAM PIERCE OF 6 WATERHOUSE ROAD, DAYTON, MAINE 04005, DATED NOVEMBER 1, 1995
6. A PLAN TITLED "KENNEBUNK RIVER KENNEBUNK AND KENNEBUNKPORT MAINE AFTER DREDGE SURVEY" PREPARED BY U.S. ARMY CORPS OF ENGINEERS NEW ENGLAND DISTRICT DATED MARCH 9, 2020.
7. A PLAN TITLED "DOCK PLAN" PREPARED BY REILLY STUDIOS OF 959 ISLINGTON STREET, PORTSMOUTH, NEW HAMPSHIRE 03801, DATED MARCH 4, 2008.



**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com



Copyright © 2024

## KENNEBUNKPORT MARINA DREDGING

KENNEBUNKPORT MARINA  
67 OCEAN AVE  
KENNEBUNKPORT, ME 04046

Sheet Title:	<b>FIG 3: SEC. 408 PLAN</b>
Job No.:	643.1
Date:	OCT. 23, 2024
Scale:	1" = 60'
Drawn:	CAR/MNW
Checked:	WRW



BRIDGE CLEARANCE

HOR. 39 FT.  
VERT. 5 FT. (MHW)  
CLOSED


## Kennebunk River MAINE

30 SEPTEMBER 1976

SCALE IN FEET

DEPARTMENT OF THE ARMY  
NEW ENGLAND DIVISION, CORPS OF ENGINEERS  
WALTHAM, MASS.









## TOWN OF KENNEBUNKPORT, MAINE

– INCORPORATED 1653 –

October 31, 2024

U.S. Army Corps of Engineers – Maine Project Office  
Heather S. Stukas – Project Manager  
442 Civic Center Drive, Suite 350  
Augusta, ME 04330

**RE: Statement of No Objection from the Non-Federal Sponsor**

Dear Ms. Stukas:

Walsh Engineering Associates, Inc. (WEA) is requesting permission for a private entity (the Kennebunkport Marina, Applicant) to make alterations adjacent to, and temporarily occupy, a U.S. Army Corps of Engineers (USACE) Federally Authorized Civil Work Project under 33 USC 408 (Section 408).

As I understand, the Kennebunkport Marina (KM) is seeking to mechanically dredge the shoaled areas of the Kennebunk River within the Kennebunkport Marina, which is adjacent to the USACE's Federal Navigation Project, in order to restore safe vessel navigation at the marina. The shoaling that is occurring in the KM's area makes vessels more susceptible to groundings and exposes them to hazardous conditions when tides and weather create rough seas. Bathymetric surveys of the Federal Navigation Project have identified sufficient shoaling that presents a navigational hazard.

The proposed dredging actions are not anticipated to be injurious to the public interest or impair the usefulness of the USACE Federal Navigation Project. This Statement of No Objection does not grant the project permission to move forward with construction. Once the AYC receives USACE Section 408 Approval, they will proceed with filing the following project permits: USACE General Permit Pre-Construction Notification; Maine DEP Natural Resources Protection Act (NRPA) Permit; and Town of Kennebunkport Activities and Land Use, Site Plan Review, Flood Hazard Development, River Committee Approval, and Harbor Master Approval applications.

Sincerely,

Laurie A. Smith  
Town Manager

Cc: Jamie Houtz, Kennebunk River Harbormaster

6 Elm Street, P.O. Box 566, Kennebunkport, Maine 04046  
Tel: (207) 967-4243 Fax: (207) 967-8470





October 25, 2024

Maine Historic Preservation Commission  
Mr. Kirk F. Mohny, Director  
65 State House Station  
Augusta, Maine 04333-0065  
[MHPCprojectreview@maine.gov](mailto:MHPCprojectreview@maine.gov)

**VIA: Transmitted via email as noted above**

**RE: Kennebunkport Marina Dredging – Project Review Request  
67 Ocean Ave, Kennebunkport, ME 04046  
Map 10, Block 1, Lot 2**

On behalf of the Kennebunkport Marina (Applicant), Walsh Engineering Associates, Inc. (WEA) intends to file permit applications with the Maine Department of Environmental Protection (DEP) and the U.S. Army Corps of Engineers (USACE) for maintenance dredging activities in the Kennebunk River at 67 Ocean Avenue in Kennebunkport, Maine. WEA is requesting that the Maine Historic Preservation Commission (MHPC) review the area for any known historic and/or archaeological resources. A site location map is attached for your review.

If you have any questions or concerns with this project, please feel free to contact me at (207) 553-9898 or by e-mail at [leyna@walsh-eng.com](mailto:leyna@walsh-eng.com). Thank you in advance for your time.


Respectfully,

A handwritten signature in dark ink, reading "Leyna L. Tobey". The signature is fluid and cursive, with the first name "Leyna" being more prominent.

Leyna Tobey, Project Manager  
Walsh Engineering Associates, Inc.

Enc: Site Location Map





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW





October 25, 2024

Houlton Band of Maliseet Indians  
Isaac St. John, THPO  
88 Bell Road, Littleton, Maine 04730  
[istjohn@maliseets.com](mailto:istjohn@maliseets.com)

Passamaquoddy Tribe of Indians  
Donald Soctomah, THPO  
Pleasant Point Reservation  
P.O. Box 343, Perry, Maine 04667  
[soctomah@gmail.com](mailto:soctomah@gmail.com)

Passamaquoddy Tribe of Indians  
Donald Soctomah, THPO  
Indian Township Reservation  
P.O. Box 301, Princeton, Maine 04668  
[soctomah@gmail.com](mailto:soctomah@gmail.com)

Mi'kmaq Nation  
Jenny Gaenzle, THPO  
7 Northern Road, Presque Isle, Maine 04769  
[jgaenzle@micmac-nsn.gov](mailto:jgaenzle@micmac-nsn.gov)

Penobscot Nation  
Chris Sockalexis, THPO  
Cultural and Historic Preservation Dept.  
12 Wabanaki Way, Indian Island, Maine 04468  
[chris.sockalexis@penobscotnation.org](mailto:chris.sockalexis@penobscotnation.org)

**VIA: Transmitted via email as noted above**

**RE: Kennebunkport Marina Dredging – Project Review Request  
67 Ocean Ave, Kennebunkport, ME 04046  
Map 10, Block 1, Lot 2**

On behalf of the Kennebunkport Marina (Applicant), Walsh Engineering Associates, Inc. (WEA) intends to file permit applications with the Maine Department of Environmental Protection (DEP) and the U.S. Army Corps of Engineers (USACE) for maintenance dredging activities in the Kennebunk River at 67 Ocean Avenue in Kennebunkport, Maine. WEA is requesting that the Maine Tribal Historic Preservation Offices (THPO) review the area for any known historic and/or archaeological resources. A site location map is attached for your review.

If you have any questions or concerns with this project, please feel free to contact me at (207) 553-9898 or by e-mail at [leyna@walsh-eng.com](mailto:leyna@walsh-eng.com). Thank you in advance for your time.


Respectfully,

A handwritten signature in dark ink, reading "Leyna L. Tobey". The signature is fluid and cursive, with the first name "Leyna" being the most prominent.

Leyna Tobey, Project Manager  
Walsh Engineering Associates, Inc.

Enc: Site Location Map





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW



**USACE Individual Standard Permit Application  
(Submitted on November 12, 2024)**



# **New England District of the U.S. Army Corps of Engineers Individual Standard Permit Application**

For

Kennebunkport Marina  
67 Ocean Ave  
Kennebunkport, Maine

November 12, 2024

## **Applicant**

KPT Marine, LLC  
67 Ocean Ave  
Kennebunkport, Maine

Prepared By:



One Karen Drive, Suite 2A  
Westbrook, Maine  
207.553.9898





November 12, 2024

U.S. Army Corps of Engineers – New England District  
c/o Ms. Heather S. Stukas  
442 Civic Center Drive, Suite 350  
Augusta, ME 04330

**RE: New England District of USACE  
Individual Standard Permit Application  
Kennebunkport Marina  
Kennebunkport, Maine 04046**

Dear Heather,

On behalf of KPT Marine, LLC (Applicant), Walsh Engineering Associates, Inc. (WEA), is pleased to submit the enclosed Individual Standard Permit Application to the New England District of the United States Army Corps of Engineers (USACE) for the proposed dredging activities to take place in the Kennebunk River located adjacent to the Kennebunkport Marina.

The Kennebunkport Marina is located at 67 Ocean Ave in Kennebunkport, Maine, with 187 feet of frontage along the Kennebunk River. The Town of Kennebunkport Assessor's Office identifies the parcel as Map 10, Block 1, Lot 2. The facility is a 0.44-acre parcel of land with a 3,210 square foot 1.5-story office building and a 690 square foot 1-story cottage. The property maintains associated parking areas and 45 boat slips. The proposed dredge area is coincidental with the area that was previously permitted under Maine DEP Permit #L-18612-4E-A-N in 1994. Since that time, the Kennebunkport Marina was dredged in 2005 under Permit ##L-18612-4E-B-N, and in Winter 2015-2016 under Maine DEP's Permit by Rule (PBR) process and U.S. Army Corps of Engineers (USACE) Permit #NAE-2005-28.

As described in this application, a USACE Section 408 Permit is required to conduct the dredging work, as the project is located adjacent to the Kennebunk River Federal Navigation Project; a Section 408 Permit application for the project was submitted to the USACE concurrently with this Individual Standard Permit Application. In addition, this application is being submitted concurrently with a Maine DEP Natural Resources Protection Act (NRPA) Application.

On behalf of the applicant, thank you in advance for your review of this application. We look forward to working with you and the department to make this project successful.

Respectfully,

A handwritten signature in dark ink, reading "Leyna Tobey". The signature is written in a cursive, flowing style.

Leyna Tobey, PE – Project Manager  
Walsh Engineering Associates, Inc.



cc. Kennebunkport Marina  
Enc. Individual Standard Permit Application & Supporting Documents



**Table of Contents**  
**USACE – Individual Standard Permit Application**  
Kennebunkport Marina  
Kennebunkport, ME 04046

---

Application for Department of the Army Permit (ENG Form 4345)  
Agent Authorization

Activities Description.....	Attachment 1
Dredging Figures .....	Attachment 2
Alternatives Analysis.....	Attachment 3
Site Conditions Report .....	Attachment 4
Historic Sites .....	Attachment 5
Abutters List.....	Attachment 6
Construction and Erosion Control Plan .....	Attachment 7
Sampling & Analysis Plan.....	Attachment 8
List of Authorizations Required for Project .....	Attachment 9
Transportation Route .....	Attachment 10



**Application for Department of the Army Permit (ENG Form 4345)**



<b>U.S. Army Corps of Engineers (USACE)</b> <b>APPLICATION FOR DEPARTMENT OF THE ARMY PERMIT</b> For use of this form, see 33 CFR 325. The proponent agency is CECW-CO-R.		<b>Form Approved -</b> <b>OMB No. 0710-0003</b> <b>Expires: 08-31-2023</b>	
The public reporting burden for this collection of information, OMB Control Number 0710-0003, is estimated to average 11 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or burden reduction suggestions to the Department of Defense, Washington Headquarters Services, at <a href="mailto:whs.mc-alex.esd.mbx.dd-dod-information-collections@mail.mil">whs.mc-alex.esd.mbx.dd-dod-information-collections@mail.mil</a> . Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR APPLICATION TO THE ABOVE EMAIL.			
<b>PRIVACY ACT STATEMENT</b>			
Authorities: Rivers and Harbors Act, Section 10, 33 USC 403; Clean Water Act, Section 404, 33 USC 1344; Marine Protection, Research, and Sanctuaries Act, Section 103, 33 USC 1413; Regulatory Programs of the Corps of Engineers; Final Rule 33 CFR 320-332. Principal Purpose: Information provided on this form will be used in evaluating the application for a permit. Routine Uses: This information may be shared with the Department of Justice and other federal, state, and local government agencies, and the public and may be made available as part of a public notice as required by Federal law. Submission of requested information is voluntary, however, if information is not provided the permit application cannot be evaluated nor can a permit be issued. One set of original drawings or good reproducible copies which show the location and character of the proposed activity must be attached to this application (see sample drawings and/or instructions) and be submitted to the District Engineer having jurisdiction over the location of the proposed activity. An application that is not completed in full will be returned. System of Record Notice (SORN). The information received is entered into our permit tracking database and a SORN has been completed (SORN #A1145b) and may be accessed at the following website: <a href="http://dpclid.defense.gov/Privacy/SORNSIndex/DOD-wide-SORN-Article-View/Article/570115/a1145b-ce.aspx">http://dpclid.defense.gov/Privacy/SORNSIndex/DOD-wide-SORN-Article-View/Article/570115/a1145b-ce.aspx</a>			
<b>(ITEMS 1 THRU 4 TO BE FILLED BY THE CORPS)</b>			
1. APPLICATION NO.	2. FIELD OFFICE CODE	3. DATE RECEIVED	4. DATE APPLICATION COMPLETE
<b>(ITEMS BELOW TO BE FILLED BY APPLICANT)</b>			
5. APPLICANT'S NAME First - Shawn                      Middle -                      Last - Dumas Company - KPT Marine, LLC E-mail Address - shawn@kennebunkportmarina.com		8. AUTHORIZED AGENT'S NAME AND TITLE (agent is not required) First - Leyna                      Middle - L.                      Last - Tobey Company - Walsh Engineering Associates, Inc. E-mail Address - leyna@walsh-eng.com	
6. APPLICANT'S ADDRESS: Address- 67 Ocean Ave. City - Kennebunkport    State - Maine    Zip - 04046    Country - USA		9. AGENT'S ADDRESS: Address- 1 Karen Drive, Suite 2A City - Westbrook                      State - Maine    Zip - 04092    Country - USA	
7. APPLICANT'S PHONE NOS. w/AREA CODE a. Residence                      b. Business                      c. Fax 207-590-1658		10. AGENTS PHONE NOS. w/AREA CODE a. Residence                      b. Business                      c. Fax 207-553-9898	
<b>STATEMENT OF AUTHORIZATION</b>			
11. I hereby authorize, <u>Walsh Engineering Associates, Inc.</u> to act in my behalf as my agent in the processing of this application and to furnish, upon request, supplemental information in support of this permit application.  <div style="text-align: center;"> <b>See Attached Agent Authorization</b>  <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="border-top: 1px solid black; width: 40%; text-align: center;">SIGNATURE OF APPLICANT</div> <div style="border-top: 1px solid black; width: 40%; text-align: center;">DATE</div> </div> </div>			
<b>NAME, LOCATION, AND DESCRIPTION OF PROJECT OR ACTIVITY</b>			
12. PROJECT NAME OR TITLE (see instructions) Kennebunkport Marina Dredging			
13. NAME OF WATERBODY, IF KNOWN (if applicable) Kennebunk River		14. PROJECT STREET ADDRESS (if applicable) Address <b>67 Ocean Ave.</b>	
15. LOCATION OF PROJECT Latitude: °N 43.356009                      Longitude: °W 70.473803		City - <b>Kennebunkport</b> State- <b>Maine</b> Zip- <b>04046</b>	
16. OTHER LOCATION DESCRIPTIONS, IF KNOWN (see instructions) State Tax Parcel ID    Map 10, Block 1, Lot 2                      Municipality Kennebunkport Section -                      Township -                      Range -			



17. DIRECTIONS TO THE SITE

From Portland, take I-95 South; Exit 32, Route ME-111, then onto Precourt Street; turn right onto US-1 South, then left onto Log Cabin Road; left onto Maine Street; right onto ME-9; then 2nd left onto Ocean Ave.

18. Nature of Activity (Description of project, include all features)

The Applicant is proposing to mechanically dredge the following:

- Proposed dredged volume = 3,675± cubic yards of silt and sand

- Area of dredge = 36,925 square feet (0.8 acres)

- Proposed dredge depth = elevation -6.0 plus a one foot overdig

The dredged material would be transported by barge to the Isle of Shoals North (IOSN) open water disposal site. Please refer to Figure 1 - Plan View and Figure 2 - Section Views for detailed information.

19. Project Purpose (Describe the reason or purpose of the project, see instructions)

The applicant is proposing to mechanically dredge approximately 3,675± cubic yards of sediment from the area in front of the Kennebunkport Marina, including in and around the boat slips, to provide adequate depth for navigation and berthing. Silt, sand, and other natural deposits have impacted the marina of the Kennebunkport Marina and have limited boat navigation and berthing depths, especially during periods of low tide.

**USE BLOCKS 20-23 IF DREDGED AND/OR FILL MATERIAL IS TO BE DISCHARGED**

20. Reason(s) for Discharge

An alternatives analysis is attached to this application, describing how onshore disposal and beneficial use of dredged materials are infeasible for this project. As a result, the dredged material is proposed to be transported by barge to the Isle of Shoals North (IOSN) open water disposal site.

21. Type(s) of Material Being Discharged and the Amount of Each Type in Cubic Yards:

Type Amount in Cubic Yards	Type Amount in Cubic Yards	Type Amount in Cubic Yards
-------------------------------	-------------------------------	-------------------------------

3,675 CY - silt and sand

22. Surface Area in Acres of Wetlands or Other Waters Filled (see instructions)

Acres 36,925 square feet (0.8 acres)

or

Linear Feet

23. Description of Avoidance, Minimization, and Compensation (see instructions)

Walsh Engineering Associates will be working closely with the Kennebunkport Marina and the selected dredging contractor to ensure the dredging will be conducted in the manner and amount that has been designated and approved.



24. Is Any Portion of the Work Already Complete? ☐ Yes ☒ No IF YES, DESCRIBE THE COMPLETED WORK

25. Addresses of Adjoining Property Owners, Lessees, Etc., Whose Property Adjoins the Waterbody (if more than can be entered here, please attach a supplemental list).

a. Address- See attached 150-foot abutters list

City - State - Zip -

b. Address-

City - State - Zip -

c. Address-

City - State - Zip -

d. Address-

City - State - Zip -

e. Address-


City - State - Zip -

26. List of Other Certificates or Approvals/Denials received from other Federal, State, or Local Agencies for Work Described in This Application.

AGENCY	TYPE APPROVAL*	IDENTIFICATION NUMBER	DATE APPLIED	DATE APPROVED	DATE DENIED
Maine DEP	NRPA				
Town of Kennebunkpor	Site Plan Review				
Town of Kennebunkpor	Flood Hazard Development				
Town of Kennebunkpor	Activities and Land Use				

\* Would include but is not restricted to zoning, building, and flood plain permits

27. Application is hereby made for permit or permits to authorize the work described in this application. I certify that this information in this application is complete and accurate. I further certify that I possess the authority to undertake the work described herein or am acting as the duly authorized agent of the applicant.

 Digitally signed by Leyna Tobey, PE  
Date: 2024.11.12 10:44:39-05'00' 11/12/2024 See Attached Agent Authorization

SIGNATURE OF APPLICANT DATE SIGNATURE OF AGENT DATE

The Application must be signed by the person who desires to undertake the proposed activity (applicant) or it may be signed by a duly authorized agent if the statement in block 11 has been filled out and signed.

18 U.S.C. Section 1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly and willfully falsifies, conceals, or covers up any trick, scheme, or disguises a material fact or makes any false, fictitious or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious or fraudulent statements or entry, shall be fined not more than \$10,000 or imprisoned not more than five years or both.



## **Agent Authorization**



To Whom It May Concern,

By this letter, the undersigned, a representative of the KPT Marine, LLC, authorizes Walsh Engineering Associates, Inc. to act as the agent for the undersigned in the preparation and submission of all Federal, State, and Local permit applications and relevant documents and correspondence for all necessary permits for the maintenance dredging of the property at 67 Ocean Avenue in Kennebunkport, Maine; to attend meetings and site visits; to appear before all boards, commissions, and committees, and to provide such other services as are necessary and appropriate in furtherance of the aforementioned project.

Sincerely,

Shawn Dumas  
Signature

Shawn Dumas, Operations Manager  
Printed Name and Title

10/31/2024  
Date



## **Attachment 1 – Activities Description**

1.1 – Site Location Plan

1.2 – Photo Log

1.3 – Disposal Site Locus (Isle of Shoals North)

1.4 – Kennebunk River FNP Map (1976)

1.5 – Updated Kennebunk River FNP Map (2020)



## **1.0 Activities Description**

The Kennebunkport Marina is located at 67 Ocean Avenue in Kennebunkport, Maine, with 187 feet of frontage along the Kennebunk River. The Town of Kennebunkport's Assessor's Office identifies the parcel as Map 10, Block 1, Lot 2. The facility is a 0.44-acre parcel of land with a 3,210 square foot 1.5-story office building and a 690 square foot 1-story cottage. The property maintains associated parking areas and 45 boat slips.

### **Existing Conditions**

The Kennebunkport Marina is located approximately 0.75-mile from the mouth of the Kennebunk River. The Kennebunk River flows generally southeast, past the towns of Lyman, Arundel, Kennebunk, and Kennebunkport. It enters the Atlantic Ocean in Kennebunkport, approximately 0.5-mile downstream from the town center. The surrounding area, with its high density of marinas and other waterfront uses, has an extensive history of dredging. The Kennebunkport Marina's dredging activities date back to the 1970s, with the most recent permits issued for maintenance dredging in 2016. Silt, sand, and other natural deposits have impacted the marina of the Kennebunkport Marina and have limited boat navigation and berthing depths, especially during periods of low tide.

### **Proposed Project**

The applicant is proposing to mechanically dredge approximately 3,675± cubic yards of sediment from the area in front of the Kennebunkport Marina, including in and around the boat slips, to provide adequate depth for navigation and berthing.

The area of the dredge will be an approximately 211-foot by 175-foot area (~36,925 square feet). The proposed dredge depth will be to elevation -6.0 feet mean low water, with about one foot of over-dig. It is anticipated that dredging will coincide with neighboring marinas performing dredging at the same approximate time (see "Adjacent Dredging Projects" section below). The material will be transported by barge to the Isle of Shoals North Disposal Site (IOSN). The IOSN is located approximately 15 nautical miles east of Portsmouth, New Hampshire, in the Gulf of Maine.

The proposed dredge area is coincidental with the area that was previously permitted under Maine DEP Permit #L-18612-4E-A-N in 1994. Since that time, the Kennebunkport Marina was dredged in 2005 under Permit ##L-18612-4E-B-N, and in Winter 2015-2016 under Maine DEP's Permit by Rule (PBR) process and U.S. Army Corps of Engineers (USACE) Permit #NAE-2005-28.


Given the timing for receiving permit approvals from Maine DEP and USACE, WEA anticipates that the work will occur during the winter 2025-2026 dredge window.



**Adjacent Dredging Projects**

The dredging of the Kennebunkport Marina will coincide with similar dredging work at three adjacent marinas on the Kennebunk River, including the Arundel Yacht Club, the Yachtsman Marina, and the Kennebunk River Club.





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW



**Kennebunkport Marina Dredge**

Kennebunkport, ME

**Photo No. 1**

**Date:** 10/20/2020

**Site Location:**

Kennebunkport  
Marina

**Description:**

Looking towards the  
marina



**Photo No. 2**

**Date:** 10/20/2020

**Site Location:**

Kennebunkport  
Marina

**Description:**

Aerial view of  
Kennebunkport  
Marina





**Photo No. 3**

**Date:** 10/20/2020

**Site Location:**  
Kennebunkport  
Marina

**Description:**  
Aerial view of Marina.



**Photo No. 4**


**Date:**  
12/8/2021

**Site Location:**  
Kennebunkport  
Marina

**Description:**  
Boat slips in the  
marina.







**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com



Copyright © 2023

## Arundel Yacht Club Dredging

Arundel Yacht Club  
51 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:	
<b>Dredge Disposal Site Location</b>	
Job No.:	782
Date:	January 2022
Scale:	1" = 24,000'
Drawn:	KEW
Checked:	WRW



BRIDGE CLEARANCE

HOR. 39 FT.  
 VERT. 5 FT. (MHW)  
 CLOSED

## Kennebunk River MAINE

30 SEPTEMBER 1976

SCALE IN FEET  
 0 100 200 300 400

DEPARTMENT OF THE ARMY  
 NEW ENGLAND DIVISION, CORPS OF ENGINEERS  
 WALTHAM, MASS.








## **Attachment 2 – Dredging Figures**



Kennebunkport Marina Dredging			
Elevation	Area (sf)	Incremental Volume (cu. yd.)	Cumulative Volume (cu. yd.)
0 to -1	1,065	20	20
-1 to -2	2,075	55	75
-2 to -3	3,425	100	175
-3 to -4	7,520	200	375
-4 to -5	20,810	525	900
-5 to -6	28,525	915	1,815
-6 to -7	31,500	1,125	2,940
Total Dredge Volume w/ 25% Bulking Factor			3,675 cu. yd.



**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024


## KENNEBUNKPORT MARINA DREDGING

KENNEBUNKPORT MARINA  
67 OCEAN AVE  
KENNEBUNKPORT, ME 04046


Sheet Title:  
**FIG 1:  
PLAN VIEW**

Job No.: 643.1  
Date: OCT. 23, 2024  
Scale: 1" = 20'  
Drawn: CAR/MNW  
Checked: WRW





Kennebunkport Marina Dredging Section A-A'



**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## KENNEBUNKPORT MARINA DREDGING

KENNEBUNKPORT MARINA  
67 OCEAN AVE  
KENNEBUNKPORT, ME 04046

Sheet Title:	<b>FIG 2: SECTION VIEW</b>
Job No.:	643.1
Date:	December 2023
Scale:	1" = 20'
Drawn:	CAR/MNW
Checked:	WRW



### **Attachment 3 – Alternatives Analysis**



## **3.0 Alternatives Analysis**

### **Dredging Alternatives Analysis**

WEA studied several alternatives for the Kennebunkport Marina dredging project, all evaluated against its purpose and need. The project's purpose is to dredge and dispose of dredged material from the site in an efficient, environmentally cautious, and effective manner; the project's need is to provide the Kennebunkport Marina with safe navigation and anchoring conditions for watercraft.

The existing conditions and dredging alternatives analysis are described in the following narrative:

#### **Existing Conditions**

The Kennebunkport Marina (site) encompasses approximately 0.44 acres of land. Ocean Avenue and the Yachtsman Marina border the site to the north; and Ocean Avenue borders the site to the east; the Tidemark Corporation (Chicks Marina) is located south of the property; and the Kennebunk River borders the property to the west.

#### **Alternative 1 – No Action**

WEA investigated the possibility of not dredging, however, the project's purpose is to provide effective navigation for watercraft and boat slips at the Kennebunkport Marina. If Alternative 1 is utilized, the club members and guest mariners will not be able to safely navigate to the boat slips. The area would continue to fill in with sediment and eventually the mooring and docking space would become unusable. Alternative 1 is not practicable as it would eventually force the Kennebunkport Marina to close due to unsafe navigation and does not satisfy the project need.

#### **Alternative 2 – Reduced Dredge**

WEA investigated the option of dredging 50% less than the proposed amount of 3,675 cubic yards. Though there may be a slight environmental benefit to dredging less (a smaller area would be disturbed and the length of dredging activities would be reduced), the dredged area would quickly fill in again within a few years, requiring the area to be dredged again sooner than if the area was dredged to elevation -6.0 feet. Again, this would not allow the club members and others to navigate or use the docks in a safe manner. Alternative 2 would not advance the project's need.

#### **Alternative 3 – Full Dredge**

WEA investigated the option of fully dredging the marina to the proposed elevation of -6.0 feet mean low water, totaling 3,675 cubic yards of dredge material. The dredging will provide adequate sediment removal for boat owners to navigate safely for 6-8 years at the current rate of sedimentation, and therefore has been selected as the most appropriate alternative for this project to meet the project's purpose and need.

#### **Selection**

Given the information above, Alternative 3 was selected as the most appropriate alternative for the project. This alternative will provide the maximum efficiency of dredging and will optimize the time between necessary dredging events.



## **Dredge Material Disposal Alternatives Analysis**

The USACE approved a Sampling and Analysis Plan (SAP) for the project on January 21, 2022, which provided proposed sediment sampling locations, methods, and testing criteria to determine disposal suitability. The sampling results were submitted to the USACE for the Kennebunkport Marina and the nearby Arundel Yacht Club, Yachtsman Marina, and Kennebunk River Club. The USACE issued a Suitability Determination for all 4 sites on June 10, 2024, which documents the suitability of the dredged material for disposal at the Isle of Shoals North (IOSN) open water disposal site.

It is WEA's understanding that the USACE requires Individual Standard Permit applicants to conduct an alternatives analysis to evaluate options for disposal of dredged material. In order of disposal method preference, the USACE favors onshore disposal, followed by beneficial use, and then open water placement.

The dredge material disposal alternatives analysis is described in the following narrative:

### **Alternative A – Onshore Disposal**

#### ***Onshore Disposal – Storage of Material at the Kennebunkport Marina***

WEA investigated the option of onshore disposal of the 3,675 cubic yards of dredged materials from the Kennebunkport Marina. The Kennebunkport Marina encompasses approximately 0.44 acres of land, as shown in the aerial site map attached to this Alternatives Analysis as Figure 1. Due to the small size of the Kennebunkport Marina lot, there is minimal space available to conduct onshore disposal operations at the site.

Logistically, to conduct onshore disposal of the dredged material, the following steps would need to be taken:

- Use barge-mounted dredging equipment to dredge sediment.
- Place the dredged material onshore into a stockpile or a large container from the dredge barge.
  - As shown in the attached aerial site map, the largest area available for a stockpile of dredged materials is located within a 42-foot by 42-foot paved area north of the Kennebunkport Marina building. If a 4-foot walkway is kept clear around the stockpile, the allowable diameter of the stockpile would be 34 feet (therefore the allowable radius would be 17 feet). Using the following standard soil stockpile volume equation, the required height of a 3,675 cubic yard (99,225 cubic feet) stockpile would need to be 328 feet tall, which is infeasible.
    - $Volume = \frac{1}{3} \times \pi \times Radius^2 \times Height \rightarrow$
    - $Height = Volume \times 3 \times \frac{1}{\pi} \times \frac{1}{Radius^2} \rightarrow$
    - $Height = 99,225 ft^3 \times 3 \times \frac{1}{\pi} \times \frac{1}{(17 ft)^2} = 328 ft$
  - In addition, this step is infeasible due to the layout of the Kennebunkport Marina's dock/boat slips; the closest a dredge barge could get to the "open space" located to the north of the Kennebunkport Marina building is at least 75 feet away, requiring the dredging equipment to have a very large reach.



- Give the dredged sediment appropriate time to dewater.
- Load dried dredged sediment into dump trucks or roll-off containers and haul offsite to a final disposal location.
  - Dump trucks have an approximately 20 cubic yard capacity and roll-off containers have a maximum capacity of 40 cubic yards. With these capacities, the hauling and disposal of the dried dredged sediment would require approximately 184 or 92 truckloads, respectively. The hauling of sediment would be infeasible due to major increases in project duration and costs.
  - In addition, because the proposed and allowable dredging window occurs during winter, local roadways will be posted for heavy truck traffic, which would likely require hauling vehicles to reduce the quantity of sediment they can transport at once.

As documented above, onshore disposal of dredged sediment using the Kennebunkport Marina site is infeasible due to site constraints and sediment hauling duration/costs. As mentioned, an aerial map of the site is included as Figure 1 to this Alternatives Analysis for reference.

### ***Onshore Disposal – Storage of Material at Alternative Locations on the Kennebunk River***

The proposed dredge volume for the Kennebunkport Marina is 3,675 cubic yards, or 99,225 cubic feet. Area estimates for storing the dredged material in a stockpile or in roll-off dumpsters for dewatering are described below. Dewatering the dredged sediment could take anywhere from a couple days to a couple weeks.

#### Storage via Stockpile

It is assumed that acceptable side slopes for a stockpile of wet, silty sediment would be between 4:1 and 5:1 (horizontal to vertical), and an acceptable stockpile height would be between 20 and 25 feet. Using these criteria and the estimated dredge volume of 99,225 cubic feet, the diameter of the stockpile needed to store the dredged material would be approximately 140 feet. It is assumed that around 20 feet of additional space would be required around the perimeter of the stockpile for erosion and sedimentation controls, dewatering materials, and equipment access, increasing the diameter of the storage area to 180 feet. Figure 2, included with this Alternatives Analysis, shows what a 180-foot diameter stockpile would look like on nearby facilities with open space along the Kennebunk River; there are no facilities with adequate space to accommodate the stockpile storage area. In addition, the Kennebunkport Marina does not have control or interest in any of the nearby facilities along the Kennebunk River shown in Figure 2, with the exception of the Yachtsman Marina at 57 Ocean Avenue, which also does not have adequate space to accommodate the stockpile storage area.

#### Storage via Roll-Off Dumpster

The largest readily available roll-off dumpster size is 40 cubic yards. It is assumed that wet sediment dumped into a roll-off dumpster to dewater would contain about 20-percent water, which would reduce the soil capacity in the dumpster to 32 cubic yards. With this assumption, it would require 115 dumpsters to store 3,675 cubic yards of sediment. Each roll-off dumpster is 22 feet long by 7.5 feet wide; adding a 5-foot walking area around the roll-off would increase the footprint of each roll-off to 27 feet by 12.5 feet, or 337.5 square feet. The total space required for 115 roll-off dumpsters would be approximately 38,815 square feet. Figure 3, included with this Alternatives



Analysis, shows what an 38,815 square foot roll-off dumpster storage area would look like on nearby facilities with open space along the Kennebunk River; there are no facilities with adequate space to accommodate the roll-off storage area. In addition, the Kennebunkport Marina does not have control or interest in any of the nearby facilities along the Kennebunk River shown in Figure 3, with the exception of the Yachtsman Marina at 57 Ocean Avenue, which also does not have adequate space to accommodate the roll-off storage area.

### ***Onshore Disposal – Disposal Location Alternatives***

As stated above, it is infeasible to get the dredged material onshore for dewatering and subsequent hauling to a disposal location at the Kennebunkport Marina and other nearby facilities along the Kennebunk River. As a result, the following onshore disposal location alternatives are also considered infeasible:

- Landfill
  - This alternative is also infeasible due to the estimated cost to dispose of the material at a landfill. Tipping and hauling fees for material disposal would likely be between \$75 and \$100 per cubic yard, totaling around \$280,000 to \$370,000 for disposal of 3,675 cubic yards of material.
  - The Juniper Ridge Landfill in Alton/Old Town, Maine and the Waste Management Crossroads Landfill in Norridgewock, Maine currently do not have sufficient capacity to accommodate the dredge materials and the increase in daily traffic to dispose of the dredge materials. The Waste Management Turnkey Landfill in Rochester, NH could accommodate the materials, however, as documented above, this option is both infeasible due to inability to get the dredge material upland, and cost prohibitive.
- Well injection
  - The Environmental Protection Agency’s “General Information About Injection Wells” webpage states that injected fluids may include “water, wastewater, brine (salt water), or water mixed with chemicals.” The dredged materials will consist of silty sediment and therefore well injection is not a feasible disposal alternative.
  - In addition, the Maine Department of Environmental Protection’s Underground Injection Control (UIC) Program webpage states that Class I, II, III, and IV injections wells are prohibited in Maine.
- Incineration
  - This alternative is also infeasible due to the estimated cost to incinerate soils. Hauling and incineration fees would likely be around \$700 per cubic yard, totaling around \$2.6M for the incineration of 3,675 cubic yards of material. (Source: Federal Remediation Technologies Roundtable Screening Matrix and Reference Guide, Version 4.0, Section 4.22 Incineration.) In addition, it appears that the closest soil incineration facilities to the Kennebunkport Marina are in Illinois or Arkansas.
- Spread of material over open ground
  - This alternative is also infeasible because the Kennebunkport Marina does not have access to a land area appropriate for spreading the material over open ground. Spreading 99,225 cubic feet of soil across a land area would consist of: 1 foot of sediment spread across a 99,225 square foot (~2.3 acre) land area; or 6 inches of sediment spread across a 198,450 square foot (~4.6 acre) land area.



- Additional biological, chemical, or physical treatment of intermediate or final waste streams
  - Additional treatment of the dredged sediment would not increase the feasibility of onshore disposal.

### **Alternative B – Beneficial Use**

WEA used the USACE’s New England District Beneficial Use Planning Tool (Tool) to identify potential beneficial use dredge material disposal sites within a 30-mile radius of the project site, which is the distance from the Kennebunkport Marina to the IOSN open water disposal site. The Tool identified 17 potential beneficial use sites; an analysis of the suitability of each of these sites is as follows:

- Beach Nourishment (4 sites – Wells Beach, Drakes Island Beach, Camp Ellis, Western Beach)
  - A representative from the USACE confirmed that all beach nourishment projects require sand, whereas the dredged material from the Kennebunk River will be primarily silt. Therefore, beneficial use of dredged material at the beach nourishment sites is infeasible.
- Construction and Industrial or Commercial Uses (2 sites – Cobble Berm in Ogunquit, ME and Dune Erosion/Stormwater Improvements in Wells, ME)
  - The two construction projects require cobble and sand materials, respectively, whereas the material dredged from the Kennebunk River will be primarily silt. Therefore, beneficial use of dredged material at the construction sites is infeasible.
- Nearshore Berm (6 sites – Wallis Sands, Wells, Goochs Beach, Kennebunk River, Saco, and Little River Rock Disposal Sites)
  - A representative from the USACE confirmed that all nearshore berm projects require sand, whereas the dredged material from the Kennebunk River will be primarily silt. Therefore, beneficial use of dredged material at nearshore berm sites is infeasible.
- Salt Marshes (5 sites – Piscataqua, Ogunquit/Rachel Carson National Wildlife Refuge, Webhannet, and Little River Salt Marsh Priority Areas Accepting Sediment; and Goosefare Salt Marsh)
  - Piscataqua Salt Marsh Priority Area: A representative from the New Hampshire Division of Environmental Services (NHDES) stated that the Piscataqua Salt Marsh is not a potential dredge disposal site.
  - Ogunquit/Rachel Carson National Wildlife Refuge, Webhannet, and Little River Salt Marsh Priority Areas Accepting Sediment and Goosefare Salt Marsh: A representative from the U.S. Fish and Wildlife Service (USFWS) stated that the State of Maine’s current regulations and permitting processes do not allow the use of dredged materials on salt marshes.
  - Beneficial use of dredged material at salt marsh sites is infeasible.

A summary of the 17 potential beneficial use sites is included as Table 1, attached to this Alternatives Analysis along with a list of references and copies of relevant email communications.



## **Alternative C – Open Water Placement**

### ***Open Water Placement – Saco Bay Open Water Disposal Site***

In order to get Maine DEP's approval for disposal at the Saco Bay Open Water Disposal Site, additional benthic environment testing of the river sediment is required. The time it will take to conduct the additional sediment testing and analysis, to receive an updated Suitability Determination for Saco Bay from the USACE, and to receive permit approvals for dredging from the USACE and Maine DEP would push the dredging activities to the Winter 2026-2027 dredge window. The Kennebunkport Marina has a critical need to conduct their maintenance dredging in the Winter 2025-2026 dredge window, as boats at their marina are already experiencing navigation challenges due to river sediment accumulation at the marina. As a result, consideration of the Saco Bay Disposal Site is not a feasible alternative for this round of maintenance dredging.

### ***Open Water Placement – Isle of Shoals North Open Water Disposal Site***

As stated above, the USACE issued a Suitability Determination for the Kennebunkport Marina and the nearby Arundel Yacht Club, Yachtsman Marina, and Kennebunk River Club on June 10, 2024, which documents the suitability of the dredged material for disposal at the IOSN open water disposal site.

## **Selection**

Due to the infeasibility of disposing of dredged material onshore and there being no beneficial use sites suitable for disposal, Alternative C, open water placement at IOSN, was selected as the most appropriate alternative for the project.



## **Figures**

**Figure 1: Kennebunkport Marina Site Aerial Map**

**Figure 2: Kennebunk River – Stockpile Locations**

**Figure 3: Kennebunk River – Roll-Off Dumpster Locations**



# Kennebunkport Marina


67 Ocean Avenue, Kennebunkport, ME

FIGURE 1

Approximate limits of "open space" for stockpile placement (cannot get to other side of parking lot with dredge equipment)

Approximate limits of 17-foot radius stockpile

Approximate location of the closest a dredge barge could get to the site





# Kennebunk River

Dredge Material Disposal Locations

FIGURE 2

Approximate footprint (25,450 square feet, 0.6 acre) of a 180-foot diameter stockpile area to facilitate sediment dewatering, shown at nearby facilities with open space on the Kennebunk River

Kennebunkport Marina





# Kennebunk River

Dredge Material Disposal Locations

FIGURE 3

Approximate footprint (38,815 square feet, ~0.9 acre) of area needed to store 115 roll-off dumpsters to facilitate sediment dewatering, shown at nearby facilities with open space on the Kennebunk River

Kennebunkport Marina





## **Tables**

**Table 1: Dredge Material Disposal Beneficial Use Alternatives – Kennebunkport Marina**



**Table 1**  
**Dredge Material Disposal Beneficial Use Alternatives - Kennebunkport Marina**  
**Summary Table & References**

<u>Project Name</u> <sup>1</sup>	<u>Project Category</u>	<u>Location</u>	<u>Coordinates</u>	<u>Contact</u>	<u>Feasible Disposal Location?</u>	<u>Reasoning</u>
Wells Beach	Beach Nourishment	Wells, ME	43.311208N -70.561063W	USACE	No	Beach nourishment projects require sand; dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Drakes Island Beach	Beach Nourishment	Wells, ME	43.321900N -70.552082W	USACE	No	Beach nourishment projects require sand; dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Camp Ellis	Beach Nourishment	Saco, ME	43.466204N -70.381264W	USACE	No	This beach nourishment project requires "sandy shoal material," and dredged material from the Kennebunk River will be primarily silt. <sup>4,5,6</sup>
Western Beach	Beach Nourishment	Scarborough, ME	43.539528N -70.321888W	USACE	No	Beach nourishment projects require sand; dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Cobble Berm	Construction and Industrial or Commercial Uses	Ogunquit, ME	43.236523N -70.589087W	USACE	No	Project requires cobble, and dredged material from the Kennebunk River will be primarily silt.
Dune Erosion and Stormwater Improvements	Construction and Industrial or Commercial Uses	Wells, ME	43.248998N -70.595158W	USACE	No	Dune requires sand, and dredged material from the Kennebunk River will be primarily silt.
Wallis Sands Disposal Site	Nearshore Berm	Rye, NH	43.020324N -70.726276W	USACE	No	Nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Wells Nearshore Disposal Site	Nearshore Berm	Wells, ME	43.307605N -70.560229W	USACE	No	20,000 CY of dredged "sandy" material from the 2020 Wells Harbor federal navigation project was placed here; however, nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5,6</sup>
Goochs Beach Nearshore Site	Nearshore Berm	Kennebunkport, ME	43.345503N -70.481053W	USACE	No	20,000 CY of dredged material from the 2020 Kennebunk/Kennebunkport federal navigation project was placed here; however, nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5,6</sup>
Kennebunk River Disposal Site	Nearshore Berm	Kennebunkport, ME	43.345134N -70.479100W	USACE	No	Nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Saco Nearshore Disposal Site	Nearshore Berm	Saco, ME	43.467543N -70.366173W	USACE	No	Nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Little River Rock Nearshore	Nearshore Berm	Saco, ME	43.518925N -70.364468W	USACE	No	Nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Piscataqua Salt Marsh Priority Area <sup>2</sup>	Salt Marsh Priority Area	Rye, NH	--	USFWS	No	Piscataqua Salt Marsh is not a potential dredge disposal site. <sup>7</sup>
Ogunquit Salt Marsh Priority Area/Rachel Carson National Wildlife Refuge <sup>3</sup>	Salt Marsh Priority Area	Ogunquit/Wells, ME	--	USFWS	No	Maine state permitting does not allow the use of dredged materials on salt marshes. <sup>8</sup>



**Table 1**  
**Dredge Material Disposal Beneficial Use Alternatives - Kennebunkport Marina**  
**Summary Table & References**

<b><u>Project Name</u></b> <sup>1</sup>	<b><u>Project Category</u></b>	<b><u>Location</u></b>	<b><u>Coordinates</u></b>	<b><u>Contact</u></b>	<b><u>Feasible Disposal Location?</u></b>	<b><u>Reasoning</u></b>
Webhannet Salt Marsh Priority Area <sup>3</sup>	Salt Marsh Priority Area	Wells, ME	--	USFWS	No	Maine state permitting does not allow the use of dredged materials on salt marshes. <sup>8</sup>
Little River Salt Marsh Priority Area <sup>3</sup>	Salt Marsh Priority Area	Wells, ME	--	USFWS	No	Maine state permitting does not allow the use of dredged materials on salt marshes. <sup>8</sup>
Goosefare Salt Marsh	Wetland Habitats/Salt Marsh	Saco, ME	43.493752N -70.392875W	USFWS	No	Maine state permitting does not allow the use of dredged materials on salt marshes. <sup>8</sup>

**References:**

1. USACE New England District Beneficial Use Planning Tool: <https://www.arcgis.com/apps/dashboards/4f1c828081684605af2972cb6297dacf>
2. New Hampshire Saltmarsh Restoration Priorities for the Saltmarsh Sparrow: [https://acjv.org/documents/NH\\_SALS\\_comp\\_guidance\\_doc.pdf](https://acjv.org/documents/NH_SALS_comp_guidance_doc.pdf)
3. Maine Saltmarsh Restoration Priorities for the Saltmarsh Sparrow: [https://acjv.org/documents/ME\\_SALS\\_comp\\_guidance\\_doc.pdf](https://acjv.org/documents/ME_SALS_comp_guidance_doc.pdf)
4. Email Correspondence Between WEA and USACE, dated August 13, 2024 (attached).
5. Email Correspondence Between WEA and USEPA, dated August 14, 2024 (attached).
6. USACE Update Report - Maine, dated January 31, 2024: [https://www.nae.usace.army.mil/Portals/74/ME-UpdateReport\\_31Jan2024.pdf](https://www.nae.usace.army.mil/Portals/74/ME-UpdateReport_31Jan2024.pdf)
7. Email Correspondence Between WEA and NHDES, dated August 19, 2024 (attached).
8. Email Correspondence Between WEA and USFWS, dated August 14, 2024 (attached).



## **References**

- 1. Email Correspondence Between WEA and USACE, dated August 13, 2024.**
- 2. Email Correspondence Between WEA and USEPA, dated August 14, 2024.**
- 3. Email Correspondence Between WEA and NHDES, dated August 19, 2024.**
- 4. Email Correspondence Between WEA and USFWS, dated August 14, 2024.**



## Leyna Tobey

---

**From:** Hopkins, Aaron D CIV USARMY CENAE (USA) <Aaron.D.Hopkins@usace.army.mil>  
**Sent:** Tuesday, August 13, 2024 12:44 PM  
**To:** Leyna Tobey; Saloio, Gabriella J CIV USARMY CEHQ (USA)  
**Subject:** RE: Beneficial Use Sites for Dredging

Hi Leyna,

I got your voicemail the other day and I apologize for not returning your call yet.

Great to see that you used the Beneficial Use of Dredged Material Planning Tool as a screening step for your project. You are correct about the beach nourishment sites needing sandy material – and the same can be said for the nearshore berm sites you identified in the Planning Map as those are intended to be feeder berms for the adjacent beaches. The openwater sites in your list are included in the Planning Map to compare openwater disposal alternatives and are not considered beneficial use themselves. That leaves the five salt marsh sites on your list which are all potential restoration sites from the USFWS. I would suggest you reach out to the contacts in the Atlantic Coast Joint Venture reference at USFWS or Maine Dept of Inland Fisheries and Wildlife to see if there are any potential beneficial uses for your project at those sites. We were able to provide some dredged material recently to the Rachel Carson National Wildlife Refuge in Wells, ME for a small beneficial use project.

Aaron

Aaron Hopkins  
DAMOS Program Manager  
US Army Corps of Engineers  
New England District  
696 Virginia Road  
Concord, MA 01742  
978.318.8973

---

**From:** Leyna Tobey <leyna@Walsh-eng.com>  
**Sent:** Tuesday, August 13, 2024 10:54 AM  
**To:** Saloio, Gabriella J CIV USARMY CEHQ (USA) <Gabriella.J.Saloio@usace.army.mil>; Hopkins, Aaron D CIV USARMY CENAE (USA) <Aaron.D.Hopkins@usace.army.mil>  
**Subject:** [Non-DoD Source] Beneficial Use Sites for Dredging

Good morning Gabriella and Aaron,

I am working on permitting a dredging project for several marinas on the lower Kennebunk River in Kennebunk, ME, and am currently conducting an alternatives analysis on where to dispose of the 25,000 CY of silty dredge material. I used the Army Corp's Beneficial Use of Dredged Material Planning Tool and found the potential disposal locations in the attached spreadsheet within a 30-mile radius of the project site.

As Gabriella is listed as the ACOE contact for several of the disposal locations and Aaron is listed at the contact for the DAMOS Beneficial Use Planning Map, I was hoping either of you would be able to provide me with some details for the disposal sites listed in the attached spreadsheet (e.g. if they are accepting materials, what types of materials they are accepting, timeline for acceptance, etc.) or could point me in the right direction to another



contact to reach out to. (Note that the attached spreadsheet does not include any beach nourishment projects, as those projects are assumed to need sand and the material we will be dredging is primarily silt.)

Please give me a call to discuss if that would be easier. Thanks in advance!

Leyna

Leyna Tobey, PE\*  
Project Manager | Civil Engineer  
*\*Licensed in MA*



One Karen Drive, Suite 2A  
Westbrook, ME 04092  
P: (207) 553-9898, Ext 105  
[www.walsh-eng.com](http://www.walsh-eng.com)



This transmission is intended only for the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or an employee or agent responsible for delivering the communication to the intended recipient, you are notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error please contact the sender at 207-553-9898.



## Leyna Tobey

---

**From:** Wolf, Steven <Wolf.Steven@epa.gov>  
**Sent:** Wednesday, August 14, 2024 10:18 AM  
**To:** Leyna Tobey  
**Cc:** Sterling, Alexa  
**Subject:** FW: Dredged Material Disposal Inquiry  
**Attachments:** 2024-08-12 Dredge Disposal Alternatives Analysis\_to EPA.xlsx

Hi Leyna, EPA co-manages the ocean dredged material disposal sites with the Army Corps – the goal of the alternatives analysis is to evaluate other uses of the dredged material rather than just straight disposal. The nearshore sites are considered “beneficial” in that material placed at those sites is integrated into coastal sediment transport and can actually nourish beaches with material under the right hydrodynamic conditions. Unfortunately, as I recall, the material from the projects you referenced contains too high a percentage of fine-grained material to be placed at the nearshore sites. For evaluating the feasibility of using the material as part of salt marsh restoration, I’d direct you back to the Corps and to ME and NH state agencies. I’d suggest starting with Todd Randall at the New England District Corps ([todd.a.randall@usace.army.mil](mailto:todd.a.randall@usace.army.mil)) who could provide information on any federal marsh restoration projects as well as the contact information for the states folks involved in marsh restoration. Feel free to reach back if you need additional information - Steve

Steven Wolf | US Environmental Protection Agency, Region 1 (New England)  
5 Post Office Square, Suite 100, Mail Code OEP06-1 Boston, MA 02109-3912  
Office: 617-918-1617 Mobile: 978-201-1928 [wolf.steven@epa.gov](mailto:wolf.steven@epa.gov)

---

**From:** Leyna Tobey <leyna@Walsh-eng.com>  
**Sent:** Tuesday, August 13, 2024 12:12 PM  
**To:** Sterling, Alexa <Sterling.Alexa@epa.gov>; Wolf, Steven <Wolf.Steven@epa.gov>  
**Subject:** Dredged Material Disposal Inquiry

**Caution:** This email originated from outside EPA, please exercise additional caution when deciding whether to open attachments or click on provided links.

Good afternoon Alexa and Steven,

I am working on permitting a dredging project for several marinas on the lower Kennebunk River in Kennebunk, ME, and am currently conducting an alternatives analysis on where to dispose of the 25,000 CY of silty dredge material. I used the Army Corp’s Beneficial Use of Dredged Material Planning Tool and found the potential disposal locations in the attached spreadsheet within a 30-mile radius of the project site.

As you are both listed on the EPA’s website for dredged material disposal, I was hoping either of you would be able to provide me with some details for the disposal sites listed in the attached spreadsheet (e.g. if they are accepting materials, what types of materials they are accepting, timeline for acceptance, etc.) or could point me in the right direction to another contact to reach out to. (Note that the attached spreadsheet does not include any beach nourishment projects, as those projects are assumed to need sand and the material we will be dredging is primarily silt.)

Please give me a call to discuss if that would be easier. Thanks in advance!

Leyna



Leyna Tobey, PE\*  
Project Manager | Civil Engineer  
*\*Licensed in MA*



One Karen Drive, Suite 2A  
Westbrook, ME 04092  
P: (207) 553-9898, Ext 105  
[www.walsh-eng.com](http://www.walsh-eng.com)



This transmission is intended only for the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or an employee or agent responsible for delivering the communication to the intended recipient, you are notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error please contact the sender at 207-553-9898.



## Leyna Tobey

---

**From:** Lucey, Kevin <kevin.p.lucey@des.nh.gov>  
**Sent:** Monday, August 19, 2024 11:59 AM  
**To:** Leyna Tobey; tracy@rockinghamccd.org  
**Subject:** RE: Piscataqua Saltmarsh Restoration Inquiry

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

Hi Leyna,  
There are only 3 NH sites listed as Beneficial Use Sites (Seabrook Beach, Hampton Beach, and Wallis Sands Offshore Berm). The "Piscataqua Salt Marsh" is not a potential dredge disposal site. Its included on the USACE mapper because it is a USFWS Priority for Salt Marsh. NH has not yet undertaken any sediment placement projects on tidal wetlands.

I don't know much about it, but I understand that there is a dredge sediment reuse project at the Webhannet Salt Marsh in Wells.

Good luck,  
Kevin Lucey, Habitat Coordinator  
Coastal Program | Watershed Management Bureau | Water Division  
New Hampshire Department of Environmental Services  
222 International Drive, Suite 175  
Portsmouth, NH 03801  
603-559-0026  
[kevin.p.lucey@des.nh.gov](mailto:kevin.p.lucey@des.nh.gov)

---

**From:** Leyna Tobey <leyna@Walsh-eng.com>  
**Sent:** Tuesday, August 13, 2024 1:53 PM  
**To:** Lucey, Kevin <kevin.p.lucey@des.nh.gov>; tracy@rockinghamccd.org  
**Subject:** Piscataqua Saltmarsh Restoration Inquiry

**EXTERNAL:** Do not open attachments or click on links unless you recognize and trust the sender.

---

Good afternoon Tracy and Kevin,

I am working on permitting a dredging project for several marinas on the lower Kennebunk River in Kennebunk, ME, and am currently conducting an alternatives analysis on where to dispose of the 25,000 CY of silty dredge material. I used the Army Corp's Beneficial Use of Dredged Material Planning Tool ([here](#)) and found that the Piscataqua Saltmarsh is listed as a potential dredge material disposal location.

I saw that you were both listed as contacts for the project on the New Hampshire Saltmarsh Restoration Priorities for the Saltmarsh Sparrow [document](#), and I was hoping either of you would be able to provide me with some details regarding whether you are accepting materials for the Saltmarsh, what types of materials are being accepted, timeline for material acceptance, etc. Or, if you are not the right contacts to be reaching out to, could you please point me in the right direction of who I should be contacting?



Please give me a call to discuss if that would be easier. Thanks in advance!

Leyna

**Leyna Tobey, PE\***  
Project Manager | Civil Engineer  
*\*Licensed in MA*



One Karen Drive, Suite 2A  
Westbrook, ME 04092  
P: (207) 553-9898, Ext 101  
[www.walsh-eng.com](http://www.walsh-eng.com)



This transmission is intended only for the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or an employee or agent responsible for delivering the communication to the intended recipient, you are notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error please contact the sender at 207-553-9898.



## Leyna Tobey

---

**From:** Sanders, Nicole A <nicole\_sanders@fws.gov>  
**Sent:** Wednesday, August 14, 2024 9:50 AM  
**To:** Leyna Tobey; danielle.dauria@maine.gov  
**Cc:** Adamowicz, Susan; Stromayer, Karl  
**Subject:** RE: [EXTERNAL] Webhannet Saltmarsh Restoration Inquiry

Hi Leyna,

Thank you for reaching out! Right now, in Maine, state permitting does now allow the use of dredged materials on salt marshes. We are going to pilot the first thin-layer placement on Refuge land in Maine but the reason we are able to do this is because ours is a true pilot study permitted under an innovate pilot program with the Maine DEP. This permitting pathway operates under a pilot solid waste permit. We initiated conversations with the Army Corps and regulators years prior to getting our small (~1,000 cy) amount of clean, sandy sediment. Though it's certainly not out of the question to apply for another thin-layer placement project, it will not be a fast process, and DEP may not permit it at all based on the current regulatory processes. Usually for a pilot, there is only a small amount of sediment used 1-2,000 cubic yards over a ~2 acre area. Still, they may consider scaling up, which is an important part of learning and attempting new restoration techniques in Maine. And, there are salt marsh areas that we have conceptually considered for future thin-layer projects. All comes down to the permitting process! Once our refuge manager, Karl, has returned from annual leave myself, Sue, and Karl can discuss viable options and get back to you. Thanks again for reaching out and thinking of us.

Best,  
Nicole

---

**From:** Leyna Tobey <leyna@Walsh-eng.com>  
**Sent:** Tuesday, August 13, 2024 2:00 PM  
**To:** Sanders, Nicole A <nicole\_sanders@fws.gov>; danielle.dauria@maine.gov  
**Subject:** [EXTERNAL] Webhannet Saltmarsh Restoration Inquiry

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Good afternoon Nicole and Danielle,

I am working on permitting a dredging project for several marinas on the lower Kennebunk River in Kennebunk, ME, and am currently conducting an alternatives analysis on where to dispose of the 25,000 CY of silty dredge



material. I used the Army Corp's Beneficial Use of Dredged Material Planning Tool ([here](#)) and found that the Webhannet River Complex Saltmarsh is listed as a potential dredge material disposal location.

I saw that you were both listed as contacts for the project on the Maine Saltmarsh Restoration Priorities for the Saltmarsh Sparrow [document](#), and I was hoping either of you would be able to provide me with some details regarding whether you are accepting materials for the project(s), what types of materials are being accepted, timeline for material acceptance, etc. Or, if you are not the right contacts to be reaching out to, could you please point me in the right direction of who I should be contacting?

Please give me a call to discuss if that would be easier. Thanks in advance!

Leyna

**Leyna Tobey, PE\***  
Project Manager | Civil Engineer  
*\*Licensed in MA*



One Karen Drive, Suite 2A  
Westbrook, ME 04092  
P: (207) 553-9898, Ext 105  
[www.walsh-eng.com](http://www.walsh-eng.com)



This transmission is intended only for the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or an employee or agent responsible for delivering the communication to the intended recipient, you are notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error please contact the sender at 207-553-9898.



## **Attachment 4 – Site Conditions Report**

4.1 – Maine IF&W Beginning with Habitat Map

4.2 – USFWS IPaC Official Species List

4.3 – NOAA Fisheries EFH Mapper Report

4.4 – NOAA Fisheries Greater Atlantic Region ESA Section 7 Map



## 4.0 Site Conditions Report

The dredging activity will occur at the Kennebunkport Marina within the Kennebunk River, which is located approximately 0.75 miles from the mouth of the Kennebunk River.

The shoreline area southwest of the Kennebunkport Marina consists of the structure on risers and a retaining wall to the north. The sandy area in front of those walls is completely covered at high tide and is partially exposed at low tide. Minimal rockweed was observed in this area, but no other plant or marine species were noted.

According to the Maine Department of Inland Fisheries & Wildlife (IF&W) Beginning with Habitat website (<https://www.maine.gov/ifw/fish-wildlife/wildlife/beginning-with-habitat/maps/index.html>), the dredging location is bordered to the northwest and southeast by wetlands identified by the National Wetland Inventory (NWI). The area of the dredging is located in a relatively small area of the Kennebunk River's shellfish growing area.

According to the U.S. Department of Fish & Wildlife Service (USFWS) Information for Planning and Consultation (IPaC) website (<https://ipac.ecosphere.fws.gov/>), the following are listed species that may occur in the area of the property: the Northern Long-eared Bat, Tricolored Bat, and the Monarch Butterfly.

According to the National Oceanic and Atmospheric Administration (NOAA) Fisheries Essential Fish Habitat (EFH) Mapper, the project location is mapped within a New England/Mid-Atlantic EFH for the following species: Acadian redfish (larvae); haddock (juvenile); little skate (adult); monkfish (eggs, larvae, juvenile, adult); silver hake (eggs, larvae, adult); and winter flounder (eggs). The project is likely to have short-term and localized impacts to EFH, with no significant impacts to these habitats anticipated.


According to the NOAA Fisheries Greater Atlantic Region Endangered Species Act (ESA) Section 7 Mapper (Section 7 Mapper), adult and subadult Atlantic sturgeon (threatened/endangered) and adult shortnose sturgeon (endangered) migrate and forage in the Kennebunk River within the limits of the project boundary. The migrating and foraging time of year for the Atlantic sturgeon is identified as all year, however, the Section 7 Mapper notes that the Atlantic sturgeon exhibit seasonal coastal movements in the spring and fall; the migrating and foraging time of year for the shortnose sturgeon is identified as April 1 to November 30.

The Kennebunkport Marina dredging work is proposed to take place in winter 2025-2026 and to avoid disturbances to EFH and sturgeon populations to the maximum extent possible. Based on the resource mapping shown, the project will have minimal impact on existing natural resources.

The Kennebunk River (Assessment Unit ID ME0106000301\_622 R01) is listed on the Maine Department of Environmental Protection's (DEP's) Final 2018/2020/2022 Integrated Water Quality Report as a Delisted Category 5 Waterbody, as a Total Maximum Daily Load (TMDL) for E. coli was approved for the river in 2009. The proposed dredging activities will not discharge any bacteria into the river.




# Beginning With Habitat



October 25, 2024

- |   |   |
|---|---|
| Shellfish Beds                                    | Inland Waterfowl / Wading Bird Habitat              |
| Stream Buffer (75 feet)                           | Significant Vernal Pools                            |
| Great Ponds, Rivers and Coastal Buffer (250 feet) | Deer Wintering Areas                                |
| Atlantic Salmon Habitat                           | Essential Wildlife Habitats                         |
| Shorebird Habitat                                 | Endangered, Threatened, and Special Concern Species |
| Seabird Nesting Island                            | Natural Communities                                 |
| Tidal Waterfowl / Wading Bird Habitat             | Rare Plants and Natural Communities                 |







## United States Department of the Interior

### FISH AND WILDLIFE SERVICE

Maine Ecological Services Field Office

P. O. Box A

East Orland, ME 04431

Phone: (207) 469-7300 Fax: (207) 902-1588



In Reply Refer To:

10/25/2024 18:34:27 UTC

Project Code: 2025-0011340

Project Name: Kennebunkport Marina Dredging

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological



evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf>

**Migratory Birds:** In addition to responsibilities to protect threatened and endangered species under the Endangered Species Act (ESA), there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity, intentional or unintentional, resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the U.S. Fish and Wildlife Service (50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)). For more information regarding these Acts, see <https://www.fws.gov/program/migratory-bird-permit/what-we-do>.

The MBTA has no provision for allowing take of migratory birds that may be unintentionally killed or injured by otherwise lawful activities. It is the responsibility of the project proponent to comply with these Acts by identifying potential impacts to migratory birds and eagles within applicable NEPA documents (when there is a federal nexus) or a Bird/Eagle Conservation Plan (when there is no federal nexus). Proponents should implement conservation measures to avoid or minimize the production of project-related stressors or minimize the exposure of birds and their resources to the project-related stressors. For more information on avian stressors and recommended conservation measures, see <https://www.fws.gov/library/collections/threats-birds>.

In addition to MBTA and BGEPA, Executive Order 13186: *Responsibilities of Federal Agencies to Protect Migratory Birds*, obligates all Federal agencies that engage in or authorize activities that might affect migratory birds, to minimize those effects and encourage conservation measures that will improve bird populations. Executive Order 13186 provides for the protection of both migratory birds and migratory bird habitat. For information regarding the implementation of Executive Order 13186, please visit <https://www.fws.gov/partner/council-conservation-migratory-birds>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Code in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.



Attachment(s):

- Official Species List
- USFWS National Wildlife Refuges and Fish Hatcheries
- Bald & Golden Eagles
- Migratory Birds
- Wetlands

## OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

**Maine Ecological Services Field Office**

P. O. Box A

East Orland, ME 04431

(207) 469-7300



## PROJECT SUMMARY

Project Code: 2025-0011340  
Project Name: Kennebunkport Marina Dredging  
Project Type: Navigation Channel Improvement  
Project Description: Maintenance dredge of Kennebunk River  
Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@43.3560968,-70.47389485609602,14z>



Counties: York County, Maine



## ENDANGERED SPECIES ACT SPECIES

There is a total of 3 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries<sup>1</sup>, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

- 
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.



## MAMMALS

NAME	STATUS
Northern Long-eared Bat <i>Myotis septentrionalis</i> No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/9045">https://ecos.fws.gov/ecp/species/9045</a>	Endangered
Tricolored Bat <i>Perimyotis subflavus</i> No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/10515">https://ecos.fws.gov/ecp/species/10515</a>	Proposed Endangered

## INSECTS

NAME	STATUS
Monarch Butterfly <i>Danaus plexippus</i> No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/9743">https://ecos.fws.gov/ecp/species/9743</a>	Candidate

## CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

## USFWS NATIONAL WILDLIFE REFUGE LANDS AND FISH HATCHERIES

Any activity proposed on lands managed by the [National Wildlife Refuge](#) system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

THERE ARE NO REFUGE LANDS OR FISH HATCHERIES WITHIN YOUR PROJECT AREA.

## BALD & GOLDEN EAGLES

Bald and golden eagles are protected under the Bald and Golden Eagle Protection Act<sup>1</sup> and the Migratory Bird Treaty Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats<sup>3</sup>, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the ["Supplemental Information on Migratory Birds and Eagles"](#).

- 
1. The [Bald and Golden Eagle Protection Act](#) of 1940.
  2. The [Migratory Birds Treaty Act](#) of 1918.



### 3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

There are likely bald eagles present in your project area. For additional information on bald eagles, refer to [Bald Eagle Nesting and Sensitivity to Human Activity](#)

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

NAME	BREEDING SEASON
<b>Bald Eagle <i>Haliaeetus leucocephalus</i></b> This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. <a href="https://ecos.fws.gov/ecp/species/1626">https://ecos.fws.gov/ecp/species/1626</a>	Breeds Oct 15 to Aug 31

## PROBABILITY OF PRESENCE SUMMARY

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "[Supplemental Information on Migratory Birds and Eagles](#)", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (■)

Green bars; the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during that week of the year.

### Breeding Season (■)

Yellow bars; liberal estimate of the timeframe inside which the bird breeds across its entire range.

### Survey Effort (|)

Vertical black lines; the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.


### No Data (—)

A week is marked as having no data if there were no survey events for that week.

---

■ probability of presence   ■ breeding season   | survey effort   — no data





Additional information can be found using the following links:

- Eagle Management <https://www.fws.gov/program/eagle-management>
- Measures for avoiding and minimizing impacts to birds <https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds>
- Nationwide conservation measures for birds <https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf>
- Supplemental Information for Migratory Birds and Eagles in IPaC <https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action>

## MIGRATORY BIRDS

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats<sup>3</sup> should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "[Supplemental Information on Migratory Birds and Eagles](#)".

- 
1. The [Migratory Birds Treaty Act](#) of 1918.
  2. The [Bald and Golden Eagle Protection Act](#) of 1940.
  3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

NAME	BREEDING SEASON
American Oystercatcher <i>Haematopus palliatus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/8935">https://ecos.fws.gov/ecp/species/8935</a>	Breeds Apr 15 to Aug 31



NAME	BREEDING SEASON
<b>Bald Eagle <i>Haliaeetus leucocephalus</i></b> This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. <a href="https://ecos.fws.gov/ecp/species/1626">https://ecos.fws.gov/ecp/species/1626</a>	Breeds Oct 15 to Aug 31
<b>Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9399">https://ecos.fws.gov/ecp/species/9399</a>	Breeds May 15 to Oct 10
<b>Blue-winged Warbler <i>Vermivora cyanoptera</i></b> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9509">https://ecos.fws.gov/ecp/species/9509</a>	Breeds May 1 to Jun 30
<b>Bobolink <i>Dolichonyx oryzivorus</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9454">https://ecos.fws.gov/ecp/species/9454</a>	Breeds May 20 to Jul 31
<b>Canada Warbler <i>Cardellina canadensis</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9643">https://ecos.fws.gov/ecp/species/9643</a>	Breeds May 20 to Aug 10
<b>Chimney Swift <i>Chaetura pelagica</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9406">https://ecos.fws.gov/ecp/species/9406</a>	Breeds Mar 15 to Aug 25
<b>Eastern Whip-poor-will <i>Antrostomus vociferus</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/10678">https://ecos.fws.gov/ecp/species/10678</a>	Breeds May 1 to Aug 20
<b>Grasshopper Sparrow <i>Ammodramus savannarum perpallidus</i></b> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/8329">https://ecos.fws.gov/ecp/species/8329</a>	Breeds Jun 1 to Aug 20
<b>Hudsonian Godwit <i>Limosa haemastica</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9482">https://ecos.fws.gov/ecp/species/9482</a>	Breeds elsewhere
<b>Least Tern <i>Sternula antillarum antillarum</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/11919">https://ecos.fws.gov/ecp/species/11919</a>	Breeds Apr 25 to Sep 5



NAME	BREEDING SEASON
<b>Lesser Yellowlegs <i>Tringa flavipes</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9679">https://ecos.fws.gov/ecp/species/9679</a>	Breeds elsewhere
<b>Pectoral Sandpiper <i>Calidris melanotos</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9561">https://ecos.fws.gov/ecp/species/9561</a>	Breeds elsewhere
<b>Prairie Warbler <i>Setophaga discolor</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9513">https://ecos.fws.gov/ecp/species/9513</a>	Breeds May 1 to Jul 31
<b>Prothonotary Warbler <i>Protonotaria citrea</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9439">https://ecos.fws.gov/ecp/species/9439</a>	Breeds Apr 1 to Jul 31
<b>Purple Sandpiper <i>Calidris maritima</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9574">https://ecos.fws.gov/ecp/species/9574</a>	Breeds elsewhere
<b>Red-headed Woodpecker <i>Melanerpes erythrocephalus</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9398">https://ecos.fws.gov/ecp/species/9398</a>	Breeds May 10 to Sep 10
<b>Ruddy Turnstone <i>Arenaria interpres morinella</i></b> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/10633">https://ecos.fws.gov/ecp/species/10633</a>	Breeds elsewhere
<b>Rusty Blackbird <i>Euphagus carolinus</i></b> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9478">https://ecos.fws.gov/ecp/species/9478</a>	Breeds elsewhere
<b>Saltmarsh Sparrow <i>Ammodramus caudacuta</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9719">https://ecos.fws.gov/ecp/species/9719</a>	Breeds May 15 to Sep 5
<b>Scarlet Tanager <i>Piranga olivacea</i></b> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/11967">https://ecos.fws.gov/ecp/species/11967</a>	Breeds May 10 to Aug 10



NAME	BREEDING SEASON
<b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9603">https://ecos.fws.gov/ecp/species/9603</a>	Breeds elsewhere
<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9480">https://ecos.fws.gov/ecp/species/9480</a>	Breeds elsewhere
<b>Whimbrel</b> <i>Numenius phaeopus hudsonicus</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/11991">https://ecos.fws.gov/ecp/species/11991</a>	Breeds elsewhere
<b>Willet</b> <i>Tringa semipalmata</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/10669">https://ecos.fws.gov/ecp/species/10669</a>	Breeds Apr 20 to Aug 5
<b>Wood Thrush</b> <i>Hylocichla mustelina</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9431">https://ecos.fws.gov/ecp/species/9431</a>	Breeds May 10 to Aug 31

## PROBABILITY OF PRESENCE SUMMARY

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "[Supplemental Information on Migratory Birds and Eagles](#)", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (■)

Green bars; the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during that week of the year.

### Breeding Season (■)

Yellow bars; liberal estimate of the timeframe inside which the bird breeds across its entire range.


### Survey Effort (|)

Vertical black lines; the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

### No Data (—)

A week is marked as having no data if there were no survey events for that week.









Additional information can be found using the following links:

- Eagle Management <https://www.fws.gov/program/eagle-management>
- Measures for avoiding and minimizing impacts to birds <https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds>



- Nationwide conservation measures for birds <https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf>
- Supplemental Information for Migratory Birds and Eagles in IPaC <https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action>

## WETLANDS

Impacts to [NWI wetlands](#) and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local [U.S. Army Corps of Engineers District](#).

Please note that the NWI data being shown may be out of date. We are currently working to update our NWI data set. We recommend you verify these results with a site visit to determine the actual extent of wetlands on site.

### ESTUARINE AND MARINE WETLAND

- E2US3N

### ESTUARINE AND MARINE DEEPWATER

- E1UBL



## IPAC USER CONTACT INFORMATION

Agency: Private Entity  
Name: Leyna Tobey  
Address: One Karen Drive  
Address Line 2: Suite 2A  
City: Westbrook  
State: ME  
Zip: 04092  
Email: leyna@walsh-eng.com  
Phone: 2075539898



## EFH Mapper Report

### EFH Data Notice

Essential Fish Habitat (EFH) is defined by textual descriptions contained in the fishery management plans developed by the regional fishery management councils. In most cases mapping data can not fully represent the complexity of the habitats that make up EFH. This report should be used for general interest queries only and should not be interpreted as a definitive evaluation of EFH at this location. A location-specific evaluation of EFH for any official purposes must be performed by a regional expert. Please refer to the following links for the appropriate regional resources.

[Greater Atlantic Regional Office](#)  
[Atlantic Highly Migratory Species Management Division](#)

### Query Results













Degrees, Minutes, Seconds: Latitude = 43° 21' 26" N, Longitude = 71° 31' 30" W  
Decimal Degrees: Latitude = 43.357, Longitude = -70.475

The query location intersects with spatial data representing EFH and/or HAPCs for the following species/management units.

### \*\*\* WARNING \*\*\*

Please note under "Life Stage(s) Found at Location" the category "ALL" indicates that all life stages of that species share the same map and are designated at the queried location.

### EFH

Link	Data Caveats	Species/ Management Unit	Lifestage(s) Found at Location	Management Council	FMP
		Acadian Redfish	Larvae	New England	Amendment 14 to the Northeast Multispecies FMP
		Haddock	Juvenile	New England	Amendment 14 to the Northeast Multispecies FMP
		Little Skate	Adult	New England	Amendment 2 to the Northeast Skate Complex FMP
		Monkfish	Adult, Eggs/Larvae, Juvenile	New England	Amendment 4 to the Monkfish FMP
		Silver Hake	Adult, Eggs/Larvae	New England	Amendment 14 to the Northeast Multispecies FMP
		Winter Flounder	Eggs	New England	Amendment 14 to the Northeast Multispecies FMP

### Pacific Salmon EFH

No Pacific Salmon Essential Fish Habitat (EFH) were identified at the report location.



### Atlantic Salmon

No Atlantic Salmon were identified at the report location.

### HAPCs

No Habitat Areas of Particular Concern (HAPC) were identified at the report location.

### EFH Areas Protected from Fishing

No EFH Areas Protected from Fishing (EFHA) were identified at the report location.

**Spatial data does not currently exist for all the managed species in this area. The following is a list of species or management units for which there is no spatial data.**

**\*\*For links to all EFH text descriptions see the complete data inventory: [open data inventory -->](#)**

**All EFH species have been mapped for the Greater Atlantic region,**

**Atlantic Highly Migratory Species EFH,**

Bigeye Sand Tiger Shark,

Bigeye Sixgill Shark,

Caribbean Sharpnose Shark,

Galapagos Shark,

Narrowtooth Shark,

Sevengill Shark,

Sixgill Shark,

Smooth Hammerhead Shark,

Smalltail Shark





## Drawn Action Area & Overlapping S7 Consultation Areas

### Area of Interest (AOI) Information

Area : 2.73 acres

Oct 28 2024 12:30:51 Eastern Daylight Time





## Summary

Name	Count	Area(acres)	Length(mi)
Atlantic Sturgeon	2	4.41	N/A
Shortnose Sturgeon	1	2.20	N/A
Atlantic Salmon	0	0	N/A
Sea Turtles	0	0	N/A
Atlantic Large Whales	0	0	N/A
In or Near Critical Habitat	0	0	N/A

## Atlantic Sturgeon

#	Feature ID	Species	Lifestage	Behavior	Zone	From	Until	From (2)	Until (2)	Area(acres )
1	ANS_C50_ADU_MAF	Atlantic sturgeon	Adult	Migrating & Foraging	N/A	01/01	12/31	N/A	N/A	2.20
2	ANS_C50_SUB_MAF	Atlantic sturgeon	Subadult	Migrating & Foraging	N/A	01/01	12/31	N/A	N/A	2.20

## Shortnose Sturgeon

#	Feature ID	Species	Life Stage	Behavior	Zone	From	Until	From (2)	Until (2)	Area(acres )
1	SNS_C50_ADU_MAF	Shortnose sturgeon	Adult	Migrating & Foraging	N/A	04/01	11/30	N/A	N/A	2.20



## **Attachment 5 – Historic Sites**

5.1 – MHPC Notification

5.2 – THPO Notification



## **5.0 Historic Sites**

As required by the U.S. Army Corps of Engineers (USACE), the Maine Historic Preservation Commission (MHPC) and the Tribal Historic Preservation Officers (THPO) of Maine have been notified regarding this project. Copies of these notifications are included with this section. Any responses received from the MHPC and THPO will be forwarded to the project manager assigned to this project.





October 25, 2024

Maine Historic Preservation Commission  
Mr. Kirk F. Mohny, Director  
65 State House Station  
Augusta, Maine 04333-0065  
[MHPCprojectreview@maine.gov](mailto:MHPCprojectreview@maine.gov)

**VIA: Transmitted via email as noted above**

**RE: Kennebunkport Marina Dredging – Project Review Request  
67 Ocean Ave, Kennebunkport, ME 04046  
Map 10, Block 1, Lot 2**

On behalf of the Kennebunkport Marina (Applicant), Walsh Engineering Associates, Inc. (WEA) intends to file permit applications with the Maine Department of Environmental Protection (DEP) and the U.S. Army Corps of Engineers (USACE) for maintenance dredging activities in the Kennebunk River at 67 Ocean Avenue in Kennebunkport, Maine. WEA is requesting that the Maine Historic Preservation Commission (MHPC) review the area for any known historic and/or archaeological resources. A site location map is attached for your review.

If you have any questions or concerns with this project, please feel free to contact me at (207) 553-9898 or by e-mail at [leyna@walsh-eng.com](mailto:leyna@walsh-eng.com). Thank you in advance for your time.


Respectfully,

A handwritten signature in dark ink, reading "Leyna L. Tobey". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Leyna Tobey, Project Manager  
Walsh Engineering Associates, Inc.

Enc: Site Location Map





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW





October 25, 2024

Houlton Band of Maliseet Indians  
Isaac St. John, THPO  
88 Bell Road, Littleton, Maine 04730  
[istjohn@maliseets.com](mailto:istjohn@maliseets.com)

Mi'kmaq Nation  
Jenny Gaenzle, THPO  
7 Northern Road, Presque Isle, Maine 04769  
[jgaenzle@micmac-nsn.gov](mailto:jgaenzle@micmac-nsn.gov)

Passamaquoddy Tribe of Indians  
Donald Soctomah, THPO  
Pleasant Point Reservation  
P.O. Box 343, Perry, Maine 04667  
[soctomah@gmail.com](mailto:soctomah@gmail.com)

Penobscot Nation  
Chris Sockalexis, THPO  
Cultural and Historic Preservation Dept.  
12 Wabanaki Way, Indian Island, Maine 04468  
[chris.sockalexis@penobscotnation.org](mailto:chris.sockalexis@penobscotnation.org)

Passamaquoddy Tribe of Indians  
Donald Soctomah, THPO  
Indian Township Reservation  
P.O. Box 301, Princeton, Maine 04668  
[soctomah@gmail.com](mailto:soctomah@gmail.com)

**VIA: Transmitted via email as noted above**

**RE: Kennebunkport Marina Dredging – Project Review Request  
67 Ocean Ave, Kennebunkport, ME 04046  
Map 10, Block 1, Lot 2**

On behalf of the Kennebunkport Marina (Applicant), Walsh Engineering Associates, Inc. (WEA) intends to file permit applications with the Maine Department of Environmental Protection (DEP) and the U.S. Army Corps of Engineers (USACE) for maintenance dredging activities in the Kennebunk River at 67 Ocean Avenue in Kennebunkport, Maine. WEA is requesting that the Maine Tribal Historic Preservation Offices (THPO) review the area for any known historic and/or archaeological resources. A site location map is attached for your review.

If you have any questions or concerns with this project, please feel free to contact me at (207) 553-9898 or by e-mail at [leyna@walsh-eng.com](mailto:leyna@walsh-eng.com). Thank you in advance for your time.


Respectfully,

A handwritten signature in dark ink, reading "Leyna L. Tobey". The signature is fluid and cursive, with the first name "Leyna" being more prominent.

Leyna Tobey, Project Manager  
Walsh Engineering Associates, Inc.

Enc: Site Location Map





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW



**Attachment 6 – Abutters List**





# 150 feet Abutters List Report

Kennebunkport, ME

October 28, 2024

## Subject Property:

Parcel Number: 10-1-2  
CAMA Number: 10-1-2  
Vision ID: 3426  
Property Address: 67 OCEAN AVENUE

Mailing Address: KPT MARINE, LLC  
PO BOX 2734  
KENNEBUNKPORT, ME 04046

---

## Abutters:

Parcel Number: 10-1-3  
CAMA Number: 10-1-3  
Vision ID: 3427  
Property Address: 57 OCEAN AVENUE

Mailing Address: YACHTSMAN HOSPITALITY, LLC  
2 LIVEWELL DRIVE, #203  
KENNEBUNK, ME 04043

---

Parcel Number: 10-5-12  
CAMA Number: 10-5-12  
Vision ID: 3465  
Property Address: 60 OCEAN AVENUE

Mailing Address: MARQUIS, ALFRED C JR & JULIE A  
PO BOX 1835  
KENNEBUNKPORT, ME 04046

---

Parcel Number: 10-5-13  
CAMA Number: 10-5-13  
Vision ID: 590  
Property Address: 66 OCEAN AVENUE

Mailing Address: DORAN, WILLIAM M & SUSAN L  
4807 MARBLE HILL DRIVE  
LAFAYETTE HILL, PA 19444

---

Parcel Number: 10-5-14  
CAMA Number: 10-5-14  
Vision ID: 3466  
Property Address: 68 OCEAN AVENUE

Mailing Address: WINSTANLEY, ADAM D  
150 BAKER AVENUE SUITE 303  
CONCORD, MA 01742

---

Parcel Number: 8-1-22  
CAMA Number: 8-1-22  
Vision ID: 197  
Property Address: 75 OCEAN AVENUE

Mailing Address: TIDEMARK CORPORATION  
273 CORPORATE DRIVE, SUITE 150  
PORTSMOUTH, NH 03801

---



[www.cai-tech.com](http://www.cai-tech.com)

10/28/2024

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

Page 1 of 1



**Attachment 7 – Construction and Erosion Control Plan**



## **7.0 Construction & Erosion Control Plan**

### **Construction**

The dredging will be conducted utilizing a floating barge and dredging crane with a clamshell bucket. The barge will access the project area from traveling upriver from the Kennebunk River Breakwater. The area of the dredge will be an approximately 211-foot by 175-foot area (~36,925 square feet). The proposed dredge depth will be to elevation -6.0 feet mean low water, with about one foot of over-dig. It is anticipated that dredging will coincide with neighboring marinas performing dredging at the same approximate time, including the Arundel Yacht Club, the Yachtsman Marina, and the Kennebunk River Club. The material will be transported by barge to the Isle of Shoals North Disposal Site (IOSN). The IOSN is located approximately 15 nautical miles east of Portsmouth, New Hampshire, in the Gulf of Maine.

### **Erosion & Sedimentation Control**

The dredging will be conducted from a floating barge using a dredging crane with a clamshell bucket. The dredged material will be placed on the barge and brought to the IOSN open water placement site for disposal. There will be no storage of the dredged material on land which negates the need for erosion and sedimentation control measures in this regard. No formal erosion control measures are proposed for the project. However, turbidity curtains will be implemented, if deemed necessary, around the proposed dredging area to mitigate the travel of sediment during the in-water disturbance.



## **Attachment 8 – Sampling and Analysis Plan**

8.1 – Final Sampling and Analysis Plan

8.2 – Suitability Determination for IOSN



## **8.0 Sampling and Analysis Plan**

The U.S. Army Corps of Engineers (USACE) approved a Sampling and Analysis Plan (SAP) for the project on January 21, 2022, which provided proposed sediment sampling locations, methods, and testing criteria to determine disposal suitability. The sampling results were submitted to the USACE for the Kennebunkport Marina and the nearby Arundel Yacht Club, Yachtsman Marina, and Kennebunk River Club. The USACE issued a Suitability Determination for all 4 sites on June 10, 2024, which documents the suitability of the dredged material for disposal at the Isle of Shoals North (IOSN) open water disposal site.

The SAP and USACE's Suitability Determination are included as an attachment to this permit section for reference.



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

1. **Project Description:** The applicant is proposing to mechanically dredge approximately 2,600 cubic yards (CY) of material from shoaled areas totaling 0.8 acres within the property's marina basin, located in the town of Kennebunkport, ME (Figures 1 and 2). This area will be dredged to the proposed depth of -6 feet at mean lower low water (MLLW) plus one foot of allowable overdepth. The applicant proposes to dispose of this material at the Isles of Shoals North Disposal Site (IOSN).

This sampling and analysis plan (SAP) has been developed by the New England District (NAE) U.S. Army Corps of Engineers (USACE) to gather information to support a dredged material suitability determination for the open water disposal alternative associated with this project. This sampling and analysis effort will be divided into two phases. The first phase will include sampling and testing of dredge site sediment for grain size and bulk chemistry in order to identify contaminants of concern. The second phase will include sampling of dredge site sediment and water for elutriate and biological testing in order to evaluate the material for placement at IOSN. The results of biological testing will be evaluated against the most recent NAE dataset for the IOSN reference area. All sampling and analysis activities described in this plan shall follow the requirements set forth in the *“Regional Implementation Manual for the Evaluation of Dredged Material Proposed for Disposal in New England Waters”* (RIM) dated May 6, 2004. A copy of the RIM may be downloaded from the NAE website: <http://www.nae.usace.army.mil/Missions/Regulatory/DredgedMaterialProgram/RegionalImplementationManual.aspx>

2. **Conceptual Site Model:** NAE reviewed historic testing data, water quality data, spill records, and adjacent land use information to develop a conceptual site model (CSM) for the proposed project. The CSM was used to characterize the system and identify potential sources of contamination, site-specific contaminants of concern, exposure pathways, and biological receptors in order to inform this sampling and analysis plan.

Project Setting: The property is associated with Kennebunkport Marina located on the eastern bank of the Kennebunk River approximately 0.25 miles north of the river's mouth in Kennebunkport, ME (Figure 1). The marina is a year-round facility offering slips that can accommodate boats approximately 40 feet in length, full mechanical services, a ships store, engine sales, power boat and canoe rentals, and a boat ramp. Land use in the surrounding area includes a mix of residential properties and marina facilities. The Yachtsman Hotel and Marina Club is directly adjacent to the north of the property. Chicks Marina, which has a fuel dock, is directly adjacent to the south of the property.



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

Downtown Kennebunkport, an area with several restaurants, retail shops, and marine services, is approximately 2,000 feet north of the property. The Kennebunkport River Federal Navigation Project (FNP) -6 foot MLLW channel is located directly adjacent to the western boundary of the project area.

Water Quality: Water Quality in the project area is dictated by tidal exchange with the Gulf of Maine with freshwater input from the Kennebunk River to the north and a series of overboard discharge pipes within the Yachtsman Marina property, approximately 150-250 feet north of the property. The 2014 Environmental Assessment for dredging of the Kennebunk River FNP noted that there have been reported increases of bacterial counts in the water, attributed to faulty septic systems, agriculture, and overboard discharges. Tidal waters of the Kennebunk River are classified as SB by the Maine Department of Environmental Protection (MEDEP). Class SB waters must be of such quality that they are suitable for the designated uses of recreation in and on the water, fishing, aquaculture, propagation and harvesting of shellfish, industrial process and cooling water supply, hydroelectric power generation, navigation and as habitat for fish and other estuarine and marine life (38 M.R.S. § 465(B)(2) <https://www.mainelegislature.org/legis/statutes/38/title38sec465-B.html>).

Dredge History and Existing Testing Data: The project area was last dredged in 2015 when approximately 1,500 CY of material were removed to a depth of -5 feet Mean Low Water (MLW) and placed at the Cape Arundel Disposal Site (CADS). Sampling and testing of this material in 2014 documented sediments to be predominately fine grained (passing the No. 200 sieve) with little sand. A review of the associated chemistry data found elevated levels of pesticides (total DDX [4,4'-DDD + 4,4'-DDE + 4,4'-DDT]) and total high molecular weight polyaromatic hydrocarbons (HPAHs). A review of the associated biological testing data found sediment from the project area not likely to be acutely toxic to benthic organisms. A suitability determination from 2014 for the project area found sediments suitable for open water disposal at CADS.

Spill Data: Based on information provided by the applicant and a review of the Maine Department of Environmental Protection (MEDEP) Oil and Hazardous Waste Spill Database (<https://www.maine.gov/dep/spills/index.html>), NAE determined that there have been several small diesel, gasoline, and oil spills within the surrounding area or the project site since the area was last dredged.

Risk Ranking: Following the tier one review of the site characteristics, location, and the available historical data, the proposed project was given a **low-moderate** risk ranking according to the following matrix.



**Table 1: Project Risk Ranking**

<b>Rank</b>	<b>Guidelines</b>
Low	Few or no sources of contamination. Data available to verify no significant potential for adverse biological effects.
Low-Moderate	Few or no sources of contamination but existing data is insufficient to confirm ranking.
Moderate	Contamination sources exist within the vicinity of the project with the potential to produce chemical concentrations that may cause adverse biological effects.
High	Known sources of contamination within the project area and historical data exists that has previously failed biological testing.

3. **Sample Collection:** In the first phase of testing the applicant shall collect sediment cores from three locations within the proposed dredge areas as specified in Table 2 (also see Figure 3). These locations were selected based on information from the CSM described above, the low to moderate risk ranking for the project, and shoaled areas identified in the project conditions survey submitted by the applicant. All core samples shall be collected to the proposed dredge depth plus overdredge amount using inert core liners. Estimated core lengths based on the bathymetry provided by the applicant are provided in Table 2, but the actual required core lengths shall be determined at the time of the sampling effort using measured water depths at each location corrected to MLLW. In order to ensure that the core samples adequately represent the dredge interval at each location, all cores to be used for this project shall have a recovered length that is within 75% of the core penetration depth. In addition, any cores that display significant disturbance such as compaction or wash out shall be disregarded. If the cores from any location do not meet the acceptability criteria after six attempts, then the applicant should retain the best core from that location and contact NAE for further guidance. The penetration and recovery for the core used for the chemistry and grain size samples should be recorded on the sample log.

Upon collection, all cores shall be measured and maintained in an upright position for a minimum of 15 minutes to allow any fine-grained material to settle. After a core has settled, it shall be re-measured before any overlying water is drained, taking care to not include overlying water with sediment flocculant in the measurement. All cores shall be split lengthwise, photographed with a stadia rod for scale, and described in accordance with ASTM D 2488 (Standard Practice for Description and Identification of Soils). Samples shall be collected from the dredge interval (dredge depth + overdepth) within each core for grain size and bulk chemical analysis as described in the sections below. If the dredge interval within a core is homogenous then the entire length may be composited as a single sample with the chemistry/grain size sample interval noted on the sampling log. If any core shows significant stratification or obvious signs of contamination, then subsamples shall be collected from each layer and noted on



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

the sampling log and the applicant shall consult NAE for guidance prior to the start of analysis. The term “significant stratification” includes any distinct change in sediment composition that could represent a change in depositional history or waterway usage such as a change in color or lithology. Compositing of dissimilar sediment layers without prior approval from NAE will result in the rejection of any resulting data products.

All sediments held for testing shall be stored in accordance with the requirements in Table 3 (from Table 8-9 in *Evaluation of Dredged Material Proposed for Ocean Disposal, Testing Manual, 1991*). Sample chain of custody forms shall be maintained by the applicant and submitted to NAE with the data package described in section 5 of this SAP.

Based on the results of the grain size and bulk chemistry sediment testing, NAE will provide the applicant with a biological testing compositing plan. In the second phase of testing, dredge area sediment shall be collected from the same sample locations described in Table 2 and composited according to NAE’s biological testing compositing plan. Sufficient amounts of sediment and water shall be collected for elutriate preparation and analysis, water column toxicity testing, 10-day whole sediment toxicity testing, and 28-day bioaccumulation testing according to the sections below. Sediment cores from each station shall be collected using inert core liners and may be transferred directly into food grade polyethylene pails after core recovery has been measured. In addition, the applicant shall collect dredge site water from a central location within the proposed project area. All water samples shall be collected from the middle of the water column using either a non-contaminating pump or a discrete water sampler.

Please note that the applicant is not required to collect sediment or water samples from the IOSN reference site as the results of the biological testing will be compared to recent reference site data collected by NAE.

Again, all sediment and water samples held for testing shall be stored in accordance with the requirements in Table 3 (from Table 8-2 in *Evaluation of Dredged Material Proposed for Ocean Disposal, Testing Manual, 1991*). Sample chain of custody forms shall be maintained by the applicant and submitted to NAE with the data package described in section 5 of this SAP.

Vessel positioning shall be achieved using a Global Positioning System (GPS) that has been calibrated on site using a known reference point. The required horizontal accuracy at each sample location shall be 10 feet or less. All coordinate data shall be reported in geographic NAD 83 decimal degree format. All depth data shall be reported in tenths of feet. Water depths at each location are to be determined with an accuracy of  $\pm 0.1$  feet (relative to MLLW). All depth data shall be reported in tenths of feet.



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

For phase one sampling, sample data including date, time, latitude, longitude, GPS accuracy at each sample station, measured water depth, tidal correction, core penetration, recovery, and chemistry sample intervals(s) shall be recorded in a sampling log (Figure 4 or equivalent) and provided to NAE with the applicant's core descriptions and photographs.

For phase two sampling, all sample data including date, time, latitude, longitude, GPS accuracy at each sample station, measured water depth, tidal correction, number of cores collected at each station, core lengths, and a general description of the sediment shall be recorded in a sampling log and provided to NAE. Note that if any of the phase two cores are significantly different from the material that was sampled during phase one, a representative core should be photographed and described and NAE should be consulted for guidance.

4. **Sample Analysis:** Sediment and water samples from the dredge area shall undergo physical, chemical, and biological analysis as described in the sections below. All laboratories used for this project shall have an approved Laboratory Quality Assurance Plan (LQAP) on file with NAE. Any data produced by a lab without an approved LQAP will not be accepted. The RIM, a list of laboratories with approved LQAPs, and the reporting format and requirements for electronic submission of data are available for download through the NAE website: <http://www.nae.usace.army.mil/Missions/Regulatory/Dredged-Material-Program/>.

Grain Size and Bulk Sediment Chemistry: All samples from the proposed dredge footprint shall be individually analyzed for grain size and bulk sediment chemistry. Testing parameters, analytical methods, and reporting limits to be used are outlined in Table 4. The listed analytical methods are recommended but can be replaced by other methods that will provide the required reporting limits. Additional guidance on the physical and chemical analysis of sediments can be found in chapter 5 of the RIM. NAE will provide the applicant with a compositing plan for biological testing based on sample proximity, physical characteristics recorded during the core description process, and the results of grain size and bulk chemistry analysis.

Elutriate Chemistry: Elutriate samples shall be prepared from the dredge area water and sediments according to the project compositing plan. The elutriate samples and clean seawater (provided by the applicant's testing facility) used for dilutions in the suspended phase particulate bioassays shall undergo chemical analysis according to the testing parameters, analytical methods, and reporting limits outlined in Table 5. The listed analytical methods are recommended but can be replaced by other methods that will give the required reporting limits. Additional guidance can be found in Section 6.1 of the RIM and Section 9.4 of the Green Book.



Water Column Toxicity Testing: Suspended phase particulate bioassays shall be performed on each composite sample in accordance with the requirements specified in Section 6.2 of the RIM, and Section 11.1 of the Green Book. Refer to the RIM for guidance in selecting the test species. Clean seawater provided by the applicant's testing facility shall be used as both control and dilution water.

Please note that excessive ammonia concentrations in the elutriate samples may cause a toxic response that is not of interest to the SPP bioassay, which focuses on persistent contaminants. To account for this scenario, the US Environmental Protection Agency (EPA) and NAE have devised a protocol to determine if ammonia is the driver of toxicity in situations where unionized ammonia is present at concentrations above the applicable water quality criteria (WQC). In order to facilitate this protocol, the applicant may choose to have their laboratory measure total ammonia in the undiluted elutriate samples prior to SPP bioassay initiation and calculate the unionized ammonia concentrations based on measurements of pH, temperature, and salinity. If the calculated unionized ammonia concentrations are greater than the applicable WQC, the testing facility should immediately notify the applicant and seek guidance from NAE on project-specific procedures for preparation of additional elutriate samples requiring treatment for ammonia reduction and the need for additional SPP testing. This protocol is not a requirement, but NAE recommends it to prevent a 'false positive' toxicity result that would limit the applicant's disposal alternatives.

10-Day Whole Sediment Toxicity Testing: 10-day whole sediment toxicity testing shall be performed on each composite sample in accordance with the requirements specified in Chapter 7.1 of the RIM, Section 11.2 of the Green Book, and Methods for Assessing the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Amphipods, 1994. The bioassay test shall use two species of test animals, the amphipod *Leptocheirus plumulosus* and the mysid shrimp *Americamysis bahia*. If alternate species are selected from the RIM then contact NAE prior to sampling to coordinate necessary reference data collection.

28-Day Bioaccumulation Testing: 28-day bioaccumulation testing shall be performed on each composite sample in accordance with the requirements specified in Chapter 7.2 of the RIM and Section 12.1 of the Green Book. The bioaccumulation test shall use a bivalve, *Macoma nasuta*, and the polychaete *Nereis virens* as test animals. If alternate species are selected from the RIM then contact NAE prior to sampling to coordinate necessary reference data collection. At the end of the 28-day test, the tissues of the survivors shall be tested for the project contaminants of concern according to Tables 8 and 9 of the RIM. The contaminants of concern will be determined from the bulk sediment chemistry testing described above.



5. **Reporting requirements:** All sediment testing data is required to be submitted electronically in the electronic data deliverable (EDD) format available on the NAE website (<http://www.nae.usace.army.mil/Missions/Disposal-Area-Monitoring-System-DAMOS/Electronic-Data-Deliverables.aspx>). Hard copy data submission is also required but may be substituted with a printer friendly, easy-to-read format (e.g., PDF, MS Word). Any analytes not detected shall be reported as half the method detection limit (MDL) and qualified with a “U”. RIM quality control summary tables are required to be submitted with each project dataset. These tables are found in Appendix II of the RIM.

6. **Contact Information:** Questions about this plan should be directed to Gabriella Saloio (phone: 978-318-8138 e-mail: [Gabriella.J.Saloio@usace.army.mil](mailto:Gabriella.J.Saloio@usace.army.mil))

*Gabriella Saloio*

---

Gabriella Saloio  
Biologist  
New England District  
U.S. Army Corps of Engineers





**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**Table 2: Kennebunkport Marina Sample Locations**

<b>Station</b>	<b>Latitude (NAD 83)</b>	<b>Longitude (NAD 83)</b>	<b>Survey Depth (Feet MLLW)</b>	<b>Project Depth (Feet MLLW)</b>	<b>Overdepth (Feet)</b>	<b>Estimated Core length (Feet)</b>
K-1	-70.473665	43.355874	-1.9	-6.0	1.0	5.1
K-2	-70.473951	43.356076	-5.0	-6.0	1.0	2.0
K-3	-70.473996	43.356331	-1.5	-6.0	1.0	5.5








Kennebunkport Marina Dredging			
Elevation	Area (sf)	Incremental Volume (cy)	Cumulative Volume (cy)
0 to -1	1,429	27	27
-1 to -2	2,808	80	107
-2 to -3	4,238	132	239
-3 to -4	5,562	181	420
-4 to -5	10,283	293	714
-5 to -6	28,727	722	1,436
-6 to -7	33,342	1,169	2,585

**FIGURE 2:  
APPLICANT DREDGE  
PLAN**

N/F  
KENNEBUNKPORT MARINA, LLC  
MAP 10, BLOCK 1 LOT 2  
BK 15867 / PG 632



#### PLAN REFERENCES

1. BATHYMETRY CONDUCTED BY WEA ON OCTOBER 27, 2020 USING HYDROLITE SONARITE ECHOSOUNDER AND CARLSON BR46 GNSS RECEIVER
2. A PLAN TITLED "BOUNDARY SURVEY AT YACHTSMAN LODGE & MARINA" PREPARED BY OWEN HASKELL, INC. OF 390 U.S. ROUTE ONE, UNIT 10, FALMOUTH, MAINE 04105, DATED APRIL 26, 2018
3. A PLAN TITLED "SITE PLAN SHOWING THE PROPERTY OF THE KENNEBUNKPORT MARINA" PREPARED BY WILLIAM PIERCE OF 6 WATERHOUSE ROAD, DAYTON, MAINE 04005, DATED NOVEMBER 1, 1995
4. A PLAN TITLED "KENNEBUNK RIVER KENNEBUNK AND KENNEBUNKPORT MAINE AFTER DREDGE SURVEY" PREPARED BY U.S. ARMY CORPS OF ENGINEERS NEW ENGLAND DISTRICT DATED MARCH 9, 2020
5. ALL ELEVATIONS ON THIS PLAN ARE BASED ON MLLW. THE MLLW TO NAVD88 CORRECTIONS FOR THIS PROJECT IS 5.09 FEET
6. A PLAN TITLED "DOCK PLAN" PREPARED BY REILLY STUDIOS OF 959 ISLINGTON STREET, PORTSMOUTH, NEW HAMPSHIRE 03801, DATED MARCH 4, 2008

**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9686 | www.walsh-eng.com

Copyright © 2021

P:\0431 - Yachtsman Marina Dredging\0406431 - BASE.dwg plot date: 10/22/2021 11:34 AM

Sheet Title:

**Plan View**



Job No.:	643.1
Date:	May 2021
Scale:	1" = 20'
Drawn:	CAR
Checked:	WRW

**Kennebunkport Marina Dredging**

Kennebunkport Marina  
67 Ocean Ave  
Kennebunkport, Maine 04046

GRAPHIC SCALE  
1 inch = 40 ft.







**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**TABLE 3: RECOMMENDED PROCEDURES FOR SAMPLE COLLECTION, PRESERVATION, AND STORAGE**

<u>Analyses</u>	<u>Collection Method</u>	<u>Sample Volume</u>	<u>Container</u>	<u>Preservation Technique</u>	<u>Storage Conditions</u>	<u>Holding Time<sup>b</sup></u>
<b>Sediment</b>						
<b>Chemical/Physical Analyses</b>						
Metals	Grab/corer	200 mL	Precleaned polyethylene jar <sup>c</sup>	Refrigerate. Dry ice <sup>b</sup> or freezer storage is recommended for extended holding times.	≤ 4° C <sup>c</sup>	Hg - 28 days Others - 6 Months <sup>d</sup>
Organic Compounds	Grab/corer	475 mL	Solvent-rinsed glass jar with Teflon lid <sup>c</sup>	Refrigerate. Dry ice <sup>b</sup> or freezer storage is recommended for extended holding times.	≤ 4° C/dark <sup>d</sup>	14 days <sup>e</sup>
Particle Size	Grab/corer	75 mL	Whirl-pac bag <sup>b</sup>	Refrigerate	≤ 4° C	Undetermined
Total Organic Carbon	Grab/corer	3 L	Heat treated glass vial with Teflon lined lid <sup>c</sup>	Refrigerate. Dry ice <sup>c</sup> or freezer storage is recommended for extended holding times.	≤ 4° C <sup>c</sup>	14 days
Sediment from Which Elutriate is Prepared	Grab/corer	Dependent on tests performed	Glass with Teflon lined lid	Completely fill and Refrigerate	≤ 4° C/dark/airtight	Undetermined
<b>Biological Tests</b>						
Dredged Material	Grab/corer	12-15 L per sample	Plastic bag or container <sup>e</sup>	Completely fill and Refrigerate; sieve	≤ 4° C/dark/airtight	14 days <sup>i f</sup>
Reference Sediment	Grab/corer	45-50 L per test	Plastic bag or container <sup>e</sup>	Completely fill and Refrigerate; sieve	≤ 4° C/dark/airtight	14 days <sup>i f</sup>
Control Sediment	Grab/corer	21-25 L per test	Plastic bag or container <sup>e</sup>	Completely fill and Refrigerate; sieve	≤ 4° C/dark/airtight	14 days <sup>i f</sup>
<b>Water and Elutriate</b>						
<b>Chemical/Physical Analyses</b>						
Metals		Discrete sampler or pump	1 L	Acid-rinsed polyethylene or glass jar	pH <2 with HNO <sub>3</sub> <sup>d</sup>	4° C ± 2° C <sup>d</sup>



**TABLE 3: RECOMMENDED PROCEDURES FOR SAMPLE COLLECTION, PRESERVATION, AND STORAGE (CONTINUED)**

Organics	Discrete sampler or pump	4 L	Amber glass bottle <sup>d</sup>	Airtight seal; refrigerate	4° C ± 2° C <sup>d</sup>	5 days <sup>d</sup>
<b>Tissue</b>						
Metals	Trawl/ Teflon coated grab	30 g	Double Ziploc <sup>c</sup>	Handle with non-metallic forceps; plastic gloves; dry ice <sup>c</sup>	≤ -20° C <sup>c</sup>	Hg - 14 days Others - 6 months <sup>i</sup>
PCBs and Chlorinated Pesticides	Trawl/ Teflon coated grab	100 g	Hexane-rinsed double aluminum foil and double Ziploc <sup>c</sup>	Handle with hexane-rinsed stainless steel forceps; dry ice <sup>c</sup>	≤ -20° C <sup>c</sup>	10 days <sup>i e</sup>
Volatile Organic Compounds	Trawl/ Teflon coated grab	50 g	Heat cleaned aluminum foil and watertight plastic bag <sup>i</sup>	Covered ice chest <sup>d</sup>	≤ -20° C <sup>i</sup>	10 days <sup>i e</sup>
PAHs	Trawl/ Teflon coated grab	50 g	Hexane-rinsed double aluminum foil and double Ziploc <sup>c</sup>	Handle with hexane-rinsed stainless steel forceps; dry ice <sup>c</sup>	≤ -20° C <sup>i</sup>	10 days <sup>i e</sup>
Lipids	Trawl/ Teflon coated grab	50 g	Hexane-rinsed aluminum foil	Handle with hexane-rinsed stainless steel forceps; quick freeze	20° C	Undetermined

<sup>a</sup> This table contains only a summary of collection, preservation, and storage procedures for samples. The cited references should be consulted for a more detailed description of these procedures.

<sup>b</sup> These holding times are for sediment, water, and tissue based on guidance that is sometimes administrative rather than technical in nature. There are no promulgated, scientifically based holding time criteria for sediments, tissues, or elutriates. References should be consulted if holding times for sample extracts are desired. Holding times are from the time of sample collection.

<sup>c</sup> NOAA (1989).

<sup>d</sup> Tetra Tech (1986a)

<sup>e</sup> Sample may be held for up to one year if maintained ≤ -20° C

<sup>f</sup> Two weeks is recommended; sediments must not be held for longer than 8 weeks prior to biological testing.

<sup>g</sup> NOAA (1989).

<sup>h</sup> Plumb (1981).

<sup>i</sup> Tetra Tech (1986b)



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**TABLE 4: BULK SEDIMENT TESTING PARAMETERS**

<u>Parameter</u>	<u>Analytical Method</u>	<u>Reporting Limit (ppm)</u>
Metals		
Arsenic	6010B, 6020, 7060, 7061	0.4
Cadmium	6010B, 6020, 7130, 7131	0.07
Chromium	6010B, 6020, 7190, 7191	0.5
Copper	6010B, 6020, 7210	0.5
Lead	6010B, 6020, 7420, 7421	0.5
Mercury	7471	0.02
Nickel	6010B, 6020, 7520	0.5
Zinc	6010B, 6020, 7950	1.0
PCBs (total by NOAA summation of congeners)		
See next page	8082A	0.001
Pesticides	NOAA (1993), 8081B	0.001
Aldrin	Heptachlor epoxide	
cis- & trans-Chlordane	Hexachlorobenzene	
4,4'-DDT, DDD, DDE	Lindane	
Dieldrin	Methoxychlor	
$\alpha$ & $\beta$ Endosulfan	cis- & trans-Nonachlor	
Endrin	Oxychlordane	
Heptachlor	Toxaphene	0.025
Polycyclic Aromatic Hydrocarbons (PAHs)	8270C-SIM	0.01
Acenaphthene	Chrysene	
Acenaphthylene	Dibenzo(a,h)anthracene	
Anthracene	Fluoranthene	
Benzo(a)anthracene	Fluorene	
Benzo(a)pyrene	Indeno(1, 2, 3-cd)pyrene	
Benzo(b)fluoranthene	Naphthalene	
Benzo(k)fluoranthene	Phenanthrene	
Benzo(g, h, i)perylene	Pyrene	
Total Organic Carbon	Plumb (1981), APHA (1995)	0.1%
Percent Moisture	Plumb (1981), EPA (1992), PSEP (1986)	1.0%
Grain Size	Wet Sieve (#4, 10, 40, 200)	



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**TABLE 4: BULK SEDIMENT TESTING PARAMETERS (CONTINUED)**

PCB CONGENERES

Analytical Method: NOAA (1993), 8082A

Reporting Limit: 1 ppb

Congeners:

8*	2,4' diCB
18*	2,2',5 triCB
28*	2,4,4' triCB
44*	2,2',3,5' tetraCB
49	2,2',4',5 tetraCB
52*	2,2',5,5' tetraCB
66*	2,3',4,4' tetraCB
87	2,2',3,4,5' pentaCB
101*	2,2',4,5,5' pentaCB
105*	2,3,3',4,4' pentaCB
118*	2,3',4,4',5 pentaCB
128*	2,3,3',4,4' hexaCB
138*	2,2',3,4,4',5' hexaCB
153*	2,2',4,4',5,5' hexaCB
170*	2,2',3,3',4,4',5 heptaCB
180*	2,2',3,4,4',5,5' heptaCB
183	2,2',3,4,4',5',6 heptaCB
184	2,2',3,4,4',6,6' heptaCB
187*	2,2',3,4',5,5',6 heptaCB
195*	2,2',3,3',4,4',5,6 octaCB
206*	2,2',3,3',4,4',5,5',6 nonaCB
209*	2,2',3,3',4,4',5,5',6,6' decaCB

\* denotes a congener to be used in estimating Total PCB. To calculate Total PCB, sum the concentrations of all eighteen congeners marked with a "\*" and multiply by 2.

The specified methods are recommendations only. Other acceptable methodologies capable of meeting the Reporting Limits can be used. Sample preparation methodologies (e.g. extraction and cleanup) and sample size may need to be modified to achieve the required Reporting Limits.



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**TABLE 5: ELUTRIATE TESTING PARAMETERS**

<u>Parameter</u>	<u>Recommended Analytical Method</u>	<u>Reporting Limit (µg/L)</u>
Metals		
Arsenic	200.9, 1632	1.0
Cadmium	200.9, 1637	1.0
Chromium (VI)	218.6, 1636	1.0
Copper	200.9, 1639, 1640	0.6
Lead	200.9, 1639, 1640	1.0
Mercury	245.7, 1631	0.4
Nickel	200.9, 1639, 1640	1.0
Selenium	200.9, 1639	1.0
Silver	200.9	0.5
Zinc	200.9, 1639	1.0
PCBs (total, by either of these methods)	3510B, 8080A, NYSDEC	0.006
Pentachlorophenol	3501B, 8270C	2.60
Pesticides	3510B, 8080A	
Aldrin		0.26
Chlordane		0.02
Chloropyrifos		0.002
Dieldrin		0.14
4, 4'-DDT		0.03
α & β Endosulfan		0.007
Endrin		0.007
Heptachlor		0.01
Heptachlor epoxide		0.01
Lindane		0.26
Toxaphene		0.04

Reference:

NYSDEC. 1991. Analytical Method for the Determination of PCB Congeners by Fused Silica Capillary Column Gas Chromatography with Electron Capture Detector. NYSDEC #91-11.



**FIGURE 4: EXAMPLE CORE LOG DATA SHEET**

PROJECT NAME: \_\_\_\_\_ DATE: \_\_\_\_\_  
PROJECT LOCATION: \_\_\_\_\_ SEA STATE: \_\_\_\_\_  
VESSEL: \_\_\_\_\_ POSITIONING EQUIPMENT: \_\_\_\_\_  
SAMPLING EQUIPMENT: \_\_\_\_\_  
SAMPLING PERSONNEL: \_\_\_\_\_ LOGGED BY: \_\_\_\_\_

---

CORE ID: \_\_\_\_\_ TIME: \_\_\_\_\_  
LATITUDE: \_\_\_\_\_ LONGITUDE: \_\_\_\_\_ POSITION ACCURACY: \_\_\_\_\_  
MEASURED WATER DEPTH: \_\_\_\_\_ CORRECTED WATER DEPTH: \_\_\_\_\_  
TARGET PENETRATION: \_\_\_\_\_ ACTUAL PENETRATION: \_\_\_\_\_ RECOVERY: \_\_\_\_\_  
COMMENTS: \_\_\_\_\_  
SAMPLE INTERVAL(S): \_\_\_\_\_

CORE PHOTO:	CORE DESCRIPTION:
<i>Insert core photograph with scale</i>	<i>Insert field notes and ASTM description of core</i>



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine**Summary:**

This determination addresses the suitability of shoaled sediments within four project areas along the Kennebunk River, in Kennebunkport, Maine (ME): Arundel Yacht Club (AYC), Yachtsman Marina, Kennebunkport Marina, and Kennebunk River Club (KBRC) for unconfined open water disposal at the Isle of Shoals North Disposal Site (IOSN) (Figure 1). The New England District (NAE) of the US Army Corps of Engineers (USACE) finds that sufficient data have been provided to satisfy the evaluation and testing requirements of Section 103 of the Marine Protection Research and Sanctuaries Act (MPRSA). Based on an evaluation of the project sites and the material proposed to be dredged, NAE finds these sediments suitable for unconfined open water disposal at IOSN as proposed.

**1. Project Description:**

The applicants are proposing to mechanically dredge shoaled areas from four project areas along the Kennebunk River in Kennebunkport, ME.

- The Arundel Yacht Club is proposing to dredge approximately 8,031 cubic yards (cy) from shoaled areas totaling just over 1 acre within the property's marina basin (Figures 1, 2, and 6).
- The Yachtsman Marina is proposing to dredge approximately 6,400 cy of shoaled material from areas totaling 1.4 acres within the property's marina basin (Figures 1, 3, and 7).
- The Kennebunkport Marina is proposing to dredge approximately 3,675 cy of shoaled material from 0.8 acres within the property's marina basin (Figures 1, 4, and 8).
- The Kennebunk River Club is proposing to dredge a total of approximately 8,935 cy of shoaled material: 3,026 cy of material will be removed from the 0.4 acre north marina basin, and 5,909 cy will be removed from the 0.8 acre south marina basin (Figures 1, 5, and 9).

All areas will be dredged to the authorized project depth of -6 feet at mean lower low water (MLLW) plus 1 foot of allowable overdepth. The applicant requested that disposal of the proposed dredge material be evaluated for IOSN as a potential alternative for this project.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 1: Project Area Summary**

Project Area	File Number	Project Depth (ft MLLW) plus 1 ft OD	Dredge Volume (cy)	Acreage
Arundel Yacht Club	NAE-2022-00288	-6.0	8,031	1.0
Yachtsman Marina	NAE-2004-00319	-6.0	6,400	1.4
Kennebunkport Marina	NAE-2005-00280	-6.0	3,675	0.8
Kennebunk River Club – North Marina Basin	NAE-2007-2704	-6.0	3,026	0.4
Kennebunk River Club – South Marina Basin		-6.0	5,909	0.8

**2. Conceptual Site Model:**

USACE reviewed historic testing data, previous environmental assessments, water quality data, and adjacent land use information to develop a conceptual site model (CSM) for the Kennebunk River projects (Figure 10). NAE used this CSM to characterize the system and to identify potential sources of contamination, site-specific contaminants of concern, exposure pathways, and biological receptors to inform this suitability determination.

Project Setting: All four projects are located along the eastern shoreline of the Kennebunk River in Kennebunkport, ME. The Arundel Yacht Club is located farthest upriver (approximately 0.8 miles from the river’s mouth), the Yachtsman Marina and Kennebunkport Marina are adjacent to each other just to the south of Arundel Yacht Club, and the Kennebunk River Club is located farther down river, about 0.25 miles from the mouth of the river (Figure 1).

The Arundel Yacht Club building was constructed in 1806 and served as a rope making facility until 1816. Sanborn maps from 1911 show that the property was used as a boat house, carriage house, and wagon shed prior to the establishment of the yacht club in 1957. The yacht club provides dockage for up to fifty recreational boats and has a launch for small sailboats. There are no repair or fuel facilities on the property. The Yachtsman Marina offers boat dockage to the Yachtsman Hotel guests. The Marina is now leased to and managed by the adjacent Kennebunkport Marina, located directly to the south. The applicant is proposing to dredge the leased area to connect the two marinas. The Kennebunkport Marina is a year-round facility offering slips, full mechanical services, a ship store, engine sales, power boat and canoe rentals, as well as a boat ramp. The Kennebunk River Club provides seasonal dockage for recreational vessels, as well as shoreside facilities for social and recreational functions.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

Land use in the surrounding area is largely a mix of residential property, many with private docks, and other marina facilities. Chicks Marina, which has a fuel dock, is adjacent to Kennebunkport Marina. Downtown Kennebunkport, which has several restaurants, retail shops, and marine services, is approximately 1,000 feet north of Arundel Yacht Club. The Kennebunkport River Federal Navigation Project (FNP) -6 foot MLLW channel is located directly adjacent to the western boundary of the project areas.

Water Quality: Water Quality in the project area is dictated by tidal exchange with the Gulf of Maine with freshwater input from the Kennebunk River to the north and a series of stormwater discharge pipes within the marina properties along the river (Figures 6-9). Tidal waters of the Kennebunk River are classified as SB by the Maine Department of Environmental Protection (MEDEP). Class SB waters must be of such quality that they are suitable for the designated uses of recreation in and on the water, fishing, aquaculture, propagation and harvesting of shellfish, industrial process and cooling water supply, hydroelectric power generation, navigation and as habitat for fish and other estuarine and marine life (38 M.R.S. § 465(B)(2) <https://www.mainelegislature.org/legis/statutes/38/title38sec465-B.html>).

Dredge History and Existing Testing Data: The Arundel Yacht Club was last dredged in 2017 when approximately 1,800 cy of material were removed to a depth of -6 feet at Mean Low Water (MLW) and placed at the Cape Arundel Disposal Site (CADS). Sampling and testing of this material in 2003 documented sediments to be predominately fine grained. A review of the associated chemistry data found cadmium, copper, and mercury detected at concentrations with the potential to cause toxicity based on current sediment screening guidelines. Based on the results of elutriate, toxicity, and bioaccumulation studies, NAE found the material from the Arundel Yacht Club suitable for placement at CADS in a 2015 suitability determination.

The Yachtsman Marina was last dredged in 2015 when approximately 3,914 cy of material were removed to a depth of -5 feet MLW and placed at CADS. Sampling and testing of this material in 2014 documented sediments from two samples along the shoreline in the middle of the basin to be predominately fine grained while the remaining four samples, located away from the shoreline, were predominately sand with some silt. A review of the associated chemistry data found levels of total DDX (sum of 4,4'-DDD + 4,4'-DDE +4,4'-DDT) and total high molecular weight polyaromatic hydrocarbons (HPAHs) detected at concentrations with the potential to cause toxicity based on current sediment screening guidelines. Based on the results of elutriate, toxicity, and bioaccumulation studies, NAE found the material from the Yachtsman Marina suitable for placement at CADS in a 2014 suitability determination. In addition,



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

a residual dredging event of 100 cy was authorized by USACE in 2020 and this material was placed upland.

The Kennebunkport Marina was last dredged in 2015 when approximately 1,500 cy of material were removed to a depth of -5 feet MLW and placed at CADS. Sampling and testing of this material in 2014 documented predominately fine grained sediments with little sand. A review of the associated chemistry data found total DDX and total HPAHs detected at concentrations with the potential to cause toxicity based on current sediment screening guidelines. Based on the results of elutriate, toxicity, and bioaccumulation studies, NAE found the material from the Kennebunkport Marina suitable for placement at CADS in a 2014 suitability determination.

The Kennebunk River Club was last dredged in 2009 when 7,609 cy of fine grained material were mechanically removed and placed at CADS. A review of the associated chemistry data found cadmium, total HPAHs, total DDX, and total chlordane detected at concentrations with the potential to cause toxicity based on current sediment screening guidelines. Based on the results of elutriate, toxicity, and bioaccumulation studies, NAE found the material from the Kennebunk River Club suitable for placement at CADS in a 2009 suitability determination.

Spill Data: Based on information provided by the applicant and a review of the MEDEP Oil and Hazardous Waste Spill Database (<https://www.maine.gov/dep/spills/index.html>) and the U.S. Coast Guard's National Response Center website, NAE determined that there have been several small sheens, diesel, gasoline, and oil spills within the vicinity of the project sites since 2009.

Disposal Site: IOSN is located approximately 23 miles south of the project locations. IOSN is regularly monitored by the NAE Disposal Area Monitoring System (DAMOS) Program. The most recent DAMOS report on IOSN was based on a 2022 survey of the site (USACE, 2023).

Risk Ranking: Based on the site characteristics and the available testing data outlined above, all four projects were given a **low-moderate** risk ranking according to the following matrix in Table 2.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 2: Project Risk Ranking**

<b>Rank</b>	<b>Guidelines</b>
Low	Few or no sources of contamination. Data available to verify no significant potential for adverse biological effects.
Low-Moderate	Few or no sources of contamination but existing data is insufficient to confirm ranking.
Moderate	Contamination sources exist within the vicinity of the project with the potential to produce chemical concentrations that may cause adverse biological effects.
High	Known sources of contamination within the project area and historical data exists that has previously failed biological testing.

**3. Sampling, Testing, and Analysis:**

NAE prepared sampling and analysis plans (SAPs) in January of 2022 for the Kennebunkport (three samples) and Yachtsman Marinas (five samples) and in May 2022 for the Arundel Yacht Club (four samples) that called for the collection of samples for bulk sediment chemistry and grain size, as well as full biological testing, including elutriate preparation and analysis, water column toxicity testing, 10-day whole sediment toxicity testing, and 28-day bioaccumulation testing. The applicants collected sediment cores from these three marina basins in July of 2022 (Table 3, Figures 6 through 8) for chemistry and grain size analysis. In addition, NAE prepared a biological testing SAP in June of 2020 for the Kennebunk River Club using bulk sediment chemistry and grain size data collected in December of 2018 which was also used in this evaluation (Table 3, Figure 9).



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 3: Core Locations**

Sample Location	Latitude	Longitude	Project Depth with Overdepth (ft MLLW)	Water Depth (ft MLLW)	Required Core Length (ft)	Recovery/ Penetration (ft)	Sample Interval (ft)
<i>Arundel Yacht Club</i>							
AYC-1	43.35831	-70.47582	-7.0	-3.9	3.1	3.2/3.2	0-3.2
AYC-2	43.35800	-70.47561	-7.0	-2.1	4.9	2.4/2.4	0-2.4
AYC-3	43.35793	-70.47634	-7.0	-3.2	3.8	0.75/1.0	0-0.75
AYC-4	43.35811	-70.47638	-7.0	-3.0	4.0	4.0/4.1	0-4.0
<i>Yachtsman Marina</i>							
Y-1	43.35735	-70.47578	-7.0	-1.5	5.5	3.5/3.5	0-3.5
Y-2	43.35724	-70.47533	-7.0	-1.2	5.8	2.5/2.5	0-2.5
Y-3	43.35701	-70.47488	-7.0	-4.2	2.8	2.7/2.7	0-2.7
Y-4	43.35673	-70.47467	-7.0	-4.4	2.6	3.4/3.4	0-2.6
Y-5	43.35629	-70.47437	-7.0	-1.0	6.0	6.1/6.1	0-6.0
<i>Kennebunkport Marina</i>							
K-1	43.35587	-70.47367	-7.0	-1.8	5.2	4.2/4.2	0-4.2
K-2	43.35607	-70.47394	-7.0	-4.8	2.2	3.1/3.1	0-2.2
K-3	43.35634	-70.47400	-7.0	-1.7	5.3	4.2/4.3	0-4.2
<i>Kennebunk River Club</i>							
KBRC-A	43.34975	-70.47269	-7.0	-2.5	5.0	4.5/4.5	0-4.5
KBRC-B	43.34982	-70.47327	-7.0	-4.0	3.0	3.0/3.0	0-3.0
KBRC-C	43.35007	-70.47322	-7.0	-2.0	4.0	5.0/5.0	0-5.0
KBRC-D	43.35008	-70.47340	-7.0	-5.0	1.0	2.0/2.0	0-2.0
KBRC-E	43.35046	-70.47323	-7.0	-2.5	6.0	4.5/4.5	0-4.5
KBRC-F	43.35039	-70.47352	-7.0	-2.0	4.0	5.0/5.0	0-5.0
KBRC-G	43.35063	-70.47326	-7.0	-1.0	2.0	6.0/6.0	0-6.0
KBRC-H	43.35055	-70.47354	-7.0	-4.0	3.0	3.0/3.0	0-3.0
KBRC-I	43.35082	-70.47331	-7.0	-1.5	6.0	5.5/5.5	0-5.5

Physical and Chemical Analysis of Sediments

Samples were largely composed of fines with little to some fine sand though several stations from the Yachtsman Marina and Kennebunk River Club were composed of fine sand with little to some fines. Grain size data are presented in Table 4 and core logs are provided in Appendix A.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 4: Grain Size Results**

Sample ID	%Gravel	%Sand			%Fines
		Coarse	Medium	Fine	
Arundel Yacht Club					
AYC-1	0.1	1.7	6.4	13.1	78.7
AYC-2	3.1	2.2	12.5	31.4	50.8
AYC-3	0.4	0.9	5.2	14.4	79.1
AYC-4	3.6	0.8	4.5	10.7	80.4
Yachtsman Marina					
Y-1	4.9	0.8	6.0	64.7	23.6
Y-2	0.3	1.5	9.8	60.6	27.8
Y-3	2.3	1.7	5.7	20.6	69.7
Y-4	0.0	0.8	5.4	26.5	67.3
Y-5	1.0	1.2	4.4	80.6	12.8
Kennebunkport Marina					
K-1	0.1	0.6	4.4	43.9	51.0
K-2	0.0	1.2	7.9	28.9	62.0
K-3	2.4	1.5	8.0	19.7	68.4
Kennebunk River Club					
KBRC-A	0.0	1.0	4.0	32.0	62.7
KBRC-B	0.1	1.0	7.0	40.0	51.6
KBRC-C	0.0	1.0	2.0	61.0	35.6
KBRC-D	0.0	1.0	4.0	56.0	38.6
KBRC-E	0.0	0.0	3.0	71.0	25.9
KBRC-F	0.2	1.0	1.0	81.0	16.6
KBRC-G	0.2	1.0	4.0	61.0	33.8
KBRC-H	0.6	2.0	4.0	64.0	29.7
KBRC-I	0.7	2.0	10.0	45.0	43.4

As no project specific contaminants of concern were identified in the CSM, samples were analyzed for the standard suite of contaminants specified in the Regional Implementation Manual for the Evaluation of Dredged Material Proposed for Disposal in New England Waters (RIM) (EPA/USACE, 2004).

To examine the sediment concentrations in an ecologically meaningful context, NAE used Sediment Quality Guidelines (SQGs) to screen the chemical concentrations found in the sediment samples from the Kennebunk River project areas samples. Applicable SQG screening values for marine and estuarine sediments are the National Oceanic and Atmospheric Administration (NOAA) effects-range low (ERL) and effects-range median (ERM). It is important to understand that these values were not derived as toxicity pass-fail thresholds. Rather, ERL and ERM values are empirically derived guidelines based on a large number of studies nationwide that identify contaminant levels that indicate probability of toxic effects to inform decision making (Long et al., 1998). Effects are considered unlikely at concentrations below the ERL with an increased



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

probability of toxic effects as concentrations increase. At concentrations above the ERM toxic effects are considered likely. For samples with sediment concentrations that fall between the ERL and ERM levels, consideration is given to both the number of contaminants that exceed ERL values and where the concentrations fall in the range between ERL and ERM values in assessing the probability of toxic effects and the potential need for additional testing.

Metals concentrations were largely below the ERL with many concentrations also less than the IOSN reference concentrations in all four project areas. Arsenic was detected at concentrations just above the ERL and reference value at stations AYC-1 and AYC-4, though both stations were below the established natural background level, 16 mg/kg, in Maine sediments (MEDEP, 2018). Nickel concentrations at Arundel Yacht Club stations AYC-1 and AYC-4 and Yachtsman Marina station Y-3 were also slightly greater than the ERL and IOSN reference value. The lead concentration in the Kennebunkport Marina station K-1 was greater than both the ERL and reference value. All metal concentrations in the Kennebunk River Club samples were below the ERL.

A few individual low molecular weight polycyclic aromatic hydrocarbons (LPAHs) were found at concentrations above their respective ERLs, including acenaphthene and fluorene at station K-2 in the Kennebunkport Marina, acenaphthene, anthracene, and fluorene at stations KBRC-A and B in the Kennebunk River Club, and all individual LPAHs except for naphthalene at the Arundel Yacht Club station AYC-2. Additionally, the total LPAH concentration at AYC-2 was greater than the ERL and IOSN reference value. Individual HPAHs benzo(a)anthracene and fluoranthene were found at concentrations greater than their respective ERLs at stations AYC-2, KBRC-A, and KBRC-B. Pyrene and chrysene were also found above the ERL at KBRC-B and pyrene was found above the ERL in station KBRC-C. Total HPAH concentrations were found above the ERL at stations AYC-2 at the Arundel Yacht Club and stations KBRC-A, B, and C in the Kennebunk River Club. All PAH concentrations were below ERL values in all samples from the Yachtsman Marina.

The pesticides 4,4'-DDD, 4,4'-DDE, and 4,4'-DDT as well as total DDX concentrations were found at concentrations greater than the ERL at stations K-1 and 2 at the Kennebunkport Marina and stations AYC-1 and 2 at the Arundel Yacht Club, where station AYC-4 also had 4,4'-DDE, 4,4'-DDT, and total DDX at concentrations over the ERL. Stations Y-1 and 2 at the Yachtsman Marina contained concentrations of 4,4'-DDE and total DDX that were greater than the ERL and the concentration of 4,4'-DDD was also above the ERL at station Y-2. Total DDX was found in concentrations above the ERL in all the Kennebunk River Club stations except for KBRC-F. 4,4'-DDT concentrations were also greater than the ERL in stations KBRC-B, KBRC-C, and KBRC-I and 4,4'-DDD exceeded the ERL in station KBRC-C. Dieldrin was found at concentrations



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

greater than the ERL at Kennebunk River Club stations KBRC-A, B, D, E, and I and total chlordane was found at concentrations greater than the ERL at all stations in the Kennebunk River Club project area except for KBRC-E and KBRC-G.

Individual polychlorinated biphenyls (PCBs) were generally not detected. Where detected, total PCBs were found at concentrations well below the ERL at all stations sampled.

A summary of the bulk sediment chemistry data is presented in Table 5 with comparison to the ERL/ERM values and reference concentrations for IOSN. The full bulk chemistry results are presented in Appendix B.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 5. Summary of Bulk Sediment Chemistry Results**

Parameter	CAS Number	Units	ERL	ERM	IOSN		Kennebunkport Marina						Yachtsman Marina									
							K-1		K-2		K-3		Y-1		Y-2		Y-3		Y-4		Y-5	
					Value	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Physical																						
Total organic carbon	14762744	%			1.28		0.37		3.04		2.32		0.93		0.72		1.90		1.19		0.20	
Metals																						
Arsenic	7440382	mg/kg	8.2	70	9.66		2.85		6.68		6.34		6.65		3.20		7.96		4.54		0.984	
Cadmium	7440439	mg/kg	1.2	9.6	0.072		0.295		0.410		0.344		0.225		0.235		0.388		0.430		0.093	
Chromium	7440473	mg/kg	81	370	31.5		21.9		27.1		26.4		17.7		14.7		33.6		23.1		6.71	
Copper	7440508	mg/kg	34	270	10.9		14.2		16.7		15.4		12.5		8.64		18.3		9.82		1.59	
Lead	7439921	mg/kg	46.7	218	18.1		134		21.9		17.1		12.4		12.9		20.2		7.79		1.81	
Mercury	7439976	mg/kg	0.150	0.710	0.032		0.051		0.063		0.047		0.045		0.051		0.052		0.011	J	0.005	J
Nickel	7440020	mg/kg	20.9	51.6	20.8		9.17		15.6		15.4		11.3		8.37		21.4		15.1		3.81	
Zinc	7440666	mg/kg	150	410	60.6		56.6		67.4		57.2		42.2		37.6		71.2		45.2		10.2	
PAHs																						
Total LPAH	SUMLPAH	ug/kg	552	3,160	48.2		185		225		225		188		191		118		7.87		8.67	
Total HPAH	SUMHPAH	ug/kg	1,700	9,600	260		1238		1697		1664		1336		1338		863		33.3		48.3	
Pesticides																						
4,4'-DDD	72548	ug/kg	2	20	0.020	U	4.98	J	4.66	J	0.112	UJ	1.16	J	2.86	J	0.093	UJ	0.016	UJ	0.013	UJ
4,4'-DDE	72559	ug/kg	2.2	27	0.066		2.23		4.53	J	0.068	U	2.50	J	2.78		0.057	U	0.010	U	0.008	U
4,4'-DDT	50293	ug/kg	1	7	0.026	U	1.44		1.44		0.148	U	0.960		0.808		0.123	U	0.020	U	0.017	U
Total DDX	SUMDDX	ug/kg	1.58	46.1	0.112		8.65		10.6		0.328	U	4.62		6.45		0.272	U	0.045	U	0.038	U
Dieldrin	60571	ug/kg	0.02	8	0.040	U	0.031	U	0.038	U	0.226	U	0.038	U	0.031	U	0.187	U	0.031	U	0.026	U
Total Chlordane	SUMCHLOR	ug/kg	0.5	6	0.300	U	0.233	U	0.289	U	1.710	U	0.285	U	0.234	U	1.42	U	0.233	U	0.198	U
PCBs																						
Total PCBs	SumNOAA18	ug/kg	22.7	180	4.02	U	8.34		3.98		2.77		1.92		2.33		3.56		1.56	U	1.33	U



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 5. Summary of Bulk Sediment Chemistry Results, cont.**

Parameter	CAS Number	Units	ERL	ERM	IOSN		Arundel Yacht Club							
					Value	Q	AYC-1	AYC-2	AYC-3	AYC-4	Result	Q	Result	Q
Physical														
Total organic carbon	14762744	%			1.28		1.14	1.15	8.46		2.64			
Metals														
Arsenic	7440382	mg/kg	8.2	70	9.66		9.75	6.72	7.78		10.3			
Cadmium	7440439	mg/kg	1.2	9.6	0.072		0.335	0.330	0.453		0.613			
Chromium	7440473	mg/kg	81	370	31.5		41.6	26.2	25.6		38.1			
Copper	7440508	mg/kg	34	270	10.9		29.4	15.7	25.6		24.3			
Lead	7439921	mg/kg	46.7	218	18.1		30.9	26.1	21.4		33.7			
Mercury	7439976	mg/kg	0.150	0.710	0.032		0.064	0.086	0.059	J	0.108			
Nickel	7440020	mg/kg	20.9	51.6	20.8		25.4	13.0	15.0		22.7			
Zinc	7440666	mg/kg	150	410	60.6		101	58.1	68.6		98.0			
PAHs														
Total LPAH	SUMLPAH	ug/kg	552	3,160	48.2		189	654	90.9		104			
Total HPAH	SUMHPAH	ug/kg	1,700	9,600	260		1482	3341	411		986			
Pesticides														
4,4'-DDD	72548	ug/kg	2	20	0.020	U	3.87	J	4.34	J	0.274	UJ	1.99	J
4,4'-DDE	72559	ug/kg	2.2	27	0.066		7.51	J	5.74		0.167	U	4.37	J
4,4'-DDT	50293	ug/kg	1	7	0.026	U	1.62	J	2.60		0.360	U	1.51	J
Total DDX	SUMDDX	ug/kg	1.58	46.1	0.112		13.0		12.7		0.801	U	7.87	
Dieldrin	60571	ug/kg	0.02	8	0.040	U	0.23	U	0.15	U	0.550	U	0.225	U
Total Chlordane	SUMCHLOR	ug/kg	0.5	6	0.300	U	1.72	U	1.11	U	4.2	U	1.7	U
PCBs														
Total PCBs	SumNOAA18	ug/kg	22.7	180	4.02	U	3.95		8.87		5.59	U	2.29	U



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 5. Summary of Bulk Sediment Chemistry Results, cont.**

Parameter	CAS Number	Units	ERL	ERM	Value	Q	Kennebunk River Club															
							KBRC-A	KBRC-B	KBRC-C	KBRC-D	KBRC-E	KBRC-G	KBRC-H	KBRC-I	KBRC-F							
Physical																						
Total organic carbon	14762744	%			1.28		-	-	-	-	-	-	-	-	-							
Metals																						
Arsenic	7440382	mg/kg	8.2	70	9.66		5.34	4.98	3.52	3.30	2.47	3.34	2.82	5.12	1.58							
Cadmium	7440439	mg/kg	1.2	9.6	0.072		0.463	0.433	0.300	0.350	0.229	0.277	0.237	0.451	0.119							
Chromium	7440473	mg/kg	81	370	31.5		27.5	26.0	20.0	20.5	15.6	18.0	16.5	24.8	11.0							
Copper	7440508	mg/kg	34	270	10.9		13.7	13.8	9.34	9.52	18.6	8.28	7.16	13.6	5.32							
Lead	7439921	mg/kg	46.7	218	18.1		18.8	17.8	12.2	13.3	8.67	11.5	9.29	17.7	4.81							
Mercury	7439976	mg/kg	0.150	0.710	0.032		0.062	0.054	0.052	0.053	0.032	0.067	0.046	0.056	0.023							
Nickel	7440020	mg/kg	20.9	51.6	20.8		15.9	14.5	11.4	11.3	8.57	9.92	8.67	13.4	6.12							
Zinc	7440666	mg/kg	150	410	60.6		68.9	67.7	48.3	50.9	37.2	50.5	39.9	78.2	28.9	J						
PAHs																						
Total LPAH	SUMLPAH	ug/kg	552	3,160	48.2		316	321	208	106	114	101	127	217	104							
Total HPAH	SUMHPAH	ug/kg	1,700	9,600	260		2644	4212	2028	866	838	756	653	1301	567							
Pesticides																						
4,4'-DDD	72548	ug/kg	2	20	0.020	U	1.30	1.90	2.10	1.30	1.00	1.20	0.880	1.70	0.680							
4,4'-DDE	72559	ug/kg	2.2	27	0.066		1.90	1.30	1.40	1.30	0.790	1.40	1.30	2.00	0.400							
4,4'-DDT	50293	ug/kg	1	7	0.026	U	0.850	1.50	4.00	0.750	0.620	0.900	0.530	2.20	0.028	U						
Total DDX	SUMDDX	ug/kg	1.58	46.1	0.112		4.05	4.70	7.50	3.35	2.41	3.50	2.71	5.90	1.11							
Dieldrin	60571	ug/kg	0.02	8	0.040	U	0.460	0.850	0.026	U	1.00	1.20	0.026	U	0.026	U	0.610		0.026	U		
Total Chlordane	SUMCHLOR	ug/kg	0.5	6	0.300	U	1.4	0.95	1.8	1.8	0.044	U	0.265	1.54	1.04	1.25						
PCBs																						
Total PCBs	SumNOAA18	ug/kg	22.7	180	4.02	U	1.4	2.1	1.2	0.751	0.326	U	0.326	U	0.831	1.3					0.706	

Notes:

Yellow indicates an exceedance of the ERL

Red indicates an exceedance of the ERM

U= Compound was analyzed for but was not detected (non-detect)

J= Indicates an estimated value

Non-detects reported as half the MDL

Reference site data from DAMOS monitoring surveys (2019 IOSN)

Total PCBs were calculated using the NOAA 18 method

Total Chlordane is a sum of alpha and gamma chlordane, cis and trans nonachlor, and oxychlordane; IOSN value is a sum of only alpha and gamma chlordane



## **FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

### Elutriate Chemistry and Biological Analysis of Sediments

Based on the lithology, chemistry results, and location of sample stations, NAE provided the applicant with a compositing plan for biological testing following the tiered testing protocol outlined in the Evaluation of Dredged Material Proposed for Ocean Disposal – Testing Manual (Green Book, EPA/USACE, 1991). Sediment and water for biological testing were collected by the applicant in February of 2023 to characterize the potential risk associated with open water placement of the dredged material from the four Kennebunk River projects. Sediment was collected from ten representative sample locations across all four project areas to create one composite sample (Table 2 and Figures 6 through 9). The composite sample for biological testing was comprised of sediment from stations AYC-1, 2, and 4 from the Arundel Yacht Club, Y-2 and 3 from the Yachtsman Marina, K-1 and 2 from the Kennebunkport Marina, and KBRC-B, C, and E from the Kennebunk River Club. Site water was also collected from a central location within each proposed project area and composited. The biological testing samples were collected according to the compositing plan to determine the potential for the dredged sediment to cause adverse effects to the biological receptors identified in the CSM. Compliance with water quality criteria was determined through elutriate testing, sediment toxicity was measured through a 10-day whole sediment acute toxicity test, human health risk was determined through a 28-day bioaccumulation test, and water column toxicity was determined through a suspended particulate phase test as described in the Green Book (USEPA/USACE, 1991).

### Evaluating Potential Effects to Benthic Organisms

The CSM identified the uptake of contaminants from placed dredged material at IOSN as a primary exposure pathway for project sediments and the potential for acute toxicity was determined through a 10-day whole sediment acute toxicity test as described in the Green Book (EPA/USACE, 1991).

Mean mortality in the control samples of the 10-day whole sediment acute toxicity tests was less than 10% for the amphipod (*Leptocheirus plumulosus*) and the mysid (*Americamysis bahia*); therefore, the tests were valid based on criteria established in the testing protocol.

Mean survivability for *A. bahia* and *L. plumulosus* was 97% and 95%, respectively. Results were not statistically different when compared to survivability in the IOSN reference sediment. The material proposed to be dredged is not considered acutely toxic to the mysids or amphipods used in this assessment.

Results from the 10-day whole sediment toxicity test are summarized in Table 6.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 6: Mean Survivability in the 10-day Whole Sediment Toxicity Test**

Organism	Lab Control	IOSN Reference	Comp 1
<i>A. bahia</i>	98%	98%	97%
<i>L. plumulosus</i>	98%	93%	95%

Evaluating Potential Effects to Human Health

In order to assess the potential risk to human health through the exposure pathways identified in the CSM, a 28-day bioaccumulation test was performed with the clam, *Macoma nasuta*, and marine polychaete worm, *Nereis virens*, using sediments from the composite sample.

Results showed statistically significant increases of certain contaminants of concern (COCs) in tissue samples from clams exposed to project sediments when compared to tissue samples from clams exposed to reference area sediments including three metals (copper, lead, and nickel), several individual PAHs, three PCB congeners, and two pesticides (4,4'-DDD and 4,4'-DDE). Generally, COC concentrations were only slightly higher in the composite tissue sample than in the pre-test or IOSN reference tissue. Anthracene, benzo(a)anthracene, benzo(b)fluoranthene, and chrysene concentrations were 5 times higher in the composite tissue sample than in the IOSN reference site tissue concentrations. Fluoranthene, pyrene and 4,4'-DDD concentrations were more than 10 times higher in the composite tissue sample than in the IOSN reference site tissue concentrations. Copper, nickel, fluorene, naphthalene, and PCB 52 were detected at concentrations less than were detected in the pre-test tissue, which reflects the initial contaminant load in the wild caught specimens prior to the test initiation, suggesting that these contaminants may not be attributable to site conditions. However, these analytes were conservatively included in subsequent risk modeling.

Significant increases in worm tissue samples as compared to reference area tissue samples included five metals (cadmium, chromium, lead, nickel, and zinc), several individual PAHs, two PCB congeners, and one pesticide (4,4'-DDD). Generally, COC concentrations were only slightly higher in the composite tissue sample than in the pre-test or IOSN reference tissue. Pyrene was 5 times higher in the composite tissue sample than the IOSN reference site tissue concentrations. Benzo(k)fluoranthene, fluoranthene, and PCB 105 were more than 10 times higher in the composite tissue sample than the IOSN reference site tissue concentrations. Chromium, lead, nickel, anthracene, naphthalene, and 4,4'-DDD were detected at concentrations less than were detected in the pre-test tissue, which reflects the initial contaminant load in the wild caught



## **FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

specimens prior to the test initiation, suggesting that these contaminants may not be attributable to site conditions, however these analytes were conservatively included in the subsequent risk modeling.

Based on these results, the tissue burden data were analyzed with the EPA Bioaccumulation Evaluation Screening Tool (BEST) model to determine the toxicological significance of bioaccumulation from exposure to the dredged sediment. The BEST model includes an evaluation of the non-carcinogenic risk, carcinogenic risk, and any observed exceedances of Food and Drug Administration (FDA) thresholds to determine potential adverse impacts to human health from the consumption of lobster, fish, or shellfish exposed to project sediments. Consideration was also given to the number of contaminants that were statistically elevated in comparison to the reference tissue concentrations and to the magnitude of those concentrations in comparison to the reference tissue concentrations and comparable organisms living in the vicinity of the disposal site according to the factors outlined in the Ocean Testing Manual (USEPA/USACE, 1991).

For both *Macoma nasuta* and *Alitta virens*, modeling based on the tissue contaminant loads measured in the composite sample found that all contaminants were below the EPA Hazard Quotient for non-carcinogenic risk of 1.0, below the EPA carcinogenic risk threshold ( $1 \times 10^{-4}$ ), and were also less than established FDA action levels. Statistically elevated concentrations of contaminants in the tissue samples that could not be evaluated using the BEST model were compared to background invertebrate concentrations in the NOAA Mussel Watch dataset (NCCOS, 2023) and all concentrations were found to be less than the dataset concentrations.

Based on this analysis, there is no unacceptable risk to the receptors identified in the CSM from the bioaccumulation of contaminants through exposure to the dredged material from the projects. BEST model outputs and tissue data are provided in Appendix C.

### Evaluating Potential Effects to Fish and Marine Invertebrates

The CSM identified the uptake of contaminants from the water column during the placement of dredged material at IOSN as a primary exposure pathway for project sediments. Elutriate samples were prepared from the site composite sediment sample and site water and the potential for water column toxicity was determined through a suspended particulate phase (SPP) toxicity test as described in the Green Book (USEPA/USACE, 1991).

The results from the SPP toxicity test were used to determine the median lethal concentration (LC<sub>50</sub>) for the three target species exposed to the sediment elutriates. All three species, the mysid, *A. bahia*, the minnow, *Menidia beryllina*,



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

and the mussel, *Mytilus edulis*, showed no adverse effects on survival after exposure to the elutriate from the composite sample (Table 7).

**Table 7: LC<sub>50</sub> Values in Suspended Phase Toxicity Test**


Composite	<i>A. bahia</i> LC <sub>50</sub> (%)	<i>M. beryllina</i> LC <sub>50</sub> (%)	<i>M. edulis</i> LC <sub>50</sub> (%)
Composite 1	>100%	>100%	>100%

To determine if the discharge of dredged material would meet the limiting permissible concentration (LPC), NAE utilized the Short-Term Fate (STFATE) numerical model to analyze the disposal cloud as it descends through the water column after release from a scow. Results of the STFATE evaluation using the lowest LPC (LC<sub>50</sub> of 100% and an application factor of 0.01) predicted that the water column would attain the LPC within four hours of disposal at IOSN. Additionally, all contaminants of concern in the elutriate samples were below the federal and Maine water quality criteria. Elutriate chemistry concentrations are presented in Appendix D.

#### 4. Suitability Determination:


Based on the weight of evidence, including the CSM, sediment chemistry results, biological testing results, and the subsequent risk modeling, no significant adverse impacts through the exposure pathways identified in the conceptual site model were found for the Arundel Yacht Club, Kennebunkport Marina, Yachtsman Marina, and Kennebunk River Club. Based on the testing and evaluation requirements set forth in Section 103 of the MPRSA, the sediments to be dredged are considered suitable for unconfined open water disposal at IOSN.

This suitability determination was coordinated with EPA Region 1 and MEDEP. MEDEP concurred with the determination and EPA Region 1 conducted an individual evaluation of the project and documented their findings in a separate memo.

  
Digitally signed by  
BARRA.BRILEY.KATHERINE.1  
617990837  
Date: 2024.06.10 12:19:48  
-04'00'

---

Briley K. Barra  
Technical Specialist  
Dredged Material Management Team  
USACE-New England District

  
Digitally signed by  
LOYD.RICHARD.B.12746  
69540  
Date: 2024.06.12  
15:46:38 -04'00'

---

Richard B. Loyd  
Chief  
Environmental Resources and  
Marine Programs Section  
USACE-New England District



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**5. References:**

Long E.R & MacDonald D.D. 1998. Recommended Uses of Empirically Derived, Sediment Quality Guidelines for Marine and Estuarine Ecosystems, Human and Ecological Risk Assessment: An International Journal, 4:5, 1019-1039.

MEDEP 2018. Maine Remedial Action Guidelines (RAGS) for Sites Contaminated with Hazardous Substances. Maine Department of Environmental Protection, Bureau of Remediation and Waste Management. 19 October 2018.



National Centers for Coastal Ocean Science, 2023: National Status and Trends: Mussel Watch Program, <https://www.fisheries.noaa.gov/inport/item/39400>.

USACE 2022. Monitoring Survey at the Isles of Shoals North Disposal Site, October 2021. DAMOS Contribution No. 214. Prepared by INSPIRE Environmental, Newport, RI for the U.S. Army Corps of Engineers, New England District, Concord, MA. 46 pp plus Figures and Appendices.


USEPA/USACE 2004. Regional Implementation Manual for the Evaluation of Dredged Material Proposed for Disposal in New England Waters. U.S. EPA Region 1, Boston, MA/U.S. Army Corps of Engineers, New England District, Concord, MA.

USEPA/USACE 1991. Evaluation of Dredged Material Proposed for Ocean Disposal Testing Manual. Environmental Protection Agency, Office of Water and Department of the Army, United States Army Corps of Engineers. Washington, D.C.









**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.563.9896 | www.walsh-eng.com

Copyright © 2023

## Arundel Yacht Club Dredging: 2023 Bathymetry

Arundel Yacht Club  
51 Ocean Ave  
Kennebunkport, Maine 04046

**Figure 2:**  
Arundel Yacht Club  
Applicant Dredge Plan







Figure 3:  
Yachtsman Marina  
Applicant Dredge Plan





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Haren Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2023

## Kennebunkport Marina Dredging: 2023 Bathymetry

Kennebunkport Marina  
67 Ocean Ave  
Kennebunkport, Maine 04046

**Figure 4:**  
Kennebunkport  
Marina  
Applicant Dredge  
Plan







ECO-ANALYSTS, INC.  
ENVIRONMENTAL CONSULTANTS  
P.O. BOX 224 BATH, MAINE 04530  
(207) 837-2442 raptor@gwi.net

Date: 12/9/2019  
Project: KRC  
Drafted By: TF/SS



Plan View of the Existing Condition and the proposed dredge window for the Kennebunk River Club, 116 Ocean Ave in Kennebunkport, Maine

Figure 5:  
Kennebunk River Club  
Applicant Dredge Plan
























Figure 10: Conceptual Site Model





**Appendix A**  
**Core Logs and Photographs**



## Coastline Consulting & Development Core Log

Project: Arundel Yacht Club

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: AYC-1

Time: 1:06 pm

Sampler Type: VibraCore Sampler

Depth: -3.9' MLLW

Coordinates: Latitude: 43.35831 Longitude: -70.47582

Penetration: 3.2' Recovery: 3.2' No. Attempts: 3

Material Description: 0-3.1, composited. Dark silt/mud with shell debris.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Arundel Yacht Club

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: AYC-2

Time: 12:20 pm

Sampler Type: VibraCore Sampler

Depth: -2.1' MLLW

Coordinates: Latitude: 43.35800 Longitude: -70.47561

Penetration: 2.4' Recovery: 2.4' No. Attempts: 9

Material Description: 0-2.4' composited. Hard packed sand with shell debris. Multiple attempts were made refusal was reached after 2.4' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Arundel Yacht Club Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: AYC-3 Time: 12:55 pm

Sampler Type: VibraCore Sampler

Depth: -3.2' MLLW

Coordinates: Latitude: 43.35793 Longitude: -70.47634

Penetration: 1' Recovery: 9" No. Attempts: 16

**Material Description:** 0-9" composited. Hard substrate encountered a lot of wood debris and shell material. We attempted to call ACOE contacts during sampling, messages were left but no one returned the calls that day. We kept the largest core and did not cut it because we did not want to lose any material. Sample was extruded directly into bucket for compositing. We attempted multiple cores within a 10' radius of the location and saved the best one. Multiple attempts were made refusal was reached after 1' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Arundel Yacht Club

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: AYC-4

Time: 12:35 pm

Sampler Type: VibraCore Sampler


Depth: -3.0' MLLW

Coordinates: Latitude: 43.35811 Longitude: -70.47638

Penetration: 4.1' Recovery: 4.0' No. Attempts: 5

Material Description: 0-4.0 composited. Dark silt with hard packed sand at bottom of core.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Kennebunkport Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: K-1

Time: 9:38 am

Sampler Type: VibraCore Sampler

Depth: -1.8' MLLW

Coordinates: Latitude: 43.35587 Longitude: -70.47367

Penetration: 4.2' Recovery: 4.2' No. Attempts: 6

Material Description: 0-4.2' composited. Dark silt with hard packed sand at bottom of core. Multiple attempts were made refusal was reached after 4.2' penetration.

### Core Photo





### Coastline Consulting & Development Core Log

Project: Kennebunkport Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: K-2

Time: 9:47 am

Sampler Type: VibraCore Sampler

Depth: -4.8' MLLW

Coordinates: Latitude: 43.35607 Longitude: -70.47394

Penetration: 3.1' Recovery: 3.1' No. Attempts: 3

Material Description: 0-2.2' composited. Dark silt with hard packed sand towards bottom of core.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Kennebunkport Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: K-3

Time: 10:05 am

Sampler Type: VibraCore Sampler


Depth: -1.7' MLLW

Coordinates: Latitude: 43.35634 Longitude: -70.474

Penetration: 4.3' Recovery: 4.2' No. Attempts: 7

Material Description: 0-4.2' composited. Dark silt with hard packed sand at bottom of core. Multiple attempts were made refusal was reached after 4.3' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-1

Time: 11:29 am

Sampler Type: VibraCore Sampler

Depth: -1.5' MLLW

Coordinates: Latitude: 43.35735 Longitude: -70.47578

Penetration: 3.5' Recovery: 3.5' No. Attempts: 8

Material Description: 0-3.5' composited. Compact sand with shell debris. Multiple attempts were made refusal was reached after 3.5' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-2

Time: 11:15 am

Sampler Type: VibraCore Sampler

Depth: -1.2' MLLW

Coordinates: Latitude: 43.35724 Longitude: -70.47533

Penetration: 2.5' Recovery: 2.5' No. Attempts: 8

Material Description: 0-2.5' composited. Hard packed sand. Multiple attempts were made refusal was reached after 2.5' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-3

Time: 11:02 am

Sampler Type: VibraCore Sampler

Depth: -4.2' MLLW

Coordinates: Latitude: 43.35701 Longitude: -70.47488

Penetration: 2.7' Recovery: 2.7' No. Attempts: 5

Material Description: 0-2.7' composited. Dark silt with hard packed sand at bottom of core.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-4

Time: 10:54 am

Sampler Type: VibraCore Sampler

Depth: -4.4' MLLW

Coordinates: Latitude: 43.35673 Longitude: -70.47467

Penetration: 3.4' Recovery: 3.4' No. Attempts: 4

Material Description: 0-2.6' composited. Dark silt with hard packed sand at bottom of core.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-5

Time: 10:40 am

Sampler Type: VibraCore Sampler


Depth: -1.0' MLLW

Coordinates: Latitude: 43.35629 Longitude: -70.47437

Penetration: 6.1' Recovery: 6.1' No. Attempts: 3

Material Description: 0-6.0' composited. Dark silt with hard packed sand at bottom of core.

### Core Photo





**Appendix B**  
**Bulk Sediment Chemistry Results**



Notes:  
Yellow indicates an exceedance of the ERL  
Red indicates an exceedance of the ERM  
U= Compound was analyzed but was not detected (non-detect)  
J= Indicates an estimated value  
J+ = Indicates an estimated value biased high  
Inadequacies reported as half the RCL  
Reference site data from DAMOG monitoring surveys (2019 IC000)  
Total PCBs were calculated using the NOAA 18 method



**Appendix C**  
**Tissue Concentrations and**  
**BEST Model Output**



TABLE C-1 STATISTICAL COMPARISONS OF *N. virens* BODY BURDENS VS. IOSN 2019  
REFERENCE DATA

Compound	Units	Pre-Test <sup>d</sup>		IOSN 2019		Composite	
		Mean	Qual	Mean	Qual	Mean	Qual
Trace Metals							
Arsenic, total	mg/Kg	2.00		2.25		2.02	NS
Cadmium, total	mg/Kg	0.0300	b	0.0252	b	0.0338	bS
Chromium, total	mg/Kg	0.620	b	0.0686	b	0.551	bS
Copper, total	mg/Kg	1.49		1.20		1.12	NS
Lead, total	mg/Kg	0.195		0.0744		0.191	S
Mercury, total	mg/Kg	0.0110	b	0.0156	b	0.00662	abNS
Nickel, total	mg/Kg	0.476		0.168		0.232	S
Zinc, total	mg/Kg	13.1		18.6		14.1	NS/S e
PAH Compounds							
Acenaphthene	µg/Kg	0.620	a	0.563	ab	0.883	abNS
Acenaphthylene	µg/Kg	0.381	a	0.286	a	4.22	aNS
Anthracene	µg/Kg	0.903	ab	0.310	a	0.610	abS
Benzo(a)anthracene	µg/Kg	0.775	a	0.581	a	0.766	ac
Benzo(a)pyrene	µg/Kg	0.813	a	0.610	a	0.805	ac
Benzo(b)fluoranthene	µg/Kg	1.08	a	0.807	a	2.43	aS
Benzo(k)fluoranthene	µg/Kg	0.493	a	0.371	a	6.45	aS
Benzo(g,h,i)perylene	µg/Kg	0.345	a	0.259	a	0.427	abS
Chrysene	µg/Kg	0.752	a	0.564	a	1.14	abS
Dibenz(a,h)anthracene	µg/Kg	0.400	a	0.300	a	0.396	ac
Fluoranthene	µg/Kg	0.610	a	0.569	ab	6.71	bS
Fluorene	µg/Kg	1.07	b	0.431	ab	2.05	bS
Indeno(1,2,3-cd)pyrene	µg/Kg	0.810	a	0.608	a	0.802	ac
Naphthalene	µg/Kg	1.64	b	0.651	ab	1.60	abS
Phenanthrene	µg/Kg	0.677	a	2.04	b	0.861	abNS
Pyrene	µg/Kg	0.898	a	0.674	a	6.23	bS
Total PAHs	µg/Kg	12.3		9.63		36.4	
PCB Congeners							
PCB 008	µg/Kg	0.0638	a	0.0480	a	0.0632	ac
PCB 018	µg/Kg	0.0465	a	0.0349	a	0.0460	ac
PCB 028	µg/Kg	0.0790	a	0.0593	a	0.0784	ac
PCB 044	µg/Kg	0.0880	a	0.0661	a	0.0873	ac
PCB 052	µg/Kg	0.0491	a	0.0369	a	0.136	abS
PCB 066	µg/Kg	0.0462	a	0.0347	a	0.0457	ac
PCB 101	µg/Kg	0.0752	a	0.0564	a	0.0745	ac
PCB 105	µg/Kg	0.0675	a	0.0506	a	0.810	aS
PCB 118	µg/Kg	0.0713	a	0.0534	a	0.0706	ac
PCB 128	µg/Kg	0.0842	a	0.0632	a	0.0834	ac
PCB 138	µg/Kg	0.305	ab	0.331	ab	0.462	aNS
PCB 153	µg/Kg	0.628	b	0.763		0.857	aNS
PCB 170	µg/Kg	0.0413	a	0.0310	a	0.0409	ac
PCB 180	µg/Kg	0.0423	a	0.0318	a	0.0419	ac
PCB 187	µg/Kg	0.256	a	0.0456	a	0.0601	ac
PCB 195	µg/Kg	0.0795	a	0.0596	a	0.0786	ac
PCB 206	µg/Kg	0.0810	a	0.0608	a	0.0802	ac
PCB 209	µg/Kg	0.0928	a	0.0697	a	0.0920	ac
Total PCBs	µg/Kg	4.39		3.79		6.42	
Pesticides							
Aldrin	µg/Kg	0.0404	a	0.0605	a	0.0400	ac
cis-Chlordane	µg/Kg	0.0870	a	0.131	a	0.0863	ac
trans-Chlordane	µg/Kg	0.0245	a	0.0369	a	0.0243	ac
cis-Nonachlor	µg/Kg	0.0117	a	0.0176	a	0.0116	ac
trans-Nonachlor	µg/Kg	0.0108	a	0.0161	a	0.0106	ac
Oxychlordane	µg/Kg	0.0501	a	0.0752	a	0.0495	ac
Total Chlordanes	µg/Kg	0.184		0.277		0.182	
4,4'-DDT	µg/Kg	0.0159	a	0.0238	a	0.0158	ac
4,4'-DDD	µg/Kg	3.29	ab	0.0182	a	0.665	S
4,4'-DDE	µg/Kg	0.00737	a	0.0111	a	0.00728	ac
Total DDT	µg/Kg	3.32		0.0531		0.688	
Dieldrin	µg/Kg	0.0243	a	0.0365	a	0.0241	ac
alpha-Endosulfan	µg/Kg	0.0222	a	0.0334	a	0.0220	ac
beta-Endosulfan	µg/Kg	0.0115	a	0.0173	a	0.0113	ac
Total Endosulfans	µg/Kg	0.0337		0.0507		0.0333	
Endrin	µg/Kg	0.0132	a	0.0199	a	0.0131	ac
Heptachlor	µg/Kg	0.0253	a	0.0379	a	0.0250	ac
Heptachlor epoxide	µg/Kg	0.0520	a	0.0780	a	0.0515	ac
Hexachlorobenzene	µg/Kg	0.217	a	0.326	a	0.215	ac
Lindane (gamma-BHC)	µg/Kg	0.0365	a	0.0548	a	0.0361	ac
Methoxychlor	µg/Kg	0.0575	a	0.843	a	0.0568	ac
Toxaphene	µg/Kg	1.05	a	1.58	a	1.04	ac

**Notes:**

Mean concentrations are reported to 3 significant figures.

a = COC not detected (below MDL) in at least one replicate; mean value was calculated using one-half of the project specific MDL for non-detected values.

b = COC concentration estimated (detected below RL but above MDL) in at least one replicate; mean value calculated using estimated value.

c = COC was not detected in either the dredge tissue replicates or in the historic reference tissue, therefore was eliminated from further evaluation.

<sup>d</sup> Pre-test tissue represents the mean of three replicates, whereas the reference and site composites represent a mean of 5 replicates.

<sup>e</sup> Analysis conducted after removal of a statistical outlier.

NS = Not Significant - mean tissue body burden was not statistically different from the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .

S = Significant - mean tissue body burden was statistically different, greater than the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .



TABLE C-2 STATISTICAL COMPARISONS OF *M. nasuta* BODY BURDENS VS. IOSN 2019 REFERENCE DATA

Compound	Units	Pre-Test <sup>d</sup>		IOSN 2019		Composite	
		Mean	Qual	Mean	Qual	Mean	Qual
Trace Metals							
Arsenic, total	mg/Kg	2.59		3.49		2.54	NS
Cadmium, total	mg/Kg	0.0297 b		0.0290 b		0.0266	bNS
Chromium, total	mg/Kg	0.465		0.334 b		0.434	bNS
Copper, total	mg/Kg	3.10		1.77		2.71	S
Lead, total	mg/Kg	0.129		0.349		0.452	S
Mercury, total	mg/Kg	0.00185 a		0.00170 a		0.00208	ac
Nickel, total	mg/Kg	0.713		0.521		0.570	NS/S <sup>e</sup>
Zinc, total	mg/Kg	11.6		11.8		12.8	NS
PAH Compounds							
Acenaphthene	µg/Kg	1.07 ab		0.453 a		1.56	abNS
Acenaphthylene	µg/Kg	0.378 a		0.279 a		0.381	ac
Anthracene	µg/Kg	0.853 ab		0.302 a		2.69	bS
Benzo(a)anthracene	µg/Kg	1.32 ab		0.565 a		5.40	bS
Benzo(a)pyrene	µg/Kg	0.805 a		0.594 a		1.74	abS
Benzo(b)fluoranthene	µg/Kg	1.07 a		0.786 a		4.41	bS
Benzo(k)fluoranthene	µg/Kg	0.490 a		0.455 ab		1.25	abS
Benzo(g,h,i)perylene	µg/Kg	0.342 a		0.518 ab		0.820	abNS
Chrysene	µg/Kg	2.01 b		0.550 a		2.92	bS
Dibenz(a,h)anthracene	µg/Kg	0.559 ab		2.97 b		0.400	aNS
Fluoranthene	µg/Kg	2.57 b		2.12 b		26.6	S
Fluorene	µg/Kg	2.11 b		0.253 a		1.74	bS
Indeno(1,2,3-cd)pyrene	µg/Kg	0.803 a		3.54 b		0.985	abNS
Naphthalene	µg/Kg	3.78 b		0.390 a		1.77	bS
Phenanthrene	µg/Kg	4.09 b		1.97 b		6.92	bS
Pyrene	µg/Kg	2.86 b		1.63 b		20.8	S
Total PAHs	µg/Kg	25.1		17.4		80.4	
PCB Congeners							
PCB 008	µg/Kg	0.0633 a		0.0467 a		0.0639	ac
PCB 018	µg/Kg	0.0461 a		0.0340 a		0.0465	ac
PCB 028	µg/Kg	0.0783 a		0.0578 a		0.0791	ac
PCB 044	µg/Kg	0.0873 a		0.0644 a		0.0883	ac
PCB 052	µg/Kg	2.09		0.0359 a		0.172	aS
PCB 066	µg/Kg	0.0457 a		0.0338 a		0.0462	ac
PCB 101	µg/Kg	0.0745 a		0.0550 a		0.0754	ac
PCB 105	µg/Kg	0.0668 a		0.0493 a		0.0675	ac
PCB 118	µg/Kg	0.0708 a		0.0522 a		0.142	abS
PCB 128	µg/Kg	0.0835 a		0.0616 a		0.0843	ac
PCB 138	µg/Kg	0.392 a		0.0394 a		0.0539	ac
PCB 153	µg/Kg	0.111 a		0.0820 a		0.142	abS
PCB 170	µg/Kg	0.0410 a		0.0303 a		0.0414	ac
PCB 180	µg/Kg	0.0419 a		0.0309 a		0.0423	ac
PCB 187	µg/Kg	0.0603 a		0.0445 a		0.0607	ac
PCB 195	µg/Kg	0.0787 a		0.0580 a		0.0794	ac
PCB 206	µg/Kg	0.0803 a		0.0594 a		0.0810	ac
PCB 209	µg/Kg	0.0920 a		0.0680 a		0.0929	ac
Total PCBs	µg/Kg	7.22		1.81		2.92	
Pesticides							
Aldrin	µg/Kg	0.0200 a		0.0296 a		0.0202	ac
cis-Chlordane	µg/Kg	0.0432 a		0.0638 a		0.0436	ac
trans-Chlordane	µg/Kg	0.0122 a		0.0180 a		0.0123	ac
cis-Nonachlor	µg/Kg	0.00582 a		0.00870 a		0.00587	ac
trans-Nonachlor	µg/Kg	0.00533 a		0.00780 a		0.00538	ac
Oxychlordane	µg/Kg	0.0248 a		0.0366 a		0.0250	ac
Total Chlordanes	µg/Kg	0.0913		0.135		0.0922	
4,4'-DDT	µg/Kg	0.00788 a		0.0117 a		0.00796	ac
4,4'-DDD	µg/Kg	0.00598 a		0.00880 a		0.391	S
4,4'-DDE	µg/Kg	0.00365 a		0.219 b		0.499	S
Total DDT	µg/Kg	0.0175		0.240		0.898	
Dieldrin	µg/Kg	0.0121 a		0.0178 a		0.0122	ac
alpha-Endosulfan	µg/Kg	0.0110 a		0.0163 a		0.0111	ac
beta-Endosulfan	µg/Kg	0.00568 a		0.00840 a		0.00573	ac
Total Endosulfans	µg/Kg	0.0167		0.0247		0.0168	
Endrin	µg/Kg	0.00653 a		0.00970 a		0.00662	ac
Heptachlor	µg/Kg	0.0125 a		0.0186 a		0.0127	ac
Heptachlor epoxide	µg/Kg	0.0257 a		0.0381 a		0.0260	ac
Hexachlorobenzene	µg/Kg	0.108 a		0.159 a		0.109	ac
Lindane (gamma-BHC)	µg/Kg	0.0181 a		0.0267 a		0.0183	ac
Methoxychlor	µg/Kg	0.0285 a		0.411 a		0.0287	ac
Toxaphene	µg/Kg	0.518 a		0.767 a		0.524	ac

**Notes:**

Mean concentrations are reported to 3 significant figures.

a = COC not detected (below MDL) in at least one replicate; mean value was calculated using one-half of the project specific MDL for non-detected values.

b = COC concentration estimated (detected below RL but above MDL) in at least one replicate; mean value calculated using estimated value.

c = COC was not detected in either the dredge tissue replicates or in the historic reference tissue, therefore was eliminated from further evaluation.

<sup>d</sup> Pre-test tissue represents the mean of three replicates, whereas the reference and site composites represent a mean of 5 replicates.

<sup>e</sup> Analysis conducted after removal of a statistical outlier.

NS = Not Significant - mean tissue body burden was not statistically different from the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .

S = Significant - mean tissue body burden was statistically different, greater than the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .



Project name: Yachtsman Marina, Kennebunkport, ME  
 Project number:  
 Model filename: EPA Reg 1 Template wChemical List.best  
 Chemical filename: Chemical\_List\_for\_EPA\_Reg1\_template (in progress).xlsx

## Table Of Contents

<b>Adult Angler</b>	<b>1</b>
<i>Total Estimated Risks</i>	1
<i>Seafood Non-Cancer Risk</i>	4
<i>FDA Action Limit/Tolerance</i>	6
<i>Ecological Effect Level</i>	8
<i>FDA Level of Concern</i>	10
<b>Selected Chemicals</b>	<b>11</b>
<i>Macoma nasuta</i>	11
<i>Nereis virens</i>	12

## Human Subreport

Human: Adult Angler

### Total Estimated Risks From Organics(see EPA Table Xa)

Receptor: Adult Angler

Organism: Macoma nasuta

		Cancer Risk	Non-Cancer Risk
Composite (10 Stations at		Fish Fillet	
	Test	6.01E-6	3.72E-2
	Reference	1.66E-6	1.74E-2
		Nereis virens	
	Test	0	0
	Reference	0	0
		Macoma nasuta	
	Test	6.23E-6	3.84E-2
	Reference	1.72E-6	1.8E-2
		Total Lobster	
	Test	3.1E-5	1.92E-1
	Reference	8.57E-6	9E-2



		Cancer Risk	Non-Cancer Risk
		Lobster Hepatopancreas	
	Test	2.14E-5	1.33E-1
	Reference	5.91E-6	6.21E-2
		Lobster Muscle	
	Test	9.62E-6	5.96E-2
	Reference	2.66E-6	2.79E-2



**Total Estimated Risks From Organics(see EPA Table Xa)****Receptor:** Adult Angler**Organism:** Nereis virens

		Cancer Risk	Non-Cancer Risk
Composite (10 Stations at		Fish Fillet	
	Test	5.09E-6	8.9E-2
	Reference	1.63E-6	3.72E-2
		Nereis virens	
	Test	6.12E-6	1.08E-1
	Reference	1.97E-6	4.51E-2
		Macoma nasuta	
	Test	0	0
	Reference	0	0
		Total Lobster	
	Test	2.63E-5	4.59E-1
	Reference	8.39E-6	1.92E-1
		Lobster Hepatopancreas	
	Test	1.81E-5	3.17E-1
	Reference	5.79E-6	1.32E-1
		Lobster Muscle	
	Test	8.14E-6	1.42E-1
	Reference	2.6E-6	5.95E-2



**Seafood Non-Cancer Risks (see EPA Table 6a, Columns F & G)****Receptor:** Adult Angler**Organism:** *Macoma nasuta*

			Non-Cancer Risk
Composite (10 Stations at 4 Marinas Mud)	Copper	Test	0
		Reference	0
	Lead	Test	0
		Reference	0
	Nickel	Test	0
		Reference	0



**Seafood Non-Cancer Risks (see EPA Table 6a, Columns F & G)****Receptor:** Adult Angler**Organism:** Nereis virens

			Non-Cancer Risk
Composite (10 Stations at 4 Marinas Mud)	Cadmium	Test	2.9E-3
		Reference	2.16E-3
	Chromium	Test	1.57E-2
		Reference	1.96E-3
	Lead	Test	0
		Reference	0
	Nickel	Test	0
		Reference	0
	Zinc	Test	4.02E-3
		Reference	5.31E-3



**FDA Action Limit/Tolerance (see EPA Table 3, Columns D & E)****Receptor:** Adult Angler**Organism:** *Macoma nasuta*

	Contaminant	FDA Action Level (mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Total PCBs	2E3	6.47E0
Composite (10 Stations)	Mercury	1E0	2.08E-3
Composite (10 Stations)	Total DDT	5E3	1.56E0
Composite (10 Stations)	Total Chlordanes	3E2	1.53E-1



**FDA Action Limit/Tolerance (see EPA Table 3, Columns D & E)****Receptor:** Adult Angler**Organism:** *Nereis virens*

	Contaminant	FDA Action Level (mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Total PCBs	2E3	1.42E1
Composite (10 Stations)	Mercury	1E0	6.62E-3
Composite (10 Stations)	Total DDT	5E3	1.36E0
Composite (10 Stations)	Total Chlordanes	3E2	3.04E-1



**Ecological Effects Level (see EPA Table 8a.1, Columns D & E)****Receptor:** Adult Angler**Organism:** *Macoma nasuta*

	Contaminant	Ecological Effect Level (mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Anthracene	3.75E3	2.69E0
Composite (10 Stations)	Benzo(a)pyrene	8E3	3.47E0
Composite (10 Stations)	PAH Total	1E4	8.04E1
Composite (10 Stations)	Total PCBs	4E3	6.47E0
Composite (10 Stations)	Aldrin	2.99E2	2.02E-2
Composite (10 Stations)	Dieldrin	4.37E0	1.64E-2
Composite (10 Stations)	Endosulfans	2.86E0	1.69E-2
Composite (10 Stations)	Arsenic	1.26E1	2.54E0
Composite (10 Stations)	Cadmium	3.03E0	2.66E-2
Composite (10 Stations)	Chromium	1.18E1	4.34E-1
Composite (10 Stations)	Copper	9.6E0	2.71E0
Composite (10 Stations)	Lead	1.19E1	4.52E-1
Composite (10 Stations)	Mercury	2E-1	2.08E-3
Composite (10 Stations)	Nickel	3.8E0	5.7E-1
Composite (10 Stations)	Zinc	1.52E3	1.28E1
Composite (10 Stations)	Total DDT	3E3	1.56E0



**Ecological Effects Level (see EPA Table 8a.1, Columns D & E)****Receptor:** Adult Angler**Organism:** *Nereis virens*

	Contaminant	Ecological Effect Level (mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Anthracene	3.75E3	6.1E-1
Composite (10 Stations)	Benzo(a)pyrene	8E3	1.61E0
Composite (10 Stations)	PAH Total	1E4	3.64E1
Composite (10 Stations)	Total PCBs	4E3	1.42E1
Composite (10 Stations)	Aldrin	2.99E2	4E-2
Composite (10 Stations)	Dieldrin	4.37E0	3.25E-2
Composite (10 Stations)	Endosulfans	2.86E0	3.33E-2
Composite (10 Stations)	Arsenic	1.26E1	2.02E0
Composite (10 Stations)	Cadmium	3.03E0	3.38E-2
Composite (10 Stations)	Chromium	1.18E1	5.51E-1
Composite (10 Stations)	Copper	9.6E0	1.12E0
Composite (10 Stations)	Lead	1.19E1	1.91E-1
Composite (10 Stations)	Mercury	2E-1	6.62E-3
Composite (10 Stations)	Nickel	3.8E0	2.32E-1
Composite (10 Stations)	Zinc	1.52E3	1.41E1
Composite (10 Stations)	Total DDT	3E3	1.36E0



**FDA Level of Concern (see EPA Table 7a, Columns B & D)****Receptor:** Adult Angler**Organism:** *Macoma nasuta*

	Contaminant	FDA Level of Concern(mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Arsenic	8.6E1	2.54E0
Composite (10 Stations)	Cadmium	3.7E0	2.66E-2
Composite (10 Stations)	Chromium	1.3E1	4.34E-1
Composite (10 Stations)	Lead	1.7E0	4.52E-1
Composite (10 Stations)	Nickel	8E1	5.7E-1



**FDA Level of Concern (see EPA Table 7a, Columns B & D)****Receptor:** Adult Angler**Organism:** Nereis virens

	Contaminant	FDA Level of Concern(mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Arsenic	8.6E1	2.02E0
Composite (10 Stations)	Cadmium	3.7E0	3.38E-2
Composite (10 Stations)	Chromium	1.3E1	5.51E-1
Composite (10 Stations)	Lead	1.7E0	1.91E-1
Composite (10 Stations)	Nickel	8E1	2.32E-1

**Selected Chemicals****Invertebrate Name**

Macoma nasuta

	Composite (10
118	X
153	X
4,4'-DDD	X
4,4'-DDE	X
Anthracene	X
Benzo(a)anthracene	X
Benzo(a)pyrene	X
Benzo(b)fluoranthene	X
Benzo(k)fluoranthene	X
Chrysene	X
Fluoranthene	X
Fluorene	X
Naphthalene	X
PAH Total	X
Phenanthrene	X
Pyrene	X
Total DDT	X
Total PCBs	X
Copper	X
Lead	X
Nickel	X



**Invertebrate Name**

Nereis virens

	Composite (10
105	X
4,4'-DDD	X
52	X
Anthracene	X
Benzo(b)fluoranthene	X
Benzo(g,h,i)perylene	X
Benzo(k)fluoranthene	X
Chrysene	X
Fluoranthene	X
Fluorene	X
Naphthalene	X
PAH Total	X
Pyrene	X
Total DDT	X
Total PCBs	X
Cadmium	X
Chromium	X
Lead	X
Nickel	X
Zinc	X

Software version: BRAMS 4.0

Last date: 11/28/2023

User name: \*



**Appendix D**  
**Elutriate Chemistry Results**



Kennebunkport River Projects			ME WQC	Elutriate Average	Q	Site Water Average	Q	Lab Water Average	Q
Parameter	CAS Number	Units							
<b>Metals</b>									
Arsenic	7440382	ug/L	69	3.67		1.22		0.140	U
Cadmium	7440439	ug/L	33	0.295	U	0.30	U	0.295	U
Hexavalent Chromium	18540299	ug/L	1108	1.50	U	1.50	U	1.50	U
Copper	7440508	ug/L	5.78	1.92	U	1.92	U	1.92	U
Lead	7439921	ug/L	221	1.72	U	1.72	U	1.72	U
Mercury	7439976	ug/L	2.1	0.010	U	0.010	U	0.010	U
Nickel	7440020	ug/L	75	2.78	U	2.78	U	2.78	U
Selenium	7782492	ug/L	291	0.115	*	0.065	U	0.560	U
Silver	7440224	ug/L	2.24	0.815	U	0.82	U	0.815	U
Zinc	7440666	ug/L	95	17.1	U	17.1	U	17.1	U
<b>Industrial Chemicals</b>									
Pentachlorophenol	87865	ug/L	13	0.290	U	0.224	U	0.222	U
<b>Pesticides</b>									
4,4'-DDT	50293	ug/L	0.13	0.00012	U	0.00008	U	0.00008	U
Aldrin	309002	ug/L	1.3	0.00023	U	0.00016	U	0.00016	U
Alpha-Chlordane (cis)	5103719	ug/L		0.00011	U	0.00008	U	0.00008	U
Dieldrin	60571	ug/L	0.71	0.00006	U	0.00004	U	0.00004	U
Chlorpyrifos	2921882	ug/L	0.011*	0.00011	U	0.00008	U	0.00008	U
Endosulfan I	959988	ug/L	0.034	0.00011	U	0.00008	U	0.00008	U
Endosulfan II	33213659	ug/L	0.034	0.00010	U	0.00007	U	0.00007	U
Endrin	72208	ug/L	0.037	0.00012	U	0.00008	U	0.00008	U
Gamma-Chlordane (trans)	5103742	ug/L		0.00005	U	0.00004	U	0.00004	U
Heptachlor	76448	ug/L	0.053	0.00008	U	0.00006	U	0.00006	U
Heptachlor epoxide	1024573	ug/L	0.053	0.00010	U	0.00007	U	0.00007	U
Lindane	58899	ug/L	0.16	0.00007	U	0.00005	U	0.00005	U
Toxaphene	8001352	ug/L	0.21	0.00365	U	0.00257	U	0.00257	U
Chlordane (alpha + gamma)	SUMCHLOR	ug/L	0.09	0.00016	U	0.00011	U	0.00011	U
<b>PCBs</b>									
PCB 008	34883437	ug/L		0.00010	U	0.00007	U	0.00007	U
PCB 018	37680652	ug/L		0.00013	U	0.00009	U	0.00009	U
PCB 028	7012375	ug/L		0.00013	U	0.00009	U	0.00009	U
PCB 044	41464395	ug/L		0.00008	U	0.00006	U	0.00006	U
(PCB 049)	41464408	ug/L		0.00028	J	0.00005	U	0.00005	U
PCB 052	35693993	ug/L		0.00037	J	0.00005	U	0.00005	U
PCB 066	32598100	ug/L		0.00010	U	0.00007	U	0.00007	U
(PCB 087)	38380028	ug/L		0.00013	U	0.00009	U	0.00009	U
PCB 101	37680732	ug/L		0.00016	U	0.00011	U	0.00011	U
PCB 105	32598144	ug/L		0.00011	U	0.00008	U	0.00008	U
PCB 118	31508006	ug/L		0.00009	U	0.00006	U	0.00006	U
PCB 128	38380073	ug/L		0.00011	U	0.00008	U	0.00008	U
PCB 138	35065282	ug/L		0.00008	U	0.00005	U	0.00005	U
PCB 153	35065271	ug/L		0.00009	*	0.00004	U	0.00004	U
PCB 170	35065306	ug/L		0.00012	U	0.00008	U	0.00008	U
PCB 180	35065293	ug/L		0.00010	U	0.00007	U	0.00007	U
(PCB 183)	52663691	ug/L		0.00011	U	0.00007	U	0.00007	U
(PCB 184)	74472483	ug/L		0.00010	U	0.00007	U	0.00007	U
PCB 187	52663680	ug/L		0.00007	U	0.00005	U	0.00005	U
PCB 195	52663782	ug/L		0.00006	U	0.00004	U	0.00004	U
PCB 206	40186729	ug/L		0.00013	U	0.00009	U	0.00009	U
PCB 209	2051243	ug/L		0.00006	U	0.00004	U	0.00004	U
Total PCBs	SumNOAA18	ug/L	0.03	0.00416		0.00243	U	0.00243	U

Notes

U: Compound was analyzed for but was not detected (non-detect)

J: Indicates an estimated value

\* indicates average includes detects and non-detects

Non-detects are reported as 1/2 the MDL

Half the MDL was used for U-qualified values to calculate summary and average values

Yellow=exceedance of water quality criteria

Total PCBs were calculated using the NOAA 18 method

Total PCB WQC is for chronic exposure as no acute exposure value available



**Attachment 9 – List of Authorizations Required for Project**



## 9.0 List of Authorizations Required for Project

The following authorizations are required by federal, state, and local agencies to conduct the proposed dredging work at the Kennebunkport Marina:

Authorization	Regulatory Entity	Status
Individual Standard Permit	U.S. Army Corps of Engineers	Application included herein
Section 408	U.S. Army Corps of Engineers	Submitted concurrently with this Individual Standard Permit
Individual NRPA Permit	Maine Department of Environmental Protection	Submitted concurrently with this Individual Standard Permit
Kennebunk River Committee Approval	Town of Kennebunkport/Kennebunk	To be submitted in late winter/early spring 2025
Kennebunk River Harbor Master Approval	Town of Kennebunkport/Kennebunk	To be submitted in late winter/early spring 2025
Activities and Land Use Permit	Town of Kennebunkport	To be submitted following Kennebunk River Committee/Harbor Master approval
Site Plan Review	Town of Kennebunkport	To be submitted following Kennebunk River Committee/Harbor Master approval
Flood Hazard Development Permit	Town of Kennebunkport	To be submitted following Kennebunk River Committee/Harbor Master approval

### Water Quality Certification


The Maine Department of Environmental Protection (DEP) “has combined the decision concerning water quality certification with the review of an application for a state permit that already requires compliance with state water quality standards...the issuance of the order approving the project constitutes both the state permit and the water quality certification.” The project team is filing a Maine DEP Natural Resources Protection Act (NRPA) Permit Application concurrently with this Pre-Construction Notification Application. In accordance with the statement quoted above, the NRPA Permit Approval will constitute both the state permit and the Water Quality Certification and can be provided to the USACE upon receipt.



## **Attachment 10 – Transportation Route**



## 10.0 Isle of Shoals North Disposal Site Transportation Route



**Location:** The Isle of Shoals North (IOSN) Disposal Site is located in the Gulf of Maine, approximately 20 km (10.8 nmi) east of Portsmouth, New Hampshire, 17.7 km (9.55 nmi) southeast of Kittery, Maine, and 11.2 km (6.04 nmi) north of Eastern Island, the closest within the Isle of Shoals. The site is defined as a 2,600 m (8,530 ft) diameter circle on the seafloor with its center located at 70° 26.995' W and 43° 1.142' N.

**Route:** From the Kennebunkport Marina, navigate in a southerly direction towards the mouth of the Kennebec River, then in a southwestern direction through the Gulf of Maine to the IOSN Disposal Site. The total transportation route distance from the Kennebunkport Marina to the IOSN Disposal Site is approximately 23 nautical miles.

**Estimated Number of Trips to IOSN:** The estimated quantity of dredge material expected to be removed from the Kennebunkport Marina is 3,675 cubic yards. It is estimated that the dredge scow that will be used to transport sediment to the IOSN Disposal Site will have between 500 and 600 cubic yards of capacity, which would result in 7 to 8 trips to the IOSN Disposal Site.



**Maine DEP NRPA Individual Permit Application  
(Submitted on November 15, 2024)**



**Maine DEP  
Natural Resources Protection Act (NRPA)  
Permit Application**

For

Kennebunkport Marina  
67 Ocean Ave  
Kennebunkport, Maine

November 12, 2024

**Applicant**

KPT Marine, LLC  
67 Ocean Ave  
Kennebunkport, Maine

Prepared By:



One Karen Drive, Suite 2A  
Westbrook, Maine  
207.553.9898





November 12, 2024

Maine Department of Environmental Protection  
312 Canco Road  
Portland, Maine 04103

**RE: Individual NRPA Permit Application  
Kennebunkport Marina  
Kennebunkport, Maine 04046**

To Whom it May Concern,

On behalf of KPT Marine, LLC (Applicant), Walsh Engineering Associates, Inc. (WEA), is pleased to submit the enclosed Natural Resources Protection Act (NRPA) application for the proposed dredging activities to take place in the Kennebunk River located adjacent to the Kennebunkport Marina.

The Kennebunkport Marina is located at 67 Ocean Ave in Kennebunkport, Maine, with 187 feet of frontage along the Kennebunk River. The Town of Kennebunkport Assessor's Office identifies the parcel as Map 10, Block 1, Lot 2. The facility is a 0.44-acre parcel of land with a 3,210 square foot 1.5-story office building and a 690 square foot 1-story cottage. The property maintains associated parking areas and 45 boat slips. The proposed dredge area is coincidental with the area that was previously permitted under Maine DEP Permit #L-18612-4E-A-N in 1994. Since that time, the Kennebunkport Marina was dredged in 2005 under Permit ##L-18612-4E-B-N, and in Winter 2015-2016 under Maine DEP's Permit by Rule (PBR) process and U.S. Army Corps of Engineers (USACE) Permit #NAE-2005-28.

A copy of this application has been sent to the USACE Maine Project Office, as well as the Town of Kennebunkport Planning & Code Enforcement Department. WEA has notified the applicable abutting parties of the proposed development and has provided the notice of intent to file to the *Portland Press Herald* for publication. On behalf of the applicant, thank you in advance for your review of this application. We look forward to working with you and the department to make this project successful.

Respectfully,

A handwritten signature in dark ink, reading "Leyna L. Tobey". The signature is fluid and cursive, with the first name "Leyna" being the most prominent part.

Leyna Tobey, PE – Project Manager  
Walsh Engineering Associates, Inc.

cc. Kennebunkport Marina  
Enc. NRPA Application & Supporting Documents



**Table of Contents**  
**Maine DEP – NRPA Application**  
Kennebunkport Marina  
Kennebunkport, ME 04046

---

NRPA Permit Application  
Proof of Payment  
Agent Authorization  
Certificate of Good Standing  
Deed/Right/Title/Interest

Activities Description.....	Attachment 1
Alternatives Analysis.....	Attachment 2
Site Location Map.....	Attachment 3
Photo Log.....	Attachment 4
Site Plan.....	Attachment 5
Additional Plan (Section Views) .....	Attachment 6
Construction Plan.....	Attachment 7
Erosion and Sedimentation Control Plan.....	Attachment 8
Site Conditions Report .....	Attachment 9
Notice of Intent to File .....	Attachment 10
Historic Sites .....	Attachment 11
Functional Assessment.....	Attachment 12
Wetland Compensation Plan .....	Attachment 13
Sampling and Analysis Plan .....	Attachment 14
Disposal Site Transportation Route .....	Attachment 15
Notice to Fisherman.....	Attachment 16

Appendices

MDEP Visual Evaluation Field Survey Checklist .....	Appendix A
MDEP Coastal Wetland Field Survey Checklist .....	Appendix B
Supplemental Information for Dredging Activities .....	Appendix C
Sediment Sampling Results .....	Appendix D



## APPLICATION FOR A NATURAL RESOURCES PROTECTION ACT PERMIT

<b><sup>1</sup> Name of Applicant:</b> KPT Marine, LLC (c/o Shawn Dumas)		<b><sup>5</sup> Name of Agent:</b> Walsh Engineering Associates, Inc.							
<b><sup>2</sup> Applicant's Mailing Address:</b> 67 Ocean Ave, Kennebunkport, Maine 04046		<b><sup>6</sup> Agent's Mailing Address:</b> 1 Karen Drive, Suite 2A Westbrook, Maine 04092							
<b><sup>3</sup> Applicant's Daytime Phone:</b> 207-590-1658		<b><sup>7</sup> Agent's Daytime Phone:</b> 207-553-9898							
<b><sup>4</sup> Applicant's Email Address:</b> shawn@kennebunkportmarina.com		<b><sup>8</sup> Agent's Email Address:</b> leyna@walsh-eng.com							
<b><sup>9</sup> Location of Activity (nearest Road, Street, Rt.#):</b> 67 Ocean Avenue		<b><sup>10</sup> Town:</b> Kennebunkport	<b><sup>11</sup> County:</b> York						
<b><sup>12</sup> Type of Resource:</b> (Check all that apply)	<input type="checkbox"/> River, stream or brook <input type="checkbox"/> Great Pond <input checked="" type="checkbox"/> Coastal Wetland <input type="checkbox"/> Freshwater Wetland <input type="checkbox"/> Wetland Special Significance <input type="checkbox"/> Significant Wildlife Habitat <input type="checkbox"/> Fragile Mountain								
		<b><sup>13</sup> Name of Resource:</b> Kennebunk River  <b><sup>14</sup> Amount of Impact (sq. ft.):</b> 36,925 SF (0.8 acres) <b>Fill:</b> 0 CY <b>Dredging/Veg Removal/Other:</b> 3,675 CY							
<b><sup>15</sup> Type of Wetland:</b> (Check all that apply)	<input type="checkbox"/> Forested <input type="checkbox"/> Scrub Shrub <input type="checkbox"/> Emergent <input type="checkbox"/> Wet Meadow <input type="checkbox"/> Peatland <input checked="" type="checkbox"/> Open Water <input type="checkbox"/> Other _____	<b style="text-align: center;">FOR FRESHWATER WETLANDS</b> <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: center; border-bottom: 1px solid black;"><i>Tier 1</i></th> <th style="text-align: center; border-bottom: 1px solid black;"><i>Tier 2</i></th> <th style="text-align: center; border-bottom: 1px solid black;"><i>Tier 3</i></th> </tr> <tr> <td style="padding: 5px; vertical-align: top;"> <input type="checkbox"/> 0 – 4,999 sq. ft.  <input type="checkbox"/> 5,000 – 9,999 sq. ft.  <input type="checkbox"/> 10,000 – 14,999 sq. ft.         </td> <td style="padding: 5px; vertical-align: top;"> <input type="checkbox"/> 15,000 – 43,560 sq. ft.         </td> <td style="padding: 5px; vertical-align: top;"> <input type="checkbox"/> &gt; 43,560 sq. ft. or  <input type="checkbox"/> Smaller than 43,560 sq. ft., not eligible for Tier 1         </td> </tr> </table>		<i>Tier 1</i>	<i>Tier 2</i>	<i>Tier 3</i>	<input type="checkbox"/> 0 – 4,999 sq. ft. <input type="checkbox"/> 5,000 – 9,999 sq. ft. <input type="checkbox"/> 10,000 – 14,999 sq. ft.	<input type="checkbox"/> 15,000 – 43,560 sq. ft.	<input type="checkbox"/> > 43,560 sq. ft. or <input type="checkbox"/> Smaller than 43,560 sq. ft., not eligible for Tier 1
<i>Tier 1</i>	<i>Tier 2</i>	<i>Tier 3</i>							
<input type="checkbox"/> 0 – 4,999 sq. ft. <input type="checkbox"/> 5,000 – 9,999 sq. ft. <input type="checkbox"/> 10,000 – 14,999 sq. ft.	<input type="checkbox"/> 15,000 – 43,560 sq. ft.	<input type="checkbox"/> > 43,560 sq. ft. or <input type="checkbox"/> Smaller than 43,560 sq. ft., not eligible for Tier 1							
<b><sup>16</sup> Proposed Start Date and Brief Activity Description:</b> Dredging of the Kennebunk River at the Kennebunkport Marina to provide adequate depth for navigation; Winter 2025-2026.									
<b><sup>17</sup> Size of Lot or Parcel &amp; UTM Locations:</b> <input type="checkbox"/> _____ square feet, or <u>0.44</u> acres UTM Northing: <u>4801427.76</u> m N UTM Easting: <u>19 T 380584.29</u> m E									
<b><sup>18</sup> Title, Right or Interest:</b> <input type="checkbox"/> Own <input checked="" type="checkbox"/> Lease <input type="checkbox"/> Purchase Option <input type="checkbox"/> Written Agreement									
<b><sup>19</sup> Deed Reference Numbers:</b> Book: <u>7468</u> Page: <u>95, 96</u>		<b><sup>20</sup> Map and Lot Numbers:</b> Map: <u>10</u> Block: <u>1</u> Lot: <u>2</u>							
<b><sup>21</sup> DEP Staff Previously Contacted:</b> Alison Sirois Alex Groblewski		<b><sup>22</sup> Part of a larger project:</b> <b>After-the-Fact:</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No							
<b><sup>23</sup> Resubmission of Application?</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<b>If yes, previous application #:</b> #L-18612-4E-A-N & B-N	<b>Previous project manager:</b>							
<b><sup>24</sup> Written Notice of Violation?</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<b>If yes, name of DEP enforcement staff involved:</b>	<b><sup>25</sup> Previous Wetland Alteration:</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No							
<b><sup>26</sup> Detailed Directions to the Project Site:</b> From Portland, take I-95 South; exit 32, route ME-111, then onto Precourt Street; turn right onto US-1 South, then left onto Log Cabin Road; left onto Maine Street; right onto ME-9; then 2nd left onto Ocean Ave									
<b>TIER 1</b>		<b>TIER 2/3 AND INDIVIDUAL PERMITS</b>							
<input type="checkbox"/> Title, right or interest documentation <input type="checkbox"/> Topographic Map <input type="checkbox"/> Narrative Project Description <input type="checkbox"/> Plan or Drawing (8 1/2" x 11") <input type="checkbox"/> Photos of Area <input type="checkbox"/> Statement of Avoidance & Minimization <input type="checkbox"/> Statement/Copy of cover letter to MHPC		<input checked="" type="checkbox"/> Title, right or interest documentation <input checked="" type="checkbox"/> Topographic Map <input checked="" type="checkbox"/> Copy of Public Notice/Public Information Meeting Documentation <input type="checkbox"/> Wetlands Delineation Report (Attachment 1) that contains the information listed under Site Conditions <input checked="" type="checkbox"/> Alternatives Analysis (Attachment 2) including description of how wetland impacts were Avoided/Minimized							
		<input checked="" type="checkbox"/> Erosion Control/Construction Plan <input checked="" type="checkbox"/> Functional Assessment (Attachment 3), if required <input checked="" type="checkbox"/> Compensation Plan (Attachment 4), if required <input checked="" type="checkbox"/> Appendix A and others, if required <input checked="" type="checkbox"/> Statement/Copy of cover letter to MHPC <input type="checkbox"/> Description of Previously Mined Peatland, if required							
<b>FEES, CERTIFICATIONS AND SIGNATURES LOCATED ON PAGE 2</b>									



**<sup>28</sup> FEES**

**FEE:** I will pay the Natural Resources Protection Act Permit fee (<https://www.maine.gov/dep/feeschedule.pdf>) by:

☒ **Credit Card** – Pay online through the **Payment Portal**. (Attach payment confirmation when filing this application form.)

☐ **Check** – Fill in all the information below and mail a copy of this form (without attachments) and a check made payable to “Treasurer, State of Maine,” to: Maine DEP, 17 State House Station, Augusta, ME 04333-0017.

Name:

Phone:

Ext.

Check #:

Email Filing Date:

**IMPORTANT**

**IF THE SIGNATURE BELOW IS NOT THE APPLICANT'S SIGNATURE,  
ATTACH LETTER OF AGENT AUTHORIZATION SIGNED BY THE APPLICANT.**

**By signing below the applicant (or authorized agent),  
certifies that he or she has read and understood the following:**

**DEP SIGNATORY REQUIREMENT****PRIVACY ACT STATEMENT**

Authority: 33 USC 401, Section 10; 1413, Section 404. Principal Purpose: These laws require permits authorizing activities in or affecting navigable waters of the United States, the discharge of dredged or fill material into waters of the United States, and the transportation of dredged material for the purpose of dumping it into ocean waters. Disclosure: Disclosure of requested information is voluntary. If information is not provided, however, the permit application cannot be processed nor a permit be issued.


**CORPS SIGNATORY REQUIREMENT**

USC Section 1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly and willfully falsifies, conceals, or covers up any trick, scheme, or disguises a material fact or makes any false, fictitious or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious or fraudulent statements or entry shall be fined not more than \$10,000 or imprisoned not more than five years or both. I authorize the Corps to enter the property that is subject to this application, at reasonable hours, including buildings, structures or conveyances on the property, to determine the accuracy of any information provided herein.

**DEP SIGNATORY REQUIREMENT**

"I certify under penalty of law that I have personally examined the information submitted in this document and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the information is true, accurate, and complete. I authorize the Department to enter the property that is the subject of this application, at reasonable hours, including buildings, structures or conveyances on the property, to determine the accuracy of any information provided herein. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Further, I hereby authorize the DEP to send me an electronically signed decision on the license I am applying for with this application by emailing the decision to the address located on the front page of this application (see #4 for the applicant and #8 for the agent)."



Digitally signed by Leyna Tobey, PE  
Date: 2024.11.12 10:06:52-05'00'

Date: \_\_\_\_\_

**SIGNATURE OF AGENT/APPLICANT**

Signature of Agent: **See Attached Agent Authorization**

Date: \_\_\_\_\_

**NOTE: Any changes in activity plans must be submitted to the DEP and the Corps in writing and must be approved by both agencies prior to implementation. Failure to do so may result in enforcement action and/or the removal of the unapproved changes to the activity.**



State of Maine DEP Payment Receipt

**Contact Informa**      Leyna Tobey - 1 Karen Drive, Suite 2A, Westbrook, ME, 04092  
  
   (207) 553-9898  
  
   leyna@walsh-eng.com

**Billing Informati**      Chrissyoula Walsh - 1 Karen Drive, Suite 2A, ME, 04092  
  
   (207) 553-9898  
  
   Bill@Walsh-eng.com

Product	Reference Number	Customer Number	Payment Amount	Comments
Natural Resources Protection Act (Individual Permit)	New Application		\$679.00	Kennebunkport Marina Dredging NRPA Individual Permit Code: 4E. Processing Fee: \$543; Licensing Fee: \$136;

**Receipt ID:**    8321  
  
**Transaction Date:**    11/11/2024 2:47:42 PM

Transaction Summary	
Payment	\$679.00
Service Fee	\$2.00
<b>Total</b>	<b>\$681.00</b>

**Thank you for your successful transaction.**  
  
**If you have questions or concerns, please call (207) 287-7688**  
  
**or Email:**    Payments.DEP@maine.gov

**Print**



To Whom It May Concern,

By this letter, the undersigned, a representative of the KPT Marine, LLC, authorizes Walsh Engineering Associates, Inc. to act as the agent for the undersigned in the preparation and submission of all Federal, State, and Local permit applications and relevant documents and correspondence for all necessary permits for the maintenance dredging of the property at 67 Ocean Avenue in Kennebunkport, Maine; to attend meetings and site visits; to appear before all boards, commissions, and committees, and to provide such other services as are necessary and appropriate in furtherance of the aforementioned project.

Sincerely,

Shawn Dumas  
Signature

Shawn Dumas, Operations Manager  
Printed Name and Title

10/31/2024  
Date



**MAINE**

Department of the Secretary of State

Bureau of Corporations, Elections and Commissions

**Corporate Name Search**

## Information Summary

[Subscriber activity report](#)

This record contains information from the CEC database and is accurate as of: **Fri Oct 25 2024 13:54:31**. Please print or save for your records.

Legal Name	Charter Number	Filing Type	Status
KPT MARINE, LLC	20102989DC	LIMITED LIABILITY COMPANY	GOOD STANDING

Filing Date	Expiration Date	Jurisdiction
05/04/2010	N/A	MAINE

**Other Names** (A=Assumed ; F=Former)

KENNEBUNKPORT BOAT CLUB A

KENNEBUNKPORT MARINA A

KENNEBUNKPORT YACHT CLUB A

WEBHANNET RIVER BOAT YARD A

### Principal Home Office Address

#### Physical

67 OCEAN AVENUE

KENNEBUNKPORT, ME 04046

#### Mailing

PO BOX 2734

KENNEBUNKPORT, ME 04046

### Clerk/Registered Agent

#### Physical

STEPHEN Y HODSDON  
HODSDON & AYER  
56 PORTLAND ROAD  
KENNEBUNK, ME 04043

#### Mailing

STEPHEN Y HODSDON  
HODSDON & AYER  
56 PORTLAND ROAD  
KENNEBUNK, ME 04043

[New Search](#)



**Click on a link to obtain additional information.**[List of Filings](#)[View list of filings](#)**Obtain additional information:**

Certificate of Existence (Good Standing) [\(more info\)](#)

[Short Form without amendments](#)  
(\$30.00)

[Long Form with amendments](#)  
(\$30.00)

Certificate of Legal Existence [\(more info\)](#)

[Short Form without amendments](#)  
(\$30.00)

[Long Form with amendments](#)  
(\$30.00)

---

You will need Adobe Acrobat version 3.0 or higher in order to view PDF files.  
If you encounter problems, visit the [troubleshooting page](#).



---

If you encounter technical difficulties while using these services, please contact the [Webmaster](#). If you are unable to find the information you need through the resources provided on this web site, please contact the Division of Corporations, UCC & Commissions Reporting and Information Section at 207-624-7752 or [e-mail](#).

© Department of the Secretary of State



## QUITCLAIM DEED WITH COVENANT

CHRISTOPHER S. NEAGLE, SUCCESSOR TRUSTEE of the KENNEBUNKPORT INVESTMENT TRUST, of North Yarmouth, Maine, in consideration of certain membership rights, hereby grants to KENNEBUNKPORT MARINA (a limited liability company), a Maine limited liability company with a place of business in Kennebunkport, Maine, with quitclaim covenant, the following real estate located in Kennebunkport, York County, Maine:

Parcel 1: A certain lot or parcel of land with any and all buildings and improvements thereon, located between Ocean Avenue, formerly known as River Road, and the channel of the Kennebunkport River in the Town of Kennebunkport, County of York, State of Maine, further described as follows:

Northwest by land now or formerly of Donald and Alice Kimball, or owners unknown;

West by the channel of the Kennebunk River;

South or southeast by other land of B-Jac Investments, Inc. on a line that is parallel with and 115 feet south of the Kimball boundary line;

East by Ocean Avenue for 115 feet;

Parcel 2: An adjacent parcel of land, with the buildings and improvements thereon, on Ocean Avenue in the Town of Kennebunkport, County of York, State of Maine, bounded and described as follows:

Beginning at a spike in the concrete sidewalk on the west side of Ocean Avenue at the southeast corner of land formerly of Rafaniello and formerly of B-Jac Investments, Inc. and being Parcel 1 described above;

Thence south along Ocean Avenue 105.35 feet to an iron pipe;

Thence S 77° 10' W along land formerly of George A. Tinson and later of Ruth Burr to the low water mark of the Kennebunk River or so far west as may be owned, which line is parallel with the south side of Parcel 1 above and 100 feet south of Parcel 1; measured on a line perpendicular to the south side of Parcel 1;

Thence north along the Kennebunk River to the southwest corner of Parcel 1 described above;

Thence N 77° 10' E along Parcel 1 to Ocean Avenue and the point of beginning.

These bearings are magnetic meridian 1959.

NO R.E. TRANSFER TAX PAID

EXHIBIT



(12)



SUBJECT HOWEVER, to the following:

1. Water pipe easement given to Moussan Water Company dated September 15, 1896 and recorded in Book 482, Page 93.

2. Restrictions in the 1973 deed recorded in Book 1984, Page 334, as modified by the 1978 document recorded in Book 2455, Page 349.

Being the same premises described in the December 30, 1994 deed recorded in the York County Registry of Deeds in Book 7299, Page 604.

Christopher S. Neagle, as Successor Trustee, has executed this instrument this 1st day of the month of July, 1995.

Witness:

KENNEBUNKPORT INVESTMENT TRUST

Patricia S. Brooks

By:

Christopher S. Neagle  
Trustee

STATE OF MAINE  
County of Cumberland

July 5, 1995

Then personally appeared the above named Christopher S. Neagle, Successor Trustee of the Kennebunkport Investment Trust, and acknowledged the foregoing instrument to be his free act and deed in his capacity as Successor Trustee, and the free act and deed of the Kennebunkport Investment Trust.

Before me,

Patricia S. Brooks  
Notary Public/Attorney at Law

Print Name: \_\_\_\_\_

PATRICIA S. BROOKS  
NOTARY PUBLIC, MAINE  
MY COMMISSION EXPIRES MARCH 14, 1998

147Y.COR.WATER/LLC.DED

-2-

RECEIVED YORK S.S.

95 JUL -6 PM12:22

ATTEST: Jan M. Moore  
REGISTER OF DEEDS



**Attachment 1:**  
**Activities Description**



## 1.0 Activities Description

The Kennebunkport Marina is located at 67 Ocean Avenue in Kennebunkport, Maine, with 187 feet of frontage along the Kennebunk River. The Town of Kennebunkport's Assessor's Office identifies the parcel as Map 10, Block 1, Lot 2. The facility is a 0.44-acre parcel of land with a 3,210 square foot 1.5-story office building and a 690 square foot 1-story cottage. The property maintains associated parking areas and 45 boat slips.

### **Existing Conditions**

The Kennebunkport Marina is located approximately 0.75-mile from the mouth of the Kennebunk River. The Kennebunk River flows generally southeast, past the towns of Lyman, Arundel, Kennebunk, and Kennebunkport. It enters the Atlantic Ocean in Kennebunkport, approximately 0.5-mile downstream from the town center. The surrounding area, with its high density of marinas and other waterfront uses, has an extensive history of dredging. The Kennebunkport Marina's dredging activities date back to the 1970s, with the most recent permits issued for maintenance dredging in 2016. Silt, sand, and other natural deposits have impacted the marina of the Kennebunkport Marina and have limited boat navigation and berthing depths, especially during periods of low tide.

### **Proposed Project**

The applicant is proposing to mechanically dredge approximately 3,675± cubic yards of sediment from the area in front of the Kennebunkport Marina, including in and around the boat slips, to provide adequate depth for navigation and berthing.

The area of the dredge will be an approximately 211-foot by 175-foot area (~36,925 square feet). The proposed dredge depth will be to elevation -6.0 feet mean low water, with about one foot of over-dig. It is anticipated that dredging will coincide with neighboring marinas performing dredging at the same approximate time (see "Adjacent Dredging Projects" section below). The material will be transported by barge to the Isle of Shoals North Disposal Site (IOSN). The IOSN is located approximately 15 nautical miles east of Portsmouth, New Hampshire, in the Gulf of Maine.

The proposed dredge area is coincidental with the area that was previously permitted under Maine DEP Permit #L-18612-4E-A-N in 1994. Since that time, the Kennebunkport Marina was dredged in 2005 under Permit ##L-18612-4E-B-N, and in Winter 2015-2016 under Maine DEP's Permit by Rule (PBR) process and U.S. Army Corps of Engineers (USACE) Permit #NAE-2005-28.

Given the timing for receiving permit approvals from Maine DEP and USACE, WEA anticipates that the work will occur during the winter 2025-2026 dredge window.



### **Adjacent Dredging Projects**

The dredging of the Kennebunkport Marina will coincide with similar dredging work at three adjacent marinas on the Kennebunk River, including the Arundel Yacht Club, the Yachtsman Marina, and the Kennebunk River Club.



**Attachment 2:**  
**Alternative Analysis**



## **2.0 Alternatives Analysis**

### **Dredging Alternatives Analysis**

WEA studied several alternatives for the Kennebunkport Marina dredging project, all evaluated against its purpose and need. The project's purpose is to dredge and dispose of dredged material from the site in an efficient, environmentally cautious, and effective manner; the project's need is to provide the Kennebunkport Marina with safe navigation and anchoring conditions for watercraft.

The existing conditions and dredging alternatives analysis are described in the following narrative:

#### **Existing Conditions**

The Kennebunkport Marina (site) encompasses approximately 0.44 acres of land. Ocean Avenue and the Yachtsman Marina border the site to the north; and Ocean Avenue borders the site to the east; the Tidemark Corporation (Chicks Marina) is located south of the property; and the Kennebunk River borders the property to the west.

#### **Alternative 1 – No Action**

WEA investigated the possibility of not dredging, however, the project's purpose is to provide effective navigation for watercraft and boat slips at the Kennebunkport Marina. If Alternative 1 is utilized, the club members and guest mariners will not be able to safely navigate to the boat slips. The area would continue to fill in with sediment and eventually the mooring and docking space would become unusable. Alternative 1 is not practicable as it would eventually force the Kennebunkport Marina to close due to unsafe navigation and does not satisfy the project need.

#### **Alternative 2 – Reduced Dredge**

WEA investigated the option of dredging 50% less than the proposed amount of 3,675 cubic yards. Though there may be a slight environmental benefit to dredging less (a smaller area would be disturbed and the length of dredging activities would be reduced), the dredged area would quickly fill in again within a few years, requiring the area to be dredged again sooner than if the area was dredged to elevation -6.0 feet. Again, this would not allow the club members and others to navigate or use the docks in a safe manner. Alternative 2 would not advance the project's need.

#### **Alternative 3 – Full Dredge**

WEA investigated the option of fully dredging the marina to the proposed elevation of -6.0 feet mean low water, totaling 3,675 cubic yards of dredge material. The dredging will provide adequate sediment removal for boat owners to navigate safely for 6-8 years at the current rate of sedimentation, and therefore has been selected as the most appropriate alternative for this project to meet the project's purpose and need.

#### **Selection**

Given the information above, Alternative 3 was selected as the most appropriate alternative for the project. This alternative will provide the maximum efficiency of dredging and will optimize the time between necessary dredging events.



## **Dredge Material Disposal Alternatives Analysis**

The USACE approved a Sampling and Analysis Plan (SAP) for the project on January 21, 2022, which provided proposed sediment sampling locations, methods, and testing criteria to determine disposal suitability. The sampling results were submitted to the USACE for the Kennebunkport Marina and the nearby Arundel Yacht Club, Yachtsman Marina, and Kennebunk River Club. The USACE issued a Suitability Determination for all 4 sites on June 10, 2024, which documents the suitability of the dredged material for disposal at the Isle of Shoals North (IOSN) open water disposal site.

It is WEA's understanding that the USACE requires Individual Standard Permit applicants to conduct an alternatives analysis to evaluate options for disposal of dredged material. In order of disposal method preference, the USACE favors onshore disposal, followed by beneficial use, and then open water placement.

The dredge material disposal alternatives analysis is described in the following narrative:

### **Alternative A – Onshore Disposal**

#### ***Onshore Disposal – Storage of Material at the Kennebunkport Marina***

WEA investigated the option of onshore disposal of the 3,675 cubic yards of dredged materials from the Kennebunkport Marina. The Kennebunkport Marina encompasses approximately 0.44 acres of land, as shown in the aerial site map attached to this Alternatives Analysis as Figure 1. Due to the small size of the Kennebunkport Marina lot, there is minimal space available to conduct onshore disposal operations at the site.

Logistically, to conduct onshore disposal of the dredged material, the following steps would need to be taken:

- Use barge-mounted dredging equipment to dredge sediment.
- Place the dredged material onshore into a stockpile or a large container from the dredge barge.
  - As shown in the attached aerial site map, the largest area available for a stockpile of dredged materials is located within a 42-foot by 42-foot paved area north of the Kennebunkport Marina building. If a 4-foot walkway is kept clear around the stockpile, the allowable diameter of the stockpile would be 34 feet (therefore the allowable radius would be 17 feet). Using the following standard soil stockpile volume equation, the required height of a 3,675 cubic yard (99,225 cubic feet) stockpile would need to be 327 feet tall, which is infeasible.
    - $Volume = \frac{1}{3} \times \pi \times Radius^2 \times Height \rightarrow$
    - $Height = Volume \times 3 \times \frac{1}{\pi} \times \frac{1}{Radius^2} \rightarrow$
    - $Height = 99,225 ft^3 \times 3 \times \frac{1}{\pi} \times \frac{1}{(17 ft)^2} = 327 ft$
  - In addition, this step is infeasible due to the layout of the Kennebunkport Marina's dock/boat slips; the closest a dredge barge could get to the "open space" located to the north of the Kennebunkport Marina building is at least 75 feet away, requiring the dredging equipment to have a very large reach.



- Give the dredged sediment appropriate time to dewater.
- Load dried dredged sediment into dump trucks or roll-off containers and haul offsite to a final disposal location.
  - Dump trucks have an approximately 20 cubic yard capacity and roll-off containers have a maximum capacity of 40 cubic yards. With these capacities, the hauling and disposal of the dried dredged sediment would require approximately 184 or 92 truckloads, respectively. The hauling of sediment would be infeasible due to major increases in project duration and costs.
  - In addition, because the proposed and allowable dredging window occurs during winter, local roadways will be posted for heavy truck traffic, which would likely require hauling vehicles to reduce the quantity of sediment they can transport at once.

As documented above, onshore disposal of dredged sediment using the Kennebunkport Marina site is infeasible due to site constraints and sediment hauling duration/costs. As mentioned, an aerial map of the site is included as Figure 1 to this Alternatives Analysis for reference.

### ***Onshore Disposal – Storage of Material at Alternative Locations on the Kennebunk River***

The proposed dredge volume for the Kennebunkport Marina is 3,675 cubic yards, or 99,225 cubic feet. Area estimates for storing the dredged material in a stockpile or in roll-off dumpsters for dewatering are described below. Dewatering the dredged sediment could take anywhere from a couple days to a couple weeks.

#### Storage via Stockpile

It is assumed that acceptable side slopes for a stockpile of wet, silty sediment would be between 4:1 and 5:1 (horizontal to vertical), and an acceptable stockpile height would be between 20 and 25 feet. Using these criteria and the estimated dredge volume of 99,225 cubic feet, the diameter of the stockpile needed to store the dredged material would be approximately 140 feet. It is assumed that around 20 feet of additional space would be required around the perimeter of the stockpile for erosion and sedimentation controls, dewatering materials, and equipment access, increasing the diameter of the storage area to 180 feet. Figure 2, included with this Alternatives Analysis, shows what a 180-foot diameter stockpile would look like on nearby facilities with open space along the Kennebunk River; there are no facilities with adequate space to accommodate the stockpile storage area. In addition, the Kennebunkport Marina does not have control or interest in any of the nearby facilities along the Kennebunk River shown in Figure 2, with the exception of the Yachtsman Marina at 57 Ocean Avenue, which also does not have adequate space to accommodate the stockpile storage area.

#### Storage via Roll-Off Dumpster

The largest readily available roll-off dumpster size is 40 cubic yards. It is assumed that wet sediment dumped into a roll-off dumpster to dewater would contain about 20-percent water, which would reduce the soil capacity in the dumpster to 32 cubic yards. With this assumption, it would require 115 dumpsters to store 3,675 cubic yards of sediment. Each roll-off dumpster is 22 feet long by 7.5 feet wide; adding a 5-foot walking area around the roll-off would increase the footprint of each roll-off to 27 feet by 12.5 feet, or 337.5 square feet. The total space required for 115 roll-off dumpsters would be approximately 38,815 square feet. Figure 3, included with this Alternatives



Analysis, shows what an 38,815 square foot roll-off dumpster storage area would look like on nearby facilities with open space along the Kennebunk River; there are no facilities with adequate space to accommodate the roll-off storage area. In addition, the Kennebunkport Marina does not have control or interest in any of the nearby facilities along the Kennebunk River shown in Figure 3, with the exception of the Yachtsman Marina at 57 Ocean Avenue, which also does not have adequate space to accommodate the roll-off storage area.

### ***Onshore Disposal – Disposal Location Alternatives***

As stated above, it is infeasible to get the dredged material onshore for dewatering and subsequent hauling to a disposal location at the Kennebunkport Marina and other nearby facilities along the Kennebunk River. As a result, the following onshore disposal location alternatives are also considered infeasible:

- Landfill
  - This alternative is also infeasible due to the estimated cost to dispose of the material at a landfill. Tipping and hauling fees for material disposal would likely be between \$75 and \$100 per cubic yard, totaling around \$280,000 to \$370,000 for disposal of 3,675 cubic yards of material.
  - The Juniper Ridge Landfill in Alton/Old Town, Maine and the Waste Management Crossroads Landfill in Norridgewock, Maine currently do not have sufficient capacity to accommodate the dredge materials and the increase in daily traffic to dispose of the dredge materials. The Waste Management Turnkey Landfill in Rochester, NH could accommodate the materials, however, as documented above, this option is both infeasible due to inability to get the dredge material upland, and cost prohibitive.
- Well injection
  - The Environmental Protection Agency's "General Information About Injection Wells" webpage states that injected fluids may include "water, wastewater, brine (salt water), or water mixed with chemicals." The dredged materials will consist of silty sediment and therefore well injection is not a feasible disposal alternative.
  - In addition, the Maine Department of Environmental Protection's Underground Injection Control (UIC) Program webpage states that Class I, II, III, and IV injections wells are prohibited in Maine.
- Incineration
  - This alternative is also infeasible due to the estimated cost to incinerate soils. Hauling and incineration fees would likely be around \$700 per cubic yard, totaling around \$2.6M for the incineration of 3,675 cubic yards of material. (Source: Federal Remediation Technologies Roundtable Screening Matrix and Reference Guide, Version 4.0, Section 4.22 Incineration.) In addition, it appears that the closest soil incineration facilities to the Kennebunkport Marina are in Illinois or Arkansas.
- Spread of material over open ground
  - This alternative is also infeasible because the Kennebunkport Marina does not have access to a land area appropriate for spreading the material over open ground. Spreading 99,225 cubic feet of soil across a land area would consist of: 1 foot of sediment spread across a 99,225 square foot (~2.3 acre) land area; or 6 inches of sediment spread across a 198,450 square foot (~4.6 acre) land area.



- Additional biological, chemical, or physical treatment of intermediate or final waste streams
  - Additional treatment of the dredged sediment would not increase the feasibility of onshore disposal.

### **Alternative B – Beneficial Use**

WEA used the USACE’s New England District Beneficial Use Planning Tool (Tool) to identify potential beneficial use dredge material disposal sites within a 30-mile radius of the project site, which is the distance from the Kennebunkport Marina to the IOSN open water disposal site. The Tool identified 17 potential beneficial use sites; an analysis of the suitability of each of these sites is as follows:

- Beach Nourishment (4 sites – Wells Beach, Drakes Island Beach, Camp Ellis, Western Beach)
  - A representative from the USACE confirmed that all beach nourishment projects require sand, whereas the dredged material from the Kennebunk River will be primarily silt. Therefore, beneficial use of dredged material at the beach nourishment sites is infeasible.
- Construction and Industrial or Commercial Uses (2 sites – Cobble Berm in Ogunquit, ME and Dune Erosion/Stormwater Improvements in Wells, ME)
  - The two construction projects require cobble and sand materials, respectively, whereas the material dredged from the Kennebunk River will be primarily silt. Therefore, beneficial use of dredged material at the construction sites is infeasible.
- Nearshore Berm (6 sites – Wallis Sands, Wells, Goochs Beach, Kennebunk River, Saco, and Little River Rock Disposal Sites)
  - A representative from the USACE confirmed that all nearshore berm projects require sand, whereas the dredged material from the Kennebunk River will be primarily silt. Therefore, beneficial use of dredged material at nearshore berm sites is infeasible.
- Salt Marshes (5 sites – Piscataqua, Ogunquit/Rachel Carson National Wildlife Refuge, Webhannet, and Little River Salt Marsh Priority Areas Accepting Sediment; and Goosefare Salt Marsh)
  - Piscataqua Salt Marsh Priority Area: A representative from the New Hampshire Division of Environmental Services (NHDES) stated that the Piscataqua Salt Marsh is not a potential dredge disposal site.
  - Ogunquit/Rachel Carson National Wildlife Refuge, Webhannet, and Little River Salt Marsh Priority Areas Accepting Sediment and Goosefare Salt Marsh: A representative from the U.S. Fish and Wildlife Service (USFWS) stated that the State of Maine’s current regulations and permitting processes do not allow the use of dredged materials on salt marshes.
  - Beneficial use of dredged material at salt marsh sites is infeasible.

A summary of the 17 potential beneficial use sites is included as Table 1, attached to this Alternatives Analysis along with a list of references and copies of relevant email communications.



## **Alternative C – Open Water Placement**

### ***Open Water Placement – Saco Bay Open Water Disposal Site***

In order to get Maine DEP's approval for disposal at the Saco Bay Open Water Disposal Site, additional benthic environment testing of the river sediment is required. The time it will take to conduct the additional sediment testing and analysis, to receive an updated Suitability Determination for Saco Bay from the USACE, and to receive permit approvals for dredging from the USACE and Maine DEP would push the dredging activities to the Winter 2026-2027 dredge window. The Kennebunkport Marina has a critical need to conduct their maintenance dredging in the Winter 2025-2026 dredge window, as boats at their marina are already experiencing navigation challenges due to river sediment accumulation at the marina. As a result, consideration of the Saco Bay Disposal Site is not a feasible alternative for this round of maintenance dredging.

### ***Open Water Placement – Isle of Shoals North Open Water Disposal Site***

As stated above, the USACE issued a Suitability Determination for the Kennebunkport Marina and the nearby Arundel Yacht Club, Yachtsman Marina, and Kennebunk River Club on June 10, 2024, which documents the suitability of the dredged material for disposal at the IOSN open water disposal site.

## **Selection**

Due to the infeasibility of disposing of dredged material onshore and there being no beneficial use sites suitable for disposal, Alternative C, open water placement at IOSN, was selected as the most appropriate alternative for the project.



## **Figures**

**Figure 1: Kennebunkport Marina Site Aerial Map**

**Figure 2: Kennebunk River – Stockpile Locations**


**Figure 3: Kennebunk River – Roll-Off Dumpster Locations**



Approximate limits of "open space" for stockpile placement (cannot get to other side of parking lot with dredge equipment)

Approximate limits of 17-foot radius stockpile

Approximate location of the closest a dredge barge could get to the site





# Kennebunk River

Dredge Material Disposal Locations

FIGURE 2

Approximate footprint (25,450 square feet, 0.6 acre) of a 180-foot diameter stockpile area to facilitate sediment dewatering, shown at nearby facilities with open space on the Kennebunk River

Kennebunkport Marina





# Kennebunk River

Dredge Material Disposal Locations

FIGURE 3

Approximate footprint (38,815 square feet, ~0.9 acre) of area needed to store 115 roll-off dumpsters to facilitate sediment dewatering, shown at nearby facilities with open space on the Kennebunk River

Kennebunkport Marina





## **Tables**

**Table 1: Dredge Material Disposal Beneficial Use Alternatives – Kennebunkport Marina**



**Table 1**  
**Dredge Material Disposal Beneficial Use Alternatives - Kennebunkport Marina**  
**Summary Table & References**

<b><u>Project Name</u></b> <sup>1</sup>	<b><u>Project Category</u></b>	<b><u>Location</u></b>	<b><u>Coordinates</u></b>	<b><u>Contact</u></b>	<b><u>Feasible Disposal Location?</u></b>	<b><u>Reasoning</u></b>
Wells Beach	Beach Nourishment	Wells, ME	43.311208N -70.561063W	USACE	No	Beach nourishment projects require sand; dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Drakes Island Beach	Beach Nourishment	Wells, ME	43.321900N -70.552082W	USACE	No	Beach nourishment projects require sand; dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Camp Ellis	Beach Nourishment	Saco, ME	43.466204N -70.381264W	USACE	No	This beach nourishment project requires "sandy shoal material," and dredged material from the Kennebunk River will be primarily silt. <sup>4,5,6</sup>
Western Beach	Beach Nourishment	Scarborough, ME	43.539528N -70.321888W	USACE	No	Beach nourishment projects require sand; dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Cobble Berm	Construction and Industrial or Commercial Uses	Ogunquit, ME	43.236523N -70.589087W	USACE	No	Project requires cobble, and dredged material from the Kennebunk River will be primarily silt.
Dune Erosion and Stormwater Improvements	Construction and Industrial or Commercial Uses	Wells, ME	43.248998N -70.595158W	USACE	No	Dune requires sand, and dredged material from the Kennebunk River will be primarily silt.
Wallis Sands Disposal Site	Nearshore Berm	Rye, NH	43.020324N -70.726276W	USACE	No	Nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Wells Nearshore Disposal Site	Nearshore Berm	Wells, ME	43.307605N -70.560229W	USACE	No	20,000 CY of dredged "sandy" material from the 2020 Wells Harbor federal navigation project was placed here; however, nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5,6</sup>
Goochs Beach Nearshore Site	Nearshore Berm	Kennebunkport, ME	43.345503N -70.481053W	USACE	No	20,000 CY of dredged material from the 2020 Kennebunk/Kennebunkport federal navigation project was placed here; however, nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5,6</sup>
Kennebunk River Disposal Site	Nearshore Berm	Kennebunkport, ME	43.345134N -70.479100W	USACE	No	Nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Saco Nearshore Disposal Site	Nearshore Berm	Saco, ME	43.467543N -70.366173W	USACE	No	Nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Little River Rock Nearshore	Nearshore Berm	Saco, ME	43.518925N -70.364468W	USACE	No	Nearshore berm projects require sand, and dredged material from the Kennebunk River will be primarily silt. <sup>4,5</sup>
Piscataqua Salt Marsh Priority Area <sup>2</sup>	Salt Marsh Priority Area	Rye, NH	--	USFWS	No	Piscataqua Salt Marsh is not a potential dredge disposal site. <sup>7</sup>
Ogunquit Salt Marsh Priority Area/Rachel Carson National Wildlife Refuge <sup>3</sup>	Salt Marsh Priority Area	Ogunquit/Wells, ME	--	USFWS	No	Maine state permitting does not allow the use of dredged materials on salt marshes. <sup>8</sup>



**Table 1**  
**Dredge Material Disposal Beneficial Use Alternatives - Kennebunkport Marina**  
**Summary Table & References**

<b><u>Project Name</u></b> <sup>1</sup>	<b><u>Project Category</u></b>	<b><u>Location</u></b>	<b><u>Coordinates</u></b>	<b><u>Contact</u></b>	<b><u>Feasible Disposal Location?</u></b>	<b><u>Reasoning</u></b>
Webhannet Salt Marsh Priority Area <sup>3</sup>	Salt Marsh Priority Area	Wells, ME	--	USFWS	No	Maine state permitting does not allow the use of dredged materials on salt marshes. <sup>8</sup>
Little River Salt Marsh Priority Area <sup>3</sup>	Salt Marsh Priority Area	Wells, ME	--	USFWS	No	Maine state permitting does not allow the use of dredged materials on salt marshes. <sup>8</sup>
Goosefare Salt Marsh	Wetland Habitats/Salt Marsh	Saco, ME	43.493752N -70.392875W	USFWS	No	Maine state permitting does not allow the use of dredged materials on salt marshes. <sup>8</sup>

**References:**

1. USACE New England District Beneficial Use Planning Tool: <https://www.arcgis.com/apps/dashboards/4f1c828081684605af2972cb6297dacf>
2. New Hampshire Saltmarsh Restoration Priorities for the Saltmarsh Sparrow: [https://acjv.org/documents/NH\\_SALS\\_comp\\_guidance\\_doc.pdf](https://acjv.org/documents/NH_SALS_comp_guidance_doc.pdf)
3. Maine Saltmarsh Restoration Priorities for the Saltmarsh Sparrow: [https://acjv.org/documents/ME\\_SALS\\_comp\\_guidance\\_doc.pdf](https://acjv.org/documents/ME_SALS_comp_guidance_doc.pdf)
4. Email Correspondence Between WEA and USACE, dated August 13, 2024 (attached).
5. Email Correspondence Between WEA and USEPA, dated August 14, 2024 (attached).
6. USACE Update Report - Maine, dated January 31, 2024: [https://www.nae.usace.army.mil/Portals/74/ME-UpdateReport\\_31Jan2024.pdf](https://www.nae.usace.army.mil/Portals/74/ME-UpdateReport_31Jan2024.pdf)
7. Email Correspondence Between WEA and NHDES, dated August 19, 2024 (attached).
8. Email Correspondence Between WEA and USFWS, dated August 14, 2024 (attached).



## **References**

- 1. Email Correspondence Between WEA and USACE, dated August 13, 2024.**
- 2. Email Correspondence Between WEA and USEPA, dated August 14, 2024.**
- 3. Email Correspondence Between WEA and NHDES, dated August 19, 2024.**
- 4. Email Correspondence Between WEA and USFWS, dated August 14, 2024.**



## Leyna Tobey

---

**From:** Hopkins, Aaron D CIV USARMY CENAE (USA) <Aaron.D.Hopkins@usace.army.mil>  
**Sent:** Tuesday, August 13, 2024 12:44 PM  
**To:** Leyna Tobey; Saloio, Gabriella J CIV USARMY CEHQ (USA)  
**Subject:** RE: Beneficial Use Sites for Dredging

Hi Leyna,

I got your voicemail the other day and I apologize for not returning your call yet.

Great to see that you used the Beneficial Use of Dredged Material Planning Tool as a screening step for your project. You are correct about the beach nourishment sites needing sandy material – and the same can be said for the nearshore berm sites you identified in the Planning Map as those are intended to be feeder berms for the adjacent beaches. The openwater sites in your list are included in the Planning Map to compare openwater disposal alternatives and are not considered beneficial use themselves. That leaves the five salt marsh sites on your list which are all potential restoration sites from the USFWS. I would suggest you reach out to the contacts in the Atlantic Coast Joint Venture reference at USFWS or Maine Dept of Inland Fisheries and Wildlife to see if there are any potential beneficial uses for your project at those sites. We were able to provide some dredged material recently to the Rachel Carson National Wildlife Refuge in Wells, ME for a small beneficial use project.

Aaron

Aaron Hopkins  
DAMOS Program Manager  
US Army Corps of Engineers  
New England District  
696 Virginia Road  
Concord, MA 01742  
978.318.8973

---

**From:** Leyna Tobey <leyna@Walsh-eng.com>  
**Sent:** Tuesday, August 13, 2024 10:54 AM  
**To:** Saloio, Gabriella J CIV USARMY CEHQ (USA) <Gabriella.J.Saloio@usace.army.mil>; Hopkins, Aaron D CIV USARMY CENAE (USA) <Aaron.D.Hopkins@usace.army.mil>  
**Subject:** [Non-DoD Source] Beneficial Use Sites for Dredging

Good morning Gabriella and Aaron,

I am working on permitting a dredging project for several marinas on the lower Kennebunk River in Kennebunk, ME, and am currently conducting an alternatives analysis on where to dispose of the 25,000 CY of silty dredge material. I used the Army Corp's Beneficial Use of Dredged Material Planning Tool and found the potential disposal locations in the attached spreadsheet within a 30-mile radius of the project site.

As Gabriella is listed as the ACOE contact for several of the disposal locations and Aaron is listed at the contact for the DAMOS Beneficial Use Planning Map, I was hoping either of you would be able to provide me with some details for the disposal sites listed in the attached spreadsheet (e.g. if they are accepting materials, what types of materials they are accepting, timeline for acceptance, etc.) or could point me in the right direction to another



contact to reach out to. (Note that the attached spreadsheet does not include any beach nourishment projects, as those projects are assumed to need sand and the material we will be dredging is primarily silt.)

Please give me a call to discuss if that would be easier. Thanks in advance!

Leyna

Leyna Tobey, PE\*  
Project Manager | Civil Engineer  
*\*Licensed in MA*



One Karen Drive, Suite 2A  
Westbrook, ME 04092  
P: (207) 553-9898, Ext 105  
[www.walsh-eng.com](http://www.walsh-eng.com)



This transmission is intended only for the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or an employee or agent responsible for delivering the communication to the intended recipient, you are notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error please contact the sender at 207-553-9898.



## Leyna Tobey

---

**From:** Wolf, Steven <Wolf.Steven@epa.gov>  
**Sent:** Wednesday, August 14, 2024 10:18 AM  
**To:** Leyna Tobey  
**Cc:** Sterling, Alexa  
**Subject:** FW: Dredged Material Disposal Inquiry  
**Attachments:** 2024-08-12 Dredge Disposal Alternatives Analysis\_to EPA.xlsx

Hi Leyna, EPA co-manages the ocean dredged material disposal sites with the Army Corps – the goal of the alternatives analysis is to evaluate other uses of the dredged material rather than just straight disposal. The nearshore sites are considered “beneficial” in that material placed at those sites is integrated into coastal sediment transport and can actually nourish beaches with material under the right hydrodynamic conditions. Unfortunately, as I recall, the material from the projects you referenced contains too high a percentage of fine-grained material to be placed at the nearshore sites. For evaluating the feasibility of using the material as part of salt marsh restoration, I’d direct you back to the Corps and to ME and NH state agencies. I’d suggest starting with Todd Randall at the New England District Corps ([todd.a.randall@usace.army.mil](mailto:todd.a.randall@usace.army.mil)) who could provide information on any federal marsh restoration projects as well as the contact information for the states folks involved in marsh restoration. Feel free to reach back if you need additional information - Steve

Steven Wolf | US Environmental Protection Agency, Region 1 (New England)  
5 Post Office Square, Suite 100, Mail Code OEP06-1 Boston, MA 02109-3912  
Office: 617-918-1617 Mobile: 978-201-1928 [wolf.steven@epa.gov](mailto:wolf.steven@epa.gov)

---

**From:** Leyna Tobey <leyna@Walsh-eng.com>  
**Sent:** Tuesday, August 13, 2024 12:12 PM  
**To:** Sterling, Alexa <Sterling.Alexa@epa.gov>; Wolf, Steven <Wolf.Steven@epa.gov>  
**Subject:** Dredged Material Disposal Inquiry

**Caution:** This email originated from outside EPA, please exercise additional caution when deciding whether to open attachments or click on provided links.

Good afternoon Alexa and Steven,

I am working on permitting a dredging project for several marinas on the lower Kennebunk River in Kennebunk, ME, and am currently conducting an alternatives analysis on where to dispose of the 25,000 CY of silty dredge material. I used the Army Corp’s Beneficial Use of Dredged Material Planning Tool and found the potential disposal locations in the attached spreadsheet within a 30-mile radius of the project site.

As you are both listed on the EPA’s website for dredged material disposal, I was hoping either of you would be able to provide me with some details for the disposal sites listed in the attached spreadsheet (e.g. if they are accepting materials, what types of materials they are accepting, timeline for acceptance, etc.) or could point me in the right direction to another contact to reach out to. (Note that the attached spreadsheet does not include any beach nourishment projects, as those projects are assumed to need sand and the material we will be dredging is primarily silt.)

Please give me a call to discuss if that would be easier. Thanks in advance!

Leyna



Leyna Tobey, PE\*  
Project Manager | Civil Engineer  
*\*Licensed in MA*



One Karen Drive, Suite 2A  
Westbrook, ME 04092  
P: (207) 553-9898, Ext 105  
[www.walsh-eng.com](http://www.walsh-eng.com)



This transmission is intended only for the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or an employee or agent responsible for delivering the communication to the intended recipient, you are notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error please contact the sender at 207-553-9898.



## Leyna Tobey

---

**From:** Lucey, Kevin <kevin.p.lucey@des.nh.gov>  
**Sent:** Monday, August 19, 2024 11:59 AM  
**To:** Leyna Tobey; tracy@rockinghamccd.org  
**Subject:** RE: Piscataqua Saltmarsh Restoration Inquiry

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

Hi Leyna,  
There are only 3 NH sites listed as Beneficial Use Sites (Seabrook Beach, Hampton Beach, and Wallis Sands Offshore Berm). The "Piscataqua Salt Marsh" is not a potential dredge disposal site. Its included on the USACE mapper because it is a USFWS Priority for Salt Marsh. NH has not yet undertaken any sediment placement projects on tidal wetlands.

I don't know much about it, but I understand that there is a dredge sediment reuse project at the Webhannet Salt Marsh in Wells.

Good luck,  
Kevin Lucey, Habitat Coordinator  
Coastal Program | Watershed Management Bureau | Water Division  
New Hampshire Department of Environmental Services  
222 International Drive, Suite 175  
Portsmouth, NH 03801  
603-559-0026  
[kevin.p.lucey@des.nh.gov](mailto:kevin.p.lucey@des.nh.gov)

---

**From:** Leyna Tobey <leyna@Walsh-eng.com>  
**Sent:** Tuesday, August 13, 2024 1:53 PM  
**To:** Lucey, Kevin <kevin.p.lucey@des.nh.gov>; tracy@rockinghamccd.org  
**Subject:** Piscataqua Saltmarsh Restoration Inquiry

**EXTERNAL:** Do not open attachments or click on links unless you recognize and trust the sender.

---

Good afternoon Tracy and Kevin,

I am working on permitting a dredging project for several marinas on the lower Kennebunk River in Kennebunk, ME, and am currently conducting an alternatives analysis on where to dispose of the 25,000 CY of silty dredge material. I used the Army Corp's Beneficial Use of Dredged Material Planning Tool ([here](#)) and found that the Piscataqua Saltmarsh is listed as a potential dredge material disposal location.

I saw that you were both listed as contacts for the project on the New Hampshire Saltmarsh Restoration Priorities for the Saltmarsh Sparrow [document](#), and I was hoping either of you would be able to provide me with some details regarding whether you are accepting materials for the Saltmarsh, what types of materials are being accepted, timeline for material acceptance, etc. Or, if you are not the right contacts to be reaching out to, could you please point me in the right direction of who I should be contacting?



Please give me a call to discuss if that would be easier. Thanks in advance!

Leyna

**Leyna Tobey, PE\***  
Project Manager | Civil Engineer  
*\*Licensed in MA*



One Karen Drive, Suite 2A  
Westbrook, ME 04092  
P: (207) 553-9898, Ext 101  
[www.walsh-eng.com](http://www.walsh-eng.com)



This transmission is intended only for the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or an employee or agent responsible for delivering the communication to the intended recipient, you are notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error please contact the sender at 207-553-9898.



## Leyna Tobey

---

**From:** Sanders, Nicole A <nicole\_sanders@fws.gov>  
**Sent:** Wednesday, August 14, 2024 9:50 AM  
**To:** Leyna Tobey; danielle.dauria@maine.gov  
**Cc:** Adamowicz, Susan; Stromayer, Karl  
**Subject:** RE: [EXTERNAL] Webhannet Saltmarsh Restoration Inquiry

Hi Leyna,

Thank you for reaching out! Right now, in Maine, state permitting does now allow the use of dredged materials on salt marshes. We are going to pilot the first thin-layer placement on Refuge land in Maine but the reason we are able to do this is because ours is a true pilot study permitted under an innovate pilot program with the Maine DEP. This permitting pathway operates under a pilot solid waste permit. We initiated conversations with the Army Corps and regulators years prior to getting our small (~1,000 cy) amount of clean, sandy sediment. Though it's certainly not out of the question to apply for another thin-layer placement project, it will not be a fast process, and DEP may not permit it at all based on the current regulatory processes. Usually for a pilot, there is only a small amount of sediment used 1-2,000 cubic yards over a ~2 acre area. Still, they may consider scaling up, which is an important part of learning and attempting new restoration techniques in Maine. And, there are salt marsh areas that we have conceptually considered for future thin-layer projects. All comes down to the permitting process! Once our refuge manager, Karl, has returned from annual leave myself, Sue, and Karl can discuss viable options and get back to you. Thanks again for reaching out and thinking of us.

Best,  
Nicole

---

**From:** Leyna Tobey <leyna@Walsh-eng.com>  
**Sent:** Tuesday, August 13, 2024 2:00 PM  
**To:** Sanders, Nicole A <nicole\_sanders@fws.gov>; danielle.dauria@maine.gov  
**Subject:** [EXTERNAL] Webhannet Saltmarsh Restoration Inquiry

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Good afternoon Nicole and Danielle,

I am working on permitting a dredging project for several marinas on the lower Kennebunk River in Kennebunk, ME, and am currently conducting an alternatives analysis on where to dispose of the 25,000 CY of silty dredge



material. I used the Army Corp's Beneficial Use of Dredged Material Planning Tool ([here](#)) and found that the Webhannet River Complex Saltmarsh is listed as a potential dredge material disposal location.

I saw that you were both listed as contacts for the project on the Maine Saltmarsh Restoration Priorities for the Saltmarsh Sparrow [document](#), and I was hoping either of you would be able to provide me with some details regarding whether you are accepting materials for the project(s), what types of materials are being accepted, timeline for material acceptance, etc. Or, if you are not the right contacts to be reaching out to, could you please point me in the right direction of who I should be contacting?

Please give me a call to discuss if that would be easier. Thanks in advance!

Leyna

**Leyna Tobey, PE\***  
Project Manager | Civil Engineer  
*\*Licensed in MA*



One Karen Drive, Suite 2A  
Westbrook, ME 04092  
P: (207) 553-9898, Ext 105  
[www.walsh-eng.com](http://www.walsh-eng.com)




This transmission is intended only for the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this communication is not the intended recipient, or an employee or agent responsible for delivering the communication to the intended recipient, you are notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error please contact the sender at 207-553-9898.



**Attachment 3:**  
**Site Location Map**





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW



**Attachment 4:**  
**Photo Log**



**Kennebunkport Marina Dredge**  
Kennebunkport, ME

**Photo No. 1**

**Date:** 10/20/2020

**Site Location:**

Kennebunkport  
Marina

**Description:**

Looking towards the  
marina



**Photo No. 2**

**Date:** 10/20/2020

**Site Location:**

Kennebunkport  
Marina

**Description:**

Aerial view of  
Kennebunkport  
Marina





**Photo No. 3**

**Date:** 10/20/2020

**Site Location:**  
Kennebunkport  
Marina

**Description:**  
Aerial view of Marina.



**Photo No. 4**

**Date:**  
12/8/2021

**Site Location:**  
Kennebunkport  
Marina

**Description:**  
Boat slips in the  
marina.






**Attachment 5:**  
**Site Plan**



Kennebunkport Marina Dredging			
Elevation	Area (sf)	Incremental Volume (cu. yd.)	Cumulative Volume (cu. yd.)
0 to -1	1,065	20	20
-1 to -2	2,075	55	75
-2 to -3	3,425	100	175
-3 to -4	7,520	200	375
-4 to -5	20,810	525	900
-5 to -6	28,525	915	1,815
-6 to -7	31,500	1,125	2,940
Total Dredge Volume w/ 25% Bulking Factor			3,675 cu. yd.



PLAN REFERENCES:

- BATHYMETRY CONDUCTED BY WEA ON NOVEMBER 17, 2023 USING A HYDROLITE SONARMITE ECHOSOUNDER AND CARLSON Brx7 GNSS RECEIVER.
- TOPOGRAPHIC DATA COLLECTED BY WEA VIA A DJI M300 DRONE EQUIPPED WITH A ZENMUSE L1 LIDAR CAMERA ON NOVEMBER 21, 2023.
- ALL ELEVATIONS ON THIS PLAN ARE BASED ON THE MLLW VERTICAL DATUM. ELEVATIONS IN NAVD88 HAVE BEEN RAISED BY 5.15 FEET TO THE MLLW DATUM.
- A PLAN TITLED "BOUNDARY SURVEY AT YACHTSMAN LODGE & MARINA" PREPARED BY OWEN HASKELL, INC. OF 390 U.S. ROUTE ONE, UNIT 10, FALMOUTH, MAINE 04105, DATED APRIL 26, 2018.
- A PLAN TITLED "SITE PLAN SHOWING THE PROPERTY OF THE KENNEBUNKPORT MARINA" PREPARED BY WILLIAM PIERCE OF 6 WATERHOUSE ROAD, DAYTON, MAINE 04005, DATED NOVEMBER 1, 1995.
- A PLAN TITLED "KENNEBUNK RIVER KENNEBUNK AND KENNEBUNKPORT MAINE AFTER DREDGE SURVEY" PREPARED BY U.S. ARMY CORPS OF ENGINEERS NEW ENGLAND DISTRICT DATED MARCH 9, 2020.
- A PLAN TITLED "DOCK PLAN" PREPARED BY REILLY STUDIOS OF 959 ISLINGTON STREET, PORTSMOUTH, NEW HAMPSHIRE 03801, DATED MARCH 4, 2008.

**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

**KENNEBUNKPORT MARINA DREDGING**


KENNEBUNKPORT MARINA  
67 OCEAN AVE  
KENNEBUNKPORT, ME 04046

Sheet Title:	
<b>FIG 1: PLAN VIEW</b>	
Job No.:	643.1
Date:	OCT. 23, 2024
Scale:	1" = 20'
Drawn:	CAR/MNW
Checked:	WRW




**Attachment 6:**  
**Additional Plan (Section Views)**





Kennebunkport Marina Dredging Section A-A'



**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## KENNEBUNKPORT MARINA DREDGING

KENNEBUNKPORT MARINA  
67 OCEAN AVE  
KENNEBUNKPORT, ME 04046

Sheet Title:	<b>FIG 2: SECTION VIEW</b>
Job No.:	643.1
Date:	December 2023
Scale:	1" = 20'
Drawn:	CAR/MNW
Checked:	WRW



**Attachment 7:**  
**Construction Plan**



## **7.0 Construction Plan**

The dredging will be conducted utilizing a floating barge and dredging crane with a clamshell bucket. The barge will access the project area from traveling upriver from the Kennebunk River Breakwater. The area of the dredge will be an approximately 211-foot by 175-foot area (~36,925 square feet). The proposed dredge depth will be to elevation -6.0 feet mean low water, with about one foot of over-dig. It is anticipated that dredging will coincide with neighboring marinas performing dredging at the same approximate time, including the Arundel Yacht Club, the Yachtsman Marina, and the Kennebunk River Club. The material will be transported by barge to the Isle of Shoals North Disposal Site (IOSN). The IOSN is located approximately 15 nautical miles east of Portsmouth, New Hampshire, in the Gulf of Maine.



**Attachment 8:**  
**Erosion and Sedimentation Control Plan**



## **8.0 Erosion and Sedimentation Control Plan**

The dredging will be conducted from a floating barge using a dredging crane with a clamshell bucket. The dredged material will be placed on the barge and brought to the Isle of Shoals North (IOSN) open water placement site for disposal. There will be no storage of the dredged material on land which negates the need for erosion and sedimentation control measures in this regard. No formal erosion control measures are proposed for the project. However, turbidity curtains will be implemented, if deemed necessary, around the proposed dredging area to mitigate the travel of sediment during the in-water disturbance.



**Attachment 9:**  
**Site Conditions Report**



## 9.0 Site Conditions Report

The dredging activity will occur at the Kennebunkport Marina within the Kennebunk River, which is located approximately 0.75 miles from the mouth of the Kennebunk River.

The shoreline area southwest of the Kennebunkport Marina consists of the structure on risers and a retaining wall to the north. The sandy area in front of those walls is completely covered at high tide and is partially exposed at low tide. Minimal rockweed was observed in this area, but no other plant or marine species were noted.

According to the Maine Department of Inland Fisheries & Wildlife (IF&W) Beginning with Habitat website (<https://www.maine.gov/ifw/fish-wildlife/wildlife/beginning-with-habitat/maps/index.html>), the dredging location is bordered to the northwest and southeast by wetlands identified by the National Wetland Inventory (NWI). The area of the dredging is located in a relatively small area of the Kennebunk River's shellfish growing area.

According to the U.S. Department of Fish & Wildlife Service (USFWS) Information for Planning and Consultation (IPaC) website (<https://ipac.ecosphere.fws.gov/>), the following are listed species that may occur in the area of the property: the Northern Long-eared Bat, Tricolored Bat, and the Monarch Butterfly.

According to the National Oceanic and Atmospheric Administration (NOAA) Fisheries Essential Fish Habitat (EFH) Mapper, the project location is mapped within a New England/Mid-Atlantic EFH for the following species: Acadian redfish (larvae); haddock (juvenile); little skate (adult); monkfish (eggs, larvae, juvenile, adult); silver hake (eggs, larvae, adult); and winter flounder (eggs). The project is likely to have short-term and localized impacts to EFH, with no significant impacts to these habitats anticipated.

According to the NOAA Fisheries Greater Atlantic Region Endangered Species Act (ESA) Section 7 Mapper (Section 7 Mapper), adult and subadult Atlantic sturgeon (threatened/endangered) and adult shortnose sturgeon (endangered) migrate and forage in the Kennebunk River within the limits of the project boundary. The migrating and foraging time of year for the Atlantic sturgeon is identified as all year, however, the Section 7 Mapper notes that the Atlantic sturgeon exhibit seasonal coastal movements in the spring and fall; the migrating and foraging time of year for the shortnose sturgeon is identified as April 1 to November 30.

The Kennebunkport Marina dredging work is proposed to take place in winter 2025-2026 and to avoid disturbances to EFH and sturgeon populations to the maximum extent possible.

Refer to photos in Section 4.0 and the Maine DEP Coastal Wetland Characterization form provided in Appendix B. Based on the resource mapping shown, the project will have minimal impact on existing natural resources.

The Kennebunk River (Assessment Unit ID ME0106000301\_622 R01) is listed on the Maine Department of Environmental Protection's (DEP's) Final 2018/2020/2022 Integrated Water Quality Report as a Delisted Category 5 Waterbody, as a Total Maximum Daily Load (TMDL) for




E. coli was approved for the river in 2009. The proposed dredging activities will not discharge any bacteria into the river.



## **Maine IF&W Beginning with Habitat Map**




# Beginning With Habitat



October 25, 2024

- |   |   |
|---|---|
| Shellfish Beds                                    | Inland Waterfowl / Wading Bird Habitat              |
| Stream Buffer (75 feet)                           | Significant Vernal Pools                            |
| Great Ponds, Rivers and Coastal Buffer (250 feet) | Deer Wintering Areas                                |
| Atlantic Salmon Habitat                           | Essential Wildlife Habitats                         |
| Shorebird Habitat                                 | Endangered, Threatened, and Special Concern Species |
| Seabird Nesting Island                            | Natural Communities                                 |
| Tidal Waterfowl / Wading Bird Habitat             | Rare Plants and Natural Communities                 |





## **USFWS IPaC Official Species List**





## United States Department of the Interior

### FISH AND WILDLIFE SERVICE

Maine Ecological Services Field Office

P. O. Box A

East Orland, ME 04431

Phone: (207) 469-7300 Fax: (207) 902-1588



In Reply Refer To:

10/25/2024 18:34:27 UTC

Project Code: 2025-0011340

Project Name: Kennebunkport Marina Dredging

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological



evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf>

**Migratory Birds:** In addition to responsibilities to protect threatened and endangered species under the Endangered Species Act (ESA), there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity, intentional or unintentional, resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the U.S. Fish and Wildlife Service (50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)). For more information regarding these Acts, see <https://www.fws.gov/program/migratory-bird-permit/what-we-do>.

The MBTA has no provision for allowing take of migratory birds that may be unintentionally killed or injured by otherwise lawful activities. It is the responsibility of the project proponent to comply with these Acts by identifying potential impacts to migratory birds and eagles within applicable NEPA documents (when there is a federal nexus) or a Bird/Eagle Conservation Plan (when there is no federal nexus). Proponents should implement conservation measures to avoid or minimize the production of project-related stressors or minimize the exposure of birds and their resources to the project-related stressors. For more information on avian stressors and recommended conservation measures, see <https://www.fws.gov/library/collections/threats-birds>.

In addition to MBTA and BGEPA, Executive Order 13186: *Responsibilities of Federal Agencies to Protect Migratory Birds*, obligates all Federal agencies that engage in or authorize activities that might affect migratory birds, to minimize those effects and encourage conservation measures that will improve bird populations. Executive Order 13186 provides for the protection of both migratory birds and migratory bird habitat. For information regarding the implementation of Executive Order 13186, please visit <https://www.fws.gov/partner/council-conservation-migratory-birds>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Code in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.



Attachment(s):

- Official Species List
- USFWS National Wildlife Refuges and Fish Hatcheries
- Bald & Golden Eagles
- Migratory Birds
- Wetlands

## OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

**Maine Ecological Services Field Office**

P. O. Box A

East Orland, ME 04431

(207) 469-7300



## PROJECT SUMMARY

Project Code: 2025-0011340  
Project Name: Kennebunkport Marina Dredging  
Project Type: Navigation Channel Improvement  
Project Description: Maintenance dredge of Kennebunk River  
Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@43.3560968,-70.47389485609602,14z>



Counties: York County, Maine



## ENDANGERED SPECIES ACT SPECIES

There is a total of 3 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries<sup>1</sup>, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

- 
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.



## MAMMALS

NAME	STATUS
Northern Long-eared Bat <i>Myotis septentrionalis</i> No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/9045">https://ecos.fws.gov/ecp/species/9045</a>	Endangered
Tricolored Bat <i>Perimyotis subflavus</i> No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/10515">https://ecos.fws.gov/ecp/species/10515</a>	Proposed Endangered

## INSECTS

NAME	STATUS
Monarch Butterfly <i>Danaus plexippus</i> No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/9743">https://ecos.fws.gov/ecp/species/9743</a>	Candidate

## CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

## USFWS NATIONAL WILDLIFE REFUGE LANDS AND FISH HATCHERIES

Any activity proposed on lands managed by the [National Wildlife Refuge](#) system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

THERE ARE NO REFUGE LANDS OR FISH HATCHERIES WITHIN YOUR PROJECT AREA.

## BALD & GOLDEN EAGLES

Bald and golden eagles are protected under the Bald and Golden Eagle Protection Act<sup>1</sup> and the Migratory Bird Treaty Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats<sup>3</sup>, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the ["Supplemental Information on Migratory Birds and Eagles"](#).

- 
1. The [Bald and Golden Eagle Protection Act](#) of 1940.
  2. The [Migratory Birds Treaty Act](#) of 1918.



### 3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

There are likely bald eagles present in your project area. For additional information on bald eagles, refer to [Bald Eagle Nesting and Sensitivity to Human Activity](#)

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

NAME	BREEDING SEASON
<b>Bald Eagle <i>Haliaeetus leucocephalus</i></b> This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. <a href="https://ecos.fws.gov/ecp/species/1626">https://ecos.fws.gov/ecp/species/1626</a>	Breeds Oct 15 to Aug 31

## PROBABILITY OF PRESENCE SUMMARY

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "[Supplemental Information on Migratory Birds and Eagles](#)", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (■)

Green bars; the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during that week of the year.

### Breeding Season (■)

Yellow bars; liberal estimate of the timeframe inside which the bird breeds across its entire range.

### Survey Effort (|)

Vertical black lines; the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.


### No Data (—)

A week is marked as having no data if there were no survey events for that week.

---

■ probability of presence   ■ breeding season   | survey effort   — no data





Additional information can be found using the following links:

- Eagle Management <https://www.fws.gov/program/eagle-management>
- Measures for avoiding and minimizing impacts to birds <https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds>
- Nationwide conservation measures for birds <https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf>
- Supplemental Information for Migratory Birds and Eagles in IPaC <https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action>

## MIGRATORY BIRDS

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats<sup>3</sup> should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "[Supplemental Information on Migratory Birds and Eagles](#)".

- 
1. The [Migratory Birds Treaty Act](#) of 1918.
  2. The [Bald and Golden Eagle Protection Act](#) of 1940.
  3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

NAME	BREEDING SEASON
American Oystercatcher <i>Haematopus palliatus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/8935">https://ecos.fws.gov/ecp/species/8935</a>	Breeds Apr 15 to Aug 31



NAME	BREEDING SEASON
<b>Bald Eagle <i>Haliaeetus leucocephalus</i></b> This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. <a href="https://ecos.fws.gov/ecp/species/1626">https://ecos.fws.gov/ecp/species/1626</a>	Breeds Oct 15 to Aug 31
<b>Black-billed Cuckoo <i>Coccyzus erythrophthalmus</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9399">https://ecos.fws.gov/ecp/species/9399</a>	Breeds May 15 to Oct 10
<b>Blue-winged Warbler <i>Vermivora cyanoptera</i></b> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9509">https://ecos.fws.gov/ecp/species/9509</a>	Breeds May 1 to Jun 30
<b>Bobolink <i>Dolichonyx oryzivorus</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9454">https://ecos.fws.gov/ecp/species/9454</a>	Breeds May 20 to Jul 31
<b>Canada Warbler <i>Cardellina canadensis</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9643">https://ecos.fws.gov/ecp/species/9643</a>	Breeds May 20 to Aug 10
<b>Chimney Swift <i>Chaetura pelagica</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9406">https://ecos.fws.gov/ecp/species/9406</a>	Breeds Mar 15 to Aug 25
<b>Eastern Whip-poor-will <i>Antrostomus vociferus</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/10678">https://ecos.fws.gov/ecp/species/10678</a>	Breeds May 1 to Aug 20
<b>Grasshopper Sparrow <i>Ammodramus savannarum perpallidus</i></b> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/8329">https://ecos.fws.gov/ecp/species/8329</a>	Breeds Jun 1 to Aug 20
<b>Hudsonian Godwit <i>Limosa haemastica</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9482">https://ecos.fws.gov/ecp/species/9482</a>	Breeds elsewhere
<b>Least Tern <i>Sternula antillarum antillarum</i></b> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/11919">https://ecos.fws.gov/ecp/species/11919</a>	Breeds Apr 25 to Sep 5



NAME	BREEDING SEASON
<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9679">https://ecos.fws.gov/ecp/species/9679</a>	Breeds elsewhere
<b>Pectoral Sandpiper</b> <i>Calidris melanotos</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9561">https://ecos.fws.gov/ecp/species/9561</a>	Breeds elsewhere
<b>Prairie Warbler</b> <i>Setophaga discolor</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9513">https://ecos.fws.gov/ecp/species/9513</a>	Breeds May 1 to Jul 31
<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9439">https://ecos.fws.gov/ecp/species/9439</a>	Breeds Apr 1 to Jul 31
<b>Purple Sandpiper</b> <i>Calidris maritima</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9574">https://ecos.fws.gov/ecp/species/9574</a>	Breeds elsewhere
<b>Red-headed Woodpecker</b> <i>Melanerpes erythrocephalus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9398">https://ecos.fws.gov/ecp/species/9398</a>	Breeds May 10 to Sep 10
<b>Ruddy Turnstone</b> <i>Arenaria interpres morinella</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/10633">https://ecos.fws.gov/ecp/species/10633</a>	Breeds elsewhere
<b>Rusty Blackbird</b> <i>Euphagus carolinus</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9478">https://ecos.fws.gov/ecp/species/9478</a>	Breeds elsewhere
<b>Saltmarsh Sparrow</b> <i>Ammospiza caudacuta</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9719">https://ecos.fws.gov/ecp/species/9719</a>	Breeds May 15 to Sep 5
<b>Scarlet Tanager</b> <i>Piranga olivacea</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/11967">https://ecos.fws.gov/ecp/species/11967</a>	Breeds May 10 to Aug 10



NAME	BREEDING SEASON
<b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9603">https://ecos.fws.gov/ecp/species/9603</a>	Breeds elsewhere
<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9480">https://ecos.fws.gov/ecp/species/9480</a>	Breeds elsewhere
<b>Whimbrel</b> <i>Numenius phaeopus hudsonicus</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/11991">https://ecos.fws.gov/ecp/species/11991</a>	Breeds elsewhere
<b>Willet</b> <i>Tringa semipalmata</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/10669">https://ecos.fws.gov/ecp/species/10669</a>	Breeds Apr 20 to Aug 5
<b>Wood Thrush</b> <i>Hylocichla mustelina</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9431">https://ecos.fws.gov/ecp/species/9431</a>	Breeds May 10 to Aug 31

## PROBABILITY OF PRESENCE SUMMARY

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "[Supplemental Information on Migratory Birds and Eagles](#)", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (■)

Green bars; the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during that week of the year.

### Breeding Season (■)

Yellow bars; liberal estimate of the timeframe inside which the bird breeds across its entire range.


### Survey Effort (|)

Vertical black lines; the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

### No Data (—)

A week is marked as having no data if there were no survey events for that week.









Additional information can be found using the following links:

- Eagle Management <https://www.fws.gov/program/eagle-management>
- Measures for avoiding and minimizing impacts to birds <https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds>



- Nationwide conservation measures for birds <https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf>
- Supplemental Information for Migratory Birds and Eagles in IPaC <https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action>

## WETLANDS

Impacts to [NWI wetlands](#) and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local [U.S. Army Corps of Engineers District](#).

Please note that the NWI data being shown may be out of date. We are currently working to update our NWI data set. We recommend you verify these results with a site visit to determine the actual extent of wetlands on site.

### ESTUARINE AND MARINE WETLAND

- E2US3N

### ESTUARINE AND MARINE DEEPWATER

- E1UBL



## IPAC USER CONTACT INFORMATION

Agency: Private Entity  
Name: Leyna Tobey  
Address: One Karen Drive  
Address Line 2: Suite 2A  
City: Westbrook  
State: ME  
Zip: 04092  
Email: leyna@walsh-eng.com  
Phone: 2075539898



## **NOAA Fisheries EFH Mapper Report**



## EFH Mapper Report

### EFH Data Notice

Essential Fish Habitat (EFH) is defined by textual descriptions contained in the fishery management plans developed by the regional fishery management councils. In most cases mapping data can not fully represent the complexity of the habitats that make up EFH. This report should be used for general interest queries only and should not be interpreted as a definitive evaluation of EFH at this location. A location-specific evaluation of EFH for any official purposes must be performed by a regional expert. Please refer to the following links for the appropriate regional resources.

[Greater Atlantic Regional Office](#)  
[Atlantic Highly Migratory Species Management Division](#)

### Query Results













Degrees, Minutes, Seconds: Latitude = 43° 21' 26" N, Longitude = 71° 31' 30" W  
Decimal Degrees: Latitude = 43.357, Longitude = -70.475

The query location intersects with spatial data representing EFH and/or HAPCs for the following species/management units.

### \*\*\* WARNING \*\*\*

Please note under "Life Stage(s) Found at Location" the category "ALL" indicates that all life stages of that species share the same map and are designated at the queried location.

### EFH

Link	Data Caveats	Species/ Management Unit	Lifestage(s) Found at Location	Management Council	FMP
		Acadian Redfish	Larvae	New England	Amendment 14 to the Northeast Multispecies FMP
		Haddock	Juvenile	New England	Amendment 14 to the Northeast Multispecies FMP
		Little Skate	Adult	New England	Amendment 2 to the Northeast Skate Complex FMP
		Monkfish	Adult, Eggs/Larvae, Juvenile	New England	Amendment 4 to the Monkfish FMP
		Silver Hake	Adult, Eggs/Larvae	New England	Amendment 14 to the Northeast Multispecies FMP
		Winter Flounder	Eggs	New England	Amendment 14 to the Northeast Multispecies FMP

### Pacific Salmon EFH

No Pacific Salmon Essential Fish Habitat (EFH) were identified at the report location.



### Atlantic Salmon

No Atlantic Salmon were identified at the report location.

### HAPCs

No Habitat Areas of Particular Concern (HAPC) were identified at the report location.

### EFH Areas Protected from Fishing

No EFH Areas Protected from Fishing (EFHA) were identified at the report location.

**Spatial data does not currently exist for all the managed species in this area. The following is a list of species or management units for which there is no spatial data.**

**\*\*For links to all EFH text descriptions see the complete data inventory: [open data inventory -->](#)**

**All EFH species have been mapped for the Greater Atlantic region,**

**Atlantic Highly Migratory Species EFH,**

Bigeye Sand Tiger Shark,

Bigeye Sixgill Shark,

Caribbean Sharpnose Shark,

Galapagos Shark,

Narrowtooth Shark,

Sevengill Shark,

Sixgill Shark,

Smooth Hammerhead Shark,

Smalltail Shark



**NOAA Fisheries Greater Atlantic Region ESA Section 7 Map**





## Drawn Action Area & Overlapping S7 Consultation Areas

### Area of Interest (AOI) Information

Area : 2.73 acres

Oct 28 2024 12:30:51 Eastern Daylight Time





## Summary

Name	Count	Area(acres)	Length(mi)
Atlantic Sturgeon	2	4.41	N/A
Shortnose Sturgeon	1	2.20	N/A
Atlantic Salmon	0	0	N/A
Sea Turtles	0	0	N/A
Atlantic Large Whales	0	0	N/A
In or Near Critical Habitat	0	0	N/A

## Atlantic Sturgeon

#	Feature ID	Species	Lifestage	Behavior	Zone	From	Until	From (2)	Until (2)	Area(acres )
1	ANS_C50_ADU_MAF	Atlantic sturgeon	Adult	Migrating & Foraging	N/A	01/01	12/31	N/A	N/A	2.20
2	ANS_C50_SUB_MAF	Atlantic sturgeon	Subadult	Migrating & Foraging	N/A	01/01	12/31	N/A	N/A	2.20

## Shortnose Sturgeon

#	Feature ID	Species	Life Stage	Behavior	Zone	From	Until	From (2)	Until (2)	Area(acres )
1	SNS_C50_ADU_MAF	Shortnose sturgeon	Adult	Migrating & Foraging	N/A	04/01	11/30	N/A	N/A	2.20



**Attachment 10:**  
**Notice of Intent to File**



## 10.0 Notice of Intent to File

The applicant must provide public notice for all Individual NRPA permit applications.

1. **Newspaper:** The NOI will be published in the *Portland Press Herald* on November 14, 2024. Proof of the notification is attached.
2. **Abutting Property Owners:** Abutters were sent the NOI via certified mail on November 12, 2024 which falls within the 30 days prior to the filing of the application. A list of abutters and proof of mailing is attached.
3. **Municipal Office:** A copy of the NOI and a duplicate of the entire application has been sent to the applicable municipal office.



## **Newspaper Public Notice**



**PUBLIC NOTICE:  
NOTICE OF INTENT TO FILE**

Please take notice that KPT Marine, LLC, of 67 Ocean Ave, Kennebunkport, ME 04046, is intending to file a Natural Resources Protection Act (NRPA) Permit application with the Maine Department of Environmental Protection (DEP) pursuant to the provisions of 38 M.R.S. §§ 480-A through 480-BB on or about November 13, 2024. This application is for dredging activities to take place in the Kennebunk River to improve the boating operations (navigation) of the Kennebunkport Marina.

A request for a public hearing or a request that the Board of Environmental Protection assume jurisdiction over this application must be received by the Department in writing no later than 20 days after the application is found by the Department to be complete and is accepted for processing. A public hearing may or may not be held at the discretion of the Commissioner or Board of Environmental Protection. Public comment on the application will be accepted throughout the processing of the application. The application will be filed for public inspection at the Maine DEP's office in Portland during normal working hours. A copy of the application may also be seen at the municipal offices in Kennebunkport, Maine. Written public comments may be sent to the regional office in Portland where the application is filed for public inspection: Maine DEP, Southern Maine Regional Offices, 312 Canco Road, Portland, Maine 04103.



## **Proof of Newspaper Public Notice**



**Portland Press Herald**  
EST. 1862  
**Maine Sunday Telegram**  
pressherald.com

**Classified Advertising Proof**

Bill Walsh  
Walsh Engineering Associates  
1 Karen Dr #2A  
Westbrook  
ME  
04092 -192  
+1 (207) 553-9898  
jenileigh@Walsh-eng.com

Thank you for placing your advertisement with us.

Your order information and a preview of your advertisement are attached below for your review. If there are changes or questions, please contact the classified department at (207) 791-6100

Thank you

(207) 791-6100

jjensen@mainetoday.com

Monday – Friday 8:00 am – 5pm

Order Number	0528479	Order Price	\$415.37
Sales Rep.	Joan Jensen	PO No.	Notice of Intent to File / Sherry Pinard
Account	10155	Payment Type	Invoice
Publication	Portland Press Herald	Number of dates	1
First Run Date	11/14/2024	Last Run Date	11/14/2024
Publication	Online Upsell PPH	Number of dates	1
First Run Date	11/14/2024	Last Run Date	11/14/2024

**Public Notice**

**NOTICE OF  
INTENT TO FILE**

Please take notice  
that KPT Marine, LLC,  
of 67 Ocean Ave,  
Kennebunkport, ME  
04046, is intending to  
file a Natural Resources  
Protection Act (NRPA)  
Permit application with  
the Maine Department  
of Environmental  
Protection (DEP)



pursuant to the provisions of 38 M.R.S. §§ 480-A through 480-BB on or about November 13, 2024. This application is for dredging activities to take place in the Kennebunk River to improve the boating operations (navigation) of the Kennebunkport Marina.

A request for a public hearing or a request that the Board of Environmental Protection assume jurisdiction over this application must be received by the Department in writing no later than 20 days after the application is found by the Department to be complete and is accepted for processing. A public hearing may or may not be held at the discretion of the Commissioner or Board of Environmental Protection. Public comment on the application will be accepted throughout the processing of the application. The application will be filed for public inspection at the Maine DEP's office in Portland during normal working hours. A copy of the application may also be seen at the municipal offices in Kennebunkport, Maine. Written public comments may be sent to the regional office in Portland where the



application is filed  
for public inspection:  
Maine DEP, Southern  
Maine Regional Offices,  
312 Canco Road,  
Portland, Maine 04103.



## **Abutters Letter**





November 12, 2024

Dear Abutter/Neighbor of 67 Ocean Ave:

On behalf of KPT Marine, LLC, at 67 Ocean Avenue in Kennebunkport, ME 04046, I am writing to inform you of their intent to submit a Natural Resources Protection Act (NRPA) permit application to the Maine Department of Environmental Protection (DEP). The NRPA permit will provide for dredging activities in the Kennebunk River to improve the boating operations of the Kennebunkport Marina.

You are receiving this letter as the Maine DEP requires that all abutters of the subject property receive notification of the NRPA application. I have attached a copy of the Public Notice that will be published in the *Portland Press Herald* on or around November 13, 2024.

Should you have any questions or concerns, please do not hesitate to contact me at (207) 553-9898 or [leyna@walsh-eng.com](mailto:leyna@walsh-eng.com).

Respectfully,

A handwritten signature in dark ink, reading "Leyna L. Tobey". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Leyna Tobey, PE – Project Manager  
Walsh Engineering Associates, Inc.

Enc.    Public Notice  
         Site Location Plan




**PUBLIC NOTICE:  
NOTICE OF INTENT TO FILE**

Please take notice that KPT Marine, LLC, of 67 Ocean Ave, Kennebunkport, ME 04046, is intending to file a Natural Resources Protection Act (NRPA) Permit application with the Maine Department of Environmental Protection (DEP) pursuant to the provisions of 38 M.R.S. §§ 480-A through 480-BB on or about November 13, 2024. This application is for dredging activities to take place in the Kennebunk River to improve the boating operations (navigation) of the Kennebunkport Marina.

A request for a public hearing or a request that the Board of Environmental Protection assume jurisdiction over this application must be received by the Department in writing no later than 20 days after the application is found by the Department to be complete and is accepted for processing. A public hearing may or may not be held at the discretion of the Commissioner or Board of Environmental Protection. Public comment on the application will be accepted throughout the processing of the application. The application will be filed for public inspection at the Maine DEP's office in Portland during normal working hours. A copy of the application may also be seen at the municipal offices in Kennebunkport, Maine. Written public comments may be sent to the regional office in Portland where the application is filed for public inspection: Maine DEP, Southern Maine Regional Offices, 312 Canco Road, Portland, Maine 04103.





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW



## **Abutters List (1,000-foot)**





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

## Subject Property:

Parcel Number: 10-1-2  
CAMA Number: 10-1-2  
Vision ID: 3426  
Property Address: 67 OCEAN AVENUE

Mailing Address: KPT MARINE, LLC  
PO BOX 2734  
KENNEBUNKPORT, ME 04046

---

## Abutters:

Parcel Number: 10-1-15  
CAMA Number: 10-1-15  
Vision ID: 3441  
Property Address: 53 OCEAN AVENUE

Mailing Address: KENNEBUNKPORT, TOWN OF  
PO BOX 566  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-1-3  
CAMA Number: 10-1-3  
Vision ID: 3427  
Property Address: 57 OCEAN AVENUE

Mailing Address: YACHTSMAN HOSPITALITY, LLC  
2 LIVEWELL DRIVE, #203  
KENNEBUNK, ME 04043

Parcel Number: 10-1-4  
CAMA Number: 10-1-4  
Vision ID: 525  
Property Address: OCEAN AVENUE

Mailing Address: KENNEBUNKPORT, TOWN OF  
PO BOX 566  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-1-5  
CAMA Number: 10-1-5  
Vision ID: 3428  
Property Address: 51 OCEAN AVENUE

Mailing Address: ARUNDEL YACHT CLUB  
PO BOX 328  
KENNEBUNKPORT, ME 04046-0328

Parcel Number: 10-1-6  
CAMA Number: 10-1-6  
Vision ID: 527  
Property Address: 49 OCEAN AVENUE

Mailing Address: EDITH HG MCCONNELL REVOCABLE  
TRUST  
PO BOX 1813  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-1-7  
CAMA Number: 10-1-7  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #5

Mailing Address: BARTLETT, HUGH J & JUDITH  
PO BOX 293  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-1-7  
CAMA Number: 10-1-7A  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #7

Mailing Address: FANTON, ROMA F  
39 MEETINGHOUSE LANE  
FAIRFIELD, CT 06430

Parcel Number: 10-1-7  
CAMA Number: 10-1-7B  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #8

Mailing Address: NOWAK, LORI  
4940 N HACIENDA DEL SOL ROAD  
TUCSON, AZ 85718



www.cai-tech.com

11/8/2024

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

Page 1 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 10-1-7  
CAMA Number: 10-1-7C  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #6

Mailing Address: NOWAK, LORI  
4940 N HACIENDA DEL SOL ROAD  
TUCSON, AZ 85718

Parcel Number: 10-1-7  
CAMA Number: 10-1-7D  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #4

Mailing Address: MCFB, LLC  
PO BOX 2675  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-1-7  
CAMA Number: 10-1-7E  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #2

Mailing Address: MULBERGER, VIRGINIA A  
804 HALL PLACE  
ALEXANDRIA, VA 22302

Parcel Number: 10-1-7  
CAMA Number: 10-1-7F  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #3

Mailing Address: REDDEN, MICHAELA A & OLSHAN,  
ARTHUR  
8 FRAESCO LANE  
NORWOOD, NJ 07648

Parcel Number: 10-1-7  
CAMA Number: 10-1-7G  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #1

Mailing Address: PELLETIER, THOMAS J & CYNTHIA L  
182 LOWELL STREET  
PEABODY, MA 01960

Parcel Number: 10-1-7  
CAMA Number: 10-1-7Z  
Vision ID: 105722  
Property Address: 47 OCEAN AVENUE #MAIN

Mailing Address: RIVERBANK CONDO

Parcel Number: 10-2-1  
CAMA Number: 10-2-1  
Vision ID: 3442  
Property Address: 46 OCEAN AVENUE

Mailing Address: BYERLY, WILLIAM F & MARY C  
PO BOX 2675  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-2-2  
CAMA Number: 10-2-2  
Vision ID: 546  
Property Address: OCEAN AVENUE

Mailing Address: KENNEBUNKPORT CONSERVATION  
TRUST  
PO BOX 7004  
CAPE PORPOISE, ME 04014-07004

Parcel Number: 10-2-3  
CAMA Number: 10-2-3  
Vision ID: 547  
Property Address: 5 PEARL STREET

Mailing Address: KENNEBUNKPORT CAPTAINS  
COLLECTION, LLC  
PO BOX 3089  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-3-1  
CAMA Number: 10-3-1  
Vision ID: 548  
Property Address: 7 PEARL STREET

Mailing Address: BALCOM, WILLIAM BRIAN  
3002 WINDSOR RIDGE DRIVE  
WESTBOROUGH, MA 01581



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 2 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 10-3-2  
CAMA Number: 10-3-2  
Vision ID: 549  
Property Address: 6 PLEASANT STREET

Mailing Address: KENNEBUNKPORT CAPTAINS  
COLLECTION, LLC  
PO BOX 3089  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-3-3  
CAMA Number: 10-3-3  
Vision ID: 550  
Property Address: 35 MAINE STREET

Mailing Address: KCC-CGH HOLDINGS, LLC  
PO BOX 3089  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-3-4  
CAMA Number: 10-3-4  
Vision ID: 551  
Property Address: 33 MAINE STREET

Mailing Address: MICHELLE L DRAGHETTI REVOCABLE  
TRUST  
PO BOX 2797  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-4-1  
CAMA Number: 10-4-1  
Vision ID: 3443  
Property Address: 8 PLEASANT STREET

Mailing Address: KENNEBUNKPORT CAPTAINS  
COLLECTION, LLC  
PO BOX 3089  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-4-2  
CAMA Number: 10-4-2  
Vision ID: 3444  
Property Address: 10 PLEASANT STREET

Mailing Address: MIDDLETON, MARJORIE D & JOHN L JR  
PO BOX 1046  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-4-3  
CAMA Number: 10-4-3  
Vision ID: 555  
Property Address: 12 PLEASANT STREET

Mailing Address: DAVID L KELLY FAMILY TRUST  
25 OAK STREET  
CHARLESTOWN, MA 02129

Parcel Number: 10-4-4  
CAMA Number: 10-4-4  
Vision ID: 556  
Property Address: 5 SOUTH STREET

Mailing Address: MALTE LUKAS REVOCABLE TRUST  
PO BOX 2798  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-4-5  
CAMA Number: 10-4-5  
Vision ID: 3445  
Property Address: 3 SOUTH STREET

Mailing Address: MATTUCHIO FAMILY IRREVOCABLE  
TRUST  
PO BOX 169  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-4-6  
CAMA Number: 10-4-6A  
Vision ID: 105723  
Property Address: 41 MAINE STREET #1

Mailing Address: MORELLI, MICHAEL J & KERRY H  
42 BOULDER TRAIL  
BRONXVILLE, NY 10708

Parcel Number: 10-4-6  
CAMA Number: 10-4-6B  
Vision ID: 105723  
Property Address: 41 MAINE STREET #2

Mailing Address: LEA RAE LEVINES REVOCABLE TRUST  
610 SOUTH ROME AVE, UNIT 303  
TAMPA, FL 33606



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 3 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 10-4-6  
CAMA Number: 10-4-6C  
Vision ID: 105723  
Property Address: 41 MAINE STREET #3

Mailing Address: CAPPs, NOBLE F & NANCY H  
PO BOX 1023  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-4-6  
CAMA Number: 10-4-6Z  
Vision ID: 105723  
Property Address: 41 MAINE STREET #MAIN

Mailing Address: PORT COMMONS CONDO

Parcel Number: 10-4-7  
CAMA Number: 10-4-7  
Vision ID: 561  
Property Address: 11 GREENE STREET

Mailing Address: MARINO, ELAINE  
PO BOX 1537  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-4-8  
CAMA Number: 10-4-8  
Vision ID: 562  
Property Address: CORNER MAINE & GREENE ST

Mailing Address: MARINO, ELAINE  
PO BOX 1537  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-4-9  
CAMA Number: 10-4-9  
Vision ID: 563  
Property Address: 39 MAINE STREET

Mailing Address: HUNTER, JAMES & JOAN F  
39 MAINE STREET  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-1  
CAMA Number: 10-5-1  
Vision ID: 3449  
Property Address: 3 SOUTH MAIN STREET

Mailing Address: RYBCZYK, STEPHEN M & CAROLE A  
64 MILLER ROAD  
BURLINGTON, CT 06013

Parcel Number: 10-5-10  
CAMA Number: 10-5-10  
Vision ID: 587  
Property Address: 52 OCEAN AVENUE

Mailing Address: MAHONEY FAMILY REVOCABLE TRUST  
52 OCEAN AVENUE  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-11  
CAMA Number: 10-5-11  
Vision ID: 588  
Property Address: 5 GREENE STREET

Mailing Address: STOHLMAN, SUZANNE  
PO BOX 127  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-12  
CAMA Number: 10-5-12  
Vision ID: 3465  
Property Address: 60 OCEAN AVENUE

Mailing Address: MARQUIS, ALFRED C JR & JULIE A  
PO BOX 1835  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-13  
CAMA Number: 10-5-13  
Vision ID: 590  
Property Address: 66 OCEAN AVENUE

Mailing Address: DORAN, WILLIAM M & SUSAN L  
4807 MARBLE HILL DRIVE  
LAFAYETTE HILL, PA 19444



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 4 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 10-5-14  
CAMA Number: 10-5-14  
Vision ID: 3466  
Property Address: 68 OCEAN AVENUE

Mailing Address: WINSTANLEY, ADAM D  
150 BAKER AVENUE SUITE 303  
CONCORD, MA 01742

Parcel Number: 10-5-17  
CAMA Number: 10-5-17  
Vision ID: 593  
Property Address: 10 SOUTH STREET

Mailing Address: SPENCER, MARY A  
PO BOX 1422  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-2  
CAMA Number: 10-5-2  
Vision ID: 565  
Property Address: 59 MAINE STREET

Mailing Address: KASYAN, ANN M & ALPEYRIE, JEAN-LOUIS  
59 MAINE STREET  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-3  
CAMA Number: 10-5-3  
Vision ID: 566  
Property Address: 57 MAINE STREET

Mailing Address: JANE E FIRTH TRUST  
57 MAINE STREET  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-4  
CAMA Number: 10-5-4  
Vision ID: 567  
Property Address: 55 MAINE STREET

Mailing Address: HWTM INVESTMENTS LIMITED  
PARTNERSHIP  
6125 ROUTE DE L'AEROPORT  
SAINT HUBERT, QC J3Y 0V9

Parcel Number: 10-5-4A  
CAMA Number: 10-5-4A  
Vision ID: 568  
Property Address: MAINE STREET

Mailing Address: HWTM INVESTMENTS LIMITED  
PARTNERSHIP  
6125 ROUTE DE L'AEROPORT  
SAINT HUBERT, QC J3Y 0V9

Parcel Number: 10-5-5  
CAMA Number: 10-5-5  
Vision ID: 569  
Property Address: 53 MAINE STREET

Mailing Address: ANDONIAN, DAVID & KRIS A  
PO BOX 800  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-6  
CAMA Number: 10-5-6  
Vision ID: 105752  
Property Address: 47 MAINE STREET #7

Mailing Address: CROW, KAREN W  
PO BOX 342  
KENNEBUNK, ME 04043

Parcel Number: 10-5-6  
CAMA Number: 10-5-6A  
Vision ID: 105752  
Property Address: 47 MAINE STREET #8

Mailing Address: DIETZ, KATHLEEN  
107 OLD PORT ROAD  
KENNEBUNK, ME 04043

Parcel Number: 10-5-6  
CAMA Number: 10-5-6B  
Vision ID: 105752  
Property Address: 47 MAINE STREET #10

Mailing Address: CALDERA, RICHARD & MARGARET  
47 MAINE STREET, UNIT 10  
KENNEBUNKPORT, ME 04046



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 5 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 10-5-6  
CAMA Number: 10-5-6C  
Vision ID: 105752  
Property Address: 47 MAINE STREET #14

Mailing Address: GRAHAM, MARY ANN  
PO BOX 183  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-6  
CAMA Number: 10-5-6D  
Vision ID: 105752  
Property Address: 47 MAINE STREET #9

Mailing Address: GROMAN, ELIZABETH L  
47 MAINE STREET UNIT #9  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-6  
CAMA Number: 10-5-6E  
Vision ID: 105752  
Property Address: 47 MAINE STREET #11

Mailing Address: RANDALL, KAREN  
PO BOX 40  
LUDLOW, MA 01056

Parcel Number: 10-5-6  
CAMA Number: 10-5-6F  
Vision ID: 105752  
Property Address: 47 MAINE STREET #6

Mailing Address: DROMGOOLE, JOHN & CAROL ANN  
150 HUBBARD STREET #A  
CONCORD, MA 01742

Parcel Number: 10-5-6  
CAMA Number: 10-5-6G  
Vision ID: 105752  
Property Address: 47 MAINE STREET #2

Mailing Address: DENOIA, MARC  
590 TREMONT STREET  
BOSTON, MA 02118

Parcel Number: 10-5-6  
CAMA Number: 10-5-6H  
Vision ID: 105752  
Property Address: 47 MAINE STREET #3

Mailing Address: MARGUERITE J WATERS REVOCABLE  
TRUST  
47 MAINE STREET #3  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-6  
CAMA Number: 10-5-6I  
Vision ID: 105752  
Property Address: 47 MAINE STREET #1

Mailing Address: KENNEDY, ILONA & LESLIE  
47 MAINE STREET, UNIT 1  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-6  
CAMA Number: 10-5-6J  
Vision ID: 105752  
Property Address: 47 MAINE STREET #13

Mailing Address: HAGER, CHRISTIE L & STARK, ROYAL J  
26 BREWER DRIVE  
WESTBOROUGH, MA 01581

Parcel Number: 10-5-6  
CAMA Number: 10-5-6K  
Vision ID: 105752  
Property Address: 47 MAINE STREET #12

Mailing Address: AUSTIN, JACK N & HOYT, KATHERINE L  
47 MAINE STREET, UNIT 12  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-6  
CAMA Number: 10-5-6L  
Vision ID: 105752  
Property Address: 47 MAINE STREET #5

Mailing Address: MARTHA NIKITAS STONE REV TRUST  
42 PINE STREET  
CONCORD, MA 01742



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 6 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 10-5-6  
CAMA Number: 10-5-6M  
Vision ID: 105752  
Property Address: 47 MAINE STREET #4

Mailing Address: MCGINN, HOWARD D & JAYNE A  
9 SHANANDOAH DRIVE  
PAXTON, MA 01612

Parcel Number: 10-5-6  
CAMA Number: 10-5-6Z  
Vision ID: 105752  
Property Address: 47 MAINE STREET #MAIN

Mailing Address: TAMARACKS CONDO

Parcel Number: 10-5-7  
CAMA Number: 10-5-7  
Vision ID: 584  
Property Address: 43 MAINE STREET

Mailing Address: KUDAS, JACEK & SHARRY  
43 MAINE STREET  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-8  
CAMA Number: 10-5-8  
Vision ID: 3464  
Property Address: 6 SOUTH STREET

Mailing Address: YANKOWSKI, GEORGE E JR & JANICE G  
PO BOX 1333  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-5-9  
CAMA Number: 10-5-9  
Vision ID: 586  
Property Address: 8 SOUTH STREET

Mailing Address: CARNEY, DONALD A  
PO BOX 675  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-6-10  
CAMA Number: 10-6-10  
Vision ID: 603  
Property Address: 56 MAINE STREET

Mailing Address: GREEN, FRANK T  
56 MAINE STREET  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-6-2  
CAMA Number: 10-6-2  
Vision ID: 595  
Property Address: 38 MAINE STREET

Mailing Address: CUP AND SAUCER, LLC  
133 SEASPRAY AVENUE  
PALM BEACH, FL 33480

Parcel Number: 10-6-3  
CAMA Number: 10-6-3  
Vision ID: 3468  
Property Address: 40 MAINE STREET

Mailing Address: 40 MAINE STREET, LLC  
ATTN: KRISTIN BEAN 7019 S 45TH  
PLACE  
PHOENIX, AZ 85042

Parcel Number: 10-6-4  
CAMA Number: 10-6-4  
Vision ID: 597  
Property Address: 42 MAINE STREET

Mailing Address: KIVLEHAN REVOCABLE TRUST  
PO BOX 1727  
KENNEBUNKPORT, ME 04046

Parcel Number: 10-6-5  
CAMA Number: 10-6-5  
Vision ID: 598  
Property Address: 44 MAINE STREET

Mailing Address: LINDA BROOKS REVOCABLE TRUST  
PO BOX 3085  
KENNEBUNKPORT, ME 04046



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 7 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 10-6-6  
CAMA Number: 10-6-6  
Vision ID: 3469  
Property Address: 48 MAINE STREET

Mailing Address: PAPPAGEORGE, PATRICIA  
1267 REALTA DRIVE  
CHARLOTTE, NC 28211

Parcel Number: 10-6-7  
CAMA Number: 10-6-7  
Vision ID: 3470  
Property Address: 50 MAINE STREET

Mailing Address: PRICE, EUGENE THOMAS & KRISTEN E  
15 FERNWOOD ROAD  
WEST HARTFORD, CT 06119

Parcel Number: 10-6-8  
CAMA Number: 10-6-8  
Vision ID: 601  
Property Address: 52 MAINE STREET

Mailing Address: FLYNN, SEAN M & AMY S  
123 WASHINGTON STREET #2  
WINCHESTER, MA 01890

Parcel Number: 10-6-9  
CAMA Number: 10-6-9  
Vision ID: 3471  
Property Address: 54 MAINE STREET

Mailing Address: MIKLOS MARK A & JENNIFER L  
54 MAINE STREET  
KENNEBUNKPORT, ME 04046

Parcel Number: 8-1-14  
CAMA Number: 8-1-14  
Vision ID: 3356  
Property Address: 91A-B OCEAN AVENUE

Mailing Address: 91 AB OCEAN AVENUE COTTAGE, LLC  
2000 S OCEAN BLVD, Y10  
DELRAY BEACH, FL 33483

Parcel Number: 8-1-15  
CAMA Number: 8-1-15  
Vision ID: 190  
Property Address: 91 OCEAN AVENUE

Mailing Address: 91 OCEAN AVENUE COTTAGE, LLC  
C/O MARCIA KELLAMS 2000 S OCEAN  
BLVD, Y10  
DELRAY BEACH, FL 33483

Parcel Number: 8-1-16  
CAMA Number: 8-1-16  
Vision ID: 191  
Property Address: 89 OCEAN AVENUE

Mailing Address: CHESTER E & SHIRLEY B HOMER  
REVOCABLE TRUSTS  
1 HARBOUR PLACE, SUITE 4G  
PORTSMOUTH, NH 03801

Parcel Number: 8-1-17  
CAMA Number: 8-1-17  
Vision ID: 192  
Property Address: 87 OCEAN AVENUE

Mailing Address: BARNES, ANNE F  
PO BOX 84  
KENNEBUNKPORT, ME 04046

Parcel Number: 8-1-18  
CAMA Number: 8-1-18  
Vision ID: 193  
Property Address: 85 OCEAN AVENUE

Mailing Address: WINSTANLEY, MELISSA F  
847 LOWELL ROAD  
CONCORD, MA 01742

Parcel Number: 8-1-19  
CAMA Number: 8-1-19  
Vision ID: 194  
Property Address: 83 OCEAN AVENUE

Mailing Address: CHESTER E HOMER III REVOCABLE  
TRUST  
1 HARBOUR PLACE, SUITE 4G  
PORTSMOUTH, NH 03801



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 8 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 8-1-20  
CAMA Number: 8-1-20  
Vision ID: 195  
Property Address: OCEAN AVENUE

Mailing Address: EDMANDS, PETER L & CLARK-  
EDMANDS, SHEILA  
8 IVY COURT  
KENNEBUNK, ME 04043

Parcel Number: 8-1-22  
CAMA Number: 8-1-22  
Vision ID: 197  
Property Address: 75 OCEAN AVENUE

Mailing Address: TIDEMARK CORPORATION  
273 CORPORATE DRIVE, SUITE 150  
PORTSMOUTH, NH 03801

Parcel Number: 8-2-1  
CAMA Number: 8-2-1  
Vision ID: 3357  
Property Address: 82 OCEAN AVENUE

Mailing Address: 82 OCEAN AVENUE, LLC  
4461 PRESERVE PARKWAY SOUTH  
GREENWOOD VILLAGE, CO 80121

Parcel Number: 8-2-14  
CAMA Number: 8-2-14  
Vision ID: 3360  
Property Address: 29 SOUTH MAIN STREET

Mailing Address: COVESIDE RESORT, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-15  
CAMA Number: 8-2-15  
Vision ID: 3361  
Property Address: 25 SOUTH MAIN STREET

Mailing Address: FISCHBACK, DAVID F & BEVERLY A  
20975 AVALON DRIVE  
ROCKY RIVER, OH 44116

Parcel Number: 8-2-18  
CAMA Number: 8-2-18  
Vision ID: 216  
Property Address: 15 SOUTH MAIN STREET

Mailing Address: TILNEY, PETER VR & GARVIN, KRISTEN  
L  
15 SOUTH MAIN STREET  
KENNEBUNKPORT, ME 04046

Parcel Number: 8-2-19  
CAMA Number: 8-2-19  
Vision ID: 217  
Property Address: CHICKS CREEK

Mailing Address: TILNEY, PETER VR & KATHERINE R  
15 SOUTH MAIN STREET  
KENNEBUNKPORT, ME 04046

Parcel Number: 8-2-2  
CAMA Number: 8-2-2  
Vision ID: 200  
Property Address: 84 OCEAN AVENUE

Mailing Address: HAMILTON-VOMBAUR, ZOE  
24 CEDARLAWN ROAD  
IRVINGTON, NY 10533

Parcel Number: 8-2-20  
CAMA Number: 8-2-20  
Vision ID: 3364  
Property Address: 11 SOUTH MAIN STREET

Mailing Address: WILLIAMS, EMILY B & SILLS, DIANE M  
28 CONCORD ST  
CARLISLE, MA 01740

Parcel Number: 8-2-21  
CAMA Number: 8-2-21  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #MAIN

Mailing Address: COTTAGE AT CABOT COVE CONDOS



www.cai-tech.com

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 9 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 8-2-21  
CAMA Number: 8-2-21A  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #1

Mailing Address: SOUTH MAINE, LLC  
C/O COTTAGES AT CABOT COVE 2  
LIVEWELL DR, STE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-21  
CAMA Number: 8-2-21B  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #2

Mailing Address: ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-21  
CAMA Number: 8-2-21C  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #3

Mailing Address: ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-21  
CAMA Number: 8-2-21D  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #4

Mailing Address: ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-21  
CAMA Number: 8-2-21E  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #5

Mailing Address: ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-21  
CAMA Number: 8-2-21F  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #6

Mailing Address: KNOX, ELIZABETH H & FRANCIS V JR  
9 PARKER RIDGE WAY  
NEWBURYPORT, MA 01950

Parcel Number: 8-2-21  
CAMA Number: 8-2-21G  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #7

Mailing Address: KPT COTTAGE 7, LLC  
4224 244TH AVE NE  
REDMOND, WA 98053

Parcel Number: 8-2-21  
CAMA Number: 8-2-21H  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #8

Mailing Address: CHEESMAN, CLAIRE  
403 MONMOUTH AVENUE  
NEW MILFORD, NJ 07646

Parcel Number: 8-2-21  
CAMA Number: 8-2-21J  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #9

Mailing Address: KLEINMAN, LINDA T & JEFFREY H  
2 LOS ANGELES STREET, #1511  
NEWTON, MA 02458

Parcel Number: 8-2-21  
CAMA Number: 8-2-21K  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #10

Mailing Address: KENNETH J GIMBEL REVOCABLE  
TRUST  
PO BOX 798  
KENNEBUNKPORT, ME 04046



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 10 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 8-2-21  
CAMA Number: 8-2-21L  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #11

Mailing Address: JUDGE, STEPHEN D  
127 PERKINS ROW  
TOPSFIELD, MA 01983

Parcel Number: 8-2-21  
CAMA Number: 8-2-21M  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #12

Mailing Address: ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-21  
CAMA Number: 8-2-21N  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #13

Mailing Address: ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-21  
CAMA Number: 8-2-21O  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #14

Mailing Address: KPT COTTAGE 14, LLC  
4224 244TH AVENUE NE  
REDMOND, CA 98053

Parcel Number: 8-2-21  
CAMA Number: 8-2-21P  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #15

Mailing Address: ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-21  
CAMA Number: 8-2-21Q  
Vision ID: 105846  
Property Address: 7 SOUTH MAIN STREET #16

Mailing Address: ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK, ME 04043

Parcel Number: 8-2-23  
CAMA Number: 8-2-23  
Vision ID: 3366  
Property Address: 80 OCEAN AVENUE

Mailing Address: KENNEBUNKPORT, TOWN OF  
PO BOX 566  
KENNEBUNKPORT, ME 04046

Parcel Number: 8-2-24  
CAMA Number: 8-2-24  
Vision ID: 222  
Property Address: 88 OCEAN AVENUE

Mailing Address: BARRETT FAMILY TRUST  
60 SEAGATE DRIVE #1701  
NAPLES, FL 34103

Parcel Number: 8-2-3  
CAMA Number: 8-2-3  
Vision ID: 201  
Property Address: 86 OCEAN AVENUE

Mailing Address: MARY BANKS STROHM REVOCABLE  
TRUST  
4211 CASWELL AVE, UNIT A  
AUSTIN, TX 78751

Parcel Number: 8-2-4  
CAMA Number: 8-2-4  
Vision ID: 202  
Property Address: 90 OCEAN AVENUE

Mailing Address: OCEAN AVE B&B, LLC  
60 SEAGATE DRIVE, APT 1701  
NAPLES, FL 34103



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 11 of 12





# 1000 feet Abutters List Report

Kennebunkport, ME

November 08, 2024

Parcel Number: 8-2-5  
CAMA Number: 8-2-5  
Vision ID: 203  
Property Address: 92 OCEAN AVENUE

Mailing Address: BUCKLEY, CHARLES & ROBIN  
PO BOX 1415  
KENNEBUNKPORT, ME 04046

Parcel Number: 8-2-6  
CAMA Number: 8-2-6  
Vision ID: 204  
Property Address: 94 OCEAN AVENUE

Mailing Address: HOMER, CHESTER E, III  
1 HARBOUR PLACE, SUITE 4G  
PORTSMOUTH, NH 03801

Parcel Number: 8-2-7  
CAMA Number: 8-2-7  
Vision ID: 205  
Property Address: 4 EAST AVENUE

Mailing Address: ROHRBACKER, LESLIE C & NEIL  
3 KNOLLWOOD AVENUE  
MADISON, NJ 07940

Parcel Number: 9-4-1E  
CAMA Number: 9-4-1E  
Vision ID: 103703  
Property Address: 12 ARBOR LEDGE DRIVE

Mailing Address: FAESSLER, WILLY A & JANICE M  
12 ARBOR LEDGE DRIVE  
KENNEBUNKPORT, ME 04046



[www.cai-tech.com](http://www.cai-tech.com)

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

11/8/2024

Page 12 of 12



Abutting Properties for  
28 BEACH AVENUE ,  
088/ / 078/ /  
(Direct Abutters)

---

Location:  
088/ / 078/ /  
28 BEACH AVENUE  
Owner:  
SOCIETY OF FRANCISCAN FATHERS  
28 BEACH AVENUE  
KENNEBUNK, ME 04043

Location:  
088/ / 079/ /  
26 BEACH AVENUE  
Owner:  
SOCIETY OF FRANCISCAN FATHERS  
P.O. BOX 980  
KENNEBUNKPORT, ME 04046



Location:  
088/ / 068/ /  
11 DOANES WHARF ROAD  
Owner:  
HIOS HOSPITALITY LLC  
WHITE BARN INN OWNER LLC  
11 DOANES WHARF ROAD  
KENNEBUNK, ME 04043





**Proof of Mailing to Abutters**  
**(Certified Mail Labels for 150-foot Abutters and Mailing Labels for Rest of 1,000 Abutters)**



Walsh Engineering Associates, Inc.  
1 KAREN DR STE 2A  
WESTBROOK ME 04092-1917

**\$5.54 US POSTAGE**

**FIRST-CLASS IMI**

Oct 30 2024

Mailed from ZIP 04092

1 OZ FIRST-CLASS MAIL LETTER

RATE

11923275



endicia

06350010282496

**USPS CERTIFIED MAIL**



9407 1118 9876 5486 6751 67

**YACHTSMAN HOSPITALITY, LLC**

**2 LIVEWELL DR STE 203**

**KENNEBUNK ME 04043-6763**





Walsh Engineering Associates, Inc.  
1 KAREN DR STE 2A  
WESTBROOK ME 04092-1917

**\$5.54 US POSTAGE**

FIRST-CLASS IMI

Oct 30 2024

Mailed from ZIP 04092

1 OZ FIRST-CLASS MAIL LETTER

RATE

11923275



endicia

06350010282497

**USPS CERTIFIED MAIL**



9407 1118 9876 5486 6751 29

MARQUIS, ALFRED C JR & JULIE A  
PO BOX 1835  
KENNEBUNKPORT ME 04046-4835





Walsh Engineering Associates, Inc.  
1 KAREN DR STE 2A  
WESTBROOK ME 04092-1917

**\$5.54 US POSTAGE**

FIRST-CLASS IMI

Oct 30 2024

Mailed from ZIP 04092

1 OZ FIRST-CLASS MAIL LETTER

RATE

11023275



endicia

06350011485632

**USPS CERTIFIED MAIL**



9407 1118 9876 5486 6751 05

DORAN, WILLIAM M & SUSAN L

4807 MARBLE HL

LAFAYETTE HL PA 19444-1043





Walsh Engineering Associates, Inc.  
1 KAREN DR STE 2A  
WESTBROOK ME 04092-1917

**\$5.54 US POSTAGE**

FIRST-CLASS IMI

Oct 30 2024

Mailed from ZIP 04092

1 OZ FIRST-CLASS MAIL LETTER

RATE

11023275



endicia

06350011485640

---

**USPS CERTIFIED MAIL**



9407 1118 9876 5486 6751 98

---

WINSTANLEY, ADAM D  
150 BAKER AVE STE 303  
CONCORD MA 01742





Walsh Engineering Associates, Inc.  
1 KAREN DR STE 2A  
WESTBROOK ME 04092-1917

**\$5.54 US POSTAGE**

**FIRST-CLASS IMI**

Oct 30 2024

Mailed from ZIP 04092

1 OZ FIRST-CLASS MAIL LETTER

RATE

11923275



endicia

06350010282496

---

**USPS CERTIFIED MAIL**



9407 1118 9876 5486 6751 81

---

TIDEMARK CORPORATION  
273 CORPORATE DR STE 150  
PORTSMOUTH NH 03801-6864





40 MAINE STREET, LLC  
ATTN: KRISTIN BEAN  
7019 S 45TH PLACE  
PHOENIX AZ 85042

82 OCEAN AVENUE, LLC  
4461 PRESERVE PARKWAY SOUTH  
GREENWOOD VILLAGE CO 80121

91 AB OCEAN AVENUE COTTAGE, LLC  
2000 S OCEAN BLVD, Y10  
DELRAY BEACH FL 33483

91 OCEAN AVENUE COTTAGE, LLC  
C/O MARCIA KELLAMS  
2000 S OCEAN BLVD, Y10  
DELRAY BEACH FL 33483

ANDONIAN, DAVID & KRIS A  
PO BOX 800  
KENNEBUNKPORT ME 04046

ARUNDEL YACHT CLUB  
PO BOX 328  
KENNEBUNKPORT ME 04046-0328

ATLANTIC RESORT HOLDINGS, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK ME 04043

AUSTIN, JACK N & HOYT, KATHERINE L  
47 MAINE STREET, UNIT 12  
KENNEBUNKPORT ME 04046

BALCOM, WILLIAM BRIAN  
3002 WINDSOR RIDGE DRIVE  
WESTBOROUGH MA 01581

BARNES, ANNE F  
PO BOX 84  
KENNEBUNKPORT ME 04046

BARRETT FAMILY TRUST  
60 SEAGATE DRIVE #1701  
NAPLES FL 34103

BARTLETT, HUGH J & JUDITH  
PO BOX 293  
KENNEBUNKPORT ME 04046

BUCKLEY, CHARLES & ROBIN  
PO BOX 1415  
KENNEBUNKPORT ME 04046

BYERLY, WILLIAM F & MARY C  
PO BOX 2675  
KENNEBUNKPORT ME 04046

CALDERA, RICHARD & MARGARET  
47 MAINE STREET, UNIT 10  
KENNEBUNKPORT ME 04046

CAPPS, NOBLE F & NANCY H  
PO BOX 1023  
KENNEBUNKPORT ME 04046

CARNEY, DONALD A  
PO BOX 675  
KENNEBUNKPORT ME 04046

CHEESMAN, CLAIRE  
403 MONMOUTH AVENUE  
NEW MILFORD NJ 07646

CHESTER E & SHIRLEY B HOMER  
REVOCABLE TRUSTS  
1 HARBOUR PLACE, SUITE 4G  
PORTSMOUTH NH 03801

CHESTER E HOMER III REVOCABLE TRUST  
1 HARBOUR PLACE, SUITE 4G  
PORTSMOUTH NH 03801

COTTAGE AT CABOT COVE CONDOS

COVESIDE RESORT, LLC  
2 LIVEWELL DR., SUITE 203  
KENNEBUNK ME 04043

CROW, KAREN W  
PO BOX 342  
KENNEBUNK ME 04043

CUP AND SAUCER, LLC  
133 SEASPRAY AVENUE  
PALM BEACH FL 33480

DAVID L KELLY FAMILY TRUST  
25 OAK STREET  
CHARLESTOWN MA 02129

DENOIA, MARC  
590 TREMONT STREET  
BOSTON MA 02118

DIETZ, KATHLEEN  
107 OLD PORT ROAD  
KENNEBUNK ME 04043

DROMGOOLE, JOHN & CAROL ANN  
150 HUBBARD STREET #A  
CONCORD MA 01742

EDITH HG MCCONNELL REVOCABLE TRUST  
PO BOX 1813  
KENNEBUNKPORT ME 04046

EDMANDS, PETER L & CLARK-EDMANDS,  
SHEILA  
8 IVY COURT  
KENNEBUNK ME 04043



FAESSLER, WILLY A & JANICE M  
12 ARBOR LEDGE DRIVE  
KENNEBUNKPORT ME 04046

FANTON, ROMA F  
39 MEETINGHOUSE LANE  
FAIRFIELD CT 06430

FISCHBACK, DAVID F & BEVERLY A  
20975 AVALON DRIVE  
ROCKY RIVER OH 44116

FLYNN, SEAN M & AMY S  
123 WASHINGTON STREET #2  
WINCHESTER MA 01890

GRAHAM, MARY ANN  
PO BOX 183  
KENNEBUNKPORT ME 04046

GREEN, FRANK T  
56 MAINE STREET  
KENNEBUNKPORT ME 04046

GROMAN, ELIZABETH L  
47 MAINE STREET UNIT #9  
KENNEBUNKPORT ME 04046

HAGER, CHRISTIE L & STARK, ROYAL J  
26 BREWER DRIVE  
WESTBOROUGH MA 01581

HAMILTON-VOMBAUR, ZOE  
24 CEDARLAWN ROAD  
IRVINGTON NY 10533

HOMER, CHESTER E, III  
1 HARBOUR PLACE, SUITE 4G  
PORTSMOUTH NH 03801

HUNTER, JAMES & JOAN F  
39 MAINE STREET  
KENNEBUNKPORT ME 04046

HWTM INVESTMENTS LIMITED PARTNERSHIP  
6125 ROUTE DE L'AEROPORT  
SAINT HUBERT QC J3Y 0V9

JANE E FIRTH TRUST  
57 MAINE STREET  
KENNEBUNKPORT ME 04046

JUDGE, STEPHEN D  
127 PERKINS ROW  
TOPSFIELD MA 01983

KASYAN, ANN M & ALPEYRIE, JEAN-LOUIS  
59 MAINE STREET  
KENNEBUNKPORT ME 04046

KCC-CGH HOLDINGS, LLC  
PO BOX 3089  
KENNEBUNKPORT ME 04046

KENNEBUNKPORT CAPTAINS COLLECTION,  
LLC  
PO BOX 3089  
KENNEBUNKPORT ME 04046

KENNEBUNKPORT CONSERVATION TRUST  
PO BOX 7004  
CAPE PORPOISE ME 04014-07004

KENNEBUNKPORT, TOWN OF  
PO BOX 566  
KENNEBUNKPORT ME 04046

KENNEDY, ILONA & LESLIE  
47 MAINE STREET, UNIT 1  
KENNEBUNKPORT ME 04046

KENNETH J GIMBEL REVOCABLE TRUST  
PO BOX 798  
KENNEBUNKPORT ME 04046

KIVLEHAN REVOCABLE TRUST  
PO BOX 1727  
KENNEBUNKPORT ME 04046

KLEINMAN, LINDA T & JEFFREY H  
2 LOS ANGELES STREET, #1511  
NEWTON MA 02458

KNOX, ELIZABETH H & FRANCIS V JR  
9 PARKER RIDGE WAY  
NEWBURYPORT MA 01950

KPT COTTAGE 14, LLC  
4224 244TH AVENUE NE  
REDMOND CA 98053

KPT COTTAGE 7, LLC  
4224 244TH AVE NE  
REDMOND WA 98053

KUDAS, JACEK & SHARRY  
43 MAINE STREET  
KENNEBUNKPORT ME 04046

LEA RAE LEVINES REVOCABLE TRUST  
610 SOUTH ROME AVE, UNIT 303  
TAMPA FL 33606

LINDA BROOKS REVOCABLE TRUST  
PO BOX 3085  
KENNEBUNKPORT ME 04046

MAHONEY FAMILY REVOCABLE TRUST  
52 OCEAN AVENUE  
KENNEBUNKPORT ME 04046



MALTE LUKAS REVOCABLE TRUST  
PO BOX 2798  
KENNEBUNKPORT ME 04046

MARGUERITE J WATERS REVOCABLE TRUST  
47 MAINE STREET #3  
KENNEBUNKPORT ME 04046

MARINO, ELAINE  
PO BOX 1537  
KENNEBUNKPORT ME 04046

MARTHA NIKITAS STONE REV TRUST  
42 PINE STREET  
CONCORD MA 01742

MARY BANKS STROHM REVOCABLE TRUST  
4211 CASWELL AVE, UNIT A  
AUSTIN TX 78751

MATTUCHIO FAMILY IRREVOCABLE TRUST  
PO BOX 169  
KENNEBUNKPORT ME 04046

MCFB, LLC  
PO BOX 2675  
KENNEBUNKPORT ME 04046

MCGINN, HOWARD D & JAYNE A  
9 SHANANDOAH DRIVE  
PAXTON MA 01612

MICHELLE L DRAGHETTI REVOCABLE TRUST  
PO BOX 2797  
KENNEBUNKPORT ME 04046

MIDDLETON, MARJORIE D & JOHN L JR  
PO BOX 1046  
KENNEBUNKPORT ME 04046

MIKLOS MARK A & JENNIFER L  
54 MAINE STREET  
KENNEBUNKPORT ME 04046

MORELLI, MICHAEL J & KERRY H  
42 BOULDER TRAIL  
BRONXVILLE NY 10708

MULBERGER, VIRGINIA A  
804 HALL PLACE  
ALEXANDRIA VA 22302

NOWAK, LORI  
4940 N HACIENDA DEL SOL ROAD  
TUCSON AZ 85718

OCEAN AVE B&B, LLC  
60 SEAGATE DRIVE, APT 1701  
NAPLES FL 34103

PAPPAGEORGE, PATRICIA  
1267 REALTA DRIVE  
CHARLOTTE NC 28211

PELLETIER, THOMAS J & CYNTHIA L  
182 LOWELL STREET  
PEABODY MA 01960

PORT COMMONS CONDO

PRICE, EUGENE THOMAS & KRISTEN E  
15 FERNWOOD ROAD  
WEST HARTFORD CT 06119

RANDALL, KAREN  
PO BOX 40  
LUDLOW MA 01056

REDDEN, MICHAEL A & OLSHAN, ARTHUR  
8 FRAESCO LANE  
NORWOOD NJ 07648

RIVERBANK CONDO

ROHRBACKER, LESLIE C & NEIL  
3 KNOLLWOOD AVENUE  
MADISON NJ 07940

RYBCZYK, STEPHEN M & CAROLE A  
64 MILLER ROAD  
BURLINGTON CT 06013

SOUTH MAINE, LLC  
C/O COTTAGES AT CABOT COVE  
2 LIVEWELL DR, STE 203  
KENNEBUNK ME 04043

SPENCER, MARY A  
PO BOX 1422  
KENNEBUNKPORT ME 04046

STOHLMAN, SUZANNE  
PO BOX 127  
KENNEBUNKPORT ME 04046

TAMARACKS CONDO

TILNEY, PETER VR & GARVIN, KRISTEN L  
15 SOUTH MAIN STREET  
KENNEBUNKPORT ME 04046

TILNEY, PETER VR & KATHERINE R  
15 SOUTH MAIN STREET  
KENNEBUNKPORT ME 04046



WILLIAMS, EMILY B & SILLS, DIANE M  
28 CONCORD ST  
CARLISLE MA 01740

WINSTANLEY, ADAM D  
150 BAKER AVENUE SUITE 303  
CONCORD MA 01742

YANKOWSKI, GEORGE E JR & JANICE G  
PO BOX 1333  
KENNEBUNKPORT ME 04046



SOCIETY OF FRANCISCAN FATHERS  
28 BEACH AVENUE  
KENNEBUNK, ME 04043

SOCIETY OF FRANCISCAN FATHERS  
P.O. BOX 980  
KENNEBUNKPORT, ME 04046

HIOS HOSPITALITY LLC  
WHITE BARN INN OWNER LLC  
11 DOANES WHAR ROAD  
KENNEBUNK, ME 04043



## **Public Notice Certification**



## PUBLIC NOTICE FILING AND CERTIFICATION

Department Rules, Chapter 2, require an applicant to provide public notice for all Tier 2, Tier 3 and individual Natural Resources Protect Act projects. In the notice, the applicant must describe the proposed activity and where it is located. “**Abutter**” for the purposes of the notice provision means any person who owns property that is BOTH (1) adjoining and (2) within one mile of the delineated project boundary, including owners of property directly across a public or private right of way.

1. **Newspaper:** You must publish the Notice of Intent to File in a newspaper circulated in the area where the activity is located. The notice must appear in the newspaper within 30 days prior to the filing of the application with the Department. You may use the attached Notice of Intent to File form, or one containing identical information, for newspaper publication and certified mailing.
2. **Abutting Property Owners:** You must send a copy of the Notice of Intent to File by certified mail to the owners of the property abutting the activity. Their names and addresses can be obtained from the town tax maps or local officials. They must receive notice within 30 days prior to the filing of the application with the Department.
3. **Municipal Office:** You must send a copy of the Notice of Intent to File and a **duplicate of the entire application** to the Municipal Office.

**ATTACH a list of the names and addresses of the owners of abutting property.**


### CERTIFICATION

By signing below, the applicant or authorized agent certifies that:

5. A Notice of Intent to File was published in a newspaper circulated in the area where the project site is located within 30 days prior to filing the application;
6. A certified mailing of the Notice of Intent to File was sent to all abutters within 30 days of the filing of the application;
7. A certified mailing of the Notice of Intent to File, and a duplicate copy of the application was sent to the town office of the municipality in which the project is located; and
8. Provided notice of and held a public informational meeting, if required, in accordance with Chapter 2, Rules Concerning the Processing of Applications, Section 13, prior to filing the application. Notice of the meeting was sent by certified mail to abutters and to the town office of the municipality in which the project is located at least ten days prior to the meeting. Notice of the meeting was also published once in a newspaper circulated in the area where the project site is located at least seven days prior to the meeting.

The Public Informational Meeting was held on N/A  
Date

Approximately N/A members of the public attended the Public Informational Meeting.



Signature of Applicant or authorized agent

11/12/2024

Date



**Attachment 11:**  
**Historic Sites**



## **11.0 Historic Sites**

As required by the U.S. Army Corps of Engineers (USACE), the Maine Historic Preservation Commission (MHPC) and the Tribal Historic Preservation Officers (THPO) of Maine have been notified regarding this project. Copies of these notifications are included with this section. Any responses received from the MHPC and THPO will be forwarded to the project manager assigned to this project.



## **Maine Historic Preservation Commission Notification**





October 25, 2024

Maine Historic Preservation Commission  
Mr. Kirk F. Mohny, Director  
65 State House Station  
Augusta, Maine 04333-0065  
[MHPCprojectreview@maine.gov](mailto:MHPCprojectreview@maine.gov)

**VIA: Transmitted via email as noted above**

**RE: Kennebunkport Marina Dredging – Project Review Request  
67 Ocean Ave, Kennebunkport, ME 04046  
Map 10, Block 1, Lot 2**

On behalf of the Kennebunkport Marina (Applicant), Walsh Engineering Associates, Inc. (WEA) intends to file permit applications with the Maine Department of Environmental Protection (DEP) and the U.S. Army Corps of Engineers (USACE) for maintenance dredging activities in the Kennebunk River at 67 Ocean Avenue in Kennebunkport, Maine. WEA is requesting that the Maine Historic Preservation Commission (MHPC) review the area for any known historic and/or archaeological resources. A site location map is attached for your review.

If you have any questions or concerns with this project, please feel free to contact me at (207) 553-9898 or by e-mail at [leyna@walsh-eng.com](mailto:leyna@walsh-eng.com). Thank you in advance for your time.


Respectfully,

A handwritten signature in dark ink that reads "Leyna L. Tobey". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Leyna Tobey, Project Manager  
Walsh Engineering Associates, Inc.

Enc: Site Location Map





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW



## **Tribal Historic Preservation Officers Notification**





October 25, 2024

Houlton Band of Maliseet Indians  
Isaac St. John, THPO  
88 Bell Road, Littleton, Maine 04730  
[istjohn@maliseets.com](mailto:istjohn@maliseets.com)

Mi'kmaq Nation  
Jenny Gaenzle, THPO  
7 Northern Road, Presque Isle, Maine 04769  
[jgaenzle@micmac-nsn.gov](mailto:jgaenzle@micmac-nsn.gov)

Passamaquoddy Tribe of Indians  
Donald Soctomah, THPO  
Pleasant Point Reservation  
P.O. Box 343, Perry, Maine 04667  
[soctomah@gmail.com](mailto:soctomah@gmail.com)

Penobscot Nation  
Chris Sockalexis, THPO  
Cultural and Historic Preservation Dept.  
12 Wabanaki Way, Indian Island, Maine 04468  
[chris.sockalexis@penobscotnation.org](mailto:chris.sockalexis@penobscotnation.org)

Passamaquoddy Tribe of Indians  
Donald Soctomah, THPO  
Indian Township Reservation  
P.O. Box 301, Princeton, Maine 04668  
[soctomah@gmail.com](mailto:soctomah@gmail.com)

**VIA: Transmitted via email as noted above**

**RE: Kennebunkport Marina Dredging – Project Review Request  
67 Ocean Ave, Kennebunkport, ME 04046  
Map 10, Block 1, Lot 2**

On behalf of the Kennebunkport Marina (Applicant), Walsh Engineering Associates, Inc. (WEA) intends to file permit applications with the Maine Department of Environmental Protection (DEP) and the U.S. Army Corps of Engineers (USACE) for maintenance dredging activities in the Kennebunk River at 67 Ocean Avenue in Kennebunkport, Maine. WEA is requesting that the Maine Tribal Historic Preservation Offices (THPO) review the area for any known historic and/or archaeological resources. A site location map is attached for your review.

If you have any questions or concerns with this project, please feel free to contact me at (207) 553-9898 or by e-mail at [leyna@walsh-eng.com](mailto:leyna@walsh-eng.com). Thank you in advance for your time.


Respectfully,

A handwritten signature in dark ink, reading "Leyna L Tobey". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Leyna Tobey, Project Manager  
Walsh Engineering Associates, Inc.

Enc: Site Location Map





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2024

## Kennebunkport Marina Dredging

Kennebunkport Marina  
67 Ocean Avenue  
Kennebunkport, Maine 04046

Sheet Title:

### Site Location

Job No.:	643.6
Date:	OCTOBER 2024
Scale:	1" = 1,000'
Drawn:	LLT
Checked:	WRW



**Attachment 12:**  
**Functional Assessment**



## 12.0 Functional Assessment

In accordance with the Wetlands and Waterbodies Protection Rules, Section 5.C(6)(b) Coastal Wetlands: *a coastal wetland alteration that does not cover, remove or destroy marsh vegetation, does not fill more than 500 square feet of intertidal or subtidal are, and has no adverse effect on marine resource or on wildlife habitat as determined by the DMR or IF&W as applicable* requires neither a functional assessment nor compensation.

Because this area has been frequently dredged, the project will have minimal impact on the existing natural resources, and the impact to wetland functions and values from this activity will be insignificant, this project does not require a functional assessment.



**Attachment 13:**  
**Wetland Compensation Plan**



## 13.0 Wetland Compensation Plan

In accordance with the Wetlands and Waterbodies Protection Rules, Section 5.C(6)(b) Coastal Wetlands: *a coastal wetland alteration that does not cover, remove or destroy marsh vegetation, does not fill more than 500 square feet of intertidal or subtidal are, and has no adverse effect on marine resource or on wildlife habitat as determined by the DMR or IF&W as applicable* requires neither a functional assessment nor compensation.

The proposed activities result in minimal impact to the coastal wetland. No loss or degradation of wetland function is anticipated because of this activity. No compensation is proposed.



**Attachment 14:**  
**Sampling and Analysis Plan**



## **14.0 Sampling and Analysis Plan**

The U.S. Army Corps of Engineers (USACE) approved a Sampling and Analysis Plan (SAP) for the project on January 21, 2022, which provided proposed sediment sampling locations, methods, and testing criteria to determine disposal suitability. The sampling results were submitted to the USACE for the Kennebunkport Marina and the nearby Arundel Yacht Club, Yachtsman Marina, and Kennebunk River Club. The USACE issued a Suitability Determination for all 4 sites on June 10, 2024, which documents the suitability of the dredged material for disposal at the Isle of Shoals North (IOSN) open water disposal site.

The SAP and USACE's Suitability Determination are included as an attachment to this permit section for reference.



## **Sampling and Analysis Plan (SAP)**



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

1. **Project Description:** The applicant is proposing to mechanically dredge approximately 2,600 cubic yards (CY) of material from shoaled areas totaling 0.8 acres within the property's marina basin, located in the town of Kennebunkport, ME (Figures 1 and 2). This area will be dredged to the proposed depth of -6 feet at mean lower low water (MLLW) plus one foot of allowable overdepth. The applicant proposes to dispose of this material at the Isles of Shoals North Disposal Site (IOSN).

This sampling and analysis plan (SAP) has been developed by the New England District (NAE) U.S. Army Corps of Engineers (USACE) to gather information to support a dredged material suitability determination for the open water disposal alternative associated with this project. This sampling and analysis effort will be divided into two phases. The first phase will include sampling and testing of dredge site sediment for grain size and bulk chemistry in order to identify contaminants of concern. The second phase will include sampling of dredge site sediment and water for elutriate and biological testing in order to evaluate the material for placement at IOSN. The results of biological testing will be evaluated against the most recent NAE dataset for the IOSN reference area. All sampling and analysis activities described in this plan shall follow the requirements set forth in the "*Regional Implementation Manual for the Evaluation of Dredged Material Proposed for Disposal in New England Waters*" (RIM) dated May 6, 2004. A copy of the RIM may be downloaded from the NAE website: <http://www.nae.usace.army.mil/Missions/Regulatory/DredgedMaterialProgram/RegionalImplementationManual.aspx>

2. **Conceptual Site Model:** NAE reviewed historic testing data, water quality data, spill records, and adjacent land use information to develop a conceptual site model (CSM) for the proposed project. The CSM was used to characterize the system and identify potential sources of contamination, site-specific contaminants of concern, exposure pathways, and biological receptors in order to inform this sampling and analysis plan.

Project Setting: The property is associated with Kennebunkport Marina located on the eastern bank of the Kennebunk River approximately 0.25 miles north of the river's mouth in Kennebunkport, ME (Figure 1). The marina is a year-round facility offering slips that can accommodate boats approximately 40 feet in length, full mechanical services, a ships store, engine sales, power boat and canoe rentals, and a boat ramp. Land use in the surrounding area includes a mix of residential properties and marina facilities. The Yachtsman Hotel and Marina Club is directly adjacent to the north of the property. Chicks Marina, which has a fuel dock, is directly adjacent to the south of the property.



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

Downtown Kennebunkport, an area with several restaurants, retail shops, and marine services, is approximately 2,000 feet north of the property. The Kennebunkport River Federal Navigation Project (FNP) -6 foot MLLW channel is located directly adjacent to the western boundary of the project area.

Water Quality: Water Quality in the project area is dictated by tidal exchange with the Gulf of Maine with freshwater input from the Kennebunk River to the north and a series of overboard discharge pipes within the Yachtsman Marina property, approximately 150-250 feet north of the property. The 2014 Environmental Assessment for dredging of the Kennebunk River FNP noted that there have been reported increases of bacterial counts in the water, attributed to faulty septic systems, agriculture, and overboard discharges. Tidal waters of the Kennebunk River are classified as SB by the Maine Department of Environmental Protection (MEDEP). Class SB waters must be of such quality that they are suitable for the designated uses of recreation in and on the water, fishing, aquaculture, propagation and harvesting of shellfish, industrial process and cooling water supply, hydroelectric power generation, navigation and as habitat for fish and other estuarine and marine life (38 M.R.S. § 465(B)(2) <https://www.mainelegislature.org/legis/statutes/38/title38sec465-B.html>).

Dredge History and Existing Testing Data: The project area was last dredged in 2015 when approximately 1,500 CY of material were removed to a depth of -5 feet Mean Low Water (MLW) and placed at the Cape Arundel Disposal Site (CADS). Sampling and testing of this material in 2014 documented sediments to be predominately fine grained (passing the No. 200 sieve) with little sand. A review of the associated chemistry data found elevated levels of pesticides (total DDX [4,4'-DDD + 4,4'-DDE + 4,4'-DDT]) and total high molecular weight polyaromatic hydrocarbons (HPAHs). A review of the associated biological testing data found sediment from the project area not likely to be acutely toxic to benthic organisms. A suitability determination from 2014 for the project area found sediments suitable for open water disposal at CADS.

Spill Data: Based on information provided by the applicant and a review of the Maine Department of Environmental Protection (MEDEP) Oil and Hazardous Waste Spill Database (<https://www.maine.gov/dep/spills/index.html>), NAE determined that there have been several small diesel, gasoline, and oil spills within the surrounding area or the project site since the area was last dredged.

Risk Ranking: Following the tier one review of the site characteristics, location, and the available historical data, the proposed project was given a **low-moderate** risk ranking according to the following matrix.



**Table 1: Project Risk Ranking**

<b>Rank</b>	<b>Guidelines</b>
Low	Few or no sources of contamination. Data available to verify no significant potential for adverse biological effects.
Low-Moderate	Few or no sources of contamination but existing data is insufficient to confirm ranking.
Moderate	Contamination sources exist within the vicinity of the project with the potential to produce chemical concentrations that may cause adverse biological effects.
High	Known sources of contamination within the project area and historical data exists that has previously failed biological testing.

3. **Sample Collection:** In the first phase of testing the applicant shall collect sediment cores from three locations within the proposed dredge areas as specified in Table 2 (also see Figure 3). These locations were selected based on information from the CSM described above, the low to moderate risk ranking for the project, and shoaled areas identified in the project conditions survey submitted by the applicant. All core samples shall be collected to the proposed dredge depth plus overdredge amount using inert core liners. Estimated core lengths based on the bathymetry provided by the applicant are provided in Table 2, but the actual required core lengths shall be determined at the time of the sampling effort using measured water depths at each location corrected to MLLW. In order to ensure that the core samples adequately represent the dredge interval at each location, all cores to be used for this project shall have a recovered length that is within 75% of the core penetration depth. In addition, any cores that display significant disturbance such as compaction or wash out shall be disregarded. If the cores from any location do not meet the acceptability criteria after six attempts, then the applicant should retain the best core from that location and contact NAE for further guidance. The penetration and recovery for the core used for the chemistry and grain size samples should be recorded on the sample log.

Upon collection, all cores shall be measured and maintained in an upright position for a minimum of 15 minutes to allow any fine-grained material to settle. After a core has settled, it shall be re-measured before any overlying water is drained, taking care to not include overlying water with sediment flocculant in the measurement. All cores shall be split lengthwise, photographed with a stadia rod for scale, and described in accordance with ASTM D 2488 (Standard Practice for Description and Identification of Soils). Samples shall be collected from the dredge interval (dredge depth + overdepth) within each core for grain size and bulk chemical analysis as described in the sections below. If the dredge interval within a core is homogenous then the entire length may be composited as a single sample with the chemistry/grain size sample interval noted on the sampling log. If any core shows significant stratification or obvious signs of contamination, then subsamples shall be collected from each layer and noted on



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

the sampling log and the applicant shall consult NAE for guidance prior to the start of analysis. The term “significant stratification” includes any distinct change in sediment composition that could represent a change in depositional history or waterway usage such as a change in color or lithology. Compositing of dissimilar sediment layers without prior approval from NAE will result in the rejection of any resulting data products.

All sediments held for testing shall be stored in accordance with the requirements in Table 3 (from Table 8-9 in *Evaluation of Dredged Material Proposed for Ocean Disposal, Testing Manual, 1991*). Sample chain of custody forms shall be maintained by the applicant and submitted to NAE with the data package described in section 5 of this SAP.

Based on the results of the grain size and bulk chemistry sediment testing, NAE will provide the applicant with a biological testing compositing plan. In the second phase of testing, dredge area sediment shall be collected from the same sample locations described in Table 2 and composited according to NAE’s biological testing compositing plan. Sufficient amounts of sediment and water shall be collected for elutriate preparation and analysis, water column toxicity testing, 10-day whole sediment toxicity testing, and 28-day bioaccumulation testing according to the sections below. Sediment cores from each station shall be collected using inert core liners and may be transferred directly into food grade polyethylene pails after core recovery has been measured. In addition, the applicant shall collect dredge site water from a central location within the proposed project area. All water samples shall be collected from the middle of the water column using either a non-contaminating pump or a discrete water sampler.

Please note that the applicant is not required to collect sediment or water samples from the IOSN reference site as the results of the biological testing will be compared to recent reference site data collected by NAE.

Again, all sediment and water samples held for testing shall be stored in accordance with the requirements in Table 3 (from Table 8-2 in *Evaluation of Dredged Material Proposed for Ocean Disposal, Testing Manual, 1991*). Sample chain of custody forms shall be maintained by the applicant and submitted to NAE with the data package described in section 5 of this SAP.

Vessel positioning shall be achieved using a Global Positioning System (GPS) that has been calibrated on site using a known reference point. The required horizontal accuracy at each sample location shall be 10 feet or less. All coordinate data shall be reported in geographic NAD 83 decimal degree format. All depth data shall be reported in tenths of feet. Water depths at each location are to be determined with an accuracy of  $\pm 0.1$  feet (relative to MLLW). All depth data shall be reported in tenths of feet.



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

For phase one sampling, sample data including date, time, latitude, longitude, GPS accuracy at each sample station, measured water depth, tidal correction, core penetration, recovery, and chemistry sample intervals(s) shall be recorded in a sampling log (Figure 4 or equivalent) and provided to NAE with the applicant's core descriptions and photographs.

For phase two sampling, all sample data including date, time, latitude, longitude, GPS accuracy at each sample station, measured water depth, tidal correction, number of cores collected at each station, core lengths, and a general description of the sediment shall be recorded in a sampling log and provided to NAE. Note that if any of the phase two cores are significantly different from the material that was sampled during phase one, a representative core should be photographed and described and NAE should be consulted for guidance.

4. **Sample Analysis:** Sediment and water samples from the dredge area shall undergo physical, chemical, and biological analysis as described in the sections below. All laboratories used for this project shall have an approved Laboratory Quality Assurance Plan (LQAP) on file with NAE. Any data produced by a lab without an approved LQAP will not be accepted. The RIM, a list of laboratories with approved LQAPs, and the reporting format and requirements for electronic submission of data are available for download through the NAE website: <http://www.nae.usace.army.mil/Missions/Regulatory/Dredged-Material-Program/>.

Grain Size and Bulk Sediment Chemistry: All samples from the proposed dredge footprint shall be individually analyzed for grain size and bulk sediment chemistry. Testing parameters, analytical methods, and reporting limits to be used are outlined in Table 4. The listed analytical methods are recommended but can be replaced by other methods that will provide the required reporting limits. Additional guidance on the physical and chemical analysis of sediments can be found in chapter 5 of the RIM. NAE will provide the applicant with a compositing plan for biological testing based on sample proximity, physical characteristics recorded during the core description process, and the results of grain size and bulk chemistry analysis.

Elutriate Chemistry: Elutriate samples shall be prepared from the dredge area water and sediments according to the project compositing plan. The elutriate samples and clean seawater (provided by the applicant's testing facility) used for dilutions in the suspended phase particulate bioassays shall undergo chemical analysis according to the testing parameters, analytical methods, and reporting limits outlined in Table 5. The listed analytical methods are recommended but can be replaced by other methods that will give the required reporting limits. Additional guidance can be found in Section 6.1 of the RIM and Section 9.4 of the Green Book.



Water Column Toxicity Testing: Suspended phase particulate bioassays shall be performed on each composite sample in accordance with the requirements specified in Section 6.2 of the RIM, and Section 11.1 of the Green Book. Refer to the RIM for guidance in selecting the test species. Clean seawater provided by the applicant's testing facility shall be used as both control and dilution water.

Please note that excessive ammonia concentrations in the elutriate samples may cause a toxic response that is not of interest to the SPP bioassay, which focuses on persistent contaminants. To account for this scenario, the US Environmental Protection Agency (EPA) and NAE have devised a protocol to determine if ammonia is the driver of toxicity in situations where unionized ammonia is present at concentrations above the applicable water quality criteria (WQC). In order to facilitate this protocol, the applicant may choose to have their laboratory measure total ammonia in the undiluted elutriate samples prior to SPP bioassay initiation and calculate the unionized ammonia concentrations based on measurements of pH, temperature, and salinity. If the calculated unionized ammonia concentrations are greater than the applicable WQC, the testing facility should immediately notify the applicant and seek guidance from NAE on project-specific procedures for preparation of additional elutriate samples requiring treatment for ammonia reduction and the need for additional SPP testing. This protocol is not a requirement, but NAE recommends it to prevent a 'false positive' toxicity result that would limit the applicant's disposal alternatives.

10-Day Whole Sediment Toxicity Testing: 10-day whole sediment toxicity testing shall be performed on each composite sample in accordance with the requirements specified in Chapter 7.1 of the RIM, Section 11.2 of the Green Book, and Methods for Assessing the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Amphipods, 1994. The bioassay test shall use two species of test animals, the amphipod *Leptocheirus plumulosus* and the mysid shrimp *Americamysis bahia*. If alternate species are selected from the RIM then contact NAE prior to sampling to coordinate necessary reference data collection.

28-Day Bioaccumulation Testing: 28-day bioaccumulation testing shall be performed on each composite sample in accordance with the requirements specified in Chapter 7.2 of the RIM and Section 12.1 of the Green Book. The bioaccumulation test shall use a bivalve, *Macoma nasuta*, and the polychaete *Nereis virens* as test animals. If alternate species are selected from the RIM then contact NAE prior to sampling to coordinate necessary reference data collection. At the end of the 28-day test, the tissues of the survivors shall be tested for the project contaminants of concern according to Tables 8 and 9 of the RIM. The contaminants of concern will be determined from the bulk sediment chemistry testing described above.



5. **Reporting requirements:** All sediment testing data is required to be submitted electronically in the electronic data deliverable (EDD) format available on the NAE website (<http://www.nae.usace.army.mil/Missions/Disposal-Area-Monitoring-System-DAMOS/Electronic-Data-Deliverables.aspx>). Hard copy data submission is also required but may be substituted with a printer friendly, easy-to-read format (e.g., PDF, MS Word). Any analytes not detected shall be reported as half the method detection limit (MDL) and qualified with a “U”. RIM quality control summary tables are required to be submitted with each project dataset. These tables are found in Appendix II of the RIM.

6. **Contact Information:** Questions about this plan should be directed to Gabriella Saloio (phone: 978-318-8138 e-mail: [Gabriella.J.Saloio@usace.army.mil](mailto:Gabriella.J.Saloio@usace.army.mil))

*Gabriella Saloio*

---

Gabriella Saloio  
Biologist  
New England District  
U.S. Army Corps of Engineers





**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**Table 2: Kennebunkport Marina Sample Locations**

<b>Station</b>	<b>Latitude (NAD 83)</b>	<b>Longitude (NAD 83)</b>	<b>Survey Depth (Feet MLLW)</b>	<b>Project Depth (Feet MLLW)</b>	<b>Overdepth (Feet)</b>	<b>Estimated Core length (Feet)</b>
K-1	-70.473665	43.355874	-1.9	-6.0	1.0	5.1
K-2	-70.473951	43.356076	-5.0	-6.0	1.0	2.0
K-3	-70.473996	43.356331	-1.5	-6.0	1.0	5.5








Kennebunkport Marina Dredging			
Elevation	Area (sf)	Incremental Volume (cy)	Cumulative Volume (cy)
0 to -1	1,429	27	27
-1 to -2	2,808	80	107
-2 to -3	4,238	132	239
-3 to -4	5,562	181	420
-4 to -5	10,283	293	714
-5 to -6	28,727	722	1,436
-6 to -7	33,342	1,169	2,585

**FIGURE 2:  
APPLICANT DREDGE  
PLAN**

N/F  
KENNEBUNKPORT MARINA, LLC  
MAP 10, BLOCK 1 LOT 2  
BK 15867 / PG 632



#### PLAN REFERENCES

1. BATHYMETRY CONDUCTED BY WEA ON OCTOBER 27, 2020 USING HYDROLITE SONARITE ECHOSOUNDER AND CARLSON BR46 GNSS RECEIVER
2. A PLAN TITLED "BOUNDARY SURVEY AT YACHTSMAN LODGE & MARINA" PREPARED BY OWEN HASKELL, INC. OF 390 U.S. ROUTE ONE, UNIT 10, FALMOUTH, MAINE 04105, DATED APRIL 26, 2018
3. A PLAN TITLED "SITE PLAN SHOWING THE PROPERTY OF THE KENNEBUNKPORT MARINA" PREPARED BY WILLIAM PIERCE OF 6 WATERHOUSE ROAD, DAYTON, MAINE 04005, DATED NOVEMBER 1, 1995
4. A PLAN TITLED "KENNEBUNK RIVER KENNEBUNK AND KENNEBUNKPORT MAINE AFTER DREDGE SURVEY" PREPARED BY U.S. ARMY CORPS OF ENGINEERS NEW ENGLAND DISTRICT DATED MARCH 9, 2020
5. ALL ELEVATIONS ON THIS PLAN ARE BASED ON MLLW. THE MLLW TO NAVD88 CORRECTIONS FOR THIS PROJECT IS 5.09 FEET
6. A PLAN TITLED "DOCK PLAN" PREPARED BY REILLY STUDIOS OF 959 ISLINGTON STREET, PORTSMOUTH, NEW HAMPSHIRE 03801, DATED MARCH 4, 2008

**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9686 | www.walsh-eng.com

Copyright © 2021

P:\0431 - Yachtsman Marina Dredging\0406431 - BASE.dwg plot date: 10/22/2021 11:34 AM

Sheet Title:

**Plan View**



Job No.:	643.1
Date:	May 2021
Scale:	1" = 20'
Drawn:	CAR
Checked:	WRW

**Kennebunkport Marina Dredging**

Kennebunkport Marina  
67 Ocean Ave  
Kennebunkport, Maine 04046

GRAPHIC SCALE  
1 inch = 40 ft.







**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**TABLE 3: RECOMMENDED PROCEDURES FOR SAMPLE COLLECTION, PRESERVATION, AND STORAGE**

<u>Analyses</u>	<u>Collection Method</u>	<u>Sample Volume</u>	<u>Container</u>	<u>Preservation Technique</u>	<u>Storage Conditions</u>	<u>Holding Time<sup>b</sup></u>
<b>Sediment</b>						
<b>Chemical/Physical Analyses</b>						
Metals	Grab/corer	200 mL	Precleaned polyethylene jar <sup>c</sup>	Refrigerate. Dry ice <sup>b</sup> or freezer storage is recommended for extended holding times.	≤ 4° C <sup>c</sup>	Hg - 28 days Others - 6 Months <sup>d</sup>
Organic Compounds	Grab/corer	475 mL	Solvent-rinsed glass jar with Teflon lid <sup>c</sup>	Refrigerate. Dry ice <sup>b</sup> or freezer storage is recommended for extended holding times.	≤ 4° C/dark <sup>d</sup>	14 days <sup>e</sup>
Particle Size	Grab/corer	75 mL	Whirl-pac bag <sup>b</sup>	Refrigerate	≤ 4° C	Undetermined
Total Organic Carbon	Grab/corer	3 L	Heat treated glass vial with Teflon lined lid <sup>c</sup>	Refrigerate. Dry ice <sup>c</sup> or freezer storage is recommended for extended holding times.	≤ 4° C <sup>c</sup>	14 days
Sediment from Which Elutriate is Prepared	Grab/corer	Dependent on tests performed	Glass with Teflon lined lid	Completely fill and Refrigerate	≤ 4° C/dark/airtight	Undetermined
<b>Biological Tests</b>						
Dredged Material	Grab/corer	12-15 L per sample	Plastic bag or container <sup>e</sup>	Completely fill and Refrigerate; sieve	≤ 4° C/dark/airtight	14 days <sup>i f</sup>
Reference Sediment	Grab/corer	45-50 L per test	Plastic bag or container <sup>e</sup>	Completely fill and Refrigerate; sieve	≤ 4° C/dark/airtight	14 days <sup>i f</sup>
Control Sediment	Grab/corer	21-25 L per test	Plastic bag or container <sup>e</sup>	Completely fill and Refrigerate; sieve	≤ 4° C/dark/airtight	14 days <sup>i f</sup>
<b>Water and Elutriate</b>						
<b>Chemical/Physical Analyses</b>						
Metals		Discrete sampler or pump	1 L	Acid-rinsed polyethylene or glass jar	pH <2 with HNO <sub>3</sub> <sup>d</sup>	4° C ± 2° C <sup>d</sup>



**TABLE 3: RECOMMENDED PROCEDURES FOR SAMPLE COLLECTION, PRESERVATION, AND STORAGE (CONTINUED)**

Organics	Discrete sampler or pump	4 L	Amber glass bottle <sup>d</sup>	Airtight seal; refrigerate	4° C ± 2° C <sup>d</sup>	5 days <sup>d</sup>
<b>Tissue</b>						
Metals	Trawl/ Teflon coated grab	30 g	Double Ziploc <sup>c</sup>	Handle with non-metallic forceps; plastic gloves; dry ice <sup>c</sup>	≤ -20° C <sup>c</sup>	Hg - 14 days Others - 6 months <sup>i</sup>
PCBs and Chlorinated Pesticides	Trawl/ Teflon coated grab	100 g	Hexane-rinsed double aluminum foil and double Ziploc <sup>c</sup>	Handle with hexane-rinsed stainless steel forceps; dry ice <sup>c</sup>	≤ -20° C <sup>c</sup>	10 days <sup>i e</sup>
Volatile Organic Compounds	Trawl/ Teflon coated grab	50 g	Heat cleaned aluminum foil and watertight plastic bag <sup>i</sup>	Covered ice chest <sup>d</sup>	≤ -20° C <sup>i</sup>	10 days <sup>i e</sup>
PAHs	Trawl/ Teflon coated grab	50 g	Hexane-rinsed double aluminum foil and double Ziploc <sup>c</sup>	Handle with hexane-rinsed stainless steel forceps; dry ice <sup>c</sup>	≤ -20° C <sup>i</sup>	10 days <sup>i e</sup>
Lipids	Trawl/ Teflon coated grab	50 g	Hexane-rinsed aluminum foil	Handle with hexane-rinsed stainless steel forceps; quick freeze	20° C	Undetermined

<sup>a</sup> This table contains only a summary of collection, preservation, and storage procedures for samples. The cited references should be consulted for a more detailed description of these procedures.

<sup>b</sup> These holding times are for sediment, water, and tissue based on guidance that is sometimes administrative rather than technical in nature. There are no promulgated, scientifically based holding time criteria for sediments, tissues, or elutriates. References should be consulted if holding times for sample extracts are desired. Holding times are from the time of sample collection.

<sup>c</sup> NOAA (1989).

<sup>d</sup> Tetra Tech (1986a)

<sup>e</sup> Sample may be held for up to one year if maintained ≤ -20° C

<sup>f</sup> Two weeks is recommended; sediments must not be held for longer than 8 weeks prior to biological testing.

<sup>g</sup> NOAA (1989).

<sup>h</sup> Plumb (1981).

<sup>i</sup> Tetra Tech (1986b)



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**TABLE 4: BULK SEDIMENT TESTING PARAMETERS**

<u>Parameter</u>	<u>Analytical Method</u>	<u>Reporting Limit (ppm)</u>
Metals		
Arsenic	6010B, 6020, 7060, 7061	0.4
Cadmium	6010B, 6020, 7130, 7131	0.07
Chromium	6010B, 6020, 7190, 7191	0.5
Copper	6010B, 6020, 7210	0.5
Lead	6010B, 6020, 7420, 7421	0.5
Mercury	7471	0.02
Nickel	6010B, 6020, 7520	0.5
Zinc	6010B, 6020, 7950	1.0
PCBs (total by NOAA summation of congeners)		
See next page	8082A	0.001
Pesticides	NOAA (1993), 8081B	0.001
Aldrin	Heptachlor epoxide	
cis- & trans-Chlordane	Hexachlorobenzene	
4,4'-DDT, DDD, DDE	Lindane	
Dieldrin	Methoxychlor	
$\alpha$ & $\beta$ Endosulfan	cis- & trans-Nonachlor	
Endrin	Oxychlordane	
Heptachlor	Toxaphene	0.025
Polycyclic Aromatic Hydrocarbons (PAHs)	8270C-SIM	0.01
Acenaphthene	Chrysene	
Acenaphthylene	Dibenzo(a,h)anthracene	
Anthracene	Fluoranthene	
Benzo(a)anthracene	Fluorene	
Benzo(a)pyrene	Indeno(1, 2, 3-cd)pyrene	
Benzo(b)fluoranthene	Naphthalene	
Benzo(k)fluoranthene	Phenanthrene	
Benzo(g, h, i)perylene	Pyrene	
Total Organic Carbon	Plumb (1981), APHA (1995)	0.1%
Percent Moisture	Plumb (1981), EPA (1992), PSEP (1986)	1.0%
Grain Size	Wet Sieve (#4, 10, 40, 200)	



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**TABLE 4: BULK SEDIMENT TESTING PARAMETERS (CONTINUED)**

PCB CONGENERES

Analytical Method: NOAA (1993), 8082A

Reporting Limit: 1 ppb

Congeners:

8*	2,4' diCB
18*	2,2',5 triCB
28*	2,4,4' triCB
44*	2,2',3,5' tetraCB
49	2,2',4',5 tetraCB
52*	2,2',5,5' tetraCB
66*	2,3',4,4' tetraCB
87	2,2',3,4,5' pentaCB
101*	2,2',4,5,5' pentaCB
105*	2,3,3',4,4' pentaCB
118*	2,3',4,4',5 pentaCB
128*	2,3,3',4,4' hexaCB
138*	2,2',3,4,4',5' hexaCB
153*	2,2',4,4',5,5' hexaCB
170*	2,2',3,3',4,4',5 heptaCB
180*	2,2',3,4,4',5,5' heptaCB
183	2,2',3,4,4',5',6 heptaCB
184	2,2',3,4,4',6,6' heptaCB
187*	2,2',3,4',5,5',6 heptaCB
195*	2,2',3,3',4,4',5,6 octaCB
206*	2,2',3,3',4,4',5,5',6 nonaCB
209*	2,2',3,3',4,4',5,5',6,6' decaCB

\* denotes a congener to be used in estimating Total PCB. To calculate Total PCB, sum the concentrations of all eighteen congeners marked with a "\*" and multiply by 2.

The specified methods are recommendations only. Other acceptable methodologies capable of meeting the Reporting Limits can be used. Sample preparation methodologies (e.g. extraction and cleanup) and sample size may need to be modified to achieve the required Reporting Limits.



**FINAL** Sampling and Analysis Plan for Kennebunkport Marina, Kennebunkport, ME, File Number NAE-2005-00280

**TABLE 5: ELUTRIATE TESTING PARAMETERS**

<u>Parameter</u>	<u>Recommended Analytical Method</u>	<u>Reporting Limit (µg/L)</u>
Metals		
Arsenic	200.9, 1632	1.0
Cadmium	200.9, 1637	1.0
Chromium (VI)	218.6, 1636	1.0
Copper	200.9, 1639, 1640	0.6
Lead	200.9, 1639, 1640	1.0
Mercury	245.7, 1631	0.4
Nickel	200.9, 1639, 1640	1.0
Selenium	200.9, 1639	1.0
Silver	200.9	0.5
Zinc	200.9, 1639	1.0
PCBs (total, by either of these methods)	3510B, 8080A, NYSDEC	0.006
Pentachlorophenol	3501B, 8270C	2.60
Pesticides	3510B, 8080A	
Aldrin		0.26
Chlordane		0.02
Chloropyrifos		0.002
Dieldrin		0.14
4, 4'-DDT		0.03
α & β Endosulfan		0.007
Endrin		0.007
Heptachlor		0.01
Heptachlor epoxide		0.01
Lindane		0.26
Toxaphene		0.04

Reference:

NYSDEC. 1991. Analytical Method for the Determination of PCB Congeners by Fused Silica Capillary Column Gas Chromatography with Electron Capture Detector. NYSDEC #91-11.



**FIGURE 4: EXAMPLE CORE LOG DATA SHEET**

PROJECT NAME: \_\_\_\_\_ DATE: \_\_\_\_\_

PROJECT LOCATION: \_\_\_\_\_ SEA STATE: \_\_\_\_\_

VESSEL: \_\_\_\_\_ POSITIONING EQUIPMENT: \_\_\_\_\_

SAMPLING EQUIPMENT: \_\_\_\_\_

SAMPLING PERSONNEL: \_\_\_\_\_ LOGGED BY: \_\_\_\_\_

---

CORE ID: \_\_\_\_\_ TIME: \_\_\_\_\_

LATITUDE: \_\_\_\_\_ LONGITUDE: \_\_\_\_\_ POSITION ACCURACY: \_\_\_\_\_

MEASURED WATER DEPTH: \_\_\_\_\_ CORRECTED WATER DEPTH: \_\_\_\_\_

TARGET PENETRATION: \_\_\_\_\_ ACTUAL PENETRATION: \_\_\_\_\_ RECOVERY: \_\_\_\_\_

COMMENTS: \_\_\_\_\_

SAMPLE INTERVAL(S): \_\_\_\_\_

CORE PHOTO:	CORE DESCRIPTION:
<i>Insert core photograph with scale</i>	<i>Insert field notes and ASTM description of core</i>



## **USACE's Suitability Determination for Isle of Shoals North**



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine**Summary:**

This determination addresses the suitability of shoaled sediments within four project areas along the Kennebunk River, in Kennebunkport, Maine (ME): Arundel Yacht Club (AYC), Yachtsman Marina, Kennebunkport Marina, and Kennebunk River Club (KBRC) for unconfined open water disposal at the Isle of Shoals North Disposal Site (IOSN) (Figure 1). The New England District (NAE) of the US Army Corps of Engineers (USACE) finds that sufficient data have been provided to satisfy the evaluation and testing requirements of Section 103 of the Marine Protection Research and Sanctuaries Act (MPRSA). Based on an evaluation of the project sites and the material proposed to be dredged, NAE finds these sediments suitable for unconfined open water disposal at IOSN as proposed.

**1. Project Description:**

The applicants are proposing to mechanically dredge shoaled areas from four project areas along the Kennebunk River in Kennebunkport, ME.

- The Arundel Yacht Club is proposing to dredge approximately 8,031 cubic yards (cy) from shoaled areas totaling just over 1 acre within the property's marina basin (Figures 1, 2, and 6).
- The Yachtsman Marina is proposing to dredge approximately 6,400 cy of shoaled material from areas totaling 1.4 acres within the property's marina basin (Figures 1, 3, and 7).
- The Kennebunkport Marina is proposing to dredge approximately 3,675 cy of shoaled material from 0.8 acres within the property's marina basin (Figures 1, 4, and 8).
- The Kennebunk River Club is proposing to dredge a total of approximately 8,935 cy of shoaled material: 3,026 cy of material will be removed from the 0.4 acre north marina basin, and 5,909 cy will be removed from the 0.8 acre south marina basin (Figures 1, 5, and 9).

All areas will be dredged to the authorized project depth of -6 feet at mean lower low water (MLLW) plus 1 foot of allowable overdepth. The applicant requested that disposal of the proposed dredge material be evaluated for IOSN as a potential alternative for this project.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 1: Project Area Summary**

Project Area	File Number	Project Depth (ft MLLW) plus 1 ft OD	Dredge Volume (cy)	Acreage
Arundel Yacht Club	NAE-2022-00288	-6.0	8,031	1.0
Yachtsman Marina	NAE-2004-00319	-6.0	6,400	1.4
Kennebunkport Marina	NAE-2005-00280	-6.0	3,675	0.8
Kennebunk River Club – North Marina Basin	NAE-2007-2704	-6.0	3,026	0.4
Kennebunk River Club – South Marina Basin		-6.0	5,909	0.8

**2. Conceptual Site Model:**

USACE reviewed historic testing data, previous environmental assessments, water quality data, and adjacent land use information to develop a conceptual site model (CSM) for the Kennebunk River projects (Figure 10). NAE used this CSM to characterize the system and to identify potential sources of contamination, site-specific contaminants of concern, exposure pathways, and biological receptors to inform this suitability determination.

Project Setting: All four projects are located along the eastern shoreline of the Kennebunk River in Kennebunkport, ME. The Arundel Yacht Club is located farthest upriver (approximately 0.8 miles from the river’s mouth), the Yachtsman Marina and Kennebunkport Marina are adjacent to each other just to the south of Arundel Yacht Club, and the Kennebunk River Club is located farther down river, about 0.25 miles from the mouth of the river (Figure 1).

The Arundel Yacht Club building was constructed in 1806 and served as a rope making facility until 1816. Sanborn maps from 1911 show that the property was used as a boat house, carriage house, and wagon shed prior to the establishment of the yacht club in 1957. The yacht club provides dockage for up to fifty recreational boats and has a launch for small sailboats. There are no repair or fuel facilities on the property. The Yachtsman Marina offers boat dockage to the Yachtsman Hotel guests. The Marina is now leased to and managed by the adjacent Kennebunkport Marina, located directly to the south. The applicant is proposing to dredge the leased area to connect the two marinas. The Kennebunkport Marina is a year-round facility offering slips, full mechanical services, a ship store, engine sales, power boat and canoe rentals, as well as a boat ramp. The Kennebunk River Club provides seasonal dockage for recreational vessels, as well as shoreside facilities for social and recreational functions.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

Land use in the surrounding area is largely a mix of residential property, many with private docks, and other marina facilities. Chicks Marina, which has a fuel dock, is adjacent to Kennebunkport Marina. Downtown Kennebunkport, which has several restaurants, retail shops, and marine services, is approximately 1,000 feet north of Arundel Yacht Club. The Kennebunkport River Federal Navigation Project (FNP) -6 foot MLLW channel is located directly adjacent to the western boundary of the project areas.

Water Quality: Water Quality in the project area is dictated by tidal exchange with the Gulf of Maine with freshwater input from the Kennebunk River to the north and a series of stormwater discharge pipes within the marina properties along the river (Figures 6-9). Tidal waters of the Kennebunk River are classified as SB by the Maine Department of Environmental Protection (MEDEP). Class SB waters must be of such quality that they are suitable for the designated uses of recreation in and on the water, fishing, aquaculture, propagation and harvesting of shellfish, industrial process and cooling water supply, hydroelectric power generation, navigation and as habitat for fish and other estuarine and marine life (38 M.R.S. § 465(B)(2) <https://www.mainelegislature.org/legis/statutes/38/title38sec465-B.html>).

Dredge History and Existing Testing Data: The Arundel Yacht Club was last dredged in 2017 when approximately 1,800 cy of material were removed to a depth of -6 feet at Mean Low Water (MLW) and placed at the Cape Arundel Disposal Site (CADS). Sampling and testing of this material in 2003 documented sediments to be predominately fine grained. A review of the associated chemistry data found cadmium, copper, and mercury detected at concentrations with the potential to cause toxicity based on current sediment screening guidelines. Based on the results of elutriate, toxicity, and bioaccumulation studies, NAE found the material from the Arundel Yacht Club suitable for placement at CADS in a 2015 suitability determination.

The Yachtsman Marina was last dredged in 2015 when approximately 3,914 cy of material were removed to a depth of -5 feet MLW and placed at CADS. Sampling and testing of this material in 2014 documented sediments from two samples along the shoreline in the middle of the basin to be predominately fine grained while the remaining four samples, located away from the shoreline, were predominately sand with some silt. A review of the associated chemistry data found levels of total DDX (sum of 4,4'-DDD + 4,4'-DDE +4,4'-DDT) and total high molecular weight polyaromatic hydrocarbons (HPAHs) detected at concentrations with the potential to cause toxicity based on current sediment screening guidelines. Based on the results of elutriate, toxicity, and bioaccumulation studies, NAE found the material from the Yachtsman Marina suitable for placement at CADS in a 2014 suitability determination. In addition,



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

a residual dredging event of 100 cy was authorized by USACE in 2020 and this material was placed upland.

The Kennebunkport Marina was last dredged in 2015 when approximately 1,500 cy of material were removed to a depth of -5 feet MLW and placed at CADS. Sampling and testing of this material in 2014 documented predominately fine grained sediments with little sand. A review of the associated chemistry data found total DDX and total HPAHs detected at concentrations with the potential to cause toxicity based on current sediment screening guidelines. Based on the results of elutriate, toxicity, and bioaccumulation studies, NAE found the material from the Kennebunkport Marina suitable for placement at CADS in a 2014 suitability determination.

The Kennebunk River Club was last dredged in 2009 when 7,609 cy of fine grained material were mechanically removed and placed at CADS. A review of the associated chemistry data found cadmium, total HPAHs, total DDX, and total chlordane detected at concentrations with the potential to cause toxicity based on current sediment screening guidelines. Based on the results of elutriate, toxicity, and bioaccumulation studies, NAE found the material from the Kennebunk River Club suitable for placement at CADS in a 2009 suitability determination.

Spill Data: Based on information provided by the applicant and a review of the MEDEP Oil and Hazardous Waste Spill Database (<https://www.maine.gov/dep/spills/index.html>) and the U.S. Coast Guard's National Response Center website, NAE determined that there have been several small sheens, diesel, gasoline, and oil spills within the vicinity of the project sites since 2009.

Disposal Site: IOSN is located approximately 23 miles south of the project locations. IOSN is regularly monitored by the NAE Disposal Area Monitoring System (DAMOS) Program. The most recent DAMOS report on IOSN was based on a 2022 survey of the site (USACE, 2023).

Risk Ranking: Based on the site characteristics and the available testing data outlined above, all four projects were given a **low-moderate** risk ranking according to the following matrix in Table 2.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 2: Project Risk Ranking**

<b>Rank</b>	<b>Guidelines</b>
Low	Few or no sources of contamination. Data available to verify no significant potential for adverse biological effects.
Low-Moderate	Few or no sources of contamination but existing data is insufficient to confirm ranking.
Moderate	Contamination sources exist within the vicinity of the project with the potential to produce chemical concentrations that may cause adverse biological effects.
High	Known sources of contamination within the project area and historical data exists that has previously failed biological testing.

**3. Sampling, Testing, and Analysis:**

NAE prepared sampling and analysis plans (SAPs) in January of 2022 for the Kennebunkport (three samples) and Yachtsman Marinas (five samples) and in May 2022 for the Arundel Yacht Club (four samples) that called for the collection of samples for bulk sediment chemistry and grain size, as well as full biological testing, including elutriate preparation and analysis, water column toxicity testing, 10-day whole sediment toxicity testing, and 28-day bioaccumulation testing. The applicants collected sediment cores from these three marina basins in July of 2022 (Table 3, Figures 6 through 8) for chemistry and grain size analysis. In addition, NAE prepared a biological testing SAP in June of 2020 for the Kennebunk River Club using bulk sediment chemistry and grain size data collected in December of 2018 which was also used in this evaluation (Table 3, Figure 9).



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 3: Core Locations**

Sample Location	Latitude	Longitude	Project Depth with Overdepth (ft MLLW)	Water Depth (ft MLLW)	Required Core Length (ft)	Recovery/ Penetration (ft)	Sample Interval (ft)
<i>Arundel Yacht Club</i>							
AYC-1	43.35831	-70.47582	-7.0	-3.9	3.1	3.2/3.2	0-3.2
AYC-2	43.35800	-70.47561	-7.0	-2.1	4.9	2.4/2.4	0-2.4
AYC-3	43.35793	-70.47634	-7.0	-3.2	3.8	0.75/1.0	0-0.75
AYC-4	43.35811	-70.47638	-7.0	-3.0	4.0	4.0/4.1	0-4.0
<i>Yachtsman Marina</i>							
Y-1	43.35735	-70.47578	-7.0	-1.5	5.5	3.5/3.5	0-3.5
Y-2	43.35724	-70.47533	-7.0	-1.2	5.8	2.5/2.5	0-2.5
Y-3	43.35701	-70.47488	-7.0	-4.2	2.8	2.7/2.7	0-2.7
Y-4	43.35673	-70.47467	-7.0	-4.4	2.6	3.4/3.4	0-2.6
Y-5	43.35629	-70.47437	-7.0	-1.0	6.0	6.1/6.1	0-6.0
<i>Kennebunkport Marina</i>							
K-1	43.35587	-70.47367	-7.0	-1.8	5.2	4.2/4.2	0-4.2
K-2	43.35607	-70.47394	-7.0	-4.8	2.2	3.1/3.1	0-2.2
K-3	43.35634	-70.47400	-7.0	-1.7	5.3	4.2/4.3	0-4.2
<i>Kennebunk River Club</i>							
KBRC-A	43.34975	-70.47269	-7.0	-2.5	5.0	4.5/4.5	0-4.5
KBRC-B	43.34982	-70.47327	-7.0	-4.0	3.0	3.0/3.0	0-3.0
KBRC-C	43.35007	-70.47322	-7.0	-2.0	4.0	5.0/5.0	0-5.0
KBRC-D	43.35008	-70.47340	-7.0	-5.0	1.0	2.0/2.0	0-2.0
KBRC-E	43.35046	-70.47323	-7.0	-2.5	6.0	4.5/4.5	0-4.5
KBRC-F	43.35039	-70.47352	-7.0	-2.0	4.0	5.0/5.0	0-5.0
KBRC-G	43.35063	-70.47326	-7.0	-1.0	2.0	6.0/6.0	0-6.0
KBRC-H	43.35055	-70.47354	-7.0	-4.0	3.0	3.0/3.0	0-3.0
KBRC-I	43.35082	-70.47331	-7.0	-1.5	6.0	5.5/5.5	0-5.5

Physical and Chemical Analysis of Sediments

Samples were largely composed of fines with little to some fine sand though several stations from the Yachtsman Marina and Kennebunk River Club were composed of fine sand with little to some fines. Grain size data are presented in Table 4 and core logs are provided in Appendix A.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 4: Grain Size Results**

Sample ID	%Gravel	%Sand			%Fines
		Coarse	Medium	Fine	
Arundel Yacht Club					
AYC-1	0.1	1.7	6.4	13.1	78.7
AYC-2	3.1	2.2	12.5	31.4	50.8
AYC-3	0.4	0.9	5.2	14.4	79.1
AYC-4	3.6	0.8	4.5	10.7	80.4
Yachtsman Marina					
Y-1	4.9	0.8	6.0	64.7	23.6
Y-2	0.3	1.5	9.8	60.6	27.8
Y-3	2.3	1.7	5.7	20.6	69.7
Y-4	0.0	0.8	5.4	26.5	67.3
Y-5	1.0	1.2	4.4	80.6	12.8
Kennebunkport Marina					
K-1	0.1	0.6	4.4	43.9	51.0
K-2	0.0	1.2	7.9	28.9	62.0
K-3	2.4	1.5	8.0	19.7	68.4
Kennebunk River Club					
KBRC-A	0.0	1.0	4.0	32.0	62.7
KBRC-B	0.1	1.0	7.0	40.0	51.6
KBRC-C	0.0	1.0	2.0	61.0	35.6
KBRC-D	0.0	1.0	4.0	56.0	38.6
KBRC-E	0.0	0.0	3.0	71.0	25.9
KBRC-F	0.2	1.0	1.0	81.0	16.6
KBRC-G	0.2	1.0	4.0	61.0	33.8
KBRC-H	0.6	2.0	4.0	64.0	29.7
KBRC-I	0.7	2.0	10.0	45.0	43.4

As no project specific contaminants of concern were identified in the CSM, samples were analyzed for the standard suite of contaminants specified in the Regional Implementation Manual for the Evaluation of Dredged Material Proposed for Disposal in New England Waters (RIM) (EPA/USACE, 2004).

To examine the sediment concentrations in an ecologically meaningful context, NAE used Sediment Quality Guidelines (SQGs) to screen the chemical concentrations found in the sediment samples from the Kennebunk River project areas samples. Applicable SQG screening values for marine and estuarine sediments are the National Oceanic and Atmospheric Administration (NOAA) effects-range low (ERL) and effects-range median (ERM). It is important to understand that these values were not derived as toxicity pass-fail thresholds. Rather, ERL and ERM values are empirically derived guidelines based on a large number of studies nationwide that identify contaminant levels that indicate probability of toxic effects to inform decision making (Long et al., 1998). Effects are considered unlikely at concentrations below the ERL with an increased



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

probability of toxic effects as concentrations increase. At concentrations above the ERM toxic effects are considered likely. For samples with sediment concentrations that fall between the ERL and ERM levels, consideration is given to both the number of contaminants that exceed ERL values and where the concentrations fall in the range between ERL and ERM values in assessing the probability of toxic effects and the potential need for additional testing.

Metals concentrations were largely below the ERL with many concentrations also less than the IOSN reference concentrations in all four project areas. Arsenic was detected at concentrations just above the ERL and reference value at stations AYC-1 and AYC-4, though both stations were below the established natural background level, 16 mg/kg, in Maine sediments (MEDEP, 2018). Nickel concentrations at Arundel Yacht Club stations AYC-1 and AYC-4 and Yachtsman Marina station Y-3 were also slightly greater than the ERL and IOSN reference value. The lead concentration in the Kennebunkport Marina station K-1 was greater than both the ERL and reference value. All metal concentrations in the Kennebunk River Club samples were below the ERL.

A few individual low molecular weight polycyclic aromatic hydrocarbons (LPAHs) were found at concentrations above their respective ERLs, including acenaphthene and fluorene at station K-2 in the Kennebunkport Marina, acenaphthene, anthracene, and fluorene at stations KBRC-A and B in the Kennebunk River Club, and all individual LPAHs except for naphthalene at the Arundel Yacht Club station AYC-2. Additionally, the total LPAH concentration at AYC-2 was greater than the ERL and IOSN reference value. Individual HPAHs benzo(a)anthracene and fluoranthene were found at concentrations greater than their respective ERLs at stations AYC-2, KBRC-A, and KBRC-B. Pyrene and chrysene were also found above the ERL at KBRC-B and pyrene was found above the ERL in station KBRC-C. Total HPAH concentrations were found above the ERL at stations AYC-2 at the Arundel Yacht Club and stations KBRC-A, B, and C in the Kennebunk River Club. All PAH concentrations were below ERL values in all samples from the Yachtsman Marina.

The pesticides 4,4'-DDD, 4,4'-DDE, and 4,4'-DDT as well as total DDX concentrations were found at concentrations greater than the ERL at stations K-1 and 2 at the Kennebunkport Marina and stations AYC-1 and 2 at the Arundel Yacht Club, where station AYC-4 also had 4,4'-DDE, 4,4'-DDT, and total DDX at concentrations over the ERL. Stations Y-1 and 2 at the Yachtsman Marina contained concentrations of 4,4'-DDE and total DDX that were greater than the ERL and the concentration of 4,4'-DDD was also above the ERL at station Y-2. Total DDX was found in concentrations above the ERL in all the Kennebunk River Club stations except for KBRC-F. 4,4'-DDT concentrations were also greater than the ERL in stations KBRC-B, KBRC-C, and KBRC-I and 4,4'-DDD exceeded the ERL in station KBRC-C. Dieldrin was found at concentrations



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

greater than the ERL at Kennebunk River Club stations KBRC-A, B, D, E, and I and total chlordane was found at concentrations greater than the ERL at all stations in the Kennebunk River Club project area except for KBRC-E and KBRC-G.

Individual polychlorinated biphenyls (PCBs) were generally not detected. Where detected, total PCBs were found at concentrations well below the ERL at all stations sampled.

A summary of the bulk sediment chemistry data is presented in Table 5 with comparison to the ERL/ERM values and reference concentrations for IOSN. The full bulk chemistry results are presented in Appendix B.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 5. Summary of Bulk Sediment Chemistry Results**

Parameter	CAS Number	Units	ERL	ERM	IOSN		Kennebunkport Marina						Yachtsman Marina									
							K-1		K-2		K-3		Y-1		Y-2		Y-3		Y-4		Y-5	
					Value	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Physical																						
Total organic carbon	14762744	%			1.28		0.37		3.04		2.32		0.93		0.72		1.90		1.19		0.20	
Metals																						
Arsenic	7440382	mg/kg	8.2	70	9.66		2.85		6.68		6.34		6.65		3.20		7.96		4.54		0.984	
Cadmium	7440439	mg/kg	1.2	9.6	0.072		0.295		0.410		0.344		0.225		0.235		0.388		0.430		0.093	
Chromium	7440473	mg/kg	81	370	31.5		21.9		27.1		26.4		17.7		14.7		33.6		23.1		6.71	
Copper	7440508	mg/kg	34	270	10.9		14.2		16.7		15.4		12.5		8.64		18.3		9.82		1.59	
Lead	7439921	mg/kg	46.7	218	18.1		134		21.9		17.1		12.4		12.9		20.2		7.79		1.81	
Mercury	7439976	mg/kg	0.150	0.710	0.032		0.051		0.063		0.047		0.045		0.051		0.052		0.011	J	0.005	J
Nickel	7440020	mg/kg	20.9	51.6	20.8		9.17		15.6		15.4		11.3		8.37		21.4		15.1		3.81	
Zinc	7440666	mg/kg	150	410	60.6		56.6		67.4		57.2		42.2		37.6		71.2		45.2		10.2	
PAHs																						
Total LPAH	SUMLPAH	ug/kg	552	3,160	48.2		185		225		225		188		191		118		7.87		8.67	
Total HPAH	SUMHPAH	ug/kg	1,700	9,600	260		1238		1697		1664		1336		1338		863		33.3		48.3	
Pesticides																						
4,4'-DDD	72548	ug/kg	2	20	0.020	U	4.98	J	4.66	J	0.112	UJ	1.16	J	2.86	J	0.093	UJ	0.016	UJ	0.013	UJ
4,4'-DDE	72559	ug/kg	2.2	27	0.066		2.23		4.53	J	0.068	U	2.50	J	2.78		0.057	U	0.010	U	0.008	U
4,4'-DDT	50293	ug/kg	1	7	0.026	U	1.44		1.44		0.148	U	0.960		0.808		0.123	U	0.020	U	0.017	U
Total DDX	SUMDDX	ug/kg	1.58	46.1	0.112		8.65		10.6		0.328	U	4.62		6.45		0.272	U	0.045	U	0.038	U
Dieldrin	60571	ug/kg	0.02	8	0.040	U	0.031	U	0.038	U	0.226	U	0.038	U	0.031	U	0.187	U	0.031	U	0.026	U
Total Chlordane	SUMCHLOR	ug/kg	0.5	6	0.300	U	0.233	U	0.289	U	1.710	U	0.285	U	0.234	U	1.42	U	0.233	U	0.198	U
PCBs																						
Total PCBs	SumNOAA18	ug/kg	22.7	180	4.02	U	8.34		3.98		2.77		1.92		2.33		3.56		1.56	U	1.33	U



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 5. Summary of Bulk Sediment Chemistry Results, cont.**

Parameter	CAS Number	Units	ERL	ERM	IOSN		Arundel Yacht Club							
					Value	Q	AYC-1	AYC-2	AYC-3	AYC-4	Result	Q	Result	Q
Physical														
Total organic carbon	14762744	%			1.28		1.14	1.15	8.46		2.64			
Metals														
Arsenic	7440382	mg/kg	8.2	70	9.66		9.75	6.72	7.78		10.3			
Cadmium	7440439	mg/kg	1.2	9.6	0.072		0.335	0.330	0.453		0.613			
Chromium	7440473	mg/kg	81	370	31.5		41.6	26.2	25.6		38.1			
Copper	7440508	mg/kg	34	270	10.9		29.4	15.7	25.6		24.3			
Lead	7439921	mg/kg	46.7	218	18.1		30.9	26.1	21.4		33.7			
Mercury	7439976	mg/kg	0.150	0.710	0.032		0.064	0.086	0.059	J	0.108			
Nickel	7440020	mg/kg	20.9	51.6	20.8		25.4	13.0	15.0		22.7			
Zinc	7440666	mg/kg	150	410	60.6		101	58.1	68.6		98.0			
PAHs														
Total LPAH	SUMLPAH	ug/kg	552	3,160	48.2		189	654	90.9		104			
Total HPAH	SUMHPAH	ug/kg	1,700	9,600	260		1482	3341	411		986			
Pesticides														
4,4'-DDD	72548	ug/kg	2	20	0.020	U	3.87	J	4.34	J	0.274	UJ	1.99	J
4,4'-DDE	72559	ug/kg	2.2	27	0.066		7.51	J	5.74		0.167	U	4.37	J
4,4'-DDT	50293	ug/kg	1	7	0.026	U	1.62	J	2.60		0.360	U	1.51	J
Total DDX	SUMDDX	ug/kg	1.58	46.1	0.112		13.0		12.7		0.801	U	7.87	
Dieldrin	60571	ug/kg	0.02	8	0.040	U	0.23	U	0.15	U	0.550	U	0.225	U
Total Chlordane	SUMCHLOR	ug/kg	0.5	6	0.300	U	1.72	U	1.11	U	4.2	U	1.7	U
PCBs														
Total PCBs	SumNOAA18	ug/kg	22.7	180	4.02	U	3.95		8.87		5.59	U	2.29	U



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 5. Summary of Bulk Sediment Chemistry Results, cont.**

Parameter	CAS Number	Units	ERL	ERM	Value	Q	Kennebunk River Club															
							KBRC-A	KBRC-B	KBRC-C	KBRC-D	KBRC-E	KBRC-G	KBRC-H	KBRC-I	KBRC-F							
Physical																						
Total organic carbon	14762744	%			1.28		-	-	-	-	-	-	-	-	-							
Metals																						
Arsenic	7440382	mg/kg	8.2	70	9.66		5.34	4.98	3.52	3.30	2.47	3.34	2.82	5.12	1.58							
Cadmium	7440439	mg/kg	1.2	9.6	0.072		0.463	0.433	0.300	0.350	0.229	0.277	0.237	0.451	0.119							
Chromium	7440473	mg/kg	81	370	31.5		27.5	26.0	20.0	20.5	15.6	18.0	16.5	24.8	11.0							
Copper	7440508	mg/kg	34	270	10.9		13.7	13.8	9.34	9.52	18.6	8.28	7.16	13.6	5.32							
Lead	7439921	mg/kg	46.7	218	18.1		18.8	17.8	12.2	13.3	8.67	11.5	9.29	17.7	4.81							
Mercury	7439976	mg/kg	0.150	0.710	0.032		0.062	0.054	0.052	0.053	0.032	0.067	0.046	0.056	0.023							
Nickel	7440020	mg/kg	20.9	51.6	20.8		15.9	14.5	11.4	11.3	8.57	9.92	8.67	13.4	6.12							
Zinc	7440666	mg/kg	150	410	60.6		68.9	67.7	48.3	50.9	37.2	50.5	39.9	78.2	28.9	J						
PAHs																						
Total LPAH	SUMLPAH	ug/kg	552	3,160	48.2		316	321	208	106	114	101	127	217	104							
Total HPAH	SUMHPAH	ug/kg	1,700	9,600	260		2644	4212	2028	866	838	756	653	1301	567							
Pesticides																						
4,4'-DDD	72548	ug/kg	2	20	0.020	U	1.30	1.90	2.10	1.30	1.00	1.20	0.880	1.70	0.680							
4,4'-DDE	72559	ug/kg	2.2	27	0.066		1.90	1.30	1.40	1.30	0.790	1.40	1.30	2.00	0.400							
4,4'-DDT	50293	ug/kg	1	7	0.026	U	0.850	1.50	4.00	0.750	0.620	0.900	0.530	2.20	0.028	U						
Total DDX	SUMDDX	ug/kg	1.58	46.1	0.112		4.05	4.70	7.50	3.35	2.41	3.50	2.71	5.90	1.11							
Dieldrin	60571	ug/kg	0.02	8	0.040	U	0.460	0.850	0.026	U	1.00	1.20	0.026	U	0.026	U	0.610		0.026	U		
Total Chlordane	SUMCHLOR	ug/kg	0.5	6	0.300	U	1.4	0.95	1.8	1.8	0.044	U	0.265	1.54	1.04	1.25						
PCBs																						
Total PCBs	SumNOAA18	ug/kg	22.7	180	4.02	U	1.4	2.1	1.2	0.751	0.326	U	0.326	U	0.831	1.3					0.706	

Notes:

Yellow indicates an exceedance of the ERL

Red indicates an exceedance of the ERM

U= Compound was analyzed for but was not detected (non-detect)

J= Indicates an estimated value

Non-detects reported as half the MDL

Reference site data from DAMOS monitoring surveys (2019 IOSN)

Total PCBs were calculated using the NOAA 18 method

Total Chlordane is a sum of alpha and gamma chlordane, cis and trans nonachlor, and oxychlordane; IOSN value is a sum of only alpha and gamma chlordane



## **FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

### Elutriate Chemistry and Biological Analysis of Sediments

Based on the lithology, chemistry results, and location of sample stations, NAE provided the applicant with a compositing plan for biological testing following the tiered testing protocol outlined in the Evaluation of Dredged Material Proposed for Ocean Disposal – Testing Manual (Green Book, EPA/USACE, 1991). Sediment and water for biological testing were collected by the applicant in February of 2023 to characterize the potential risk associated with open water placement of the dredged material from the four Kennebunk River projects. Sediment was collected from ten representative sample locations across all four project areas to create one composite sample (Table 2 and Figures 6 through 9). The composite sample for biological testing was comprised of sediment from stations AYC-1, 2, and 4 from the Arundel Yacht Club, Y-2 and 3 from the Yachtsman Marina, K-1 and 2 from the Kennebunkport Marina, and KBRC-B, C, and E from the Kennebunk River Club. Site water was also collected from a central location within each proposed project area and composited. The biological testing samples were collected according to the compositing plan to determine the potential for the dredged sediment to cause adverse effects to the biological receptors identified in the CSM. Compliance with water quality criteria was determined through elutriate testing, sediment toxicity was measured through a 10-day whole sediment acute toxicity test, human health risk was determined through a 28-day bioaccumulation test, and water column toxicity was determined through a suspended particulate phase test as described in the Green Book (USEPA/USACE, 1991).

### Evaluating Potential Effects to Benthic Organisms

The CSM identified the uptake of contaminants from placed dredged material at IOSN as a primary exposure pathway for project sediments and the potential for acute toxicity was determined through a 10-day whole sediment acute toxicity test as described in the Green Book (EPA/USACE, 1991).

Mean mortality in the control samples of the 10-day whole sediment acute toxicity tests was less than 10% for the amphipod (*Leptocheirus plumulosus*) and the mysid (*Americamysis bahia*); therefore, the tests were valid based on criteria established in the testing protocol.

Mean survivability for *A. bahia* and *L. plumulosus* was 97% and 95%, respectively. Results were not statistically different when compared to survivability in the IOSN reference sediment. The material proposed to be dredged is not considered acutely toxic to the mysids or amphipods used in this assessment.

Results from the 10-day whole sediment toxicity test are summarized in Table 6.



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**Table 6: Mean Survivability in the 10-day Whole Sediment Toxicity Test**

Organism	Lab Control	IOSN Reference	Comp 1
<i>A. bahia</i>	98%	98%	97%
<i>L. plumulosus</i>	98%	93%	95%

Evaluating Potential Effects to Human Health

In order to assess the potential risk to human health through the exposure pathways identified in the CSM, a 28-day bioaccumulation test was performed with the clam, *Macoma nasuta*, and marine polychaete worm, *Nereis virens*, using sediments from the composite sample.

Results showed statistically significant increases of certain contaminants of concern (COCs) in tissue samples from clams exposed to project sediments when compared to tissue samples from clams exposed to reference area sediments including three metals (copper, lead, and nickel), several individual PAHs, three PCB congeners, and two pesticides (4,4'-DDD and 4,4'-DDE). Generally, COC concentrations were only slightly higher in the composite tissue sample than in the pre-test or IOSN reference tissue. Anthracene, benzo(a)anthracene, benzo(b)fluoranthene, and chrysene concentrations were 5 times higher in the composite tissue sample than in the IOSN reference site tissue concentrations. Fluoranthene, pyrene and 4,4'-DDD concentrations were more than 10 times higher in the composite tissue sample than in the IOSN reference site tissue concentrations. Copper, nickel, fluorene, naphthalene, and PCB 52 were detected at concentrations less than were detected in the pre-test tissue, which reflects the initial contaminant load in the wild caught specimens prior to the test initiation, suggesting that these contaminants may not be attributable to site conditions. However, these analytes were conservatively included in subsequent risk modeling.

Significant increases in worm tissue samples as compared to reference area tissue samples included five metals (cadmium, chromium, lead, nickel, and zinc), several individual PAHs, two PCB congeners, and one pesticide (4,4'-DDD). Generally, COC concentrations were only slightly higher in the composite tissue sample than in the pre-test or IOSN reference tissue. Pyrene was 5 times higher in the composite tissue sample than the IOSN reference site tissue concentrations. Benzo(k)fluoranthene, fluoranthene, and PCB 105 were more than 10 times higher in the composite tissue sample than the IOSN reference site tissue concentrations. Chromium, lead, nickel, anthracene, naphthalene, and 4,4'-DDD were detected at concentrations less than were detected in the pre-test tissue, which reflects the initial contaminant load in the wild caught



## **FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

specimens prior to the test initiation, suggesting that these contaminants may not be attributable to site conditions, however these analytes were conservatively included in the subsequent risk modeling.

Based on these results, the tissue burden data were analyzed with the EPA Bioaccumulation Evaluation Screening Tool (BEST) model to determine the toxicological significance of bioaccumulation from exposure to the dredged sediment. The BEST model includes an evaluation of the non-carcinogenic risk, carcinogenic risk, and any observed exceedances of Food and Drug Administration (FDA) thresholds to determine potential adverse impacts to human health from the consumption of lobster, fish, or shellfish exposed to project sediments. Consideration was also given to the number of contaminants that were statistically elevated in comparison to the reference tissue concentrations and to the magnitude of those concentrations in comparison to the reference tissue concentrations and comparable organisms living in the vicinity of the disposal site according to the factors outlined in the Ocean Testing Manual (USEPA/USACE, 1991).

For both *Macoma nasuta* and *Alitta virens*, modeling based on the tissue contaminant loads measured in the composite sample found that all contaminants were below the EPA Hazard Quotient for non-carcinogenic risk of 1.0, below the EPA carcinogenic risk threshold ( $1 \times 10^{-4}$ ), and were also less than established FDA action levels. Statistically elevated concentrations of contaminants in the tissue samples that could not be evaluated using the BEST model were compared to background invertebrate concentrations in the NOAA Mussel Watch dataset (NCCOS, 2023) and all concentrations were found to be less than the dataset concentrations.

Based on this analysis, there is no unacceptable risk to the receptors identified in the CSM from the bioaccumulation of contaminants through exposure to the dredged material from the projects. BEST model outputs and tissue data are provided in Appendix C.

### Evaluating Potential Effects to Fish and Marine Invertebrates

The CSM identified the uptake of contaminants from the water column during the placement of dredged material at IOSN as a primary exposure pathway for project sediments. Elutriate samples were prepared from the site composite sediment sample and site water and the potential for water column toxicity was determined through a suspended particulate phase (SPP) toxicity test as described in the Green Book (USEPA/USACE, 1991).

The results from the SPP toxicity test were used to determine the median lethal concentration (LC<sub>50</sub>) for the three target species exposed to the sediment elutriates. All three species, the mysid, *A. bahia*, the minnow, *Menidia beryllina*,



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

and the mussel, *Mytilus edulis*, showed no adverse effects on survival after exposure to the elutriate from the composite sample (Table 7).

**Table 7: LC<sub>50</sub> Values in Suspended Phase Toxicity Test**


Composite	<i>A. bahia</i> LC <sub>50</sub> (%)	<i>M. beryllina</i> LC <sub>50</sub> (%)	<i>M. edulis</i> LC <sub>50</sub> (%)
Composite 1	>100%	>100%	>100%

To determine if the discharge of dredged material would meet the limiting permissible concentration (LPC), NAE utilized the Short-Term Fate (STFATE) numerical model to analyze the disposal cloud as it descends through the water column after release from a scow. Results of the STFATE evaluation using the lowest LPC (LC<sub>50</sub> of 100% and an application factor of 0.01) predicted that the water column would attain the LPC within four hours of disposal at IOSN. Additionally, all contaminants of concern in the elutriate samples were below the federal and Maine water quality criteria. Elutriate chemistry concentrations are presented in Appendix D.


#### 4. Suitability Determination:

Based on the weight of evidence, including the CSM, sediment chemistry results, biological testing results, and the subsequent risk modeling, no significant adverse impacts through the exposure pathways identified in the conceptual site model were found for the Arundel Yacht Club, Kennebunkport Marina, Yachtsman Marina, and Kennebunk River Club. Based on the testing and evaluation requirements set forth in Section 103 of the MPRSA, the sediments to be dredged are considered suitable for unconfined open water disposal at IOSN.

This suitability determination was coordinated with EPA Region 1 and MEDEP. MEDEP concurred with the determination and EPA Region 1 conducted an individual evaluation of the project and documented their findings in a separate memo.

  
Digitally signed by  
BARRA.BRILEY.KATHERINE.1  
617990837  
Date: 2024.06.10 12:19:48  
-04'00'

Briley K. Barra  
Technical Specialist  
Dredged Material Management Team  
USACE-New England District

  
Digitally signed by  
LOYD.RICHARD.B.12746  
69540  
Date: 2024.06.12  
15:46:38 -04'00'

Richard B. Loyd  
Chief  
Environmental Resources and  
Marine Programs Section  
USACE-New England District



**FINAL** Suitability Determination for Maintenance Dredging of the Kennebunk River Projects, Kennebunkport, Maine

**5. References:**

Long E.R & MacDonald D.D. 1998. Recommended Uses of Empirically Derived, Sediment Quality Guidelines for Marine and Estuarine Ecosystems, Human and Ecological Risk Assessment: An International Journal, 4:5, 1019-1039.

MEDEP 2018. Maine Remedial Action Guidelines (RAGS) for Sites Contaminated with Hazardous Substances. Maine Department of Environmental Protection, Bureau of Remediation and Waste Management. 19 October 2018.



National Centers for Coastal Ocean Science, 2023: National Status and Trends: Mussel Watch Program, <https://www.fisheries.noaa.gov/inport/item/39400>.

USACE 2022. Monitoring Survey at the Isles of Shoals North Disposal Site, October 2021. DAMOS Contribution No. 214. Prepared by INSPIRE Environmental, Newport, RI for the U.S. Army Corps of Engineers, New England District, Concord, MA. 46 pp plus Figures and Appendices.


USEPA/USACE 2004. Regional Implementation Manual for the Evaluation of Dredged Material Proposed for Disposal in New England Waters. U.S. EPA Region 1, Boston, MA/U.S. Army Corps of Engineers, New England District, Concord, MA.

USEPA/USACE 1991. Evaluation of Dredged Material Proposed for Ocean Disposal Testing Manual. Environmental Protection Agency, Office of Water and Department of the Army, United States Army Corps of Engineers. Washington, D.C.









**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Karen Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.563.9896 | www.walsh-eng.com

Copyright © 2023

## Arundel Yacht Club Dredging: 2023 Bathymetry

Arundel Yacht Club  
51 Ocean Ave  
Kennebunkport, Maine 04046

**Figure 2:**  
Arundel Yacht Club  
Applicant Dredge Plan







Figure 3:  
Yachtsman Marina  
Applicant Dredge Plan





**WALSH**  
ENGINEERING ASSOCIATES, INC.

One Haren Dr., Suite 2A | Westbrook, Maine 04092  
ph: 207.553.9898 | www.walsh-eng.com

Copyright © 2023

## Kennebunkport Marina Dredging: 2023 Bathymetry

Kennebunkport Marina  
67 Ocean Ave  
Kennebunkport, Maine 04046

**Figure 4:**  
Kennebunkport  
Marina  
Applicant Dredge  
Plan







ECO-ANALYSTS, INC.  
ENVIRONMENTAL CONSULTANTS  
P.O. BOX 224 BATH, MAINE 04530  
(207) 837-2442 raptor@gwi.net

Date: 12/9/2019  
Project: KRC  
Drafted By: TF/SS



Plan View of the Existing Condition and the proposed dredge window for the Kennebunk River Club, 116 Ocean Ave in Kennebunkport, Maine

Figure 5:  
Kennebunk River Club  
Applicant Dredge Plan
























Figure 10: Conceptual Site Model





**Appendix A**  
**Core Logs and Photographs**



## Coastline Consulting & Development Core Log

Project: Arundel Yacht Club

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: AYC-1

Time: 1:06 pm

Sampler Type: VibraCore Sampler

Depth: -3.9' MLLW

Coordinates: Latitude: 43.35831 Longitude: -70.47582

Penetration: 3.2' Recovery: 3.2' No. Attempts: 3

Material Description: 0-3.1, composited. Dark silt/mud with shell debris.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Arundel Yacht Club

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: AYC-2

Time: 12:20 pm

Sampler Type: VibraCore Sampler

Depth: -2.1' MLLW

Coordinates: Latitude: 43.35800 Longitude: -70.47561

Penetration: 2.4' Recovery: 2.4' No. Attempts: 9

Material Description: 0-2.4' composited. Hard packed sand with shell debris. Multiple attempts were made refusal was reached after 2.4' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Arundel Yacht Club Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: AYC-3 Time: 12:55 pm

Sampler Type: VibraCore Sampler

Depth: -3.2' MLLW

Coordinates: Latitude: 43.35793 Longitude: -70.47634

Penetration: 1' Recovery: 9" No. Attempts: 16

**Material Description:** 0-9" composited. Hard substrate encountered a lot of wood debris and shell material. We attempted to call ACOE contacts during sampling, messages were left but no one returned the calls that day. We kept the largest core and did not cut it because we did not want to lose any material. Sample was extruded directly into bucket for compositing. We attempted multiple cores within a 10' radius of the location and saved the best one. Multiple attempts were made refusal was reached after 1' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Arundel Yacht Club

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: AYC-4

Time: 12:35 pm

Sampler Type: VibraCore Sampler


Depth: -3.0' MLLW

Coordinates: Latitude: 43.35811 Longitude: -70.47638

Penetration: 4.1' Recovery: 4.0' No. Attempts: 5

Material Description: 0-4.0 composited. Dark silt with hard packed sand at bottom of core.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Kennebunkport Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: K-1

Time: 9:38 am

Sampler Type: VibraCore Sampler

Depth: -1.8' MLLW

Coordinates: Latitude: 43.35587 Longitude: -70.47367

Penetration: 4.2' Recovery: 4.2' No. Attempts: 6

Material Description: 0-4.2' composited. Dark silt with hard packed sand at bottom of core. Multiple attempts were made refusal was reached after 4.2' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Kennebunkport Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: K-2

Time: 9:47 am

Sampler Type: VibraCore Sampler

Depth: -4.8' MLLW

Coordinates: Latitude: 43.35607 Longitude: -70.47394

Penetration: 3.1' Recovery: 3.1' No. Attempts: 3

Material Description: 0-2.2' composited. Dark silt with hard packed sand towards bottom of core.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Kennebunkport Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: K-3

Time: 10:05 am

Sampler Type: VibraCore Sampler


Depth: -1.7' MLLW

Coordinates: Latitude: 43.35634 Longitude: -70.474

Penetration: 4.3' Recovery: 4.2' No. Attempts: 7

Material Description: 0-4.2' composited. Dark silt with hard packed sand at bottom of core. Multiple attempts were made refusal was reached after 4.3' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-1

Time: 11:29 am

Sampler Type: VibraCore Sampler

Depth: -1.5' MLLW

Coordinates: Latitude: 43.35735 Longitude: -70.47578

Penetration: 3.5' Recovery: 3.5' No. Attempts: 8

Material Description: 0-3.5' composited. Compact sand with shell debris. Multiple attempts were made refusal was reached after 3.5' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-2

Time: 11:15 am

Sampler Type: VibraCore Sampler

Depth: -1.2' MLLW

Coordinates: Latitude: 43.35724 Longitude: -70.47533

Penetration: 2.5' Recovery: 2.5' No. Attempts: 8

Material Description: 0-2.5' composited. Hard packed sand. Multiple attempts were made refusal was reached after 2.5' penetration.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-3

Time: 11:02 am

Sampler Type: VibraCore Sampler

Depth: -4.2' MLLW

Coordinates: Latitude: 43.35701 Longitude: -70.47488

Penetration: 2.7' Recovery: 2.7' No. Attempts: 5

Material Description: 0-2.7' composited. Dark silt with hard packed sand at bottom of core.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-4

Time: 10:54 am

Sampler Type: VibraCore Sampler

Depth: -4.4' MLLW

Coordinates: Latitude: 43.35673 Longitude: -70.47467

Penetration: 3.4' Recovery: 3.4' No. Attempts: 4

Material Description: 0-2.6' composited. Dark silt with hard packed sand at bottom of core.

### Core Photo





## Coastline Consulting & Development Core Log

Project: Yachtsman Marina

Date: 7/26/2022

Sampling Personnel: Dustin J Kach

Weather: Light Winds, Clear Skies

Location Method: DGPS: 1 meter accuracy

Sample ID: Y-5

Time: 10:40 am

Sampler Type: VibraCore Sampler

Depth: -1.0' MLLW

Coordinates: Latitude: 43.35629 Longitude: -70.47437

Penetration: 6.1' Recovery: 6.1' No. Attempts: 3

Material Description: 0-6.0' composited. Dark silt with hard packed sand at bottom of core.

### Core Photo





**Appendix B**  
**Bulk Sediment Chemistry Results**



Notes:  
Yellow indicates an exceedance of the ERL  
Red indicates an exceedance of the ERM  
U= Compound was analyzed but was not detected (non-detect)  
J= Indicates an estimated value  
J+ = Indicates an estimated value biased high  
Inadequacies reported as half the RCL  
Reference site data from DAMOG monitoring surveys (2019-2020)  
Total PCBs were calculated using the NOAA 18 method



**Appendix C**  
**Tissue Concentrations and**  
**BEST Model Output**



TABLE C-1 STATISTICAL COMPARISONS OF *N. virens* BODY BURDENS VS. IOSN 2019  
REFERENCE DATA

Compound	Units	Pre-Test <sup>d</sup>		IOSN 2019		Composite	
		Mean	Qual	Mean	Qual	Mean	Qual
Trace Metals							
Arsenic, total	mg/Kg	2.00		2.25		2.02	NS
Cadmium, total	mg/Kg	0.0300	b	0.0252	b	0.0338	bS
Chromium, total	mg/Kg	0.620	b	0.0686	b	0.551	bS
Copper, total	mg/Kg	1.49		1.20		1.12	NS
Lead, total	mg/Kg	0.195		0.0744		0.191	S
Mercury, total	mg/Kg	0.0110	b	0.0156	b	0.00662	abNS
Nickel, total	mg/Kg	0.476		0.168		0.232	S
Zinc, total	mg/Kg	13.1		18.6		14.1	NS/S e
PAH Compounds							
Acenaphthene	µg/Kg	0.620	a	0.563	ab	0.883	abNS
Acenaphthylene	µg/Kg	0.381	a	0.286	a	4.22	aNS
Anthracene	µg/Kg	0.903	ab	0.310	a	0.610	abS
Benzo(a)anthracene	µg/Kg	0.775	a	0.581	a	0.766	ac
Benzo(a)pyrene	µg/Kg	0.813	a	0.610	a	0.805	ac
Benzo(b)fluoranthene	µg/Kg	1.08	a	0.807	a	2.43	aS
Benzo(k)fluoranthene	µg/Kg	0.493	a	0.371	a	6.45	aS
Benzo(g,h,i)perylene	µg/Kg	0.345	a	0.259	a	0.427	abS
Chrysene	µg/Kg	0.752	a	0.564	a	1.14	abS
Dibenz(a,h)anthracene	µg/Kg	0.400	a	0.300	a	0.396	ac
Fluoranthene	µg/Kg	0.610	a	0.569	ab	6.71	bS
Fluorene	µg/Kg	1.07	b	0.431	ab	2.05	bS
Indeno(1,2,3-cd)pyrene	µg/Kg	0.810	a	0.608	a	0.802	ac
Naphthalene	µg/Kg	1.64	b	0.651	ab	1.60	abS
Phenanthrene	µg/Kg	0.677	a	2.04	b	0.861	abNS
Pyrene	µg/Kg	0.898	a	0.674	a	6.23	bS
Total PAHs	µg/Kg	12.3		9.63		36.4	
PCB Congeners							
PCB 008	µg/Kg	0.0638	a	0.0480	a	0.0632	ac
PCB 018	µg/Kg	0.0465	a	0.0349	a	0.0460	ac
PCB 028	µg/Kg	0.0790	a	0.0593	a	0.0784	ac
PCB 044	µg/Kg	0.0880	a	0.0661	a	0.0873	ac
PCB 052	µg/Kg	0.0491	a	0.0369	a	0.136	abS
PCB 066	µg/Kg	0.0462	a	0.0347	a	0.0457	ac
PCB 101	µg/Kg	0.0752	a	0.0564	a	0.0745	ac
PCB 105	µg/Kg	0.0675	a	0.0506	a	0.810	aS
PCB 118	µg/Kg	0.0713	a	0.0534	a	0.0706	ac
PCB 128	µg/Kg	0.0842	a	0.0632	a	0.0834	ac
PCB 138	µg/Kg	0.305	ab	0.331	ab	0.462	aNS
PCB 153	µg/Kg	0.628	b	0.763		0.857	aNS
PCB 170	µg/Kg	0.0413	a	0.0310	a	0.0409	ac
PCB 180	µg/Kg	0.0423	a	0.0318	a	0.0419	ac
PCB 187	µg/Kg	0.256	a	0.0456	a	0.0601	ac
PCB 195	µg/Kg	0.0795	a	0.0596	a	0.0786	ac
PCB 206	µg/Kg	0.0810	a	0.0608	a	0.0802	ac
PCB 209	µg/Kg	0.0928	a	0.0697	a	0.0920	ac
Total PCBs	µg/Kg	4.39		3.79		6.42	
Pesticides							
Aldrin	µg/Kg	0.0404	a	0.0605	a	0.0400	ac
cis-Chlordane	µg/Kg	0.0870	a	0.131	a	0.0863	ac
trans-Chlordane	µg/Kg	0.0245	a	0.0369	a	0.0243	ac
cis-Nonachlor	µg/Kg	0.0117	a	0.0176	a	0.0116	ac
trans-Nonachlor	µg/Kg	0.0108	a	0.0161	a	0.0106	ac
Oxychlordane	µg/Kg	0.0501	a	0.0752	a	0.0495	ac
Total Chlordanes	µg/Kg	0.184		0.277		0.182	
4,4'-DDT	µg/Kg	0.0159	a	0.0238	a	0.0158	ac
4,4'-DDD	µg/Kg	3.29	ab	0.0182	a	0.665	S
4,4'-DDE	µg/Kg	0.00737	a	0.0111	a	0.00728	ac
Total DDT	µg/Kg	3.32		0.0531		0.688	
Dieldrin	µg/Kg	0.0243	a	0.0365	a	0.0241	ac
alpha-Endosulfan	µg/Kg	0.0222	a	0.0334	a	0.0220	ac
beta-Endosulfan	µg/Kg	0.0115	a	0.0173	a	0.0113	ac
Total Endosulfans	µg/Kg	0.0337		0.0507		0.0333	
Endrin	µg/Kg	0.0132	a	0.0199	a	0.0131	ac
Heptachlor	µg/Kg	0.0253	a	0.0379	a	0.0250	ac
Heptachlor epoxide	µg/Kg	0.0520	a	0.0780	a	0.0515	ac
Hexachlorobenzene	µg/Kg	0.217	a	0.326	a	0.215	ac
Lindane (gamma-BHC)	µg/Kg	0.0365	a	0.0548	a	0.0361	ac
Methoxychlor	µg/Kg	0.0575	a	0.843	a	0.0568	ac
Toxaphene	µg/Kg	1.05	a	1.58	a	1.04	ac

**Notes:**

Mean concentrations are reported to 3 significant figures.

a = COC not detected (below MDL) in at least one replicate; mean value was calculated using one-half of the project specific MDL for non-detected values.

b = COC concentration estimated (detected below RL but above MDL) in at least one replicate; mean value calculated using estimated value.

c = COC was not detected in either the dredge tissue replicates or in the historic reference tissue, therefore was eliminated from further evaluation.

<sup>d</sup> Pre-test tissue represents the mean of three replicates, whereas the reference and site composites represent a mean of 5 replicates.

<sup>e</sup> Analysis conducted after removal of a statistical outlier.

NS = Not Significant - mean tissue body burden was not statistically different from the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .

S = Significant - mean tissue body burden was statistically different, greater than the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .



TABLE C-2 STATISTICAL COMPARISONS OF *M. nasuta* BODY BURDENS VS. IOSN 2019 REFERENCE DATA

Compound	Units	Pre-Test <sup>d</sup>		IOSN 2019		Composite	
		Mean	Qual	Mean	Qual	Mean	Qual
Trace Metals							
Arsenic, total	mg/Kg	2.59		3.49		2.54	NS
Cadmium, total	mg/Kg	0.0297 b		0.0290 b		0.0266	bNS
Chromium, total	mg/Kg	0.465		0.334 b		0.434	bNS
Copper, total	mg/Kg	3.10		1.77		2.71	S
Lead, total	mg/Kg	0.129		0.349		0.452	S
Mercury, total	mg/Kg	0.00185 a		0.00170 a		0.00208	ac
Nickel, total	mg/Kg	0.713		0.521		0.570	NS/S <sup>e</sup>
Zinc, total	mg/Kg	11.6		11.8		12.8	NS
PAH Compounds							
Acenaphthene	µg/Kg	1.07 ab		0.453 a		1.56	abNS
Acenaphthylene	µg/Kg	0.378 a		0.279 a		0.381	ac
Anthracene	µg/Kg	0.853 ab		0.302 a		2.69	bS
Benzo(a)anthracene	µg/Kg	1.32 ab		0.565 a		5.40	bS
Benzo(a)pyrene	µg/Kg	0.805 a		0.594 a		1.74	abS
Benzo(b)fluoranthene	µg/Kg	1.07 a		0.786 a		4.41	bS
Benzo(k)fluoranthene	µg/Kg	0.490 a		0.455 ab		1.25	abS
Benzo(g,h,i)perylene	µg/Kg	0.342 a		0.518 ab		0.820	abNS
Chrysene	µg/Kg	2.01 b		0.550 a		2.92	bS
Dibenz(a,h)anthracene	µg/Kg	0.559 ab		2.97 b		0.400	aNS
Fluoranthene	µg/Kg	2.57 b		2.12 b		26.6	S
Fluorene	µg/Kg	2.11 b		0.253 a		1.74	bS
Indeno(1,2,3-cd)pyrene	µg/Kg	0.803 a		3.54 b		0.985	abNS
Naphthalene	µg/Kg	3.78 b		0.390 a		1.77	bS
Phenanthrene	µg/Kg	4.09 b		1.97 b		6.92	bS
Pyrene	µg/Kg	2.86 b		1.63 b		20.8	S
Total PAHs	µg/Kg	25.1		17.4		80.4	
PCB Congeners							
PCB 008	µg/Kg	0.0633 a		0.0467 a		0.0639	ac
PCB 018	µg/Kg	0.0461 a		0.0340 a		0.0465	ac
PCB 028	µg/Kg	0.0783 a		0.0578 a		0.0791	ac
PCB 044	µg/Kg	0.0873 a		0.0644 a		0.0883	ac
PCB 052	µg/Kg	2.09		0.0359 a		0.172	aS
PCB 066	µg/Kg	0.0457 a		0.0338 a		0.0462	ac
PCB 101	µg/Kg	0.0745 a		0.0550 a		0.0754	ac
PCB 105	µg/Kg	0.0668 a		0.0493 a		0.0675	ac
PCB 118	µg/Kg	0.0708 a		0.0522 a		0.142	abS
PCB 128	µg/Kg	0.0835 a		0.0616 a		0.0843	ac
PCB 138	µg/Kg	0.392 a		0.0394 a		0.0539	ac
PCB 153	µg/Kg	0.111 a		0.0820 a		0.142	abS
PCB 170	µg/Kg	0.0410 a		0.0303 a		0.0414	ac
PCB 180	µg/Kg	0.0419 a		0.0309 a		0.0423	ac
PCB 187	µg/Kg	0.0603 a		0.0445 a		0.0607	ac
PCB 195	µg/Kg	0.0787 a		0.0580 a		0.0794	ac
PCB 206	µg/Kg	0.0803 a		0.0594 a		0.0810	ac
PCB 209	µg/Kg	0.0920 a		0.0680 a		0.0929	ac
Total PCBs	µg/Kg	7.22		1.81		2.92	
Pesticides							
Aldrin	µg/Kg	0.0200 a		0.0296 a		0.0202	ac
cis-Chlordane	µg/Kg	0.0432 a		0.0638 a		0.0436	ac
trans-Chlordane	µg/Kg	0.0122 a		0.0180 a		0.0123	ac
cis-Nonachlor	µg/Kg	0.00582 a		0.00870 a		0.00587	ac
trans-Nonachlor	µg/Kg	0.00533 a		0.00780 a		0.00538	ac
Oxychlordane	µg/Kg	0.0248 a		0.0366 a		0.0250	ac
Total Chlordanes	µg/Kg	0.0913		0.135		0.0922	
4,4'-DDT	µg/Kg	0.00788 a		0.0117 a		0.00796	ac
4,4'-DDD	µg/Kg	0.00598 a		0.00880 a		0.391	S
4,4'-DDE	µg/Kg	0.00365 a		0.219 b		0.499	S
Total DDT	µg/Kg	0.0175		0.240		0.898	
Dieldrin	µg/Kg	0.0121 a		0.0178 a		0.0122	ac
alpha-Endosulfan	µg/Kg	0.0110 a		0.0163 a		0.0111	ac
beta-Endosulfan	µg/Kg	0.00568 a		0.00840 a		0.00573	ac
Total Endosulfans	µg/Kg	0.0167		0.0247		0.0168	
Endrin	µg/Kg	0.00653 a		0.00970 a		0.00662	ac
Heptachlor	µg/Kg	0.0125 a		0.0186 a		0.0127	ac
Heptachlor epoxide	µg/Kg	0.0257 a		0.0381 a		0.0260	ac
Hexachlorobenzene	µg/Kg	0.108 a		0.159 a		0.109	ac
Lindane (gamma-BHC)	µg/Kg	0.0181 a		0.0267 a		0.0183	ac
Methoxychlor	µg/Kg	0.0285 a		0.411 a		0.0287	ac
Toxaphene	µg/Kg	0.518 a		0.767 a		0.524	ac

**Notes:**

Mean concentrations are reported to 3 significant figures.

a = COC not detected (below MDL) in at least one replicate; mean value was calculated using one-half of the project specific MDL for non-detected values.

b = COC concentration estimated (detected below RL but above MDL) in at least one replicate; mean value calculated using estimated value.

c = COC was not detected in either the dredge tissue replicates or in the historic reference tissue, therefore was eliminated from further evaluation.

<sup>d</sup> Pre-test tissue represents the mean of three replicates, whereas the reference and site composites represent a mean of 5 replicates.

<sup>e</sup> Analysis conducted after removal of a statistical outlier.

NS = Not Significant - mean tissue body burden was not statistically different from the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .

S = Significant - mean tissue body burden was statistically different, greater than the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .



Project name: Yachtsman Marina, Kennebunkport, ME  
 Project number:  
 Model filename: EPA Reg 1 Template wChemical List.best  
 Chemical filename: Chemical\_List\_for\_EPA\_Reg1\_template (in progress).xlsx

## Table Of Contents

<b>Adult Angler</b>	<b>1</b>
<i>Total Estimated Risks</i>	1
<i>Seafood Non-Cancer Risk</i>	4
<i>FDA Action Limit/Tolerance</i>	6
<i>Ecological Effect Level</i>	8
<i>FDA Level of Concern</i>	10
<b>Selected Chemicals</b>	<b>11</b>
<i>Macoma nasuta</i>	11
<i>Nereis virens</i>	12

## Human Subreport

Human: Adult Angler

### Total Estimated Risks From Organics(see EPA Table Xa)

Receptor: Adult Angler

Organism: Macoma nasuta

		Cancer Risk	Non-Cancer Risk
Composite (10 Stations at		Fish Fillet	
	Test	6.01E-6	3.72E-2
	Reference	1.66E-6	1.74E-2
		Nereis virens	
	Test	0	0
	Reference	0	0
		Macoma nasuta	
	Test	6.23E-6	3.84E-2
	Reference	1.72E-6	1.8E-2
		Total Lobster	
	Test	3.1E-5	1.92E-1
	Reference	8.57E-6	9E-2



		Cancer Risk	Non-Cancer Risk
		Lobster Hepatopancreas	
	Test	2.14E-5	1.33E-1
	Reference	5.91E-6	6.21E-2
		Lobster Muscle	
	Test	9.62E-6	5.96E-2
	Reference	2.66E-6	2.79E-2



**Total Estimated Risks From Organics(see EPA Table Xa)****Receptor:** Adult Angler**Organism:** Nereis virens

		Cancer Risk	Non-Cancer Risk
Composite (10 Stations at		Fish Fillet	
	Test	5.09E-6	8.9E-2
	Reference	1.63E-6	3.72E-2
		Nereis virens	
	Test	6.12E-6	1.08E-1
	Reference	1.97E-6	4.51E-2
		Macoma nasuta	
	Test	0	0
	Reference	0	0
		Total Lobster	
	Test	2.63E-5	4.59E-1
	Reference	8.39E-6	1.92E-1
		Lobster Hepatopancreas	
	Test	1.81E-5	3.17E-1
	Reference	5.79E-6	1.32E-1
		Lobster Muscle	
	Test	8.14E-6	1.42E-1
	Reference	2.6E-6	5.95E-2



**Seafood Non-Cancer Risks (see EPA Table 6a, Columns F & G)****Receptor:** Adult Angler**Organism:** *Macoma nasuta*

			Non-Cancer Risk
Composite (10 Stations at 4 Marinas Mud)	Copper	Test	0
		Reference	0
	Lead	Test	0
		Reference	0
	Nickel	Test	0
		Reference	0



**Seafood Non-Cancer Risks (see EPA Table 6a, Columns F & G)****Receptor:** Adult Angler**Organism:** Nereis virens

			Non-Cancer Risk
Composite (10 Stations at 4 Marinas Mud)	Cadmium	Test	2.9E-3
		Reference	2.16E-3
	Chromium	Test	1.57E-2
		Reference	1.96E-3
	Lead	Test	0
		Reference	0
	Nickel	Test	0
		Reference	0
	Zinc	Test	4.02E-3
		Reference	5.31E-3



**FDA Action Limit/Tolerance (see EPA Table 3, Columns D & E)****Receptor:** Adult Angler**Organism:** *Macoma nasuta*

	Contaminant	FDA Action Level (mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Total PCBs	2E3	6.47E0
Composite (10 Stations)	Mercury	1E0	2.08E-3
Composite (10 Stations)	Total DDT	5E3	1.56E0
Composite (10 Stations)	Total Chlordanes	3E2	1.53E-1



**FDA Action Limit/Tolerance (see EPA Table 3, Columns D & E)****Receptor:** Adult Angler**Organism:** *Nereis virens*

	Contaminant	FDA Action Level (mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Total PCBs	2E3	1.42E1
Composite (10 Stations)	Mercury	1E0	6.62E-3
Composite (10 Stations)	Total DDT	5E3	1.36E0
Composite (10 Stations)	Total Chlordanes	3E2	3.04E-1



**Ecological Effects Level (see EPA Table 8a.1, Columns D & E)****Receptor:** Adult Angler**Organism:** *Macoma nasuta*

	Contaminant	Ecological Effect Level (mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Anthracene	3.75E3	2.69E0
Composite (10 Stations)	Benzo(a)pyrene	8E3	3.47E0
Composite (10 Stations)	PAH Total	1E4	8.04E1
Composite (10 Stations)	Total PCBs	4E3	6.47E0
Composite (10 Stations)	Aldrin	2.99E2	2.02E-2
Composite (10 Stations)	Dieldrin	4.37E0	1.64E-2
Composite (10 Stations)	Endosulfans	2.86E0	1.69E-2
Composite (10 Stations)	Arsenic	1.26E1	2.54E0
Composite (10 Stations)	Cadmium	3.03E0	2.66E-2
Composite (10 Stations)	Chromium	1.18E1	4.34E-1
Composite (10 Stations)	Copper	9.6E0	2.71E0
Composite (10 Stations)	Lead	1.19E1	4.52E-1
Composite (10 Stations)	Mercury	2E-1	2.08E-3
Composite (10 Stations)	Nickel	3.8E0	5.7E-1
Composite (10 Stations)	Zinc	1.52E3	1.28E1
Composite (10 Stations)	Total DDT	3E3	1.56E0



**Ecological Effects Level (see EPA Table 8a.1, Columns D & E)****Receptor:** Adult Angler**Organism:** *Nereis virens*

	Contaminant	Ecological Effect Level (mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Anthracene	3.75E3	6.1E-1
Composite (10 Stations)	Benzo(a)pyrene	8E3	1.61E0
Composite (10 Stations)	PAH Total	1E4	3.64E1
Composite (10 Stations)	Total PCBs	4E3	1.42E1
Composite (10 Stations)	Aldrin	2.99E2	4E-2
Composite (10 Stations)	Dieldrin	4.37E0	3.25E-2
Composite (10 Stations)	Endosulfans	2.86E0	3.33E-2
Composite (10 Stations)	Arsenic	1.26E1	2.02E0
Composite (10 Stations)	Cadmium	3.03E0	3.38E-2
Composite (10 Stations)	Chromium	1.18E1	5.51E-1
Composite (10 Stations)	Copper	9.6E0	1.12E0
Composite (10 Stations)	Lead	1.19E1	1.91E-1
Composite (10 Stations)	Mercury	2E-1	6.62E-3
Composite (10 Stations)	Nickel	3.8E0	2.32E-1
Composite (10 Stations)	Zinc	1.52E3	1.41E1
Composite (10 Stations)	Total DDT	3E3	1.36E0



**FDA Level of Concern (see EPA Table 7a, Columns B & D)****Receptor:** Adult Angler**Organism:** *Macoma nasuta*

	Contaminant	FDA Level of Concern(mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Arsenic	8.6E1	2.54E0
Composite (10 Stations)	Cadmium	3.7E0	2.66E-2
Composite (10 Stations)	Chromium	1.3E1	4.34E-1
Composite (10 Stations)	Lead	1.7E0	4.52E-1
Composite (10 Stations)	Nickel	8E1	5.7E-1



**FDA Level of Concern (see EPA Table 7a, Columns B & D)****Receptor:** Adult Angler**Organism:** Nereis virens

	Contaminant	FDA Level of Concern(mg/kg)	Steady State Corrected Mean Tissue Concentration (mg/kg)
Composite (10 Stations)	Arsenic	8.6E1	2.02E0
Composite (10 Stations)	Cadmium	3.7E0	3.38E-2
Composite (10 Stations)	Chromium	1.3E1	5.51E-1
Composite (10 Stations)	Lead	1.7E0	1.91E-1
Composite (10 Stations)	Nickel	8E1	2.32E-1

**Selected Chemicals****Invertebrate Name**

Macoma nasuta

	Composite (10
118	X
153	X
4,4'-DDD	X
4,4'-DDE	X
Anthracene	X
Benzo(a)anthracene	X
Benzo(a)pyrene	X
Benzo(b)fluoranthene	X
Benzo(k)fluoranthene	X
Chrysene	X
Fluoranthene	X
Fluorene	X
Naphthalene	X
PAH Total	X
Phenanthrene	X
Pyrene	X
Total DDT	X
Total PCBs	X
Copper	X
Lead	X
Nickel	X



**Invertebrate Name**

Nereis virens

	Composite (10
105	X
4,4'-DDD	X
52	X
Anthracene	X
Benzo(b)fluoranthene	X
Benzo(g,h,i)perylene	X
Benzo(k)fluoranthene	X
Chrysene	X
Fluoranthene	X
Fluorene	X
Naphthalene	X
PAH Total	X
Pyrene	X
Total DDT	X
Total PCBs	X
Cadmium	X
Chromium	X
Lead	X
Nickel	X
Zinc	X

Software version: BRAMS 4.0

Last date: 11/28/2023

User name: \*



**Appendix D**  
**Elutriate Chemistry Results**



Kennebunkport River Projects			ME WQC	Elutriate Average	Q	Site Water Average	Q	Lab Water Average	Q
Parameter	CAS Number	Units							
<b>Metals</b>									
Arsenic	7440382	ug/L	69	3.67		1.22		0.140	U
Cadmium	7440439	ug/L	33	0.295	U	0.30	U	0.295	U
Hexavalent Chromium	18540299	ug/L	1108	1.50	U	1.50	U	1.50	U
Copper	7440508	ug/L	5.78	1.92	U	1.92	U	1.92	U
Lead	7439921	ug/L	221	1.72	U	1.72	U	1.72	U
Mercury	7439976	ug/L	2.1	0.010	U	0.010	U	0.010	U
Nickel	7440020	ug/L	75	2.78	U	2.78	U	2.78	U
Selenium	7782492	ug/L	291	0.115	*	0.065	U	0.560	U
Silver	7440224	ug/L	2.24	0.815	U	0.82	U	0.815	U
Zinc	7440666	ug/L	95	17.1	U	17.1	U	17.1	U
<b>Industrial Chemicals</b>									
Pentachlorophenol	87865	ug/L	13	0.290	U	0.224	U	0.222	U
<b>Pesticides</b>									
4,4'-DDT	50293	ug/L	0.13	0.00012	U	0.00008	U	0.00008	U
Aldrin	309002	ug/L	1.3	0.00023	U	0.00016	U	0.00016	U
Alpha-Chlordane (cis)	5103719	ug/L		0.00011	U	0.00008	U	0.00008	U
Dieldrin	60571	ug/L	0.71	0.00006	U	0.00004	U	0.00004	U
Chlorpyrifos	2921882	ug/L	0.011*	0.00011	U	0.00008	U	0.00008	U
Endosulfan I	959988	ug/L	0.034	0.00011	U	0.00008	U	0.00008	U
Endosulfan II	33213659	ug/L	0.034	0.00010	U	0.00007	U	0.00007	U
Endrin	72208	ug/L	0.037	0.00012	U	0.00008	U	0.00008	U
Gamma-Chlordane (trans)	5103742	ug/L		0.00005	U	0.00004	U	0.00004	U
Heptachlor	76448	ug/L	0.053	0.00008	U	0.00006	U	0.00006	U
Heptachlor epoxide	1024573	ug/L	0.053	0.00010	U	0.00007	U	0.00007	U
Lindane	58899	ug/L	0.16	0.00007	U	0.00005	U	0.00005	U
Toxaphene	8001352	ug/L	0.21	0.00365	U	0.00257	U	0.00257	U
Chlordane (alpha + gamma)	SUMCHLOR	ug/L	0.09	0.00016	U	0.00011	U	0.00011	U
<b>PCBs</b>									
PCB 008	34883437	ug/L		0.00010	U	0.00007	U	0.00007	U
PCB 018	37680652	ug/L		0.00013	U	0.00009	U	0.00009	U
PCB 028	7012375	ug/L		0.00013	U	0.00009	U	0.00009	U
PCB 044	41464395	ug/L		0.00008	U	0.00006	U	0.00006	U
(PCB 049)	41464408	ug/L		0.00028	J	0.00005	U	0.00005	U
PCB 052	35693993	ug/L		0.00037	J	0.00005	U	0.00005	U
PCB 066	32598100	ug/L		0.00010	U	0.00007	U	0.00007	U
(PCB 087)	38380028	ug/L		0.00013	U	0.00009	U	0.00009	U
PCB 101	37680732	ug/L		0.00016	U	0.00011	U	0.00011	U
PCB 105	32598144	ug/L		0.00011	U	0.00008	U	0.00008	U
PCB 118	31508006	ug/L		0.00009	U	0.00006	U	0.00006	U
PCB 128	38380073	ug/L		0.00011	U	0.00008	U	0.00008	U
PCB 138	35065282	ug/L		0.00008	U	0.00005	U	0.00005	U
PCB 153	35065271	ug/L		0.00009	*	0.00004	U	0.00004	U
PCB 170	35065306	ug/L		0.00012	U	0.00008	U	0.00008	U
PCB 180	35065293	ug/L		0.00010	U	0.00007	U	0.00007	U
(PCB 183)	52663691	ug/L		0.00011	U	0.00007	U	0.00007	U
(PCB 184)	74472483	ug/L		0.00010	U	0.00007	U	0.00007	U
PCB 187	52663680	ug/L		0.00007	U	0.00005	U	0.00005	U
PCB 195	52663782	ug/L		0.00006	U	0.00004	U	0.00004	U
PCB 206	40186729	ug/L		0.00013	U	0.00009	U	0.00009	U
PCB 209	2051243	ug/L		0.00006	U	0.00004	U	0.00004	U
Total PCBs	SumNOAA18	ug/L	0.03	0.00416		0.00243	U	0.00243	U

Notes

U: Compound was analyzed for but was not detected (non-detect)

J: Indicates an estimated value

\* indicates average includes detects and non-detects

Non-detects are reported as 1/2 the MDL

Half the MDL was used for U-qualified values to calculate summary and average values

Yellow=exceedance of water quality criteria

Total PCBs were calculated using the NOAA 18 method


Total PCB WQC is for chronic exposure as no acute exposure value available



**Attachment 15:**  
**Disposal Site Transportation Route**



## 15.0 Isle of Shoals North Disposal Site Transportation Route



**Location:** The Isle of Shoals North (IOSN) Disposal Site is located in the Gulf of Maine, approximately 20 km (10.8 nmi) east of Portsmouth, New Hampshire, 17.7 km (9.55 nmi) southeast of Kittery, Maine, and 11.2 km (6.04 nmi) north of Eastern Island, the closest within the Isle of Shoals. The site is defined as a 2,600 m (8,530 ft) diameter circle on the seafloor with its center located at 70° 26.995' W and 43° 1.142' N.

**Route:** From the Kennebunkport Marina, navigate in a southerly direction towards the mouth of the Kennebec River, then in a southwestern direction through the Gulf of Maine to the IOSN Disposal Site. The total transportation route distance from the Kennebunkport Marina to the IOSN Disposal Site is approximately 23 nautical miles.

**Estimated Number of Trips to IOSN:** The estimated quantity of dredge material expected to be removed from the Kennebunkport Marina is 3,675 cubic yards. It is estimated that the dredge scow that will be used to transport sediment to the IOSN Disposal Site will have between 500 and 600 cubic yards of capacity, which would result in 7 to 8 trips to the IOSN Disposal Site.



**Attachment 16:**  
**Notice to Fisherman**



## **16.0 Notice to Fisherman**

A notice to inform fishermen of the proposed route for transportation the dredged material will be published and appear in a newspaper of general circulation in the area of the route:

### **NOTICE TO FISHERMAN**

The Kennebunkport Marina proposes to dredge approximately 36,925 square feet of the Kennebunk River located offshore and southwest of the club. The proposed dredge depth will be -6.0, with about one foot of over-dig, with the total volume of proposed dredging to be 3,675 cubic yards of sediment. The dredge will take place in and around the boat slips and is for maintenance and navigational safety.

Dredging of sediment will be completed by mechanical methods using a barge mounted excavator or crane with a clamshell bucket. Sediment will be loaded onto a scow barge and transported to the Isle of Shoals North (IOSN) Disposal Site. The IOSN is located approximately 15 nautical miles east of Portsmouth, New Hampshire, in the Gulf of Maine. The suitability determination of the dredge spoils has been approved by the Army Corp of Engineers for open water disposal to the IOSN.

This operation would coincide with neighboring marinas performing dredging at the same approximate time. Dredging activity will occur between November and April in any given year.



**Appendix A:**  
**MDEP Visual Evaluation Field Survey Checklist**



# **APPENDIX A: MDEP VISUAL EVALUATION FIELD SURVEY CHECKLIST**

(Natural Resources Protection Act, 38 M.R.S. §§ 480 A - Z)

Name of applicant: KPT Marine, LLC Phone: 207-590-1658  
 Application Type: Individual NRPA Permit  
 Activity Type: (brief activity description) Dredging approximately 3,675 CY of material  
 Activity Location: Town: Kennebunkport County: York  
 GIS Coordinates, if known: UTM: 4801427.76 m N, 19 T 380584.29 m E  
 Date of Survey: 10/17/2024 Observer: Michael N. Walsh Phone: 207-553-9898

	<b>Distance Between the Proposed Visibility Activity and Resource (in Miles)</b>		
	0-1/4	1/4-1	1+
1. Would the activity be visible from:			
A. A National Natural Landmark or other outstanding natural feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
B. A State or National Wildlife Refuge, Sanctuary, or Preserve or a State Game Refuge?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
C. A state or federal trail?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
D. A public site or structure listed on the National Register of Historic Places?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
E. A National or State Park?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
F. 1) A municipal park or public open space?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2) A publicly owned land visited, in part, for the use, observation, enjoyment and appreciation of natural or man-made visual qualities?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3) A public resource, such as the Atlantic Ocean, a great pond or a navigable river?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. What is the closest estimated distance to a similar activity?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. What is the closest distance to a public facility intended for a similar use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4. Is the visibility of the activity seasonal? (i.e., screened by summer foliage, but visible during other seasons)		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
5. Are any of the resources checked in question 1 used by the public during the time of year during which the activity will be visible?		<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No

A listing of National Natural Landmarks and other outstanding natural features in the State of Maine can be found at: [www.nature.nps.gov/nnl/Registry/USA\\_map/states/Maine/maine.htm](http://www.nature.nps.gov/nnl/Registry/USA_map/states/Maine/maine.htm) . In addition, unique natural areas are listed in the Maine Atlas and Gazetteer published by DeLorme.

*(pink)*



Most Maine State and National Wildlife Refuges, Sanctuaries, and Preserves and State Game Refuges are listed in the Maine Atlas and Gazetteer published by DeLorme.

Most State and federal trails are listed in the Maine Atlas and Gazetteer published by DeLorme. In addition, the Maine Department of Conservation maintains a list of state parks with trails that can be searched by county at: [www.state.me.us/doc/parks/programs/db\\_search/index.html](http://www.state.me.us/doc/parks/programs/db_search/index.html)

Maine sites and structures listed on the National Register of Historic Places pursuant to the National Historic Preservation Act of 1966, as amended, can be searched by town at: [www.cr.nps.gov/nr/research/nris.htm](http://www.cr.nps.gov/nr/research/nris.htm)

In addition, State historic sites can be found at: [www.state.me.us/doc/parks/programs/db\\_search/index.html](http://www.state.me.us/doc/parks/programs/db_search/index.html) A partial listing of historic sites in Maine can be found in the Maine Atlas and Gazetteer published by DeLorme.

A listing of Maine State Parks can be found at: [www.state.me.us/doc/parks/programs/db\\_search/index.html](http://www.state.me.us/doc/parks/programs/db_search/index.html) or in the Maine Atlas and Gazetteer published by DeLorme. Acadia National Park on Mount Desert Island is Maine's only National Park.

For guidance on completing this field survey checklist, please contact Licensing staff in the Division of Land Resource Regulation at the following offices:

(Headquarters)  
Central Maine Regional Office  
17 State House Station  
Ray Building, Hospital Street  
Augusta, Maine 04333  
**(207) 287-7688** or  
toll free at **1-800-452-1942**

Northern Maine Regional Office  
1235 Central Drive  
Presque Isle, Maine 04769  
**(207) 764-0477** or  
toll free at **1-888-769-1053**

Eastern Maine Regional Office  
106 Hogan Road  
Bangor, Maine 04401  
**(207) 941-4570** or  
toll free at **1-888-769-1137**

Southern Maine Regional Office  
312 Canco Road  
Portland, Maine 04103  
**(207) 822-6300** or  
toll free at **1-888-769-1036**

(pink)



**Appendix B:**  
**MDEP Coastal Wetland Field Survey Checklist**



## APPENDIX B

### MAINE'S COASTAL WETLANDS: COASTAL WETLAND CHARACTERIZATION GUIDELINES

(Partly derived from Maine's Coastal Wetlands: Volume II)

Guidelines for the sampling and assessment of coastal wetlands have been developed by the Department of Environmental Protection to standardize habitat characterizations and functional assessments of coastal wetlands as required by the Natural Resources Protection Act (NRPA). The NRPA requires all applicants to characterize coastal wetland areas occurring in the location or vicinity of a proposed activity. Intertidal and/or subtidal characterizations are required for the following activities: fill, crib-supported or subtidal piers, lobster pounds, shoreline stabilization, or dredging. Activities impacting over 500 square feet of coastal wetland require a functional assessment performed by a professional wetland scientist unless the Department determines that the activity will have minimal adverse impact on the functions and values of the wetland.

This checklist satisfies the requirement for Attachment 12, Wetland Delineation Report, described in Part II of the NRPA application for coastal wetlands located only in intertidal areas and subtidal areas less than one foot in depth. The checklist is required for all activities impacting coastal wetlands to provide information describing coastal habitats and assess their most critical functions and values with the least amount of sampling effort possible, providing DEP licensing staff and biologists with information. The information provided will be used to determine whether the Department will require further sampling and assessment. This checklist does not substitute for any other NRPA application requirements.

#### SURVEY METHODS:

Following the methods below, survey and photograph the activity area on an ebb tide.

1. Walk throughout the activity area and note the location and measurements of all dominant habitat types. If not part of an application, complete an overhead drawing of the activity area. The overhead drawing should include the location and types of vegetation, boundaries of habitat types, sample locations, the location of spring high tide, mean high water and mean low water, and contours, if possible.
2. Take photographs of activity area and habitat types. (Include date, time, tide cycle and location of each photograph).
3. Search throughout the entire activity site, turning over rocks, wood, and algal mats, and look for any identifiable organisms present on the surface of the habitat, list the organisms found if known, and estimate their relative abundance. Complete the Checklist.
4. Using a clam rake or shovel, turn over sediments at random locations throughout the intertidal zone (at least one per zone, high, mid and low). Look for any identifiable organisms present in the sediments and estimate their relative abundance. Mark location on overhead drawing. Complete the Checklist.

PLEASE NOTE: Some activities may require quantitative benthic analysis of the sediments. Examples of such activities include dredges, lobster pounds, and fill activities consisting of over 500 square feet. Determination of sampling requirements may be made through consultation with DEP licensing staff and biologists. Guidelines for quantitative benthic sampling can be provided on request.

#### DEFINITIONS:

##### Area of Impact:

Direct Impact: The footprint of a proposed activity; e.g. area of dredge, area covered by cribs, base of riprap.

Indirect Impact: The area surrounding a proposed activity that will potentially be affected by the activity; e.g. shoreline adjacent to riprap, salt marsh areas, shaded areas. NOTE: The area of indirect impact will vary from site to site and should be determined on a case by case basis by the consultant, the applicant, and DEP staff.

(pink)



**Timing of Survey Work:** The date, time of day, and tidal height of sampling. Ideally, surveys should be conducted between May 1 and November 30 on an ebb or flood tide. Surveys may be conducted at other times of year, if necessary. Include the timing of low tide on the survey date. If the activity will extend into the low intertidal and/or shallow subtidal, the survey should be conducted on a negative or zero tide.

**Energy Levels:**

Exposed/High energy: Area exposed to oceanic swell and wind waves. Wind fetch (i.e. direction of origin) unlimited. Water velocity exceeds 2 meters/second.

Partially exposed/Moderate energy: Oceanic swell attenuated by offshore reefs, islands, or headlands, but shoreline is substantially exposed to wind waves. Typical of cobble or gravel fields. Water velocity between 1 and 2 meters/second.

Semi-protected/Low energy: Shoreline protected from sea swell, but it may receive waves generated by moderate fetch. Typical of gravel or unconsolidated muddy sediments. Water velocity less than 1 meter/second.

Protected/Low energy: No sea swell, little or no current, and restricted wind. Typical of unconsolidated muddy sediments. Water velocity less than 1 meter/second.

**Drainage on Intertidal Flats:** The amount of water left on intertidal area after ebb tide.

**Habitats:** description of activity site and adjacent areas

Sand Beach: exposed environments containing at least 75% sand.

Boulder/cobble Beach: exposed environments dominated by boulders and/or loose rounded rocks.

Sand Flat: protected and semi-protected environment dominated by sandy sediment.

Mixed Coarse & Fines: semi-protected environment consisting of a mixture of rocks, boulders, gravel, sand, cobbles, and mud.

Rocky Shore: semi-protected to moderate consisting of rocks, boulders, or ledge.

Salt Marsh: persistent near shore emergent grass habitats.

Ledge: stable bedrock

Mud Flat: protected environments containing at least 75% mud

Elgrass: intertidal and subtidal grass habitat.

**Relative Abundance:** the frequency of an organism at or adjacent to the activity site

Absent: Organism is physically absent from the specific area.

Scattered or occasional: A limited number of a specific organism found only after a thorough investigation of the habitat *or* organisms occurring in small (<1/2 square foot) patches or small clumps throughout the zone.

Common: Specific organism found readily with little investigation, but not visually obvious; found repeatedly and/or occurring in numerous patches throughout habitat.

Abundant: Specific organism is visually obvious throughout area with limited or no habitat disturbance.

(pink)



## APPENDIX B: MDEP COASTAL WETLAND CHARACTERIZATION: INTERTIDAL & SHALLOW SUBTIDAL FIELD SURVEY CHECKLIST

NAME OF APPLICANT: KPT Marine, LLC PHONE: 207-590-1658

APPLICATION TYPE: Individual NRPA Permit

ACTIVITY LOCATION: TOWN: Kennebunkport COUNTY: York

ACTIVITY DESCRIPTION: ☐ fill ☐ pier ☐ lobster pound ☐ shoreline stabilization  
☒ dredge ☐ other: \_\_\_\_\_

DATE OF SURVEY: 10/17/2024 OBSERVER: Michael N. Walsh

TIME OF SURVEY: 2:45 pm TIDE AT SURVEY: Low

SIZE OF DIRECT IMPACT OR FOOTPRINT (square feet):  
Intertidal area: \_\_\_\_\_ Subtidal area: 36,925

SIZE OF INDIRECT IMPACT, if known (square feet): \_\_\_\_\_  
Intertidal area: \_\_\_\_\_ Subtidal area: \_\_\_\_\_

HABITAT TYPES PRESENT (check all that apply):

☒ sand beach ☐ boulder/cobble beach ☐ sand flat ☒ mixed coarse & fines ☐ salt marsh  
☐ ledge ☐ rocky shore ☒ mudflat (sediment depth, if known: \_\_\_\_\_)

ENERGY: ☐ protected ☒ semi-protected ☐ partially exposed ☐ exposed

DRAINAGE: ☐ drains completely ☒ standing water ☐ pools ☐ stream or channel

SLOPE: ☐ >20% ☐ 10-20% ☐ 5-10% ☒ 0-5% ☐ variable

SHORELINE CHARACTER:

☐ bluff/bank (height from spring high tide: \_\_\_\_\_) ☐ beach ☒ rocky ☐ vegetated

FRESHWATER SOURCES: ☐ stream ☒ river ☐ wetland ☐ stormwater

MARINE ORGANISMS PRESENT:

	absent	occasional	common	abundant
mussels	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
clams	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
marine worms	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
rockweed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
eelgrass	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
lobsters	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
other	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SIGNS OF SHORELINE OR INTERTIDAL EROSION? ☐ yes ☒ no

PREVIOUS ALTERATIONS? ☒ yes ☐ no

CURRENT USE OF SITE AND ADJACENT UPLAND:

☐ undeveloped ☒ residential ☐ commercial ☐ degraded ☒ recreational

**PLEASE SUBMIT THE FOLLOWING:**

☒ Photographs ☒ Overhead drawing (pink)



**Appendix C:**  
**Supplemental Information for Dredging Activities**



**APPENDIX C: APPLICATION FOR A NATURAL RESOURCES PROTECTION ACT  
PERMIT  
SUPPLEMENTAL INFORMATION FOR DREDGING ACTIVITIES IN A COASTAL WETLAND, GREAT POND,  
RIVER, STREAM OR BROOK**

(Discard this part if dredging is not proposed as part of your activity.)

**The DEP and the Corps strongly recommend that applicants schedule a pre-application meeting prior to submitting an application for dredging.**

<b>Volume to be dredged:</b>	3,675	cu. yds.		
<b>Sq. ft. to be dredged:</b>	36,925	sq. ft.		
<b>Max. depth of dredging below existing grade:</b>	-6.0			
<b>Type of material (example: sand, silt, clay, gravel. etc.) to be Dredged:</b>	Silt and sand			
<b>Describe what erosion and sediment control measures will be used during the dredging operation. (attach separate sheet if necessary):</b>	Loading the dredge material directly onto the barge (scow) will allow it to be de-watered.			
<b>Describe how and where the dredge spoils will be dewatered (attach separate sheet if necessary):</b>  <b>Show dewatering location and erosion control measures on activity drawings.</b>	Spoils will be loaded directly onto the barge (scow) where it will be de-watered prior to transport.			
<b>What equipment will be used for the dredge?</b>	The dredge will be conducted from a floating barge using a crane with a clam shell bucket and/or backhoe.			
<b>Disposal Location: (Check one)</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <b>Upland disposal:</b>  <input type="checkbox"/> On site  <input type="checkbox"/> Landfill  <input type="checkbox"/> Other _____ </div> <div style="width: 45%;"> <b>Ocean disposal:</b>  Federal Disposal Site  <input type="checkbox"/> Arundel  <input type="checkbox"/> Portland  <input type="checkbox"/> Rockland  <input checked="" type="checkbox"/> Other <u>Isle of Shoals</u> </div> </div>			

(pink)



**FOR UPLAND DISPOSAL:**

Contact the Division of Solid Waste Management at (207) 822-6300:

Contacted:     ☐ Yes   ☐ No   If yes, attach a copy of any correspondence.  
Permitted:     ☐ Yes   ☐ No   If yes, provide the permit number\_\_\_\_\_.

**FOR OCEAN DISPOSAL:**

- ☒ Submit as **Attachment 15**, a copy of the test results performed in accordance with the U.S. Environmental Protection Agency and the Army Corps of Engineers' document entitled "Regional Implementation Manual for the Evaluation of Dredged Material Proposed for Disposal in New England Waters" (May 2002). This is available from the Army Corps of Engineers. (207) 623-8367 *\*Submitted as Attachment 14*

**NOTE:** Applicants are STRONGLY recommended to contact the DEP prior to performing any sediment sampling. Improperly sampled or analyzed sediments may have to be retested.

- ☒ Submit as **Attachment 16**, a copy of a map showing the proposed transportation route to the disposal site.

List all municipalities adjacent to the proposed transportation site: *\*Submitted as Attachment 15*

New Hampshire: Rye, New Castle

Maine: Kittery, Eliot, York, Ogunquit

A copy of the application must be submitted to all municipalities adjacent to the proposed transportation site.

- ☒ Submit as **Attachment 17**, a copy of the notice of the proposed transportation route. A copy of the proposed transportation route must be published in a newspaper of general circulation in the area of the proposed route. (The notice of the proposed route must include compass bearings or Loran coordinates). The notice must be published under the heading "NOTICE TO FISHERMEN". *\*Submitted as Attachment 16*

(pink)



**Appendix D:**  
**Sediment Sampling Results**





## **ECOTOXICOLOGICAL TESTING WHOLE SEDIMENT BIOASSAYS**

### **KENNEBUNKPORT, MAINE**

*Prepared for:*

Eco-Analysts, Inc.  
P.O. Box 224  
Bath, Maine 04530

*Prepared by:*

EA Engineering, Science, and Technology, Inc., PBC  
231 Schilling Circle  
Hunt Valley, Maryland 21031  
For questions concerning this report, please contact Michael Chanov  
ph: 410-584-7000

*Results relate only to the items tested or to the samples as received by the laboratory.*

*This report shall not be reproduced, except in full, without written approval of  
EA Engineering, Science, and Technology, Inc., PBC*

*This report contains 18 pages plus 6 attachments.*

A handwritten signature in black ink, appearing to read 'Michael K. Chanov II', is positioned above a horizontal line.

Michael K. Chanov II  
Laboratory Director

27 April 2023

Date



## 1. INTRODUCTION

In accordance with the US Army Corps of Engineers, New England District (CENAE), EA Engineering, Science, and Technology, Inc., PBC (EA) performed whole sediment toxicity testing on sediment samples collected from the area of dredging proposed for the marinas located on the Kennebunk River in Kennebunkport, Maine. Placement of dredge materials is proposed at the Isles of Shoals North (IOSN) Disposal Site. Samples were provided by Eco-Analysts, Inc., Bath, Maine. The purpose of this study was to evaluate the toxicity of the sediment samples to benthic organisms.

The toxicity testing program consisted of 10-day whole sediment toxicity tests with *Americamysis bahia* (opossum shrimp) and *Leptocheirus plumulosus* (estuarine amphipod). The whole sediment toxicity tests evaluated the effects of exposure to the sediment samples on survival of the test organisms compared to a historical reference. All biological testing was completed at EA in Hunt Valley, Maryland.



## **2. MATERIALS AND METHODS**

### **2.1 SAMPLE RECEIPT AND PREPARATION**

Ten sediment samples were collected by Eco-Analysts personnel from locations in the dredge footprint identified in the Sampling and Analysis Plan. One sediment composite was created for the project and placed into five 5-gallon buckets. The samples were held at  $\leq 4^{\circ}\text{C}$  and were hand delivered by courier to EA's Ecotoxicology Laboratory in Hunt Valley, Maryland. The composited sediment sample was logged in and assigned an EA laboratory accession number and was stored in the dark in a secured walk-in cooler at  $\leq 4^{\circ}\text{C}$  until used for testing. Table 1 summarizes the sample identification, accession numbers, and collection and receipt information for the sediment sample. Chain-of-custody records are included in Attachment I.

### **2.2 TOXICITY TEST METHODS**

All toxicity testing was conducted following EA's standard operating procedures (EA 2022) which are in accordance with the *Regional Implementation Manual for Evaluation of Dredged Material Proposed for Disposal in New England Waters* (USEPA, CENAE 2004), USEPA/USACE guidance (1991, 1998) and USEPA guidance (2002).

#### **2.2.1 Whole Sediment Toxicity Testing**

Whole sediment toxicity testing was conducted with two estuarine species, *Leptocheirus plumulosus* (amphipod) and *Americamysis bahia* (opossum shrimp), both acquired from Aquatic Research Organisms (Hampton, New Hampshire) on 9 March 2023. The amphipods in Lot LP-181 were 2-4 mm and the mysids from Lot AB-1232 were 5 days old when used to initiate the toxicity test. Both assays were initiated on 10 March 2023. During the 24-hour holding period, the organisms were gradually acclimated to laboratory water at  $20^{\circ}\text{C}$  and to the appropriate test salinity.



Reference sediment was not collected from the IOSN. Rather, historic survival data from 2019 were provided by the CENAE for comparison purposes.

For solid phase testing, USEPA guidance (Davies, et. al. 1993) specifies the reduction of pore water total ammonia concentrations to  $\leq 20$  mg/L  $\text{NH}_3\text{-N}$  prior to testing. Pore water was extracted from each of the sediment samples by centrifugation. Initial interstitial total ammonia concentration in the sediment sample was 63.5 mg/L  $\text{NH}_3\text{-N}$  (Tables 2 and 3). The “thin layer” ammonia reduction procedure described by Ferretti (Ferretti, et.al., 2000) was utilized prior to initiating solid phase testing of the sediment sample. For this procedure, 2 L of sediment was spread evenly over the bottom of a high-density polyethylene tub (88 x 42 x 15 cm) to a depth of approximately 8 mm. A high density polyethylene plastic cover was placed over each sediment, and 12 L of artificial seawater was carefully added to the tub to minimize disturbance of the sediments. The overlying water was replaced twice daily until the pore water ammonia concentration was  $\leq 20$  mg/L  $\text{NH}_3\text{-N}$ . The interstitial ammonia value for the ammonia purged sediment are presented in Tables 2 and 3.

The whole sediment toxicity tests were conducted as static, non-renewal tests with ten days of exposure to the sediments and overlying water. Artificial seawater (Crystal Sea artificial sea salts) at 20 ppt salinity (*L. plumulosus*) and 30 ppt salinity (*A. bahia*) was used as the overlying water.

The *A. bahia* and *L. plumulosus* tests utilized 1-L beakers as the exposure chambers, with each beaker containing 175 ml of sediment and 800 ml of overlying water. There were five replicate chambers for both the composite sediment sample and laboratory control. Test organisms were randomly assigned to the test chambers, 20 per replicate, for a total of 100 organisms exposed per sample.

The tests were maintained at a target of  $20 \pm 1^\circ\text{C}$ , with a 16-hour light/8-hour dark (*A. bahia*) or 24-hour light (*L. plumulosus*) photoperiod. The test chambers were visually inspected daily for abnormal organism behavior or lack of burrowing.



The overlying water in each test chamber was gently aerated (100 bubbles per minute) for the duration of the tests. Water quality measurements of temperature, pH, dissolved oxygen, and salinity were recorded daily on one replicate of each sample and control. The water quality parameters measured during the *A. bahia* and *L. plumulosus* toxicity tests are summarized in Tables 4 and 5, respectively.

After ten days of exposure, the test organisms were retrieved from the samples and the number of live organisms per replicate was recorded. Copies of the original data sheets for the *A. bahia* and *L. plumulosus* toxicity testing are included as Attachments II and III, respectively.

### **2.2.2 Data Analysis**

Statistical analyses were performed on the whole sediment test data according to USEPA/USACE (1998) guidance, using the CETIS® statistical software package (Comprehensive Environmental Toxicity Information System, Version 2.1.1.5). If survival in the sediment was greater than the allowable percent difference (20 percent) from the corresponding reference, then a t-test or Wilcoxon's Two-Sample Test (depending on normal or non-normal data distribution) was performed on the sediment sample. The statistical analyses were performed to determine if exposure to the sediment sample resulted in significantly lower survival ( $p=0.05$ ) as compared to the organisms exposed to the corresponding control or historical reference sediment. The results of the *A. bahia* and *L. plumulosus* whole sediment bioassays are summarized in Tables 6 and 7, respectively. The statistical analyses for *A. bahia* and *L. plumulosus* are summarized in Tables 8 and 9, respectively.

### **2.2.3 Reference Toxicant Testing**

In conformance with EA's quality assurance/quality control program requirements, reference toxicant testing was performed by EA on acquired lots of *A. bahia* and *L. plumulosus*. The reference toxicant tests consisted of a graded concentration series of a specific toxicant in water only tests, with no sediment present in the test chambers. The results of the reference toxicant



tests were compared to established control chart limits. Table 10 presents the results of the reference toxicant testing.

## **2.3 ARCHIVES**

Original data sheets, records, memoranda, notes, and computer printouts are archived at EA's Office in Hunt Valley, Maryland. These data will be retained for a period of 5 years unless a longer period of time is requested.



### **3. RESULTS AND DISCUSSION**

This bioassay study using sediment collected from the Yachtsman Marina project area was designed and conducted to meet the requirements of the USEPA/USACE dredged material testing program. The results of these toxicity tests met the current NELAC standards, where applicable. Protocol requires 90 percent survival in the laboratory control, indicating that test organisms were healthy and that endpoints met or exceed requirements specified in the current version of the RIM.

#### **3.1 WHOLE SEDIMENT TOXICITY TESTING**

Tables 6 and 8 summarize the results and statistical analyses of the 10-day whole sediment toxicity testing with *A. bahia*. Survival in the composite sediment sample was 97 percent, while the laboratory control and historical IOSN reference data both had 98 percent survival. Statistical analyses demonstrated that there were no significant effects on *A. bahia* survival following exposure to the composite sediment sample as compared with the IOSN 2019 reference data, and results for the composite sample were within 20% of the reference data.

Tables 7 and 9 summarize the results and statistical analyses of the 10-day whole sediment toxicity testing with *L. plumulosus*. Survival in the composite sediment sample was 95 percent. The laboratory control had 98 percent survival, while the historical IOSN reference data had 93 percent survival. As such, the statistical analyses demonstrated that there were no significant effects on *L. plumulosus* survival following exposure to the composite sediment sample as compared with the IOSN 2019 reference data, and results for the composite sample were within 20% of the reference data.

#### **3.2 REFERENCE TOXICANT TESTS**

The results of the reference toxicant tests are summarized in Table 10. All of the reference toxicant test results fell within the established laboratory control chart limits.



#### 4. REFERENCES CITED

- Davies T., D. Davis, J. Elmore. 1993. Technical panel recommendations concerning use of acute amphipod tests in evaluation of dredged material. Technical Report. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- EA. 2022. EA Ecotoxicology Laboratory Quality Assurance and Standard Operating Procedures Manual. EA Manual ATS-102. Internal document prepared by EA's Ecotoxicology Laboratory, EA Engineering, Science, and Technology, Inc., PBC, Hunt Valley, Maryland.
- Ferretti, J. A., D. F. Calesso and T. R. Hermon. 2000. Evaluation of Methods to Remove Ammonia Interference in Marine Sediment Toxicity Tests. Environ. Toxicol. Chem. 19:1935-1941.
- USEPA. 2002. Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms. Fifth Edition. EPA-821-R-02-012. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- USEPA and USACE. 1991. Evaluation of Dredged Material Proposal for Ocean Disposal, Testing Manual (commonly called "The Green Book").
- USEPA and USACE. 1998. Evaluation of Dredged Material Proposed for Discharge in Waters of the U.S.-Inland Testing Manual. EPA/823/B-94/004. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. and Department of the Army, U.S. Army Corps of Engineers, Washington, D.C.
- USEPA Region 1, CENAE. 2004. Regional Implementation Manual for Evaluation of Dredged Material Proposed for Disposal in New England Waters. September 2004.



TABLE 1 SUMMARY OF COLLECTION AND RECEIPT INFORMATION FOR  
SEDIMENT SAMPLES

Sample Identification	EA Accession Number	Collection		Receipt	
		Time	Date	Time	Date
10 Stations at 4 Marinas Mud	AT3-098	1300	8 February 2023	1630	9 February 2023



TABLE 2 AMMONIA CONCENTRATIONS MEASURED ON SEDIMENT PORE WATER AND OVERLYING WATER DURING SOLID PHASE TOXICITY TESTING WITH *Americamysis bahia*

Pore Water Ammonia (mg/L NH <sub>3</sub> -N)								
Sediment Identification	EA Accession Number	Initial	Day 0	Day 2	Day 4	Day 6	Day 8	Day 10
10 Stations at 4 Marinas Mud	AT3-098	63.5	15.9	15.3	15.2	6.6	3.7	7.4
SOLID PHASE CONTROL	AT3-152	N/A	3.8	3.6	1.7	1.0	<0.4	<0.4

Overlying Water Ammonia (mg/L NH <sub>3</sub> -N)							
Sediment Identification	EA Accession Number	Day 0	Day 2	Day 4	Day 6	Day 8	Day 10
10 Stations at 4 Marinas Mud	AT3-098	2.2	2.0	2.1	2.1	2.0	2.3
SOLID PHASE CONTROL	AT3-152	1.2	1.0	0.9	<0.1	<0.1	<0.1



TABLE 3 AMMONIA CONCENTRATIONS MEASURED ON SEDIMENT PORE WATER AND OVERLYING WATER DURING SOLID PHASE TOXICITY TESTING WITH *Leptocheirus plumulosus*

Pore Water Ammonia (mg/L NH <sub>3</sub> -N)								
Sediment Identification	EA Accession Number	Initial	Day 0	Day 2	Day 4	Day 6	Day 8	Day 10
10 Stations at 4 Marinas Mud	AT3-098	63.5	19.0	18.3	19.1	10.6	3.9	---
SOLID PHASE CONTROL	AT3-152	N/A	2.8	2.4	2.8	1.5	1.3	<0.4

Overlying Water Ammonia (mg/L NH <sub>3</sub> -N)							
Sediment Identification	EA Accession Number	Day 0	Day 2	Day 4	Day 6	Day 8	Day 10
10 Stations at 4 Marinas Mud	AT3-098	2.6	2.6	2.4	4.0	3.1	3.0
SOLID PHASE CONTROL	AT3-152	0.6	0.9	0.8	<0.1	<0.1	<0.1



TABLE 4      SUMMARY OF WATER QUALITY PARAMETERS MEASURED DURING WHOLE SEDIMENT BIOASSAY TESTING WITH *Americamysis bahia*

Sediment Sample Identification	EA Accession Number	Range			
		Temperature (°C)	pH	Dissolved Oxygen (mg/L)	Salinity (ppt)
10 Stations at 4 Marinas Mud	AT3-098	19.2 – 21.6 <sup>a</sup>	7.9 – 8.3	6.9 – 7.7	27.0 – 30.1
SOLID PHASE CONTROL	AT3-152	19.0 – 21.9 <sup>a</sup>	8.0 – 8.2	5.4 – 7.6	27.0 – 28.5

<sup>a</sup> Measurement is outside the target range but within limits allowed by the RIM.



TABLE 5 SUMMARY OF WATER QUALITY PARAMETERS MEASURED DURING WHOLE SEDIMENT BIOASSAY TESTING WITH *Leptocheirus plumulosus*

Sediment Sample Identification	EA Accession Number	Range			
		Temperature (°C)	pH	Dissolved Oxygen (mg/L)	Salinity (ppt)
10 Stations at 4 Marinas Mud	AT3-098	19.0 – 21.7 <sup>a</sup>	7.7 – 8.5	7.4 – 8.1	19.5 – 22.0
SOLID PHASE CONTROL	AT3-152	19.0 – 22.0 <sup>a</sup>	7.7 – 8.4	7.2 – 8.1	19.6 – 22.0

<sup>a</sup> Measurement is outside the target range but within limits allowed by the RIM.



TABLE 6 RESULTS OF 10-DAY WHOLE SEDIMENT TOXICITY TESTING WITH  
*Americamysis bahia*

**Test Number:** TN-23-326

**Testing Dates:** 3/10/23 to 3/20/23

Sample Identification	EA Accession Number	No. Alive/No. Exposed	10-Day Mean Percent Survival
10 Stations at 4 Marinas Mud	AT3-098	97 / 100	97
IOSN REFERENCE	N/A	N/A	98
SOLID PHASE CONTROL	AT3-152	98 / 100	98



TABLE 7 RESULTS OF 10-DAY WHOLE SEDIMENT TOXICITY TESTING WITH  
*Leptocheirus plumulosus*

**Test Number:** TN-23-327

**Testing Dates:** 3/10/23 to 3/20/23

Sample Identification	EA Accession Number	No. Alive/No. Exposed	10-Day Mean Percent Survival
10 Stations at 4 Marinas Mud	AT3-098	95 / 100	95
IOSN REFERENCE	N/A	N/A	93
SOLID PHASE CONTROL	AT3-152	98 / 100	98



TABLE 8 STATISTICAL ANALYSIS OF 10-DAY WHOLE SEDIMENT TOXICITY  
TESTING WITH *Americamysis bahia*

*Test Number: TN-23-326*

*Testing Dates: 3/10/23 to 3/20/23*

Sample Identification	EA Accession Number	Mean Survival	Significantly Different as Compared to: IOSN 2019	Difference in Survival >20% as Compared to: IOSN 2019	
IOSN Reference	IOSN 2019	98%	-	-	-
10 Stations at 4 Marinas Mud	AT3-098	97%	No	No	1%



TABLE 9 STATISTICAL ANALYSIS OF 10-DAY WHOLE SEDIMENT TOXICITY  
TESTING WITH *Leptocheirus plumulosus*

**Test Number:** TN-23-327

**Testing Dates:** 3/10/23 to 3/20/23

Sample Identification	EA Accession Number	Mean Survival	Significantly Different as Compared to: IOSN 2019	Difference in Survival >20% as Compared to: IOSN 2019	
IOSN Reference	IOSN 2019	93%	-	-	-
10 Stations at 4 Marinas Mud	AT3-098	95%	No	No	-2%



TABLE 10 RESULTS OF REFERENCE TOXICANT TESTING ON ACQUIRED LOTS OF TEST ORGANISMS

Test Species	Reference Toxicant	Test Endpoint	Acceptable Control Chart Limits
<i>Americamysis bahia</i>	Potassium chloride (KCl)	48-Hour EC50: 493 mg/L KCl	413 – 604 mg/L KCl
<i>Leptocheirus plumulosus</i>	Cadmium chloride (CdCl <sub>2</sub> )	48-Hour LC50: 9.3 mg/L Cd	2.6 – 25.1 mg/L Cd



# **ATTACHMENT I**

Chain-of-Custody Records  
(2 pages)





**EA Engineering, Science,  
and Technology**

EA Ecotoxicology Laboratory  
231 Schilling Circle  
Hunt Valley, Maryland 21031  
Telephone: 410-584-7000  
Fax: 410-584-1057



Sample Shipped By: (circle)

Fed. Ex. UPS

Other: Courier

Tracking #: \_\_\_\_\_

Client: ECO-ANALYSTS, INC. Project No.: \_\_\_\_\_

NPDES Number: \_\_\_\_\_ Client Purchase Order Number: \_\_\_\_\_

City/State Collected: KENNEBUNK RIVER, MAINE

**PLEASE READ SAMPLING INSTRUCTIONS ON BACK OF FORM**

Accession Number (office use only)	Grab	Composite	Collection		Sample Description (including Site, Station Number, and Outfall Number)	Number/Volume of Container
			Start Date/Time	End Date/Time		
<u>AT3-018</u>		<u>X</u>	<u>2/8/23 0900</u>	<u>02/8/23 1300</u>	<u>10 Stations at 4 Marinas</u> <u>mud</u>	<u>5 Ten Gal Buckets</u>
<u>AT3-019</u>	<u>X</u>		<u>"</u>	<u>"</u>	<u>"</u> <u>Site water</u>	<u>"</u>

Sampled By: <u>Dustin Kach &amp; Bud Brown</u>	Date/Time <u>2/8/23 0900 - 1300</u>	Received By: <u>Dustin Kach</u>	Date/Time <u>2/8/23 1300</u>
Sampler's Printed Name: <u>Dustin Kach &amp; Bud Brown</u>	Title: <u>President</u>	Relinquished By: <u>[Signature]</u>	Date/Time <u>2/9/23 @ 11:37am</u>
Relinquished By: <u>[Signature]</u>	Date/Time <u>2/8/23 1137</u>	Received By Laboratory: <u>[Signature]</u>	Date/Time <u>2/9/23 1630</u>

Was Sample Chilled During Collection? No

Comments:

Sample Collection Parameters

Visual Description:

Temperature (°C):

pH:

TRC (mg/L):

Other:



## **ATTACHMENT II**

*Americamysis bahia* 10-Day Whole Sediment Test  
Data Sheets and Statistical Analyses  
(20 pages)





# SEDIMENT TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-326

## TEST ORGANISM INFORMATION

Common Name: Opossum shrimp Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: A. bahia Neonates Pulled (Time, Date): \_\_\_\_\_  
Lot Number: AB-1232 Acclimation: 24hr Age: 5 days  
Source: ARO Culture Water (T/S): 20.1 °C 27.9 ppt

## TEST INITIATION

Date	Time	Initials	Activity
3/9/23	1530	SL	Sediment Added to Chambers
			Overlying Water Added to Chambers
3/10/23	1530	P	Organisms Transferred

## TEST SET-UP

Sample Number(s): AT3-152 (Control), AT3-098

Overlying Water: 30 ppt Crystal Sea (LD3-385)

Treatment  
AT3-152 (Lab Control)

Volume Test Sediment  
175 ml

Volume Overlying Water  
800 ml

AT3-098





## TEST ORGANISM


Common Name:            Opossum shrimp

Scientific Name:            *A. bahia*

Organisms Recovered (date, time, initials): 3/20/20 1500 me

ATS-T30  
03/01/00






TARGET VALUES Temp: 20 °C pH: 6.0 - 9.0 DO: >4.0 mg/L Salinity: 30 ppt Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc

ATS-T13  
06/21/06





TARGET VALUES Temp: 20 °C pH: 6.0 - 9.0 DO: >4.0 mg/L Salinity: 30 ppt Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc

652  
3/12/28





**TOXICITY TEST WATER QUALITY DATA SHEET - OLD SOLUTIONS**

Project Number: EA\_TOX TEST ORGANISM  
Client: Eco Analyst Common Name: Opossum shrimp  
QC Test Number: TN-23-326 Scientific Name: *A. bahia*  
Beginning Date: 3/16/23 Time: 1530  
Ending Date: 3/16/23 Time: 1500

TARGET VALUES Temp: 20 °C pH: 6.0 - 9.0 DO: >4.0 mg/L Salinity: 30 ppt Photoperiod: 16 h, 8 d Light Intensity: 50 - 100 fc

[illegible]

⑨ 3/15/23





**TOXICOLOGY LABORATORY BENCH SHEET -  
AMMONIA RECORD - SEDIMENT**

Client: Eco Analyst

QC Test Number: TN-23-326

EA Sample Number	Day 0 Overlying Water				Day 0 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	1.22	31.9	7.9	19.2	3.84	31.2	7.6	19.0
AT3-098	2.19	31.2	7.9	19.2	15.85	31.0	7.6	19.0
Meter	VERSASTAR	692	692	692	VERSASTAR	692	692	692
Initials/Date/Time	3/15/23 MVL	3/10/23 1220	3/10/23 1220	3/10/23 1220	3/15/23 MVL	3/10/23 1220	3/10/23 1220	3/10/23 1220





Client: Eco Analyst

QC Test Number: TN-23-326

EA Sample Number	Day 2 Overlying Water				Day 2 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	0.96	31.9	7.9	17.1	3.56	30.0	7.5	18.0
AT3-098	2.02	30.6	8.0	17.1	15.30	29.4	7.3	19.0
Meter	VERSASTAR	602	602	602	VERSASTAR	602	602	602
Initials/Date/Time	3/15/23 MCL	3/14/23 1100 M	3/14/23 1100 M	3/14/23 1100 M	3/15/23 MCL	3/14/23 1100 M	3/14/23 1100 M	3/14/23 1100 M





TOXICOLOGY LABORATORY BENCH SHEET -  
AMMONIA RECORD - SEDIMENT

Client: Eco Analyst

QC Test Number: TN-23-326

EA Sample Number	Day 4 Overlying Water				Day 4 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	0.89	33.0	7.8	18.7	1.68	33.0	7.9	18.9
AT3-098	2.09	33.0	7.9	18.9	15.20	33.0	7.6	18.9
Meter	VERSASTAR	682	682	682	VERSASTAR	682	682	682
Initials/Date/ Time	3/15/23 MCL	3/14/23 1130-AP	3/14/23 1130-AP	3/14/23 1130-AP	3/15/23 MCL	3/14/23 1130-AP	3/14/23 1130-AP	3/14/23 1130-AP





TOXICOLOGY LABORATORY BENCH SHEET -  
AMMONIA RECORD - SEDIMENT

Client: Eco Analyst

QC Test Number: TN-23-326

EA Sample Number	Day 6 Overlying Water				Day 6 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	40.1	35.5	8.1	19.1	1.01	26.4	7.3	17.6
AT3-098	2.11	30.6	8.3	19.0	6.64	31.2	7.5	20.7
Meter	VERSASTAR	1083	683	683	VERSASTAR	1083	683	683
Initials/Date/Time	3/28/23 MML	UAD 3-16-23 1459	UAD 3-16-23 1459	UAD 3-16-23 1459	3/28/23 MML	UAD 3-16-23 1459	UAD 3-16-23 1459	UAD 3-16-23 1459



QC Test Number: TN-23-326

(b) 319123

CO2 W/ 2110123

EA Sample Number	Day 8 Overlying Water					Day 8 Pore Water				
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	
Control	20.1	27.9	8.5	21.7	21.8	20.4	28.0	7.9	21.5	
AT3-098	2.0	27.4	7.9	21.7		3.70	27.3	7.7	21.8	





**TOXICOLOGY LABORATORY BENCH SHEET -  
AMMONIA RECORD - SEDIMENT**

Client: Eco Analyst

QC Test Number: TN-23-326

EA Sample Number	Day 10 Overlying Water				Day 10 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	40.1	33.5	7.8	20.4	40.4	42.1	7.6	22.3
AT3-098	2.31	33.7	7.5	20.5	7.35	36.3	6.9	23.1
Meter	VERSASTAR	1082	6.82	6.82	VERSASTAR	1082	6.82	6.82
Initials/Date/Time	3/28/23 MLC	UPTD 11044 3-20-23	UPTD 11040 3-20-23	UPTD 11044 3-20-23	3/28/23 MLC	UPTD 11050 3-20-23	UPTD 11050 3-20-23	UPTD 11050 3-20-23





# TOXICOLOGY LABORATORY BENCH SHEET - FEEDING RECORD

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-326

Food: (Day 0-10): 5 drops of *Artemia* 1x/day.

Day	Date	Time	Initials
0	3/10/23	1545	TP
1	3/11/23	0830	KY
2	3/12/23	0830	FL
3	3/13/23	0815	TP
4	3/14/23	0830	KY
5	3/15/23	0848	GL
6	3/16/23	0810	TP
7	3/17/23	0755	TP
8	3/18/23	0825	KY
9	3/19/23	0815	TP
10	3/20/23	0830	TP





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-326

Day	Testing Location	Date	Time	Initials
0	29	3/10/23	1530	To
1	29	3/11/23	0830	KY
2	29	3/12/23	1450	JL
3	29	3/13/23	1210	JL
4	29	3/14/23	0830	To
5	29	3/15/23	1308	SL
6	29	3/16/23	1400	UN
7	29	3/17/23	1607	NJS
8	29	3/18/23	1105	To
9	29	3/19/23	0815	JL
10	29	3/20/23	0830	JL
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-326

Date/Time/Initials

Comments/Activity





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-326

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction



# CETIS Test Data Worksheet

Report Date: 07 Apr-23 16:32 (p 1 of 1)  
 Test Code/ID: TN-23-326Ab / 13-1892-8740

Americamysis bahia 10-Day Survival Sediment Test					EA-EST, Inc. PBC
Start Date:	10 Mar-23 15:30	Species:	Americamysis bahia	Sample Code:	AT3-152
End Date:	20 Mar-23 15:00	Protocol:	US ACE NED RIM (2004)	Sample Source:	Yachtsman Marina NAE-2004-00319
Sample Date:	09 Mar-23	Material:	Laboratory Control Sediment	Sample Station:	Laboratory Control

Sample	Rep	Pos	# Exposed	# Survived	Notes
AT3-152	1	1	20	20	
AT3-152	2	4	20	19	
AT3-152	3	8	20	19	
AT3-152	4	11	20	20	
AT3-152	5	15	20	20	
IOSN 2019	1	3	20	19	
IOSN 2019	2	5	20	20	
IOSN 2019	3	9	20	20	
IOSN 2019	4	12	20	19	
IOSN 2019	5	13	20	20	
AT3-098	1	2	20	20	
AT3-098	2	6	20	20	
AT3-098	3	7	20	19	
AT3-098	4	10	20	19	
AT3-098	5	14	20	19	



# CETIS Summary Report

Report Date: 07 Apr-23 16:37 (p 1 of 1)  
 Test Code/ID: TN-23-326Ab / 13-1892-8740

## Americamysis bahia 10-Day Survival Sediment Test

EA-EST, Inc. PBC

<b>Batch ID:</b> 12-9216-3705	<b>Test Type:</b> Survival	<b>Analyst:</b> Nancy Roka
<b>Start Date:</b> 10 Mar-23 15:30	<b>Protocol:</b> US ACE NED RIM (2004)	<b>Diluent:</b> Not Applicable
<b>Ending Date:</b> 20 Mar-23 15:00	<b>Species:</b> Americamysis bahia	<b>Brine:</b> Crystal Sea
<b>Test Length:</b> 9d 23h	<b>Taxon:</b>	<b>Source:</b> ARO - Aquatic Research Or Age: 5 d
<b>Sample ID:</b> 14-3904-1293	<b>Code:</b> AT3-152	<b>Project:</b> Dredged Sediment Evaluation
<b>Sample Date:</b> 09 Mar-23	<b>Material:</b> Laboratory Control Sediment	<b>Source:</b> Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b> 09 Mar-23 15:30	<b>CAS (PC):</b>	<b>Station:</b> Laboratory Control
<b>Sample Age:</b> 40h	<b>Client:</b> Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
AT3-152	14-3904-1293	09 Mar-23	09 Mar-23 15:30	40h	Eco-Analysts, Inc.	Dredged Sediment Evalu
IOSN 2019	00-2071-8579	10 Mar-23	10 Mar-23	16h		
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	30d 3h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
AT3-152	Laboratory Control Sediment	Yachtsman Marina NAE-2004-00	Laboratory Control	
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

Single Comparison Summary					
Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
18-1122-5059	Survival Rate	Wilcoxon Rank Sum Two-Sample Test	0.7381	IOSN 2019 passed survival rate	1
18-2338-9679	Survival Rate	Equal Variance t Two-Sample Test	0.2898	AT3-098 passed survival rate	1

Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
AT3-152	LC	5	0.980	0.946	1.010	0.950	1.000	0.012	0.027	2.79%	0.00%
IOSN 2019	RS	5	0.980	0.946	1.010	0.950	1.000	0.012	0.027	2.79%	0.00%
AT3-098		5	0.970	0.936	1.000	0.950	1.000	0.012	0.027	2.82%	1.02%

Survival Rate Detail							MD5: 6DB39A6AF9FD0DD6C333D75C16513A7C
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
AT3-152	LC	1.000	0.950	0.950	1.000	1.000	
IOSN 2019	RS	0.950	1.000	1.000	0.950	1.000	
AT3-098		1.000	1.000	0.950	0.950	0.950	



# CETIS Analytical Report

Report Date: 07 Apr-23 16:32 (p 1 of 2)  
Test Code/ID: TN-23-326Ab / 13-1892-8740

Americamysis bahia 10-Day Survival Sediment Test						EA-EST, Inc. PBC					
Analysis ID: 18-1122-5059		Endpoint: Survival Rate		CETIS Version: CETISv2.1.1							
Analyzed: 07 Apr-23 16:32		Analysis: Nonparametric-Two Sample		Status Level: 1							
Edit Date: 07 Apr-23 16:30		MD5 Hash: CF0DC2D65B921694E75EDF509D2DB236		Editor ID: 005-341-210-5							
Batch ID: 12-9216-3705		Test Type: Survival		Analyst: Nancy Roka							
Start Date: 10 Mar-23 15:30		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 20 Mar-23 15:00		Species: Americamysis bahia		Brine: Crystal Sea							
Test Length: 9d 23h		Taxon:		Source: ARO - Aquatic Research Or Age: 5 d							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
AT3-152	14-3904-1293	09 Mar-23	09 Mar-23 15:30	40h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
IOSN 2019	00-2071-8579	10 Mar-23	10 Mar-23	16h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
AT3-152	Laboratory Control Sediment	Yachtsman Marina NAE-2004-00	Laboratory Control								
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Angular (Corrected)	C > T	IOSN 2019 passed survival rate endpoint				3.29%					
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Lab Control Sedim		Reference Sed	8	27.5	—	2	Exact	0.7381	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.16	2.29	1.0000	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0		0		1	0	1.0000	Non-Significant Effect			
Error	0.0309042		0.0038630		8						
Total	0.0309042				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1	23.2	1.0000	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.64	0.741	0.0002	Non-Normal Distribution			
Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
AT3-152	LC	5	0.980	0.946	1.000	1.000	0.950	1.000	0.012	2.79%	0.00%
IOSN 2019	RS	5	0.980	0.946	1.000	1.000	0.950	1.000	0.012	2.79%	0.00%
Angular (Corrected) Transformed Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
AT3-152	LC	5	1.410	1.340	1.490	1.460	1.350	1.460	0.028	4.40%	0.00%
IOSN 2019	RS	5	1.410	1.340	1.490	1.460	1.350	1.460	0.028	4.40%	0.00%
Survival Rate Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
AT3-152	LC	1.000	0.950	0.950	1.000	1.000					
IOSN 2019	RS	0.950	1.000	1.000	0.950	1.000					
Angular (Corrected) Transformed Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
AT3-152	LC	1.460	1.350	1.350	1.460	1.460					
IOSN 2019	RS	1.350	1.460	1.460	1.350	1.460					



## CETIS Analytical Report

Report Date: 07 Apr-23 16:32 (p 2 of 2)  
 Test Code/ID: TN-23-326Ab / 13-1892-8740

Americamysis bahia 10-Day Survival Sediment Test							EA-EST, Inc. PBC				
Analysis ID: 18-2338-9679		Endpoint: Survival Rate		CETIS Version: CETISv2.1.1							
Analyzed: 07 Apr-23 16:32		Analysis: Parametric-Two Sample		Status Level: 1							
Edit Date: 07 Apr-23 16:30		MD5 Hash: 1E540BB82786F57113DA54C30799A1EC		Editor ID: 005-341-210-5							
Batch ID: 12-9216-3705		Test Type: Survival		Analyst: Nancy Roka							
Start Date: 10 Mar-23 15:30		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 20 Mar-23 15:00		Species: Americamysis bahia		Brine: Crystal Sea							
Test Length: 9d 23h		Taxon:		Source: ARO - Aquatic Research Or Age: 5 d							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	00-2071-8579	10 Mar-23	10 Mar-23	16h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	30d 3h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result	PMSD								
Angular (Corrected)	C > T	AT3-098 passed survival rate endpoint	3.29%								
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	0.577	1.86	0.0731	CDF	0.2898	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.16	2.29	1.0000	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.0012877	0.0012877	1	0.333	0.5796	Non-Significant Effect					
Error	0.0309042	0.0038630	8								
Total	0.0321919		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	1	23.2	1.0000	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.799	0.741	0.0142	Normal Distribution						
Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.980	0.946	1.000	1.000	0.950	1.000	0.012	2.79%	0.00%
AT3-098		5	0.970	0.936	1.000	0.950	0.950	1.000	0.012	2.82%	1.02%
Angular (Corrected) Transformed Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	1.410	1.340	1.490	1.460	1.350	1.460	0.028	4.40%	0.00%
AT3-098		5	1.390	1.310	1.470	1.350	1.350	1.460	0.028	4.47%	1.61%
Survival Rate Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.950	1.000	1.000	0.950	1.000					
AT3-098		1.000	1.000	0.950	0.950	0.950					
Angular (Corrected) Transformed Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.350	1.460	1.460	1.350	1.460					
AT3-098		1.460	1.460	1.350	1.350	1.350					



## **ATTACHMENT III**

*Leptocheirus plumulosus* 10-Day Whole Sediment Test  
Data Sheets and Statistical Analyses  
(20 pages)





# SEDIMENT TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-327

## TEST ORGANISM INFORMATION

Common Name: Amphipod Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Leptocheirus plumulosus Neonates Pulled (Time, Date): \_\_\_\_\_  
Lot Number: LP-181 Acclimation: 24hr Age: 2-4 mm  
Source: ARU Culture Water (T/S): 20.0 °C 196 ppt

## TEST INITIATION

Date	Time	Initials	Activity
3/9/23	1530	SC	Sediment Added to Chambers
↓	↓	↓	Overlying Water Added to Chambers
3/10/23	1430	7	Organisms Transferred

## TEST SET-UP

Sample Number(s): AT3-152 (Control), AT3-098

Overlying Water: 20 ppt Crystal Sea (LD3-259)

Treatment  
AT3-152 (Lab Control)

Volume Test Sediment  
175 ml

Volume Overlying Water  
800 ml

↓  
AT3-098





### TEST ORGANISM

Common Name: Amphipod

Scientific Name: Leptocheirus plumulosus

Organisms Recovered (date, time, initials):

[illegible]





**TOXICITY TEST WATER QUALITY DATA SHEET - NEW SOLUTIONS**

Project Number: EA TOX TEST ORGANISM

Beginning Date: 3/10/23 Time: 1430

Client: \_\_\_\_\_  
Eco Analyst \_\_\_\_\_  
Common Name: Amphipod  
Ending Date: 7/2/15  
Time: 1335

QC Test Number: TN-23-327 Scientific Name: Leptocheirus plumulosus

TARGET VALUES: Temp: 20 °C pH: 6.0 - 9.0 DO: >4.0 mg/L Salinity: 20 ppt Photoperiod: 24 hr light Light Intensity: 50 - 100 fc

Sample #	Temperature (°C)							pH							Dissolved Oxygen (mg/L)							Salinity (ppt)						
	0	1	2	3	4	5	6	0	1	2	3	4	5	6	0	1	2	3	4	5	6	0	1	2	3	4	5	6
AT3-157	9.0							8.1							7.7							21.1						
AT3-098	9.0							8.1							7.7							21.3						





## TOXICITY TEST WATER QUALITY DATA SHEET - OLD SOLUTIONS

QC Test Number: TN-23-327  
Scientific Name: *Leptochetrus plumulosus*

TARGET VALUES: Temp: 20 °C pH: 6.0 - 9.0 DO: >4.0 mg/L Salinity: 20 ppt Photoperiod: 24 hr light Light Intensity: 50 - 100 fc

ATS-T14  
06/21/06





**TOXICITY TEST WATER QUALITY DATA SHEET - OLD SOLUTIONS**

Project Number: EA.TOX TEST ORGANISM

Beginning Date: 3/16/23 Time: 1430

Client: \_\_\_\_\_  
Eco Analyst \_\_\_\_\_  
Common Name: \_\_\_\_\_ Amphipod \_\_\_\_\_  
Ending Date: \_\_\_\_\_  $3/1/20$  \_\_\_\_\_ Time:  $1330$

QC Test Number: TN-23-327 Scientific Name: Leptocheirus plumulosus

TARGET VALUES: Temp: 20 °C pH: 6.0 - 9.0 DO: >4.0 mg/L Salinity: 20 ppt Photoperiod: 24 hr light Light Intensity: 50 - 100 fc

Sample #	Temperature (°C)							pH							Dissolved Oxygen (mg/L)							Salinity (ppt)						
	8	9	10	11	12	13	14	8	9	10	11	12	13	14	8	9	10	11	12	13	14	8	9	10	11	12	13	14
AT3-152 Control	20.7	20.7	21.0					7.9	8.2	7.7					8.1	7.4	7.9					21.0	22.0	21.7				
AT3-098	20.9	21.0	21.0					7.9	8.2	7.7					8.1	7.3	8.0					21.4	22.0	22.0				





TOXICOLOGY LABORATORY BENCH SHEET -  
AMMONIA RECORD - SEDIMENT

Client: Eco Analyst

QC Test Number: TN-23-327

EA Sample Number	Day 0 Overlying Water				Day 0 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	0.54	21.3	8.0	19.1	2.76	20.3	8.0	19.1
AT3-098	2.86	21.6	8.0	19.0	18.95	20.9	7.9	19.3
Meter	VERSASTAR	6.2	6.2	6.2	VERSASTAR	6.2	6.2	6.2
Initials/Date/Time	3/15/23 MCL	3/10/23 1226	3/10/23 1226	3/10/23 1226	3/15/23 MCL	3/10/23 1226	3/10/23 1226	3/10/23 1226





TOXICOLOGY LABORATORY BENCH SHEET -  
AMMONIA RECORD - SEDIMENT

Client: Eco Analyst

QC Test Number: TN-23-327

EA Sample Number	Day 2 Overlying Water				Day 2 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	0.91	20.9	8.0	19.0	2.36	23.1	7.6	19.3
AT3-098	2.60	24.7	6.1	19.0	18.30	22.2	7.7	19.6
Meter	VERSASTAR	6.2	6.2	6.2	VERSASTAR	6.2	6.2	6.2
Initials/Date/Time	3/15/23 MVL	3/16/23 MVL	3/16/23 MVL	3/16/23 MVL	3/15/23 MVL	3/16/23 MVL	3/16/23 MVL	3/16/23 MVL





TOXICOLOGY LABORATORY BENCH SHEET -  
AMMONIA RECORD - SEDIMENT

Client: Eco Analyst

QC Test Number: TN-23-327

EA Sample Number	Day 4 Overlying Water				Day 4 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	0.82	23.0	8.0	18.2	2.84	23.0	8.0	19.7
AT3-098	2.43	21.5	8.2	19.0	19.05	24.2	7.8	20.3
Meter	VERSASTAR	682	682	682	VERSASTAR	682	682	682
Initials/Date/Time	3/15/23 MVL	3/14/23 1140 <sup>TP</sup>	3/14/23 1140 <sup>TP</sup>	3/14/23 1140 <sup>TP</sup>	3/15/23 MVL	3/14/23 1140 <sup>TP</sup>	3/14/23 1140 <sup>TP</sup>	3/14/23 1140 <sup>TP</sup>





# TOXICOLOGY LABORATORY BENCH SHEET - AMMONIA RECORD - SEDIMENT

Client: Eco Analyst

QC Test Number: TN-23-327

EA Sample Number	Day 6 Overlying Water				Day 6 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	<0.1	19.5	8.0	21.0	1.5	17.6	7.5	19.0
AT3-098	4.0	22.0	8.2	21.0	10.6	19.2	7.8	17.9
Meter	VERSASTAR	683	683	683	VERSASTAR	681	683	683
Initials/Date/Time	3/24/23 M	3/16/23 1606Z	3/16/23 1606Z	3/16/23 1606Z	3/20/23 M	3/16/23 1606Z	3/16/23 1606Z	3/16/23 1606Z





QC Test Number: TN-23-327

EA Sample Number	Day 8 Overlying Water				Day 8 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	3.10	20.4	7.8	21.0	1.30	20.6	7.8	22.0
AT3-098	<del>3.11</del> 20.1	21.2	7.9	21.5	5.85	21.5	7.8	21.9
Meter	VERSASTAR	681	681	681	VERSASTAR	681	681	681
Initials/Date/Time	3/28/23 MLL	3/18/23 1107p	3/18/23 1107p	3/18/23 1107p	3/28/23 444 MLL	3/18/23 1105b	3/18/23 1107p	3/18/23 1107p

311123  
2199





TOXICOLOGY LABORATORY BENCH SHEET -  
AMMONIA RECORD - SEDIMENT

Client: \_\_\_\_\_ Eco Analyst

QC Test Number: TN-23-327

EA Sample Number	Day 10 Overlying Water				Day 10 Pore Water			
	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)	Ammonia (mg/L)	Salinity (ppt)	pH (su)	Temperature (°C)
Control	40.1	22.5	7.6	22.5	40.4	22.7	7.4	23.2
AT3-098	2.96	23.1	8.0	21.8				
Meter	VERSASTAR	688	688	688	VERSASTAR	688	688	688
Initials/Date/Time	3/28/23 NKL	1715 UNO 3-28-23	1715 UNO 3-28-23	1715 UNO 3-28-23	3/28/23 UNO 3-28-23	1715 UNO 3-28-23	1715 UNO 3-28-23	1715 UNO 3-28-23

③ 3/28/23  
DE FOR LNO





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-327

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-327

<u>Date/Time/Initials</u>	<u>Comments/Activity</u>
---------------------------	--------------------------





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analyst

QC Test Number: TN-23-327

Day	Testing Location	Date	Time	Initials
0	25	3/10/23	1500	F
1	25	3/11/23	1022	GC
2	25	3/12/23	1456	JL
3	25	3/13/23	1219	JB
4	25	3/14/23	0841	AP
5	25	3/15/23	1315	SL
6	25	3/16/23	1607	MD
7	25	3/17/23	0755	L
8	25	3/18/23	1105	JB
9	25	3/19/23	1313	JB
10	25	3/20/23	0850	JB
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				



# CETIS Test Data Worksheet

Report Date: 07 Apr-23 16:34 (p 1 of 1)  
 Test Code/ID: TN-23-327Lp / 08-3039-3260

Leptocheirus 10-d Survival and Reburial Sediment Test						EA-EST, Inc. PBC
Start Date: 10 Mar-23 14:30		Species: Leptocheirus plumulosus		Sample Code: AT3-152		
End Date: 20 Mar-23 13:30		Protocol: EPA/600/R-94/025 (1994)		Sample Source: Yachtsman Marina NAE-2004-00319		
Sample Date: 09 Mar-23		Material: Laboratory Control Sediment		Sample Station: Laboratory Control		

Sample	Rep	Pos	# Exposed	# Survived	# Reburied	Notes
AT3-152	1	1	20	19		
AT3-152	2	4	20	20		
AT3-152	3	8	20	20		
AT3-152	4	12	20	20		
AT3-152	5	13	20	19		
IOSN 2019	1	3	20	18		
IOSN 2019	2	6	20	18		
IOSN 2019	3	9	20	19		
IOSN 2019	4	11	20	19		
IOSN 2019	5	15	20	19		
AT3-098	1	2	20	19		
AT3-098	2	5	20	19		
AT3-098	3	7	20	19		
AT3-098	4	10	20	19		
AT3-098	5	14	20	19		



# CETIS Summary Report

Report Date: 07 Apr-23 16:35 (p 1 of 1)  
 Test Code/ID: TN-23-327Lp / 08-3039-3260

## Leptocheirus 10-d Survival and Reburial Sediment Test

EA-EST, Inc. PBC

Batch ID: 18-4074-9173	Test Type: Survival-Reburial	Analyst: Nancy Roka
Start Date: 10 Mar-23 14:30	Protocol: EPA/600/R-94/025 (1994)	Diluent: Not Applicable
Ending Date: 20 Mar-23 13:30	Species: Leptocheirus plumulosus	Brine: Crystal Sea
Test Length: 9d 23h	Taxon: Malacostraca	Source: ARO - Aquatic Research Or Age:

Sample ID: 14-3904-1293	Code: AT3-152	Project: Dredged Sediment Evaluation
Sample Date: 09 Mar-23	Material: Laboratory Control Sediment	Source: Yachtsman Marina NAE-2004-00319 (
Receipt Date: 09 Mar-23 15:30	CAS (PC):	Station: Laboratory Control
Sample Age: 38h	Client: Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
AT3-152	14-3904-1293	09 Mar-23	09 Mar-23 15:30	38h	Eco-Analysts, Inc.	Dredged Sediment Evalu
IOSN 2019	00-2071-8579	10 Mar-23	10 Mar-23	14h		
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	30d 2h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
AT3-152	Laboratory Control Sediment	Yachtsman Marina NAE-2004-00	Laboratory Control	
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

Single Comparison Summary					
Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
09-6242-9666	Survival Rate	Wilcoxon Rank Sum Two-Sample Test	0.0397	IOSN 2019 failed survival rate	1
07-0341-4086	Survival Rate	Unequal Variance t Two-Sample Test	0.9111	AT3-098 passed survival rate	1

Test Acceptability		TAC Limits					
Analysis ID	Endpoint	Attribute	Test Stat	Lower	Upper	Overlap	Decision
09-6242-9666	Survival Rate	Control Resp	0.98	0.9	<<	Yes	Passes Criteria

Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
AT3-152	LC	5	0.980	0.946	1.010	0.950	1.000	0.012	0.027	2.79%	0.00%
IOSN 2019	RS	5	0.930	0.896	0.964	0.900	0.950	0.012	0.027	2.94%	5.10%
AT3-098		5	0.950	0.950	0.950	0.950	0.950	0.000	0.000	0.00%	3.06%

Survival Rate Detail							MD5: A9FBF58A28141E827CEAD3E25AD5132A				
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
AT3-152	LC	0.950	1.000	1.000	1.000	0.950					
IOSN 2019	RS	0.900	0.900	0.950	0.950	0.950					
AT3-098		0.950	0.950	0.950	0.950	0.950					



## CETIS Analytical Report

 Report Date: 07 Apr-23 16:35 (p 1 of 3)  
 Test Code/ID: TN-23-327Lp / 08-3039-3260

Leptocheirus 10-d Survival and Reburial Sediment Test							EA-EST, Inc. PBC				
Analysis ID: 09-6242-9666		Endpoint: Survival Rate		CETIS Version: CETISv2.1.1							
Analyzed: 07 Apr-23 16:34		Analysis: Nonparametric-Two Sample		Status Level: 1							
Edit Date: 07 Apr-23 16:33		MD5 Hash: BEE15B2ADFC4B9839C1A71D8F53EC313		Editor ID: 005-341-210-5							
Batch ID: 18-4074-9173		Test Type: Survival-Reburial		Analyst: Nancy Roka							
Start Date: 10 Mar-23 14:30		Protocol: EPA/600/R-94/025 (1994)		Diluent: Not Applicable							
Ending Date: 20 Mar-23 13:30		Species: Leptocheirus plumulosus		Brine: Crystal Sea							
Test Length: 9d 23h		Taxon: Malacostraca		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
AT3-152	14-3904-1293	09 Mar-23	09 Mar-23 15:30	38h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
IOSN 2019	00-2071-8579	10 Mar-23	10 Mar-23	14h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
AT3-152	Laboratory Control Sediment	Yachtsman Marina NAE-2004-00	Laboratory Control								
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
Data Transform	Alt Hyp	Comparison Result					PMSD				
Angular (Corrected)	C > T	IOSN 2019 failed survival rate endpoint					3.05%				
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Lab Control Sedim		Reference Sed*	8	18	—	1	Exact	0.0397	Significant Effect		
Test Acceptability Criteria											
Attribute	Test Stat	TAC Limits		Overlap	Decision						
Control Resp	0.98	Lower	Upper	Yes	Passes Criteria						
		0.9	<<								
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.25	2.29	1.0000	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.0283984	0.0283984	1	8.55	0.0192	Significant Effect					
Error	0.026566	0.0033208	8								
Total	0.0549644		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	1.39	23.2	0.7572	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.7	0.741	0.0009	Non-Normal Distribution						
Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
AT3-152	LC	5	0.980	0.946	1.000	1.000	0.950	1.000	0.012	2.79%	0.00%
IOSN 2019	RS	5	0.930	0.896	0.964	0.950	0.900	0.950	0.012	2.94%	5.10%
Angular (Corrected) Transformed Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
AT3-152	LC	5	1.410	1.340	1.490	1.460	1.350	1.460	0.028	4.40%	0.00%
IOSN 2019	RS	5	1.310	1.240	1.370	1.350	1.250	1.350	0.024	4.03%	7.54%
Survival Rate Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
AT3-152	LC	0.950	1.000	1.000	1.000	0.950					
IOSN 2019	RS	0.900	0.900	0.950	0.950	0.950					



# CETIS Analytical Report

Report Date: 07 Apr-23 16:35 (p 2 of 3)  
Test Code/ID: TN-23-327Lp / 08-3039-3260

## Leptocheirus 10-d Survival and Reburial Sediment Test

EA-EST, Inc. PBC

Analysis ID: 09-6242-9666      Endpoint: Survival Rate      CETIS Version: CETISv2.1.1  
Analyzed: 07 Apr-23 16:34      Analysis: Nonparametric-Two Sample      Status Level: 1  
Edit Date: 07 Apr-23 16:33      MD5 Hash: BEE15B2ADFC4B9839C1A71D8F53EC313      Editor ID: 005-341-210-5

### Angular (Corrected) Transformed Detail

Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
AT3-152	LC	1.350	1.460	1.460	1.460	1.350
IOSN 2019	RS	1.250	1.250	1.350	1.350	1.350



## CETIS Analytical Report

Report Date: 07 Apr-23 16:35 (p 3 of 3)  
 Test Code/ID: TN-23-327Lp / 08-3039-3260

Leptocheirus 10-d Survival and Reburial Sediment Test						EA-EST, Inc. PBC					
Analysis ID: 07-0341-4086		Endpoint: Survival Rate		CETIS Version: CETISv2.1.1							
Analyzed: 07 Apr-23 16:34		Analysis: Parametric-Two Sample		Status Level: 1							
Edit Date: 07 Apr-23 16:33		MD5 Hash: 2A42733776C7572A47EA36E264C4412B		Editor ID: 005-341-210-5							
Batch ID: 18-4074-9173		Test Type: Survival-Reburial		Analyst: Nancy Roka							
Start Date: 10 Mar-23 14:30		Protocol: EPA/600/R-94/025 (1994)		Diluent: Not Applicable							
Ending Date: 20 Mar-23 13:30		Species: Leptocheirus plumulosus		Brine: Crystal Sea							
Test Length: 9d 23h		Taxon: Malacostraca		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	00-2071-8579	10 Mar-23	10 Mar-23	14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	30d 2h							
Sample Code	Material Type	Sample Source		Station Location	Lat/Long						
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform	Alt Hyp	Comparison Result				PMSD					
Angular (Corrected)	C > T	AT3-098 passed survival rate endpoint				2.75%					
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	4	-1.63	2.13	0.0503	CDF	0.9111	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			1.64	2.29	0.8052	No Outliers Detected				
ANOVA Table											
Source	Sum Squares		Mean Square	DF	F Stat	P-Value	Decision(α:5%)				
Between	0.0037046		0.0037046	1	2.67	0.1411	Non-Significant Effect				
Error	0.0111139		0.0013892	8							
Total	0.0148185			9							
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test						Indeterminate				
Distribution	Shapiro-Wilk W Normality Test			0.814	0.741	0.0215	Normal Distribution				
Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.930	0.896	0.964	0.950	0.900	0.950	0.012	2.94%	0.00%
AT3-098		5	0.950	0.950	0.950	0.950	0.950	0.950	0.000	0.00%	-2.15%
Angular (Corrected) Transformed Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	1.310	1.240	1.370	1.350	1.250	1.350	0.024	4.03%	0.00%
AT3-098		5	1.350	1.350	1.350	1.350	1.350	1.350	0.000	0.00%	-2.95%
Survival Rate Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.900	0.900	0.950	0.950	0.950					
AT3-098		0.950	0.950	0.950	0.950	0.950					
Angular (Corrected) Transformed Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.250	1.250	1.350	1.350	1.350					
AT3-098		1.350	1.350	1.350	1.350	1.350					



## **ATTACHMENT IV**

Report Quality Assurance Record  
(2 pages)





# REPORT QUALITY ASSURANCE RECORD

Client: Eco - Analysts

Project Number: 70022-TOX

Author: M. Chanow

EA Report Number: 9179

## REPORT CHECKLIST

<u>QA/QC ITEM</u>	<u>REVIEWER</u>	<u>DATE</u>
1. Samples collected, transported, and received according to study plan requirements.	<u>[Signature]</u>	<u>4/25/23</u>
2. Samples prepared and processed according to study plan requirements.	<u>[Signature]</u>	<u>4/25/23</u>
3. Data collected using calibrated instruments and equipment.	<u>[Signature]</u>	<u>4/25/23</u>
4. Calculations checked:		
- Hand calculations checked	<u>[Signature]</u>	<u>4/25/23</u>
- Documented and verified statistical procedure used.	<u>[Signature]</u>	<u>4/25/23</u>
5. Data input/statistical analyses complete and correct.	<u>[Signature]</u>	<u>4/27/2023</u>
6. Reported results and facts checked against original sources.	<u>[Signature]</u>	<u>4/27/2023</u>
7. Data presented in figures and tables correct and in agreement with text.	<u>[Signature]</u>	<u>4/27/2023</u>
8. Results reviewed for compliance with study plan requirements.	<u>[Signature]</u>	<u>4/25/23</u>

	<u>AUTHOR</u>	<u>DATE</u>
9. Commentary reviewed and resolved.	<u>[Signature]</u>	<u>4/27/23</u>
10. All study plan and quality assurance/control requirements have been met and the report is approved:	<u>[Signature]</u>	<u>4/27/23</u>
	PROJECT MANAGER	DATE
	<u>[Signature]</u>	<u>4/27/2023</u>
	QUALITY CONTROL OFFICER	DATE
	<u>[Signature]</u>	<u>4/27/23</u>
	SENIOR TECHNICAL REVIEWER	DATE



## **ATTACHMENT V**

US Army Corps of Engineers Quality Assurance Checklist  
(3 pages)



**Table II-1: Completeness Checklist**

<b>Quality Assurance/Quality Control Questions</b>	<b>Yes/No? Comments?</b>
1. Was the report signed by the responsible applicant approved representative?	Yes
2. Were the methods for sampling, chemical and biological testing described in the Sampling and Analysis Plan (SAP) and the Laboratory QA Plan (LQAP) followed?	Yes
3. If not, were deviations documented?	NA
4. Was the SAP approved by the New England District?	Yes
5. Did the applicant use a laboratory with a LQAP on file at the New England District?	Yes
6. Did the samples adequately represent the physical/chemical variability in the dredging area?	Yes
7. Were the correct stations sampled (include the precision of the navigation method used)?	Yes
8. Were the preservation and storage requirements in Chapter 8 of the EPA/Corps QA/QC Manual (EPA/USACE 1995) and EPA (2001d) followed?	Yes
9. Were the samples properly labeled?	Yes
10. Were all the requested data included?	Yes
11. Were the reporting limits met?	Yes
12. Were the chain-of-custody forms properly processed?	Yes
13. Were the method blanks run and were the concentration below the acceptance criteria?	NA
14. Was the MDL study performed on each matrix (with this data submission) or within the last 12 months?	NA
15. Were the SRM/CRM analyses within acceptance criteria?	NA
16. Were the matrix spike/matrix spike duplicates run at the required frequency and was the percent recovery/RPD within the acceptance criteria?	NA
17. Were the duplicate samples analyzed and were the RPDs within the required acceptance criteria?	NA
18. For each analytical fraction of organic compounds, were recoveries for the internal standard within the acceptance criteria?	NA
19. Were surrogate recoveries within the required acceptance criteria?	NA
20. Were corrective action forms provided for all non-conforming data?	NA
21. Were all the species-specific test conditions in Appendix V met?	Yes, except as noted for temperature
22. Were the test-specific age requirements met for each test species?	Yes
23. Was the bulk physical/chemical testing performed on the sediments/composites that were biologically tested?	No, bulk physical/chemical testing completed prior to biological testing
24. Were the mortality acceptance criteria met for the water column and sediment toxicity tests?	Yes
25. Were the test performance requirements in Table 11.3 of EPA (1994a) met?	Yes



**Table II-8: Quality Control Summary for Biological Toxicity Testing only**

Method Reference Numbers:

Quality Control (QC) Element	Acceptance Criteria*	Criteria Met? Yes/No	List results outside criteria (Cross-reference results table in data report)	Location of Results (Retained at Lab or in Data Package)
Test condition requirements for each species:  Temperature, Salinity, pH, D.O., Ammonia (Total, Un-ionized)	Test conditions within the requirements specified for each species	Yes	Temperature in both assays higher than target range, but within RIM limits (Tables 4 and 5)	Data Package
Test species age	Age/health within guidelines for each species (Appendix V)	Yes		Data Package
Bulk physical/chemical analyses (If required by the Sampling plan)	Required? If so, performed? Yes or No	Yes		Data Package (separate cover)
Water column toxicity test:  Control mortality  Control abnormality	$\leq 10\%$ mean  $\leq 30\%$ mussel/oyster; $< 40\%$ clam larvae, $< 30\%$ sea urchin larvae	NA		
Sediment toxicity test:  Control mortality  Compliance with applicable test acceptability requirements in Table 11.3 (EPA 1994a)	$\leq 10\%$ mean (no chamber $> 20\%$ )  See EPA (1994a) Section 9; Table 11.3	Yes		Data Package

\* The Quality Control Acceptance Criteria are general guidelines. If alternate criteria are used, they must be documented in this table.



## **ATTACHMENT VI**

Email Communications  
(2 pages)



-----Original Message-----

From: Hopkins, Aaron D CIV USARMY CENAE (US) <[Aaron.D.Hopkins@usace.army.mil](mailto:Aaron.D.Hopkins@usace.army.mil)>  
Sent: Wednesday, March 11, 2020 16:41

Cc: Wolf, Steven H CIV USARMY CENAE (USA) <[Steven.Wolf@usace.army.mil](mailto:Steven.Wolf@usace.army.mil)>  
Subject: RE: 10-Day Solid Phase Assay (UNCLASSIFIED)

We are sticking with the 20% threshold for the 10 day toxicity tests. This is something we are reviewing though and may revise as part of the RIM update.

Thanks,  
Aaron

Aaron Hopkins  
US Army Corps of Engineers  
New England District  
696 Virginia Road  
Concord, MA 01742  
978.318.8973

-----Original Message-----

From: Wolf, Steven H CIV USARMY CENAE (USA)  
Sent: Wednesday, March 11, 2020 1:45 PM  
To: Hopkins, Aaron D CIV USARMY CENAE (US) <[Aaron.D.Hopkins@usace.army.mil](mailto:Aaron.D.Hopkins@usace.army.mil)>  
Subject: FW: 10-Day Solid Phase Assay (UNCLASSIFIED)

Sent: Wednesday, March 11, 2020 12:23 PM  
To: Wolf, Steven H CIV USARMY CENAE (USA) <[Steven.Wolf@usace.army.mil](mailto:Steven.Wolf@usace.army.mil)>  
Cc: [REDACTED]  
Subject: [Non-DoD Source] 10-Day Solid Phase Assay

Hi Steve,

The lab is working through the bioassays for the [REDACTED] project, and is beginning to draft the interim reports and provide data. In the reporting process a question regarding the comparison of the dredge site data to the reference site has come up. Historically including as recently as the last spring, all 10-day survival numbers were compared to the reference site to determine if they were significantly different and if so was the difference >20%, the lab has asked if they should continue to use 20% or should they use 10% as is stated in the ITM.





## **ECOTOXICOLOGICAL TESTING BIOACCUMULATION ASSAYS**

### **KENNEBUNKPORT, MAINE**

*Prepared for:*

Eco-Analysts, Inc.  
P.O. Box 224  
Bath, Maine 04530


*Prepared by:*

EA Engineering, Science, and Technology, Inc., PBC  
231 Schilling Circle  
Hunt Valley, Maryland 21031  
For questions concerning this report, please contact Michael Chanov  
ph: 410-584-7000

*Results relate only to the items tested or to the samples as received by the laboratory.*

*This report shall not be reproduced, except in full, without written approval of  
EA Engineering, Science, and Technology, Inc., PBC*

*This report contains 23 pages plus 14 attachments.*

  
Michael K. Chanov II  
Laboratory Director

6 September 2023

Date



## 1. INTRODUCTION

In accordance with the US Army Corps of Engineers, New England District (CENAE), EA Engineering, Science, and Technology, Inc., PBC (EA) performed solid phase bioaccumulation testing on sediment samples collected from the area of dredging proposed the marinas located on the Kennebunk River in Kennebunkport, Maine. Placement of dredge materials is proposed at the Isles of Shoals North (IOSN) Disposal Site. Samples were provided by Eco-Analysts, Inc., Bath, Maine. The purpose of this study was to evaluate the toxicity and bioaccumulation potential of the sediment samples to benthic organisms.

The toxicity testing program consisted of 28-day bioaccumulation tests with *Nereis virens* (sand worm) and *Macoma nasuta* (blunt-nose clam). The bioaccumulation tests evaluated survival of the test organisms and bioaccumulative effects following exposure to the sediment samples. All biological testing was completed at EA, Hunt Valley, Maryland. At the completion of the 28-day exposure period, tissues from surviving organisms were couriered to Alpha Analytical, Mansfield, Massachusetts for chemical analysis.



## **2. MATERIALS AND METHODS**

### **2.1 SAMPLE RECEIPT AND PREPARATION**

Ten sediment cores were collected by Eco-Analysts personnel and/or their representatives from locations in the dredge footprint and composited in accordance with the Sampling and Analysis Plan. One sediment composite was created for the project and placed into five 5-gallon buckets. The samples were held at  $\leq 4^{\circ}\text{C}$  and were hand delivered to EA's Ecotoxicology Laboratory in Hunt Valley, Maryland. The composited sediment sample was logged in and assigned an EA laboratory accession number and was stored in the dark in a secured walk-in cooler at  $\leq 4^{\circ}\text{C}$  until used for testing. Table 1 summarizes the sample identification, accession number, and collection and receipt information for the sediment samples. A summary of the pore water ammonia measurements is included in Table 2. Chain-of-custody records are included in Attachment I.

Reference sediment was not collected from the IOSN. Rather, historic survival and body burden data from 2019 were provided by the CENAE for statistical comparison purposes.

### **2.2 TOXICITY TEST METHODS**

All toxicity testing was conducted following EA's standard operating procedures (EA 2022) which are in accordance with the *Regional Implementation Manual for Evaluation of Dredged Material Proposed for Disposal in New England Waters* (USEPA, CENAE 2004), and USEPA/USACE guidance (1991, 1998).

#### **2.2.1 Bioaccumulation Testing and Tissue Chemistry**

Bioaccumulation testing was conducted using the sand worm (*Nereis virens*) and the blunt-nose clam (*Macoma nasuta*). The adult clams (lot number MA-080) and the adult worms (NV-088) were received from Aquatic Research Organisms (Hampton, New Hampshire) on 29 March 2023 and 7 March 2023, respectively. The organisms were placed in clean seawater and allowed to depurate accumulated waste products, prior to use in testing.



The sediment samples and overlying water were added to the test chambers a minimum of one day prior to test initiation to allow time for the suspended sediments to settle. The overlying water was 30 ppt artificial seawater (Crystal Sea artificial sea salts). Natural sediments from the organism collection sites were used as laboratory controls in the bioaccumulation testing.

Control sediment used in the *N. virens* test was collected from the Damariscotta River, Booth Bay Harbor, Maine. Control sediment used in the clam bioaccumulation test was collected from Tomales Bay, California. The bioaccumulation tests were 28 days in duration and were conducted as static renewal assays. The overlying water was replaced three times a week by siphoning approximately 80 percent of the overlying water from the aquaria and replacing with new overlying water taking care not to disturb the sediment surface.

The bioaccumulation tests were conducted in 10-gallon aquaria with 5 L of sediment and 22 L of overlying water per aquarium. There were five replicates per test sediment, and three replicates per control sediment. Based on the analytical tissue biomass requirements, 30 organisms were randomly introduced into each replicate chamber for both species.

The bioaccumulation test for the sandworm was initiated on 8 March 2023 and completed on 5 April 2023. The clam assay was initiated on 29 March 2023 and completed on 26 April 2023. During the 28-day exposure periods, the test chambers were maintained at a target temperature of  $20\pm 1^{\circ}\text{C}$  for *N. virens* and  $12\pm 1^{\circ}\text{C}$  for *M. nasuta* with a 16-hour light/8-hour dark photoperiod. Gentle aeration was provided to each aquarium throughout the test period. Observations of mortality and abnormal organism behavior were recorded daily, and dead organisms were removed, as observed, from the test chambers. Measurements of temperature, pH, dissolved oxygen, and salinity of the overlying water were recorded on one replicate of each sample and control at test initiation, termination, and three times a week prior to replacement of the overlying water. The water quality measurements are summarized in Table 3 (*N. virens*) and Table 4 (*M. nasuta*). The organisms were not fed during the exposure period.

After 28 days of exposure, the organisms were recovered from the samples and placed into clean artificial sea water for 24 hours to purge their digestive tracts. After the depuration period, the organism tissues were collected and submitted to Alpha Analytical for chemical analyses.

Copies of the original data sheets and tissue chains-of-custody from the *N. virens* and *M. nasuta* testing are included in Attachments II and III, respectively. Copies of tissue chemistry results



used for the statistical analysis of body burden data for *N. virens* and *M. nasuta* are provided in Attachments IV through XI. The complete tissue chemistry and quality assurance analytical report is provided under separate cover by Alpha Analytical.

All tissue data qualified as “JB” or “P” were treated as J-qualified for purposes of assigning footnotes for the CENAE EDD.

The RLs for zinc and PCBs were higher than their respective RIM RLs, however all MDLs met RIM criteria.

### **2.2.2 Data Analysis**

The statistical analyses of survival and body burden data were completed using CETIS® ver. 2.1.1.5 (Comprehensive Environmental Toxicity Information System) software to determine significant differences between the IOSN 2019 reference data and the site composite tissues. Data were evaluated to determine homogeneity of sample variances and normality of distribution using appropriate statistical analyses. Data sets were subsequently evaluated using the appropriate parametric or non-parametric Analysis of Variance (ANOVA) statistical tests. Statistical difference was evaluated at  $\alpha = 0.05$ . Per RIM guidelines and direction provided by the CENAE in an email dated March 30, 2018, one-half the MDL is used in instances when a compound of concern (COC) is not detected for purposes of calculating a mean tissue concentration and total concentrations for PAHs, PCBs, and pesticides. MDLs used in statistical computations may differ due to differences in tissue mass and final extract volumes used in the analysis for each sample. Statistical analyses of survival data are included in Attachments II and III for *N. virens* and *M. nasuta*, respectively. Statistical analyses of body burden data are included in Attachments IV through XI.

All mean body burden concentrations presented in the narrative report tables, CETIS® reports and the CENAE EDD spreadsheet are calculated from the same source of tissue chemistry data generated by Alpha. Concentrations are presented to a precision of 3 significant figures for all COCs. Slight differences in the concentrations may be attributable to the ability and limitations of each software package to capture and report significant figures. The values agree within



reason by rounding and represent the magnitude of the average concentration of the COC detected in tissue.

The statistical analyses were completed for all COCs identified in the SAP, however following guidance from the CENAE in emails dated July 28, 2020 and October 9, 2020, COCs were excluded from the evaluation if they were not detected in both the reference site and composite tissue replicates. These COCs are “c” qualified accordingly. All email communications are included in Attachment XIV.

As mentioned in Section 2.1, IOSN reference data from 2019 were used for statistical comparisons against data generated from this study. The IOSN 2019 data were generated using a different lot of test organisms than the assays completed for this study. As such, a comparison between the pre-test tissue and site composite results provides added insight to the levels of COCs observed in site tissue samples because the test organisms are from the same lot. In addition, there may be slight differences in the MDLs between the IOSN 2019 reference data and the samples analyzed as part of this study.

### **2.2.3 Reference Toxicant Testing**

In conformance with EA’s quality assurance/quality control program requirements, reference toxicant testing was performed by EA on the acquired lots of *N. virens* and *M. nasuta* utilized in the testing program. The reference toxicant tests consisted of a graded concentration series of a specific toxicant in water only tests, with no sediment present in the test chambers. Table 5 presents the results of the reference toxicant testing.

## **2.3 ARCHIVES**

Original data sheets, records, memoranda, notes, and computer printouts are archived at EA’s Office in Hunt Valley, Maryland. These data will be retained for a period of 5 years unless a longer period of time is requested.



### **3. RESULTS AND DISCUSSION**

This bioassay study using a sediment composite sample collected from the Yachtsman Marina project area was designed and conducted to meet the requirements of the USEPA/USACE dredged material testing program. The results of these toxicity tests met the current NELAC standards, where applicable. Protocol requires 90 percent survival in the laboratory control, indicating that test organisms were healthy and that endpoints met or exceed requirements specified in the current version of the RIM.

Tables 6 through 9 provide results of *N. virens* and *M. nasuta* survival summaries and statistical analyses. Tables 10 and 11 provide summaries of body burden data with findings of significance for *N. virens* and *M. nasuta*, respectively. Table 12 summarizes significant uptake and the magnitude of COC concentrations in worm and clam tissue versus IOSN 2019 and pre-test tissue. Table 13 summarizes project specific Reporting Limits (RLs) and Method Detection Limits (MDLs) used in this study. Summaries of the tissue chemistry results and the statistical analysis of body burden data for *N. virens* and *M. nasuta* are provided in Attachments IV through XI.

#### **3.1 *Nereis virens* BIOACCUMULATION EVALUATION RESULTS**

##### **3.1.1 Survival**

Mean *N. virens* survival in the laboratory control sediment was 93 percent. Surviving organisms from the site composite sample provided sufficient tissue for preparation and analysis of body burdens. Mean survival of worms was 93 percent in the composite sample, and 90 percent in the IOSN 2019 reference data. Statistical analyses demonstrated that there were no significant effects on *N. virens* survival following exposure to the composite sediment sample as compared with the IOSN 2019 reference data, and results were within 10 percent of the reference data.

##### **3.1.2 Body Burden Analysis**

There were significant increases in body burdens for worms maintained in site composite sediments for 5 metals, 9 PAHs, 2 PCB congeners and 4,4'-DDD as compared to IOSN 2019



reference data. Of these COCs, lead, nickel, anthracene, and naphthalene were detected in composite tissue at concentrations less than in pre-test tissue, suggesting that the presence of these COCs may not be attributable to site conditions or factor heavily in the suitability determination for sediment disposal. Likewise, although concentrations of chromium and 4,4'-DDD were 8 to 37 times higher in composite tissue than in IOSN 2019 reference tissue, they were detected at concentrations below pre-test tissue levels. Of the remaining COCs, concentrations of pyrene were more than 5 times higher and concentrations of 2 PAHs and PCB 105 were more than 1 order of magnitude higher in composite tissue than in IOSN 2019 tissue. The remaining COCs were only slightly higher in composite tissue than in pre-test or IOSN 2019 tissue.

### **3.2 *Macoma nasuta* BIOACCUMULATION EVALUATION RESULTS**

#### **3.2.1 Survival**

Mean *M. nasuta* survival in the laboratory control sediment was 90 percent. Surviving organisms from the site composite sample provided sufficient tissue for preparation and analysis of body burdens. Mean survival of clams was 96 percent in the site composite sample and 94 percent in the IOSN 2019 reference data. Statistical analyses demonstrated that there were no significant effects on *M. nasuta* survival following exposure to the composite sediment sample as compared with the IOSN 2019 reference data, and results were within 10 percent of the reference data.

#### **3.2.2 Body Burden Analysis**

There were significant increases in body burdens for clams maintained in site composite sediments for 3 metals, 11 PAHs, 3 PCB congeners and 2 pesticides as compared to IOSN 2019 reference data. Of these COCs, copper, nickel, PCB 52 and naphthalene were detected in composite tissue at concentrations less than in pre-test tissue, suggesting that the presence of these COCs may not be attributable to site conditions or factor heavily in the suitability determination for sediment disposal. Likewise, fluorene was over 6 times higher in composite tissue than in IOSN 2019 reference tissue, they were detected at concentrations below pre-test tissue levels. Of the remaining COCs, concentrations of 4 PAHs were more than 5 times higher and concentrations of 2 PAHs and 4,4'-DDD were more than 1 order of magnitude higher in



composite tissue than in IOSN 2019 tissue. The remaining COCs were only slightly higher in composite tissue than in pre-test or IOSN 2019 tissue.

### **3.3 REFERENCE TOXICANT TESTS**

The results of the reference toxicant tests are summarized in Table 5. All of the reference toxicant test results fell within the established laboratory control chart limits.



#### **4. REFERENCES CITED**

EA. 2022. EA Ecotoxicology Laboratory Quality Assurance and Standard Operating Procedures Manual. EA Manual ATS-102. Internal document prepared by EA's Ecotoxicology Laboratory, EA Engineering, Science, and Technology, Inc., PBC, Hunt Valley, Maryland.

USEPA and USACE. 1991. Evaluation of Dredged Material Proposal for Ocean Disposal, Testing Manual (commonly called "The Green Book").

USEPA and USACE. 1998. Evaluation of Dredged Material Proposed for Discharge in Waters of the U.S.-Inland Testing Manual. EPA/823/B-94/004. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. and Department of the Army, U.S. Army Corps of Engineers, Washington, D.C.

USEPA Region 1, CENAE. 2004. Regional Implementation Manual for Evaluation of Dredged Material Proposed for Disposal in New England Waters. September 2004



TABLE 1 SUMMARY OF COLLECTION AND RECEIPT INFORMATION FOR  
SEDIMENT SAMPLES

Sample Identification	EA Accession Number	Collection		Receipt	
		Time	Date	Time	Date
10 Stations at 4 Marinas Mud	AT3-098	0900-1300	8 February 2023	1630	9 February 2023



TABLE 2 AMMONIA CONCENTRATIONS MEASURED ON SEDIMENT PORE WATER PRIOR TO BIOACCUMULATION TOXICITY TESTING

Sediment Identification	EA Accession Number	Initial Ammonia (mg/L NH <sub>3</sub> -N)	Purged Ammonia (mg/L NH <sub>3</sub> -N)
10 Stations at 4 Marinas Mud	AT3-098	63.5	49.6



TABLE 3 SUMMARY OF WATER QUALITY PARAMETERS MEASURED DURING BIOACCUMULATION TESTING  
WITH *Nereis virens*

**Test Number:** TN-23-302

**Testing Dates:** 3/8/23 – 4/5/23

Sediment Sample Identification	EA Accession Number	Range			
		Temperature (°C)	pH (SU)	Dissolved Oxygen (mg/L)	Salinity (ppt)
10 Stations at 4 Marinas Mud	AT3-098	19.3 – 20.3	7.8 – 8.2	6.8 – 8.4	27.0 – 31.4
LABORATORY CONTROL	AT3-152	19.0 – 20.2	7.8 – 8.1	7.0 – 8.7	27.0 – 31.7



TABLE 4 SUMMARY OF WATER QUALITY PARAMETERS MEASURED DURING BIOACCUMULATION TESTING  
WITH *Macoma nasuta*

**Test Number:** TN-23-303

**Testing Dates:** 3/29/23 – 4/26/23

Sediment Sample Identification	EA Accession Number	Range			
		Temperature (°C)	pH	Dissolved Oxygen (mg/L)	Salinity (ppt)
10 Stations at 4 Marinas Mud	AT3-098	11.5 – 13.0	7.6 – 8.2	7.9 – 8.8	27.0 – 32.2
LABORATORY CONTROL	AT3-191	11.6 – 13.0	7.7 – 8.2	7.7 – 8.7	27.0 – 32.0



TABLE 5 RESULTS OF REFERENCE TOXICANT TESTING ON ACQUIRED LOTS OF TEST ORGANISMS

Test Species	Organism Lot Number	Reference Toxicant	Test Endpoint	Acceptable Control Chart Limits
<i>Nereis virens</i>	NV-088	Potassium chloride (KCl)	48-Hour LC50: 1,208 mg/L KCl	587-1,973 mg/L KCl
<i>Macoma nasuta</i>	MA-080	Potassium chloride (KCl)	48-Hour LC50: 1,439 mg/L KCl	929-1,762 mg/L KCl



TABLE 6 RESULTS OF 28-DAY BIOACCUMULATION TESTING WITH *Nereis virens*

**Test Number:** TN-23-302

**Testing Dates:** 3/8/23 - 4/5/23

Sample Identification	EA Accession Number	No. Alive/No. Exposed <sup>(a)</sup>	28-Day Mean Percent Survival
LABORATORY CONTROL	AT3-152	72 / 75 <sup>b</sup>	93
IOSN REFERENCE	N/A	N/A	90
10 Stations at 4 Marinas Mud	AT3-098	140 / 150	93

(a) Total for five replicates of thirty organisms for all test sediments except for control, which had three replicates.

(b) Only 15 organisms were added to replicate B of the laboratory control due to technician error.



TABLE 7 STATISTICAL ANALYSIS OF 28-DAY BIOACCUMULATION  
TESTING WITH *Nereis virens*

**Test Number:** TN-23-302

**Testing Dates:** 3/8/23 - 4/5/23

Sample Identification	EA Accession Number	Mean Survival	Significantly Different as Compared to: IOSN 2019	Difference in Survival >10% as Compared to: IOSN 2019	
IOSN REFERENCE	N/A	90%	-	-	-
10 Stations at 4 Marinas Mud	AT3-098	93%	No	No	-3%



TABLE 8 RESULTS OF 28-DAY BIOACCUMULATION TESTING WITH *Macoma nasuta*

**Test Number:** TN-23-303

**Testing Dates:** 3/29/23 - 4/26/23

Sample Identification	EA Accession Number	No. Alive/No. Exposed <sup>(a)</sup>	28-Day Mean Percent Survival
LABORATORY CONTROL	AT3-191	81 / 90	90
IOSN REFERENCE	N/A	N/A	94
10 Stations at 4 Marinas Mud	AT3-098	144 / 150	96

(a) Total for five replicates of thirty organisms for all test sediments except for control, which had three replicates.



TABLE 9 STATISTICAL ANALYSIS OF 28-DAY BIOACCUMULATION  
TESTING WITH *Macoma nasuta*

**Test Number:** TN-23-303

**Testing Dates:** 3/29/23 - 4/26/23

Sample Identification	EA Accession Number	Mean Survival	Significantly Different as Compared to: IOSN 2019	Difference in Survival >10% as Compared to: IOSN 2019	
IOSN REFERENCE	N/A	94%	-	-	-
10 Stations at 4 Marinas Mud	AT3-098	96%	No	No	-2%



TABLE 10 STATISTICAL COMPARISONS OF *N. virens* BODY BURDENS VS. IOSN 2019 REFERENCE DATA

Compound	Units	Pre-Test <sup>d</sup>		IOSN 2019		Composite	
		Mean	Qual	Mean	Qual	Mean	Qual
Trace Metals							
Arsenic, total	mg/Kg	2.00		2.25		2.02	NS
Cadmium, total	mg/Kg	0.0300 b		0.0252 b		0.0338	bS
Chromium, total	mg/Kg	0.620 b		0.0686 b		0.551	bS
Copper, total	mg/Kg	1.49		1.20		1.12	NS
Lead, total	mg/Kg	0.195		0.0744		0.191	S
Mercury, total	mg/Kg	0.0110 b		0.0156 b		0.00662	abNS
Nickel, total	mg/Kg	0.476		0.168		0.232	S
Zinc, total	mg/Kg	13.1		18.6		14.1	NS/S e
PAH Compounds							
Acenaphthene	µg/Kg	0.620 a		0.563 ab		0.883	abNS
Acenaphthylene	µg/Kg	0.381 a		0.286 a		4.22	aNS
Anthracene	µg/Kg	0.903 ab		0.310 a		0.610	abS
Benzo(a)anthracene	µg/Kg	0.775 a		0.581 a		0.766	ac
Benzo(a)pyrene	µg/Kg	0.813 a		0.610 a		0.805	ac
Benzo(b)fluoranthene	µg/Kg	1.08 a		0.807 a		2.43	aS
Benzo(k)fluoranthene	µg/Kg	0.493 a		0.371 a		6.45	aS
Benzo(g,h,i)perylene	µg/Kg	0.345 a		0.259 a		0.427	abS
Chrysene	µg/Kg	0.752 a		0.564 a		1.14	abS
Dibenz(a,h)anthracene	µg/Kg	0.400 a		0.300 a		0.396	ac
Fluoranthene	µg/Kg	0.610 a		0.569 ab		6.71	bS
Fluorene	µg/Kg	1.07 b		0.431 ab		2.05	bS
Indeno(1,2,3-cd)pyrene	µg/Kg	0.810 a		0.608 a		0.802	ac
Naphthalene	µg/Kg	1.64 b		0.651 ab		1.60	abS
Phenanthrene	µg/Kg	0.677 a		2.04 b		0.861	abNS
Pyrene	µg/Kg	0.898 a		0.674 a		6.23	bS
Total PAHs	µg/Kg	12.3		9.63		36.4	
PCB Congeners							
PCB 008	µg/Kg	0.0638 a		0.0480 a		0.0632	ac
PCB 018	µg/Kg	0.0465 a		0.0349 a		0.0460	ac
PCB 028	µg/Kg	0.0790 a		0.0593 a		0.0784	ac
PCB 044	µg/Kg	0.0880 a		0.0661 a		0.0873	ac
PCB 052	µg/Kg	0.0491 a		0.0369 a		0.136	abS
PCB 066	µg/Kg	0.0462 a		0.0347 a		0.0457	ac
PCB 101	µg/Kg	0.0752 a		0.0564 a		0.0745	ac
PCB 105	µg/Kg	0.0675 a		0.0506 a		0.810	aS
PCB 118	µg/Kg	0.0713 a		0.0534 a		0.0706	ac
PCB 128	µg/Kg	0.0842 a		0.0632 a		0.0834	ac
PCB 138	µg/Kg	0.305 ab		0.331 ab		0.462	aNS
PCB 153	µg/Kg	0.628 b		0.763		0.857	aNS
PCB 170	µg/Kg	0.0413 a		0.0310 a		0.0409	ac
PCB 180	µg/Kg	0.0423 a		0.0318 a		0.0419	ac
PCB 187	µg/Kg	0.256 a		0.0456 a		0.0601	ac
PCB 195	µg/Kg	0.0795 a		0.0596 a		0.0786	ac
PCB 206	µg/Kg	0.0810 a		0.0608 a		0.0802	ac
PCB 209	µg/Kg	0.0928 a		0.0697 a		0.0920	ac
Total PCBs	µg/Kg	4.39		3.79		6.42	
Pesticides							
Aldrin	µg/Kg	0.0404 a		0.0605 a		0.0400	ac
cis-Chlordane	µg/Kg	0.0870 a		0.131 a		0.0863	ac
trans-Chlordane	µg/Kg	0.0245 a		0.0369 a		0.0243	ac
cis-Nonachlor	µg/Kg	0.0117 a		0.0176 a		0.0116	ac
trans-Nonachlor	µg/Kg	0.0108 a		0.0161 a		0.0106	ac
Oxychlordane	µg/Kg	0.0501 a		0.0752 a		0.0495	ac
Total Chlordanes	µg/Kg	0.184		0.277		0.182	
4,4'-DDT	µg/Kg	0.0159 a		0.0238 a		0.0158	ac
4,4'-DDD	µg/Kg	3.29 ab		0.0182 a		0.665	S
4,4'-DDE	µg/Kg	0.00737 a		0.0111 a		0.00728	ac
Total DDT	µg/Kg	3.32		0.0531		0.688	
Dieldrin	µg/Kg	0.0243 a		0.0365 a		0.0241	ac
alpha-Endosulfan	µg/Kg	0.0222 a		0.0334 a		0.0220	ac
beta-Endosulfan	µg/Kg	0.0115 a		0.0173 a		0.0113	ac
Total Endosulfans	µg/Kg	0.0337		0.0507		0.0333	
Endrin	µg/Kg	0.0132 a		0.0199 a		0.0131	ac
Heptachlor	µg/Kg	0.0253 a		0.0379 a		0.0250	ac
Heptachlor epoxide	µg/Kg	0.0520 a		0.0780 a		0.0515	ac
Hexachlorobenzene	µg/Kg	0.217 a		0.326 a		0.215	ac
Lindane (gamma-BHC)	µg/Kg	0.0365 a		0.0548 a		0.0361	ac
Methoxychlor	µg/Kg	0.0575 a		0.843 a		0.0568	ac
Toxaphene	µg/Kg	1.05 a		1.58 a		1.04	ac

**Notes:**

Mean concentrations are reported to 3 significant figures.

a = COC not detected (below MDL) in at least one replicate; mean value was calculated using one-half of the project specific MDL for non-detected values.

b = COC concentration estimated (detected below RL but above MDL) in at least one replicate; mean value calculated using estimated value.

c = COC was not detected in either the dredge tissue replicates or in the historic reference tissue, therefore was eliminated from further evaluation.

<sup>d</sup> Pre-test tissue represents the mean of three replicates, whereas the reference and site composites represent a mean of 5 replicates.

<sup>e</sup> Analysis conducted after removal of a statistical outlier.

NS = Not Significant - mean tissue body burden was not statistically different from the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .

S = Significant - mean tissue body burden was statistically different, greater than the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .



TABLE 11 STATISTICAL COMPARISONS OF *M. nasuta* BODY BURDENS VS. IOSN 2019 REFERENCE DATA

Compound	Units	Pre-Test <sup>d</sup>		IOSN 2019		Composite	
		Mean	Qual	Mean	Qual	Mean	Qual
Trace Metals							
Arsenic, total	mg/Kg	2.59		3.49		2.54	NS
Cadmium, total	mg/Kg	0.0297 b		0.0290 b		0.0266	bNS
Chromium, total	mg/Kg	0.465		0.334 b		0.434	bNS
Copper, total	mg/Kg	3.10		1.77		2.71	S
Lead, total	mg/Kg	0.129		0.349		0.452	S
Mercury, total	mg/Kg	0.00185 a		0.00170 a		0.00208	ac
Nickel, total	mg/Kg	0.713		0.521		0.570	NS/S <sup>e</sup>
Zinc, total	mg/Kg	11.6		11.8		12.8	NS
PAH Compounds							
Acenaphthene	µg/Kg	1.07 ab		0.453 a		1.56	abNS
Acenaphthylene	µg/Kg	0.378 a		0.279 a		0.381	ac
Anthracene	µg/Kg	0.853 ab		0.302 a		2.69	bS
Benzo(a)anthracene	µg/Kg	1.32 ab		0.565 a		5.40	bS
Benzo(a)pyrene	µg/Kg	0.805 a		0.594 a		1.74	abS
Benzo(b)fluoranthene	µg/Kg	1.07 a		0.786 a		4.41	bS
Benzo(k)fluoranthene	µg/Kg	0.490 a		0.455 ab		1.25	abS
Benzo(g,h,i)perylene	µg/Kg	0.342 a		0.518 ab		0.820	abNS
Chrysene	µg/Kg	2.01 b		0.550 a		2.92	bS
Dibenz(a,h)anthracene	µg/Kg	0.559 ab		2.97 b		0.400	aNS
Fluoranthene	µg/Kg	2.57 b		2.12 b		26.6	S
Fluorene	µg/Kg	2.11 b		0.253 a		1.74	bS
Indeno(1,2,3-cd)pyrene	µg/Kg	0.803 a		3.54 b		0.985	abNS
Naphthalene	µg/Kg	3.78 b		0.390 a		1.77	bS
Phenanthrene	µg/Kg	4.09 b		1.97 b		6.92	bS
Pyrene	µg/Kg	2.86 b		1.63 b		20.8	S
Total PAHs	µg/Kg	25.1		17.4		80.4	
PCB Congeners							
PCB 008	µg/Kg	0.0633 a		0.0467 a		0.0639	ac
PCB 018	µg/Kg	0.0461 a		0.0340 a		0.0465	ac
PCB 028	µg/Kg	0.0783 a		0.0578 a		0.0791	ac
PCB 044	µg/Kg	0.0873 a		0.0644 a		0.0883	ac
PCB 052	µg/Kg	2.09		0.0359 a		0.172	aS
PCB 066	µg/Kg	0.0457 a		0.0338 a		0.0462	ac
PCB 101	µg/Kg	0.0745 a		0.0550 a		0.0754	ac
PCB 105	µg/Kg	0.0668 a		0.0493 a		0.0675	ac
PCB 118	µg/Kg	0.0708 a		0.0522 a		0.142	abS
PCB 128	µg/Kg	0.0835 a		0.0616 a		0.0843	ac
PCB 138	µg/Kg	0.392 a		0.0394 a		0.0539	ac
PCB 153	µg/Kg	0.111 a		0.0820 a		0.142	abS
PCB 170	µg/Kg	0.0410 a		0.0303 a		0.0414	ac
PCB 180	µg/Kg	0.0419 a		0.0309 a		0.0423	ac
PCB 187	µg/Kg	0.0603 a		0.0445 a		0.0607	ac
PCB 195	µg/Kg	0.0787 a		0.0580 a		0.0794	ac
PCB 206	µg/Kg	0.0803 a		0.0594 a		0.0810	ac
PCB 209	µg/Kg	0.0920 a		0.0680 a		0.0929	ac
Total PCBs	µg/Kg	7.22		1.81		2.92	
Pesticides							
Aldrin	µg/Kg	0.0200 a		0.0296 a		0.0202	ac
cis-Chlordane	µg/Kg	0.0432 a		0.0638 a		0.0436	ac
trans-Chlordane	µg/Kg	0.0122 a		0.0180 a		0.0123	ac
cis-Nonachlor	µg/Kg	0.00582 a		0.00870 a		0.00587	ac
trans-Nonachlor	µg/Kg	0.00533 a		0.00780 a		0.00538	ac
Oxychlordane	µg/Kg	0.0248 a		0.0366 a		0.0250	ac
Total Chlordanes	µg/Kg	0.0913		0.135		0.0922	
4,4'-DDT	µg/Kg	0.00788 a		0.0117 a		0.00796	ac
4,4'-DDD	µg/Kg	0.00598 a		0.00880 a		0.391	S
4,4'-DDE	µg/Kg	0.00365 a		0.219 b		0.499	S
Total DDT	µg/Kg	0.0175		0.240		0.898	
Dieldrin	µg/Kg	0.0121 a		0.0178 a		0.0122	ac
alpha-Endosulfan	µg/Kg	0.0110 a		0.0163 a		0.0111	ac
beta-Endosulfan	µg/Kg	0.00568 a		0.00840 a		0.00573	ac
Total Endosulfans	µg/Kg	0.0167		0.0247		0.0168	
Endrin	µg/Kg	0.00653 a		0.00970 a		0.00662	ac
Heptachlor	µg/Kg	0.0125 a		0.0186 a		0.0127	ac
Heptachlor epoxide	µg/Kg	0.0257 a		0.0381 a		0.0260	ac
Hexachlorobenzene	µg/Kg	0.108 a		0.159 a		0.109	ac
Lindane (gamma-BHC)	µg/Kg	0.0181 a		0.0267 a		0.0183	ac
Methoxychlor	µg/Kg	0.0285 a		0.411 a		0.0287	ac
Toxaphene	µg/Kg	0.518 a		0.767 a		0.524	ac

**Notes:**

Mean concentrations are reported to 3 significant figures.

a = COC not detected (below MDL) in at least one replicate; mean value was calculated using one-half of the project specific MDL for non-detected values.

b = COC concentration estimated (detected below RL but above MDL) in at least one replicate; mean value calculated using estimated value.

c = COC was not detected in either the dredge tissue replicates or in the historic reference tissue, therefore was eliminated from further evaluation.

<sup>d</sup> Pre-test tissue represents the mean of three replicates, whereas the reference and site composites represent a mean of 5 replicates.

<sup>e</sup> Analysis conducted after removal of a statistical outlier.

NS = Not Significant - mean tissue body burden was not statistically different from the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .

S = Significant - mean tissue body burden was statistically different, greater than the associated reference site mean body burden. Statistical significance accepted at  $\alpha=0.05$ .



TABLE 12 SUMMARY OF SIGNIFICANT UPTAKE AND MAGNITUDE OF CONCENTRATION IN TISSUE

	<i>Nereis virens</i> Composite	<i>Macoma nasuta</i> Composite
<b>Metals (ug/g wet weight)</b>		
Cadmium	S	
Chromium	S	
Copper		S
Lead	S	S
Nickel	S	S a
Zinc	S a	
<b>PAHs (ng/g wet weight)</b>		
Anthracene	S	S
Benzo(a)anthracene		S
Benzo(a)pyrene		S
Benzo(b)fluoranthene	S	S
Benzo(k)fluoranthene	S	S
Benzo(g,h,i)perylene	S	
Chrysene	S	S
Fluoranthene	S	S
Fluorene	S	S
Naphthalene	S	S
Phenanthrene		S
Pyrene	S	S
<b>PCB Congeners (ng/g wet wt.)</b>		
PCB 52	S	S
PCB 105	S	
PCB 118		S
PCB 153		S
<b>Pesticides (ng/g wet weight)</b>		
4,4'-DDD	S	S
4,4'-DDE		S

**Summary of Significant Uptake:**

“S” = Finding of significance.

“ “ = Finding of no significance.

**Summary of Magnitude of Concentration:**

Green shading = concentration in site tissue is equal to or lower than in pre-test tissue.

No shading = concentration in site tissue is <5 times higher than in historic reference tissue.

Orange shading/"S" = concentration in composite tissue is 5-10 times higher than in historic reference tissue.

Red shading/"S" = concentration in composite tissue is ≥10 times higher than in historic reference tissue.

**Notes:**

<sup>a</sup> Analysis conducted both with and without a statistical outlier, and the findings of significance were split.



TABLE 13 PROJECT SPECIFIC ANALYTICAL RLs AND MDLs

COC	Units	RLs		MDLs	COC	Units	RLs		MDLs
		RIM	Alpha				RIM	Alpha	
Trace Metals (6020B and 7474)					PAH Compounds (8270D-SIM/680(M))				
Arsenic	mg/Kg	0.5	0.123	0.0423	Acenaphthene	µg/Kg	20	6.6	1.27
Cadmium	mg/Kg	0.1	0.0490	0.0129	Acenaphthylene	µg/Kg	20	6.6	0.778
Chromium	mg/Kg	1	0.491	0.0442	Anthracene	µg/Kg	20	6.6	0.844
Copper	mg/Kg	1	0.123	0.041	Benzo(a)anthracene	µg/Kg	20	6.6	1.6
Lead	mg/Kg	1	0.0490	0.0072	Benzo(a)pyrene	µg/Kg	20	6.6	1.7
Mercury	mg/Kg	0.02	0.0150	0.00444	Benzo(b)fluoranthene	µg/Kg	20	6.6	2.2
Nickel	mg/Kg	1	0.123	0.0459	Benzo(k)fluoranthene	µg/Kg	20	6.6	1.01
Zinc	mg/Kg	1	1.23 <sup>a</sup>	0.184	Benzo(g,h,i)perylene	µg/Kg	20	6.6	0.706
PCB Congeners (8270D-SIM/680(M))					Chrysene	µg/Kg	20	6.6	1.54
					Dibenz(a,h)anthracene	µg/Kg	20	6.6	0.818
PCB 008	µg/Kg	0.5	0.66 <sup>a</sup>	0.13	Fluoranthene	µg/Kg	20	6.6	1.25
PCB 018	µg/Kg	0.5	0.66 <sup>a</sup>	0.095	Fluorene	µg/Kg	20	6.6	0.706
PCB 028	µg/Kg	0.5	0.66 <sup>a</sup>	0.162	Indeno(1,2,3-c,d)pyrene	µg/Kg	20	6.6	1.66
PCB 044	µg/Kg	0.5	0.66 <sup>a</sup>	0.18	Naphthalene	µg/Kg	20	6.6	1.09
PCB 049	µg/Kg	-	0.66 <sup>a</sup>	0.176	Phenanthrene	µg/Kg	20	6.6	1.38
PCB 052	µg/Kg	0.5	0.66 <sup>a</sup>	0.1	Pyrene	µg/Kg	20	6.6	1.83
PCB 066	µg/Kg	0.5	0.66 <sup>a</sup>	0.0943	Pesticides (8081B)				
PCB 077	µg/Kg	-	-	-					
PCB 087	µg/Kg	-	0.66 <sup>a</sup>	0.0765	4,4'-DDD	µg/Kg	1	0.33	0.0247
PCB 101	µg/Kg	0.5	0.66 <sup>a</sup>	0.154	4,4'-DDE	µg/Kg	1	0.33	0.015
PCB 105	µg/Kg	0.5	0.66 <sup>a</sup>	0.138	4,4'-DDT	µg/Kg	1	0.33	0.0325
PCB 118	µg/Kg	0.5	0.66 <sup>a</sup>	0.146	Aldrin	µg/Kg	1	0.33	0.0824
PCB 126	µg/Kg	0.5	-	-	Alpha-BHC	µg/Kg	-	0.33	0.0501
PCB 128	µg/Kg	-	0.66 <sup>a</sup>	0.172	Alpha-Chlordane	µg/Kg	1	0.33	0.178
PCB 138	µg/Kg	0.5	0.66 <sup>a</sup>	0.11	Beta-BHC	µg/Kg	-	0.33	0.0343
PCB 153	µg/Kg	0.5	0.66 <sup>a</sup>	0.23	Chlorpyrifos	µg/Kg	-	-	-
PCB 170	µg/Kg	0.5	0.66 <sup>a</sup>	0.0844	cis-Nonachlor	µg/Kg	1	0.33	0.0239
PCB 180	µg/Kg	0.5	0.66 <sup>a</sup>	0.086	Delta-BHC	µg/Kg	-	0.33	0.0392
PCB 183	µg/Kg	-	0.66 <sup>a</sup>	0.0465	Dieldrin	µg/Kg	1	0.33	0.0497
PCB 184	µg/Kg	-	0.66 <sup>a</sup>	0.095	Endosulfan I	µg/Kg	1	0.33	0.0454
PCB 187	µg/Kg	0.5	0.66 <sup>a</sup>	0.124	Endosulfan II	µg/Kg	1	0.33	0.0234
PCB 195	µg/Kg	0.5	0.66 <sup>a</sup>	0.162	Endosulfan sulfate	µg/Kg	-	0.33	0.0135
PCB 206	µg/Kg	0.5	0.66 <sup>a</sup>	0.166	Endrin	µg/Kg	1	0.33	0.027
PCB 209	µg/Kg	0.5	0.66 <sup>a</sup>	0.19	Endrin Aldehyde	µg/Kg	-	-	-
Notes: Reporting and Method Detection limits in this table are representative for this specific project. Individual reporting/Method Detection Limits used in statistical computations may be slightly different from these values as they are based on actual tissue mass, and final extract volumes for a specific analysis. The number of significant figures for values presented in tables and those used in the statistical analysis may also vary.					Endrin ketone	µg/Kg	-	-	-
					Gamma-BHC (Lindane)	µg/Kg	1	0.33	0.0745
					Gamma-Chlordane	µg/Kg	1	0.33	0.0501
					Heptachlor	µg/Kg	1	0.33	0.0516
					Heptachlor epoxide	µg/Kg	1	0.66	0.106
					Hexachlorobenzene	µg/Kg	1	0.66	0.444
					Methoxychlor	µg/Kg	1	0.33	0.117
					Oxychlordane	µg/Kg	-	0.66	0.102
					Toxaphene	µg/Kg	50	16.6	2.14
					Trans-Nonachlor	µg/Kg	1	0.33	0.022

<sup>a</sup> RL is high but MDL meets RIM requirement.



## **ATTACHMENT I**

Chain-of-Custody Records  
(2 pages)







## **ATTACHMENT II**

*Nereis virens* 28-Day Solid Phase Bioaccumulation Testing  
Data Sheets and Survival Statistical Analyses  
(19 pages)





# SEDIMENT TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-302

## TEST ORGANISM INFORMATION

Common Name: Sand worm Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Nereis virens Neonates Pulled (Time, Date): \_\_\_\_\_  
Lot Number: NV- 088 Acclimation: 1 day Age: Adult  
Source: ARO Culture Water (T/S): \_\_\_\_\_ °C \_\_\_\_\_ ppt

## TEST INITIATION

<u>Date</u>	<u>Time</u>	<u>Initials</u>	<u>Activity</u>
3/3/23	1230	CR	Sediment Added to Chambers
			Overlying Water Added to Chambers
3/8/23	1130	LD/JG	Organisms Transferred

## TEST SET-UP

Sample Number(s): AT3-152 (Lab Control), AT3-098

Overlying Water: 30 ppt Crystal Sea (LD3-266)

<u>Treatment</u>	<u>Volume Test Sediment</u>	<u>Volume Overlying Water</u>
AT3-152 (Lab Control)	5L	22L
AT3-098		









TEST ORGANISM


Common Name: Sand worm

Scientific Name: Nereis virens

[illegible]

ATS-T30  
03/01/00





TARGET VALUES: Temp: 20 °C pH: 6.0 - 9.0 DO: >2.5 mg/L Salinity: 30 ppt Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc

ATS-T13  
06/21/06





# TOXICITY TEST WATER QUALITY DATA SHEET - OLD SOLUTIONS

QC Test Number: \_\_\_\_\_  
 Scientific Name: *Nereis virens*  
 TN-23-302

TARGET VALUES    Temp: 20 °C    pH: 6.0 - 9.0    DO: >2.5 mg/L    Salinity: 30 ppt    Photoperiod: 16 L, 8 d    Light Intensity: 50 - 100 fc

ATS-T14  
06/21/06









# TOXICITY TEST WATER QUALITY DATA SHEET - OLD SOLUTIONS

Project Number: EA TOX TEST ORGANISM EA TOX  
Beginning Date: 2/8/03 Time: 1:30

Client: \_\_\_\_\_  
Eco Analysts \_\_\_\_\_  
Common Name: \_\_\_\_\_ Sand worm \_\_\_\_\_  
Ending Date: \_\_\_\_\_ Time: 1030  
9/5/23

OC Test Number: TN-23-302 Scientific Name: *Nereis virens*

TARGET VALUES Temp: 20 °C pH: 6.0 - 9.0 DO: >2.5 mg/L Salinity: 30 ppt Photoperiod: 16 L 8 d Light Intensity: 50 - 100 fc

Sample #	Temperature (°C)							pH							Dissolved Oxygen (mg/L)							Salinity (ppt)						
	15	16	17	18	19	20	21	15	16	17	18	19	20	21	15	16	17	18	19	20	21	15	16	17	18	19	20	21
AT3-152		20.2	19.0		19.0		19.4		8.1	8.0		8.0		8.1		7.3	7.7		7.3		7.3		28.8	28.9		28.4		29.6
AT3-098		20.2	17.3		19.3		19.5		8.1	7.8		7.9		8.1		7.1	7.1		7.3		7.3		28.6	27.2		27.2		28.6

(b) JL 3/29/23





# TOXICITY TEST WATER QUALITY DATA SHEET - OLD SOLUTIONS

Project Number: \_\_\_\_\_  
EA TOX \_\_\_\_\_  
TEST ORGANISM \_\_\_\_\_  
Beginning Date: 3/8/23  
Time: 130

Client: \_\_\_\_\_ Eco Analysts: \_\_\_\_\_  
Common Name: Sand worm  
Ending Date: 9/15/23  
Time: 1030

OC Test Number: TN-23-302  
Scientific Name: *Nereis virens*

TARGET VALUES    Temp: 20 °C    pH: 6.0 - 9.0    DO: >2.5 mg/L    Salinity: 30 ppt    Photoperiod: 16 L, 8 d    Light Intensity: 50 - 100 fc

Sample #	Temperature (°C)						pH						Dissolved Oxygen (mg/L)						Salinity (ppt)									
	22	23	24	25	26	27	28	22	23	24	25	26	27	28	22	23	24	25	26	27	28	22	23	24	25	26	27	28
AT3-152		19.8			20.1		20.2		7.9			8.1		8.0		7.5			7.2		7.4		28.4			27.0		30.9
AT3-098		19.7			20.0		20.3		7.9			8.2		8.0		7.4			7.1		7.3		28.5			27.0		30.8





Time: 1:50

Time: 1030

water

[illegible]

ATS-T73  
12/03/08



[illegible]

① 76 3/22/23





# TOXICOLOGY LABORATORY BENCH SHEET - RENEWAL RECORD

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-302

Day	Overlying Water	Date	Time	Initials
0				
1				
2	AT3-384	3/10/23	11:20am	CD
3				
4				
5	LD3-402	3/13/23	0915	LAO
6				
7	LD3-404	3/15/23	0928	JL
8				
9	LD3-423	3/17/23	1630	LAO
10				
11				
12	LD3-423	3/20/23	1402	JL
13				
14	LD3-438	3/22/23	1400	JL
15				
16	LD3-453	3/24/23	1118	JL
17				
18				
19	LD3-454	3/27/23	1129	JL
20				
21	LD3-470	3/29/23	1430	CL
22				
23	LD3-476	3/31/23	1500	CD
24				
25				
26	LD3-476	4/3/23	0930	LAO
27				
28				

③ 3/10/23  
20:00





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: EcoAnalysts

QC Test Number: TN-23-302

Day	Testing Location	Date	Time	Initials
0	7A, 13B	3/8/23	1245	UAD
1				
2	7A, 13B	3/10/23	0950	OR
3				
4				
5	7A, 13B	3/13/23	0915	UAD
6				
7	7A, 13B	3/15/23	0841	TL
8				
9	7A, 13B	3/17/23	1620	UAD
10				
11				
12	7A, 13B	3/20/23	0845	UAD
13				
14	7A, 13B	3/22/23	1400	JB
15				
16	7A, 13B	3/24/23	0851	GL
17				
18				
19	7A, 13B	3/27/23	0845	TL
20				
21	7A, 13B	3/29/23	1429	GL
22				
23	7A, 13B	3/31/23	0919	GL
24				
25				
26	7A, 13B	4/3/23	0852	UAD
27				
28	7A, 13B	4/5/23	0808	TL
29				
30				





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-302

Date/Time/Initials

Comments/Activity





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-302

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction



# CETIS Test Data Worksheet

Report Date: 05 Sep-23 14:08 (p 1 of 1)

Test Code/ID: TN-23-302NvSurv / 08-9048-9728

## Bioaccumulation Evaluation - Survival Endpoint EA-EST, Inc. PBC

**Start Date:** 08 Mar-23 11:30    **Species:** Nereis virens    **Sample Code:** AT3-152  
**End Date:** 05 Apr-23 10:30    **Protocol:** US ACE NED RIM (2004)    **Sample Source:** Yachtsman Marina NAE-2004-00319  
**Sample Date:** 03 Mar-23    **Material:** Laboratory Control Sediment    **Sample Station:** Laboratory Control

Sample	Rep	Pos	# Exposed	# Survived	Notes
AT3-152	1	3	30	30	
AT3-152	2	4	15	12	
AT3-152	3	7	30	30	
IOSN 2019	1	2	20	18	
IOSN 2019	2	5	20	16	
IOSN 2019	3	9	20	20	
IOSN 2019	4	11	20	19	
IOSN 2019	5	13	20	17	
AT3-098	1	1	30	28	
AT3-098	2	6	30	28	
AT3-098	3	8	30	29	
AT3-098	4	10	30	29	
AT3-098	5	12	30	26	



# CETIS Summary Report

Report Date: 05 Sep-23 14:09 (p 1 of 1)

Test Code/ID: TN-23-302NvSurv / 08-9048-9728

## Bioaccumulation Evaluation - Survival Endpoint

EA-EST, Inc. PBC

Batch ID: 06-1174-0758	Test Type: Survival	Analyst: Nancy Roka
Start Date: 08 Mar-23 11:30	Protocol: US ACE NED RIM (2004)	Diluent: Not Applicable
Ending Date: 05 Apr-23 10:30	Species: Nereis virens	Brine: Crystal Sea
Test Length: 27d 23h	Taxon: Polychaeta	Source: ARO - Aquatic Research Or Age:

Sample ID: 11-9755-1044	Code: AT3-152	Project: Dredged Sediment Evaluation
Sample Date: 03 Mar-23	Material: Laboratory Control Sediment	Source: Yachtsman Marina NAE-2004-00319 (
Receipt Date: 03 Mar-23 12:30	CAS (PC):	Station: Laboratory Control
Sample Age: 5d 11h	Client: Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
AT3-152	11-9755-1044	03 Mar-23	03 Mar-23 12:30	5d 11h	Eco-Analysts, Inc.	Dredged Sediment Evalu
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	11h		
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 22h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
AT3-152	Laboratory Control Sediment	Yachtsman Marina NAE-2004-00	Laboratory Control	
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

## Single Comparison Summary

Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
02-5654-4767	Survival Rate	Equal Variance t Two-Sample Test	0.2490	IOSN 2019 passed survival rate	1
12-2728-1176	Survival Rate	Equal Variance t Two-Sample Test	0.7542	AT3-098 passed survival rate	1

## Survival Rate Summary

Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
AT3-152	LC	3	0.933	0.646	1.220	0.800	1.000	0.067	0.115	12.37%	0.00%
IOSN 2019	RS	5	0.900	0.802	0.998	0.800	1.000	0.035	0.079	8.78%	3.57%
AT3-098		5	0.933	0.883	0.984	0.867	0.967	0.018	0.041	4.37%	0.00%

## Survival Rate Detail

MD5: 52371F4AC9B6ED2EB280407C07EF73DD

Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
AT3-152	LC	1.000	0.800	1.000		
IOSN 2019	RS	0.900	0.800	1.000	0.950	0.850
AT3-098		0.933	0.933	0.967	0.967	0.867



## CETIS Analytical Report

Report Date: 05 Sep-23 14:09 (p 1 of 2)  
 Test Code/ID: TN-23-302NvSurv / 08-9048-9728

Bioaccumulation Evaluation - Survival Endpoint						EA-EST, Inc. PBC					
Analysis ID: 02-5654-4767		Endpoint: Survival Rate		CETIS Version: CETISv2.1.1							
Analyzed: 05 Sep-23 14:09		Analysis: Parametric-Two Sample		Status Level: 1							
Edit Date: 05 Sep-23 13:37		MD5 Hash: 2BE9266D39B4D289B00177DB674BBC8F		Editor ID: 005-341-210-5							
Batch ID: 06-1174-0758		Test Type: Survival		Analyst: Nancy Roka							
Start Date: 08 Mar-23 11:30		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 05 Apr-23 10:30		Species: Nereis virens		Brine: Crystal Sea							
Test Length: 27d 23h		Taxon: Polychaeta		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
AT3-152	11-9755-1044	03 Mar-23	03 Mar-23 12:30	5d 11h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	11h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
AT3-152	Laboratory Control Sediment	Yachtsman Marina NAE-2004-00		Laboratory Control							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
Data Transform		Alt Hyp		Comparison Result		PMSD					
Angular (Corrected)		C > T		IOSN 2019 passed survival rate endpoint		13.49%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Lab Control Sedim		Reference Sed	6	0.721	1.94	0.239	CDF	0.2490	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			1.59	2.13	0.6812	No Outliers Detected				
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0147312		0.0147312		1	0.52	0.4980	Non-Significant Effect			
Error	0.169963		0.0283272		6						
Total	0.184695				7						
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			2.38	26.3	0.4168	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.94	0.645	0.6074	Normal Distribution				
Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
AT3-152	LC	3	0.933	0.646	1.000	1.000	0.800	1.000	0.067	12.37%	0.00%
IOSN 2019	RS	5	0.900	0.802	0.998	0.900	0.800	1.000	0.035	8.78%	3.57%
Angular (Corrected) Transformed Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
AT3-152	LC	3	1.360	0.821	1.890	1.480	1.110	1.480	0.124	15.86%	0.00%
IOSN 2019	RS	5	1.270	1.090	1.440	1.250	1.110	1.460	0.062	11.00%	6.54%
Survival Rate Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
AT3-152	LC	1.000	0.800	1.000							
IOSN 2019	RS	0.900	0.800	1.000	0.950	0.850					
Angular (Corrected) Transformed Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
AT3-152	LC	1.480	1.110	1.480							
IOSN 2019	RS	1.250	1.110	1.460	1.350	1.170					



## CETIS Analytical Report

Report Date: 05 Sep-23 14:09 (p 2 of 2)  
 Test Code/ID: TN-23-302NvSurv / 08-9048-9728

Bioaccumulation Evaluation - Survival Endpoint						EA-EST, Inc. PBC					
Analysis ID:	12-2728-1176		Endpoint:	Survival Rate		CETIS Version:	CETISv2.1.1				
Analyzed:	05 Sep-23 14:09		Analysis:	Parametric-Two Sample		Status Level:	1				
Edit Date:	05 Sep-23 13:37		MD5 Hash:	97E2AE4963EA6A03812B029A11B133ED		Editor ID:	005-341-210-5				
Batch ID:	06-1174-0758		Test Type:	Survival		Analyst:	Nancy Roka				
Start Date:	08 Mar-23 11:30		Protocol:	US ACE NED RIM (2004)		Diluent:	Not Applicable				
Ending Date:	05 Apr-23 10:30		Species:	Nereis virens		Brine:	Crystal Sea				
Test Length:	27d 23h		Taxon:	Polychaeta		Source:	ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	11h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 22h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform	Alt Hyp		Comparison Result			PMSD					
Angular (Corrected)	C > T		AT3-098 passed survival rate endpoint			8.78%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-0.721	1.86	0.133	CDF	0.7542	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.8	2.29	0.4893	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0066221		0.0066221		1	0.52	0.4915	Non-Significant Effect			
Error	0.101947		0.0127433		8						
Total	0.108569				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				3.19	23.2	0.2879	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.961	0.741	0.7927	Normal Distribution			
Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.900	0.802	0.998	0.900	0.800	1.000	0.035	8.78%	0.00%
AT3-098		5	0.933	0.883	0.984	0.933	0.867	0.967	0.018	4.37%	-3.70%
Angular (Corrected) Transformed Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	1.270	1.090	1.440	1.250	1.110	1.460	0.062	11.00%	0.00%
AT3-098		5	1.320	1.220	1.420	1.310	1.200	1.390	0.035	5.92%	-4.06%
Survival Rate Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.900	0.800	1.000	0.950	0.850					
AT3-098		0.933	0.933	0.967	0.967	0.867					
Angular (Corrected) Transformed Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.250	1.110	1.460	1.350	1.170					
AT3-098		1.310	1.310	1.390	1.390	1.200					



## **ATTACHMENT III**

*Macoma nasuta* 28-Day Solid Phase Bioaccumulation Testing  
Data Sheets and Survival Statistical Analyses  
(18 pages)





# SEDIMENT TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX  
Client: EcoAnalysts  
QC Test Number: TN-23-303

## TEST ORGANISM INFORMATION

Common Name: Blunt nose clam Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Macoma nasuta Neonates Pulled (Time, Date): \_\_\_\_\_  
Lot Number: MA-080 Acclimation: 24hrs Age: Adult  
Source: ARO Culture Water (T/S): \_\_\_\_\_ °C \_\_\_\_\_ ppt

## TEST INITIATION

Date	Time	Initials	Activity
3/20/23	1600	JB	Sediment Added to Chambers
			Overlying Water Added to Chambers
3/29/23	1345	UFO	Organisms Transferred

## TEST SET-UP

Sample Number(s): AT3-191 (Lab Control), AT3-098  
Overlying Water: 30 ppt Crystal Sea (LD3-460)

Treatment	Volume Test Sediment	Volume Overlying Water
AT3-191 (Lab Control)	5L	22L
↓	↓	↓
AT3-098		





### TEST ORGANISM

Common Name: Blunt nose Clam

Scientific Name: Macoma nasuta

Lot Number: MA- 080 Source: ARO

Acclimation: <24-hour                      Age: Adult

Organisms Transferred (date, time, initials): 3-29-73 1345 UAD

ATS-T30  
03/01/00



## TOXICOLOGY LABORATORY BENCH SHEET - ORGANISM RECOVERY RECORD

Project Number: EA.TOX

TEST ORGANISM

Client: Eco Analysts

Common Name: Blunt nose clam


QC Test Number: TN-23-303

Scientific Name: Macoma nasuta

Organisms Recovered (date, time, initials): 4/26/23 1245 Ta

[illegible]





TARGET VALUES: Temp: 12 °C pH: 6.0 - 9.0 DO: >2.5 mg/L Salinity: 30 ppt Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc

ATS-T13  
06/21/06





Time: 1348

Time: 1245

⑥ 9/3/23





TARGET VALUES: Temp: 12 °C pH: 6.0 - 9.0 DO: >2.5 mg/L Salinity: 30 ppt Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc

⑥ 2/10/16





TARGET VALUES: Temp: 12 °C pH: 6.0 - 9.0 DO: >2.5 mg/L Salinity: 30 ppt Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc

ATS-T14  
06/21/06





Time: 1345

Time: 1245

NAME. For pen

TARGET VALUES: Temp: 12 °C pH: 6.0 - 9.0 DO: >2.5 mg/L Salinity: 30 ppt Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc

ATS-T14  
06/21/06





# TOXICOLOGY LABORATORY BENCH SHEET - RENEWAL RECORD

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-303

Day	Overlying Water	Date	Time	Initials
0				
1				
2	LD3-471	3/31/23	1600	CR
3				
4				
5	LD3-471	4/5/23	1520	LD
6				
7	LD3-485	4/5/23	1001	CL
8				
9	LD3-508	4/7/23	1300	CR
10				
11				
12	LD3-501	4/10/23	1211	TL
13				
14	LD3-501	4/12/23	1100	KY
15				
16	LD3-502	4/14/23	1024	CL
17				
18				
19	LD3-S13	4/17/23	1415	LD
20				
21	LD3-532 / LD3-539	4/19/23	1108	KY
22				
23	LD3-540	4/21/23	0910	KY
24				
25				
26	LD3-548	4/24/23	1035	LD
27				
28				



**TOXICOLOGY LABORATORY BENCH SHEET -  
OVERLYING WATER PREPARATION / USAGE LOG**

Project Number: EA.TOX TEST ORGANISM

Client: Eco Analysts Common Name: Blunt nose clam

QC Test Number: TN-23-303 Scientific Name: *Macoma nasuta*

Overlying Water: 30 ppt Crystal Sea Artificial Seawater

[illegible]

④ 4/12/23 K4





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-303

Day	Testing Location	Date	Time	Initials
0	19B, 20B	3/29/23	1600	JK
1				
2	19B, 20B	3/31/23	0936	GL
3				
4				
5	19D, 20P	4/3/23	0937	LAD
6				
7	19B, 20B	4/5/23	0911	GL
8				
9	19D, 20D	4/7/23	0940	LAD
10				
11				
12	19B, 20B	4/10/23	1540	JK
13				
14	19B, 20B	4/12/23	1020	KY
15				
16	19B, 20B	4/14/23	1001	GL
17				
18				
19	19D, 20B	4/17/23	1430	LAD
20				
21	19B, 20B	4/19/23	0846	GL
22				
23	19B, 20B	4/21/23	0908	KY
24				
25				
26	19D, 20B	4/24/23	0933	LAD
27				
28	19B, 20B	4/26/23	1245	J
29				
30				





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-303

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-303

Date/Time/Initials

Comments/Activity



# CETIS Test Data Worksheet

Report Date: 08 May-23 23:11 (p 1 of 1)

Test Code/ID: TN-23-303MnSurv / 05-1648-0077

Bioaccumulation Evaluation - Survival Endpoint					EA-EST, Inc. PBC
Start Date:	29 Mar-23 13:45	Species:	Macoma nasuta	Sample Code:	AT3-191
End Date:	26 Apr-23 12:45	Protocol:	US ACE NED RIM (2004)	Sample Source:	Yachtsman Marina NAE-2004-00319
Sample Date:	20 Mar-23	Material:	Laboratory Control Sediment	Sample Station:	Laboratory Control

Sample	Rep	Pos	# Exposed	# Survived	Notes
AT3-191	1	1	30	28	
AT3-191	2	6	30	26	
AT3-191	3	8	30	27	
IOSN 2019	1	2	20	19	
IOSN 2019	2	5	20	18	
IOSN 2019	3	7	20	20	
IOSN 2019	4	10	20	18	
IOSN 2019	5	12	20	19	
AT3-098	1	3	30	30	
AT3-098	2	4	30	30	
AT3-098	3	9	30	26	
AT3-098	4	11	30	29	
AT3-098	5	13	30	29	



# CETIS Summary Report

Report Date: 08 May-23 23:13 (p 1 of 1)

Test Code/ID: TN-23-303MnSurv / 05-1648-0077

## Bioaccumulation Evaluation - Survival Endpoint

EA-EST, Inc. PBC

Batch ID: 03-8883-4534	Test Type: Survival	Analyst: Nancy Roka
Start Date: 29 Mar-23 13:45	Protocol: US ACE NED RIM (2004)	Diluent: Not Applicable
Ending Date: 26 Apr-23 12:45	Species: Macoma nasuta	Brine: Not Applicable
Test Length: 27d 23h	Taxon: Bivalvia	Source: ARO - Aquatic Research Or Age:

Sample ID: 10-1907-8970	Code: AT3-191	Project: Dredged Sediment Evaluation
Sample Date: 20 Mar-23	Material: Laboratory Control Sediment	Source: Yachtsman Marina NAE-2004-00319 (
Receipt Date: 20 Mar-23 16:00	CAS (PC):	Station: Laboratory Control
Sample Age: 9d 14h	Client: Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
AT3-191	10-1907-8970	20 Mar-23	20 Mar-23 16:00	9d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h		
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
AT3-191	Laboratory Control Sediment	Yachtsman Marina NAE-2004-00	Laboratory Control	
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

## Single Comparison Summary

Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
06-3628-8518	Survival Rate	Equal Variance t Two-Sample Test	0.8889	IOSN 2019 passed survival rate	1
15-9977-3478	Survival Rate	Equal Variance t Two-Sample Test	0.7968	AT3-098 passed survival rate	1

## Survival Rate Summary

Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
AT3-191	LC	3	0.900	0.817	0.983	0.867	0.933	0.019	0.033	3.70%	0.00%
IOSN 2019	RS	5	0.940	0.888	0.992	0.900	1.000	0.019	0.042	4.45%	-4.44%
AT3-098		5	0.960	0.892	1.030	0.867	1.000	0.025	0.055	5.71%	-6.67%

## Survival Rate Detail

MD5: 9962839BD8282B8BFF87A881CBEBC1

Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
AT3-191	LC	0.933	0.867	0.900		
IOSN 2019	RS	0.950	0.900	1.000	0.900	0.950
AT3-098		1.000	1.000	0.867	0.967	0.967



# CETIS Analytical Report

Report Date: 08 May-23 23:12 (p 1 of 2)  
 Test Code/ID: TN-23-303MnSurv / 05-1648-0077

Bioaccumulation Evaluation - Survival Endpoint						EA-EST, Inc. PBC					
Analysis ID: 06-3628-8518		Endpoint: Survival Rate		CETIS Version: CETISv2.1.1							
Analyzed: 08 May-23 23:12		Analysis: Parametric-Two Sample		Status Level: 1							
Edit Date: 08 May-23 23:09		MD5 Hash: 3AB31F1E28D613C7BA7B01DCD2B4A574		Editor ID: 005-341-210-5							
Batch ID: 03-8883-4534		Test Type: Survival		Analyst: Nancy Roka							
Start Date: 29 Mar-23 13:45		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 26 Apr-23 12:45		Species: Macoma nasuta		Brine: Not Applicable							
Test Length: 27d 23h		Taxon: Bivalvia		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
AT3-191	10-1907-8970	20 Mar-23	20 Mar-23 16:00	9d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
AT3-191	Laboratory Control Sediment	Yachtsman Marina NAE-2004-00		Laboratory Control							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
Data Transform		Alt Hyp		Comparison Result			PMSD				
Angular (Corrected)		C > T		IOSN 2019 passed survival rate endpoint			8.16%				
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Lab Control Sedim		Reference Sed	6	-1.36	1.94	0.111	CDF	0.8889	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			1.79	2.13	0.3406	No Outliers Detected				
ANOVA Table											
Source	Sum Squares		Mean Square	DF	F Stat	P-Value	Decision(α:5%)				
Between	0.011287		0.011287	1	1.86	0.2221	Non-Significant Effect				
Error	0.0365073		0.0060845	6							
Total	0.0477943			7							
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			2.37	199	0.6357	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.928	0.645	0.4950	Normal Distribution				
Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
AT3-191	LC	3	0.900	0.817	0.983	0.900	0.867	0.933	0.019	3.70%	0.00%
IOSN 2019	RS	5	0.940	0.888	0.992	0.950	0.900	1.000	0.019	4.45%	-4.44%
Angular (Corrected) Transformed Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
AT3-191	LC	3	1.250	1.110	1.390	1.250	1.200	1.310	0.033	4.50%	0.00%
IOSN 2019	RS	5	1.330	1.220	1.440	1.350	1.250	1.460	0.039	6.53%	-6.20%
Survival Rate Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
AT3-191	LC	0.933	0.867	0.900							
IOSN 2019	RS	0.950	0.900	1.000	0.900	0.950					
Angular (Corrected) Transformed Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
AT3-191	LC	1.310	1.200	1.250							
IOSN 2019	RS	1.350	1.250	1.460	1.250	1.350					



## CETIS Analytical Report

Report Date: 08 May-23 23:12 (p 2 of 2)  
 Test Code/ID: TN-23-303MnSurv / 05-1648-0077

Bioaccumulation Evaluation - Survival Endpoint							EA-EST, Inc. PBC				
Analysis ID: 15-9977-3478		Endpoint: Survival Rate		CETIS Version: CETISv2.1.1							
Analyzed: 08 May-23 23:12		Analysis: Parametric-Two Sample		Status Level: 1							
Edit Date: 08 May-23 23:09		MD5 Hash: ED41FF2F03C95AC3423E56D60D13F732		Editor ID: 005-341-210-5							
Batch ID: 03-8883-4534		Test Type: Survival		Analyst: Nancy Roka							
Start Date: 29 Mar-23 13:45		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 26 Apr-23 12:45		Species: Macoma nasuta		Brine: Not Applicable							
Test Length: 27d 23h		Taxon: Bivalvia		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result	PMSD								
Angular (Corrected)	C > T	AT3-098 passed survival rate endpoint	6.91%								
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-0.876	1.86	0.12	CDF	0.7968	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.96	2.29	0.2713	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.007994	0.007994	1	0.768	0.4065	Non-Significant Effect					
Error	0.0833144	0.0104143	8								
Total	0.0913084		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	1.76	23.2	0.5962	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.937	0.741	0.5215	Normal Distribution						
Survival Rate Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.940	0.888	0.992	0.950	0.900	1.000	0.019	4.45%	0.00%
AT3-098		5	0.960	0.892	1.000	0.967	0.867	1.000	0.025	5.71%	-2.13%
Angular (Corrected) Transformed Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	1.330	1.220	1.440	1.350	1.250	1.460	0.039	6.53%	0.00%
AT3-098		5	1.390	1.240	1.530	1.390	1.200	1.480	0.052	8.32%	-4.25%
Survival Rate Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.950	0.900	1.000	0.900	0.950					
AT3-098		1.000	1.000	0.867	0.967	0.967					
Angular (Corrected) Transformed Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.350	1.250	1.460	1.250	1.350					
AT3-098		1.480	1.480	1.200	1.390	1.390					



## **ATTACHMENT IV**

*Nereis virens* 28-Day Solid Phase Bioaccumulation Testing  
Tissue Chemistry and Body Burden Statistical Analyses

Metals

(17 pages)



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)**

CONTAMINANT	REP1	REP2	Pre-Assay REP3	REP4 *	REP5 *
<b>Metals (ug/g wet weight)</b>					
Arsenic	1.94	2.40	1.66		
Cadmium	0.0270 J	0.0420 J	0.0210 J		
Chromium	0.389 J	1.10	0.372 J		
Copper	1.13	2.28	1.05		
Lead	0.171	0.247	0.167		
Mercury	0.0100 J	0.0180	0.00500 J		
Nickel	0.344	0.784	0.299		
Zinc	14.9	16.6	7.73		

\* = Qualifiers

U Analyte not detected; below Method Detection Limit; value is one-half the Method Detection Limit

J Analyte estimated; detection below Reporting Limit but above Method Detection Limit

NA Not Analyzed



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)**

CONTAMINANT	IOSN Reference				
	REP1	REP2	REP3	REP4	REP5
<b>Metals (ug/g wet weight)</b>					
Arsenic	2.26	1.92	1.93	2.63	2.51
Cadmium	0.0250 J	0.0220 J	0.0180 J	0.0320 J	0.0290 J
Chromium	0.0730 J	0.0630 J	0.0550 J	0.0880 J	0.0640 J
Copper	1.16	1.12	0.996	1.40	1.31
Lead	0.0700	0.0740	0.0580	0.0710	0.0990
Mercury	0.0180	0.0160	0.0120	0.0180	0.0140 J
Nickel	0.154	0.130	0.118	0.191	0.246
Zinc	7.15	11.8	6.63	8.38	58.9

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)**

CONTAMINANT	<b>10 Stations at 4 Marinas Mud</b>				
	REP1	REP2	REP3	REP4	REP5
<b>Metals (ug/g wet weight)</b>					
Arsenic	1.65	1.96	2.21	2.16	2.12
Cadmium	0.0300 J	0.0370 J	0.0330 J	0.0340 J	0.0350 J
Chromium	0.232 J	0.507	0.459 J	0.997	0.561
Copper	0.901	1.08	1.04	1.41	1.19
Lead	0.196	0.225	0.180	0.179	0.173
Mercury	0.00195 U	0.00400 J	0.00213 U	0.0160	0.00900 J
Nickel	0.203	0.239	0.278	0.262	0.179
Zinc	18.6	12.0	16.7	14.5	8.61

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



# CETIS Test Data Worksheet

Report Date: 19 Aug-23 06:54 (p 1 of 1)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens												EA-EST, Inc. PBC
Start Date: 08 Mar-23 11:31			Species: Nereis virens			Sample Code: AT3-152						
End Date: 05 Apr-23 10:31			Protocol: US ACE NED RIM (2004)			Sample Source: Yachtsman Marina NAE-2004-00319						
Sample Date: 03 Mar-23			Material: Laboratory Control Sediment			Sample Station: Laboratory Control						
Sample	Rep	Pos	Body Burden	Arsenic	Cadmium	Chromium	Copper	Lead	Mercury	Nickel	Zinc	Silver
OSN 2019	1	2		2.26	0.025	0.073	1.16	0.07	0.018	0.154	7.15	
OSN 2019	2	3		1.92	0.022	0.063	1.12	0.074	0.016	0.13	11.8	
OSN 2019	3	6		1.93	0.018	0.055	0.996	0.058	0.012	0.118	6.63	
OSN 2019	4	8		2.63	0.032	0.088	1.4	0.071	0.018	0.191	8.38	
OSN 2019	5	10		2.51	0.029	0.064	1.31	0.099	0.014	0.246	58.9	
AT3-098	1	1		1.65	0.03	0.232	0.901	0.196	0.001945	0.203	18.6	
AT3-098	2	4		1.96	0.037	0.507	1.08	0.225	0.004	0.239	12	
AT3-098	3	5		2.21	0.033	0.459	1.04	0.18	0.00213	0.278	16.7	
AT3-098	4	7		2.16	0.034	0.997	1.41	0.179	0.016	0.262	14.5	
AT3-098	5	9		2.12	0.035	0.561	1.19	0.173	0.009	0.179	8.61	



# CETIS Summary Report

Report Date: 19 Aug-23 06:55 (p 1 of 3)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

## Bioaccumulation Evaluation - Metals - Nereis virens

EA-EST, Inc. PBC

<b>Batch ID:</b> 13-8417-6872	<b>Test Type:</b> Bioaccumulation - Metals	<b>Analyst:</b> Nancy Roka
<b>Start Date:</b> 08 Mar-23 11:31	<b>Protocol:</b> US ACE NED RIM (2004)	<b>Diluent:</b> Not Applicable
<b>Ending Date:</b> 05 Apr-23 10:31	<b>Species:</b> Nereis virens	<b>Brine:</b> Crystal Sea
<b>Test Length:</b> 27d 23h	<b>Taxon:</b> Polychaeta	<b>Source:</b> ARO - Aquatic Research Or <b>Age:</b>

<b>Sample ID:</b> 11-9755-1044	<b>Code:</b> AT3-152	<b>Project:</b> Dredged Sediment Evaluation
<b>Sample Date:</b> 03 Mar-23	<b>Material:</b> Laboratory Control Sediment	<b>Source:</b> Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b> 03 Mar-23 12:30	<b>CAS (PC):</b>	<b>Station:</b> Laboratory Control
<b>Sample Age:</b> 5d 12h	<b>Client:</b> Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

Single Comparison Summary					
Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
14-3802-6235	Arsenic	Equal Variance t Two-Sample Test	0.8845	AT3-098 passed arsenic	1
14-9372-2871	Cadmium	Equal Variance t Two-Sample Test	0.0069	AT3-098 failed cadmium	1
16-2542-8047	Chromium	Unequal Variance t Two-Sample Test	0.0072	AT3-098 failed chromium	1
02-4210-0599	Chromium	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed chromium	1
13-8883-2132	Copper	Equal Variance t Two-Sample Test	0.7353	AT3-098 passed copper	1
06-0350-2940	Lead	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed lead	1
12-6341-4781	Mercury	Equal Variance t Two-Sample Test	0.9925	AT3-098 passed mercury	1
20-0017-5455	Nickel	Equal Variance t Two-Sample Test	0.0305	AT3-098 failed nickel	1
13-3955-6427	Zinc	Equal Variance t Two-Sample Test	0.0206	AT3-098 failed zinc	1
04-4295-9523	Zinc	Wilcoxon Rank Sum Two-Sample Test	0.1111	AT3-098 passed zinc	1



# CETIS Summary Report

Report Date: 19 Aug-23 06:55 (p 2 of 3)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

## Bioaccumulation Evaluation - Metals - Nereis virens

EA-EST, Inc. PBC

Arsenic Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	2.25	1.85	2.65	1.92	2.63	0.145	0.325	14.46%	0.00%
AT3-098		5	2.02	1.74	2.3	1.65	2.21	0.102	0.227	11.24%	10.22%
Cadmium Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0252	0.0183	0.0321	0.018	0.032	0.00248	0.00554	21.99%	0.00%
AT3-098		5	0.0338	0.0306	0.037	0.03	0.037	0.00116	0.00259	7.66%	-34.13%
Chromium Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0686	0.053	0.0842	0.055	0.088	0.00563	0.0126	18.34%	0.00%
AT3-098		5	0.551	0.205	0.898	0.232	0.997	0.125	0.279	50.60%	-703.50%
Copper Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	1.2	0.999	1.4	0.996	1.4	0.0713	0.159	13.32%	0.00%
AT3-098		5	1.12	0.888	1.36	0.901	1.41	0.0851	0.19	16.93%	6.10%
Lead Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0744	0.0557	0.0931	0.058	0.099	0.00673	0.015	20.22%	0.00%
AT3-098		5	0.191	0.164	0.217	0.173	0.225	0.00941	0.021	11.03%	-156.18%
Mercury Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0156	0.0124	0.0188	0.012	0.018	0.00117	0.00261	16.72%	0.00%
AT3-098		5	0.00662	-0.000797	0.014	0.00195	0.016	0.00267	0.00597	90.24%	57.60%
Nickel Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.168	0.103	0.232	0.118	0.246	0.0232	0.0518	30.90%	0.00%
AT3-098		5	0.232	0.181	0.283	0.179	0.278	0.0183	0.041	17.65%	-38.38%
Zinc Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	18.6	-9.53	46.7	6.63	58.9	10.1	22.6	121.87%	0.00%
AT3-098		5	14.1	9.2	19	8.61	18.6	1.76	3.93	27.89%	24.18%



# CETIS Summary Report

Report Date: 19 Aug-23 06:55 (p 3 of 3)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

## Bioaccumulation Evaluation - Metals - Nereis virens

EA-EST, Inc. PBC

<b>Arsenic Detail</b>							MD5: 48E122A42250FF85911F835BB2714057
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	2.26	1.92	1.93	2.63	2.51	
AT3-098		1.65	1.96	2.21	2.16	2.12	
<b>Cadmium Detail</b>							MD5: 49D3145D3123EE99E93E8679CCD08CA8
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.025	0.022	0.018	0.032	0.029	
AT3-098		0.03	0.037	0.033	0.034	0.035	
<b>Chromium Detail</b>							MD5: 33A4BA1F273B8C646B085A0939A25926
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.073	0.063	0.055	0.088	0.064	
AT3-098		0.232	0.507	0.459	0.997	0.561	
<b>Copper Detail</b>							MD5: 53E4A07891BFC6AE9553271C0EAE2C41
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	1.16	1.12	0.996	1.4	1.31	
AT3-098		0.901	1.08	1.04	1.41	1.19	
<b>Lead Detail</b>							MD5: 08B1B33DD308F1D4D30CFFD0662A5930
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.07	0.074	0.058	0.071	0.099	
AT3-098		0.196	0.225	0.18	0.179	0.173	
<b>Mercury Detail</b>							MD5: C833F844DB2CF941F2FCB24EBADA1402
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.018	0.016	0.012	0.018	0.014	
AT3-098		0.00195	0.004	0.00213	0.016	0.009	
<b>Nickel Detail</b>							MD5: BAF4DBD486C3A66235EB865EB550BEBEC
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.154	0.13	0.118	0.191	0.246	
AT3-098		0.203	0.239	0.278	0.262	0.179	
<b>Zinc Detail</b>							MD5: 7821CD915E3E53C736EE0C85DE1DE09D
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	7.15	11.8	6.63	8.38	58.9	
AT3-098		18.6	12	16.7	14.5	8.61	



**STUDY: TN-23-302**  
**CLIENT: Eco-Analysts, Inc.**  
**PROJECT: Yachtsman Marina, Kennebunkport, ME NAE-2004-00319**  
**ASSAY: *N. virens* 28-day Bioaccumulation Evaluation**  
**TASK: Statistical Analysis of Body Burden Metals**

Endpoint	Method	C	<	T	Statistic	Critical	P Level	Alpha	Reject Null	MSD	DF	Ties	P-Type
Arsenic	Equal Variance t Two-Sample Test	IOSN	<	Comp	-1.296315	1.859548	0.8844953	0.05	FALSE	0.3299323	8		C
Cadmium	Equal Variance t Two-Sample Test	IOSN	<	Comp	3.144471	1.859548	0.006856192	0.05	TRUE	0.005085788	8		C
Chromium	Unequal Variance t Two-Sample Test	IOSN	<	Comp	5.11689	2.353364	0.00722293	0.05	TRUE	0.1706995	3		C
Chromium	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0	E
Copper	Equal Variance t Two-Sample Test	IOSN	<	Comp	-0.6574845	1.859548	0.7353358	0.05	FALSE	0.2064641	8		C
Lead	Equal Variance t Two-Sample Test	IOSN	<	Comp	10.04866	1.859548	4.093E-06	0.05	TRUE	0.02150332	8		C
Mercury	Equal Variance t Two-Sample Test	IOSN	<	Comp	-3.084291	1.859548	0.9924905	0.05	FALSE	0.005417142	8		C
Nickel	Equal Variance t Two-Sample Test	IOSN	<	Comp	2.179135	1.859548	0.03047227	0.05	TRUE	0.05495523	8		C
Zinc	Equal Variance t Two-Sample Test	IOSN	<	Comp	2.498184	1.894579	0.02055064	0.05	TRUE	4.240874	7		C
Zinc	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	21		0.1111111	0.05	FALSE		8	0	E



## CETIS Analytical Report

Report Date: 19 Aug-23 06:54 (p 1 of 8)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens							EA-EST, Inc. PBC					
<b>Analysis ID:</b>	14-3802-6235		<b>Endpoint:</b>	Arsenic			<b>CETIS Version:</b>	CETISv2.1.1				
<b>Analyzed:</b>	19 Aug-23 6:54		<b>Analysis:</b>	Parametric-Two Sample			<b>Status Level:</b>	1				
<b>Edit Date:</b>	08 May-23 22:49		<b>MD5 Hash:</b>	DF2BDA9EB0E0632414FC98407CF1225E			<b>Editor ID:</b>					
<b>Batch ID:</b>	13-8417-6872		<b>Test Type:</b>	Bioaccumulation - Metals			<b>Analyst:</b>	Nancy Roka				
<b>Start Date:</b>	08 Mar-23 11:31		<b>Protocol:</b>	US ACE NED RIM (2004)			<b>Diluent:</b>	Not Applicable				
<b>Ending Date:</b>	05 Apr-23 10:31		<b>Species:</b>	Nereis virens			<b>Brine:</b>	Crystal Sea				
<b>Test Length:</b>	27d 23h		<b>Taxon:</b>	Polychaeta			<b>Source:</b>	ARO - Aquatic Research Or Age:				
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>						
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu						
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h								
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>								
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference									
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu									
<b>Data Transform</b>	<b>Alt Hyp</b>	<b>Comparison Result</b>	<b>PMSD</b>									
Untransformed	C < T	AT3-098 passed arsenic endpoint	14.66%									
<b>Equal Variance t Two-Sample Test</b>												
<b>Sample I</b>	<b>vs</b>	<b>Sample II</b>	<b>df</b>	<b>Test Stat</b>	<b>Critical</b>	<b>MSD</b>	<b>P-Type</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>			
Reference Sed		AT3-098	8	-1.3	1.86	0.33	CDF	0.8845	Non-Significant Effect			
<b>Auxiliary Tests</b>												
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>							
Outlier	Grubbs Extreme Value Test	1.44	2.29	1.0000	No Outliers Detected							
<b>ANOVA Table</b>												
<b>Source</b>	<b>Sum Squares</b>	<b>Mean Square</b>	<b>DF</b>	<b>F Stat</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>						
Between	0.13225	0.13225	1	1.68	0.2310	Non-Significant Effect						
Error	0.6296	0.0787	8									
Total	0.76185		9									
<b>ANOVA Assumptions Tests</b>												
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:1%)</b>							
Variance	Variance Ratio F Test	2.05	23.2	0.5031	Equal Variances							
Distribution	Shapiro-Wilk W Normality Test	0.922	0.741	0.3732	Normal Distribution							
<b>Arsenic Summary</b>												
<b>Sample</b>	<b>Code</b>	<b>Count</b>	<b>Mean</b>	<b>95% LCL</b>	<b>95% UCL</b>	<b>Median</b>	<b>Min</b>	<b>Max</b>	<b>Std Err</b>	<b>CV%</b>	<b>%Effect</b>	
IOSN 2019	RS	5	2.25	1.85	2.65	2.26	1.92	2.63	0.145	14.46%	0.00%	
AT3-098		5	2.02	1.74	2.3	2.12	1.65	2.21	0.102	11.24%	10.22%	
<b>Arsenic Detail</b>												
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>						
IOSN 2019	RS	2.26	1.92	1.93	2.63	2.51						
AT3-098		1.65	1.96	2.21	2.16	2.12						



## CETIS Analytical Report

Report Date: 19 Aug-23 06:54 (p 2 of 8)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens							EA-EST, Inc. PBC					
<b>Analysis ID:</b>	14-9372-2871		<b>Endpoint:</b>	Cadmium			<b>CETIS Version:</b>	CETISv2.1.1				
<b>Analyzed:</b>	19 Aug-23 6:54		<b>Analysis:</b>	Parametric-Two Sample			<b>Status Level:</b>	1				
<b>Edit Date:</b>	08 May-23 22:49		<b>MD5 Hash:</b>	B96EBCBC73516D3013B78FD7B5D1F854			<b>Editor ID:</b>					
<b>Batch ID:</b>	13-8417-6872		<b>Test Type:</b>	Bioaccumulation - Metals			<b>Analyst:</b>	Nancy Roka				
<b>Start Date:</b>	08 Mar-23 11:31		<b>Protocol:</b>	US ACE NED RIM (2004)			<b>Diluent:</b>	Not Applicable				
<b>Ending Date:</b>	05 Apr-23 10:31		<b>Species:</b>	Nereis virens			<b>Brine:</b>	Crystal Sea				
<b>Test Length:</b>	27d 23h		<b>Taxon:</b>	Polychaeta			<b>Source:</b>	ARO - Aquatic Research Or Age:				
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>						
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu						
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h								
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>								
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference									
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu									
<b>Data Transform</b>	<b>Alt Hyp</b>	<b>Comparison Result</b>	<b>PMSD</b>									
Untransformed	C < T	AT3-098 failed cadmium endpoint	20.18%									
<b>Equal Variance t Two-Sample Test</b>												
<b>Sample I</b>	<b>vs</b>	<b>Sample II</b>	<b>df</b>	<b>Test Stat</b>	<b>Critical</b>	<b>MSD</b>	<b>P-Type</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>			
Reference Sed		AT3-098*	8	3.14	1.86	0.00509	CDF	0.0069	Significant Effect			
<b>Auxiliary Tests</b>												
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>							
Outlier	Grubbs Extreme Value Test	1.77	2.29	0.5560	No Outliers Detected							
<b>ANOVA Table</b>												
<b>Source</b>	<b>Sum Squares</b>	<b>Mean Square</b>	<b>DF</b>	<b>F Stat</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>						
Between	0.0001849	0.0001849	1	9.89	0.0137	Significant Effect						
Error	0.0001496	0.0000187	8									
Total	0.0003345		9									
<b>ANOVA Assumptions Tests</b>												
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:1%)</b>							
Variance	Variance Ratio F Test	4.58	23.2	0.1696	Equal Variances							
Distribution	Shapiro-Wilk W Normality Test	0.989	0.741	0.9959	Normal Distribution							
<b>Cadmium Summary</b>												
<b>Sample</b>	<b>Code</b>	<b>Count</b>	<b>Mean</b>	<b>95% LCL</b>	<b>95% UCL</b>	<b>Median</b>	<b>Min</b>	<b>Max</b>	<b>Std Err</b>	<b>CV%</b>	<b>%Effect</b>	
IOSN 2019	RS	5	0.0252	0.0183	0.0321	0.025	0.018	0.032	0.00248	21.99%	0.00%	
AT3-098		5	0.0338	0.0306	0.037	0.034	0.03	0.037	0.00116	7.66%	-34.13%	
<b>Cadmium Detail</b>												
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>						
IOSN 2019	RS	0.025	0.022	0.018	0.032	0.029						
AT3-098		0.03	0.037	0.033	0.034	0.035						



## CETIS Analytical Report

Report Date: 19 Aug-23 06:54 (p 3 of 8)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens							EA-EST, Inc. PBC				
Analysis ID: 16-2542-8047		Endpoint: Chromium			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:54		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:49		MD5 Hash: 53A2BA2A09713E0DC71DD20E75BCA127			Editor ID:						
Batch ID: 13-8417-6872		Test Type: Bioaccumulation - Metals			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:31		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:31		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp		Comparison Result		PMSD					
Untransformed		C < T		AT3-098 failed chromium endpoint		248.83%					
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	3	5.12	2.35	0.171	CDF	0.0072	Significant Effect		
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.306116		0.306116		1	33.8	0.0007	Significant Effect			
Error	0.063388		0.0090554		7						
Total	0.369504				8						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				132	24.3	0.0004	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.814	0.701	0.0293	Normal Distribution			
Chromium Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0686	0.053	0.0842	0.064	0.055	0.088	0.00563	18.34%	0.00%
AT3-098		4	0.44	0.21	0.67	0.459	0.232	0.561	0.0723	32.89%	-541.03%
Chromium Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.073	0.063	0.055	0.088	0.064					
AT3-098		0.232	0.507	0.459	---	0.561					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:54 (p 4 of 8)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens							EA-EST, Inc. PBC				
Analysis ID: 13-8883-2132		Endpoint: Copper			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:54		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:49		MD5 Hash: F85C5A6258CB4ED4B31ACE29920B57DF			Editor ID:						
Batch ID: 13-8417-6872		Test Type: Bioaccumulation - Metals			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:31		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:31		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed copper endpoint				17.25%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-0.657	1.86	0.206	CDF	0.7353	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			1.73	2.29	0.6291	No Outliers Detected				
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.0133225	0.0133225	1	0.432	0.5293	Non-Significant Effect					
Error	0.24655	0.0308187	8								
Total	0.259872		9								
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			1.42	23.2	0.7399	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.954	0.741	0.7163	Normal Distribution				
Copper Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	1.2	0.999	1.4	1.16	0.996	1.4	0.0713	13.32%	0.00%
AT3-098		5	1.12	0.888	1.36	1.08	0.901	1.41	0.0851	16.93%	6.10%
Copper Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.16	1.12	0.996	1.4	1.31					
AT3-098		0.901	1.08	1.04	1.41	1.19					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:54 (p 5 of 8)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens							EA-EST, Inc. PBC				
Analysis ID: 06-0350-2940		Endpoint: Lead			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:54		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:49		MD5 Hash: 486E86376DD112B2B637D9FCC3831C6A			Editor ID:						
Batch ID: 13-8417-6872		Test Type: Bioaccumulation - Metals			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:31		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:31		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed lead endpoint				28.90%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8 10	1.86	0.0215	CDF		<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2	2.29	0.2387	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0337561		0.0337561		1	101	<1.0E-05	Significant Effect			
Error	0.0026744		0.0003343		8						
Total	0.0364305				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.95	23.2	0.5323	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.871	0.741	0.1020	Normal Distribution			
Lead Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0744	0.0557	0.0931	0.071	0.058	0.099	0.00673	20.22%	0.00%
AT3-098		5	0.191	0.164	0.217	0.18	0.173	0.225	0.00941	11.03%	-156.18%
Lead Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.07	0.074	0.058	0.071	0.099					
AT3-098		0.196	0.225	0.18	0.179	0.173					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:54 (p 6 of 8)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens							EA-EST, Inc. PBC				
Analysis ID: 12-6341-4781		Endpoint: Mercury			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:54		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:49		MD5 Hash: B14DF90D09FFB249BD776DE339A125CE			Editor ID:						
Batch ID: 13-8417-6872		Test Type: Bioaccumulation - Metals			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:31		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:31		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed mercury endpoint				34.73%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-3.08	1.86	0.00542	CDF	0.9925	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.16	2.29	0.1085	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0002018		0.0002018		1	9.51	0.0150	Significant Effect			
Error	0.0001697		2.122E-05		8						
Total	0.0003716				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				5.24	23.2	0.1376	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.893	0.741	0.1815	Normal Distribution			
Mercury Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0156	0.0124	0.0188	0.016	0.012	0.018	0.00117	16.72%	0.00%
AT3-098		5	0.00662	-0.000797	0.014	0.004	0.00195	0.016	0.00267	90.24%	57.60%
Mercury Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.018	0.016	0.012	0.018	0.014					
AT3-098		0.00195	0.004	0.00213	0.016	0.009					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:54 (p 7 of 8)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens										EA-EST, Inc. PBC	
Analysis ID: 20-0017-5455		Endpoint: Nickel				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:54		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:49		MD5 Hash: D31D6166FB89BC529979C5AC2D07EA33				Editor ID:					
Batch ID: 13-8417-6872		Test Type: Bioaccumulation - Metals				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:31		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:31		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed nickel endpoint				32.75%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	2.18	1.86	0.055	CDF	0.0305	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.78	2.29	0.5399	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0103684		0.0103684		1	4.75	0.0609	Non-Significant Effect			
Error	0.0174676		0.0021835		8						
Total	0.027836				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.6	23.2	0.6594	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.947	0.741	0.6281	Normal Distribution			
Nickel Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.168	0.103	0.232	0.154	0.118	0.246	0.0232	30.90%	0.00%
AT3-098		5	0.232	0.181	0.283	0.239	0.179	0.278	0.0183	17.65%	-38.38%
Nickel Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.154	0.13	0.118	0.191	0.246					
AT3-098		0.203	0.239	0.278	0.262	0.179					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:54 (p 8 of 8)  
 Test Code/ID: TN-23-302NvMet / 07-8839-3412

Bioaccumulation Evaluation - Metals - Nereis virens							EA-EST, Inc. PBC				
Analysis ID: 13-3955-6427		Endpoint: Zinc			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:54		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:49		MD5 Hash: 0273BB7FF8A9CB03C86DC48774CE1DE			Editor ID:						
Batch ID: 13-8417-6872		Test Type: Bioaccumulation - Metals			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:31		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:31		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed zinc endpoint				49.95%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	7	2.5	1.89	4.24	CDF	0.0206	Significant Effect		
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		69.4899		69.4899		1	6.24	0.0411	Significant Effect		
Error		77.9419		11.1346		7					
Total		147.432				8					
ANOVA Assumptions Tests											
Attribute		Test				Test Stat	Critical	P-Value	Decision(α:1%)		
Variance		Variance Ratio F Test				2.85	46.2	0.4155	Equal Variances		
Distribution		Shapiro-Wilk W Normality Test				0.968	0.701	0.8726	Normal Distribution		
Zinc Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	4	8.49	4.79	12.2	7.15	6.63	11.8	1.16	27.39%	0.00%
AT3-098		5	14.1	9.2	19	14.5	8.61	18.6	1.76	27.89%	-65.87%
Zinc Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	7.15	11.8	6.63	8.38	---					
AT3-098		18.6	12	16.7	14.5	8.61					



## **ATTACHMENT V**

*Nereis virens* 28-Day Solid Phase Bioaccumulation Testing  
Tissue Chemistry and Body Burden Statistical Analyses

PAHs

(27 pages)



**APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)**

CONTAMINANT	REP1	REP2	Pre-Assay REP3	REP4 *	REP5 *
<b>PAHs (ng/g wet weight)</b>					
Acenaphthene	0.615 <b>U</b>	0.630 <b>U</b>	0.615 <b>U</b>		
Acenaphthylene	0.377 <b>U</b>	0.388 <b>U</b>	0.378 <b>U</b>		
Anthracene	0.409 <b>U</b>	0.421 <b>U</b>	1.88 <b>J</b>		
Benzo(a)anthracene	0.765 <b>U</b>	0.790 <b>U</b>	0.770 <b>U</b>		
Benzo(a)pyrene	0.805 <b>U</b>	0.830 <b>U</b>	0.805 <b>U</b>		
Benzo(b)fluoranthene	1.07 <b>U</b>	1.10 <b>U</b>	1.07 <b>U</b>		
Benzo(k)fluoranthene	0.489 <b>U</b>	0.500 <b>U</b>	0.490 <b>U</b>		
Benzo(g,h,i)perylene	0.342 <b>U</b>	0.352 <b>U</b>	0.343 <b>U</b>		
Chrysene	0.745 <b>U</b>	0.765 <b>U</b>	0.745 <b>U</b>		
Dibenzo(a,h)anthracene	0.396 <b>U</b>	0.408 <b>U</b>	0.397 <b>U</b>		
Fluoranthene	0.605 <b>U</b>	0.620 <b>U</b>	0.605 <b>U</b>		
Fluorene	1.34 <b>J</b>	1.18 <b>J</b>	0.693 <b>J</b>		
Indeno(1,2,3-c,d)pyrene	0.800 <b>U</b>	0.825 <b>U</b>	0.805 <b>U</b>		
Naphthalene	1.54 <b>JB</b>	2.19 <b>JB</b>	1.20 <b>JB</b>		
Phenanthrene	0.670 <b>U</b>	0.690 <b>U</b>	0.670 <b>U</b>		
Pyrene	0.890 <b>U</b>	0.915 <b>U</b>	0.890 <b>U</b>		
PAH Total	11.9	12.6	12.4		

\* = Qualifiers

U Analyte not detected; below Method Detection Limit; value is one-half the Method Detection Limit

J Analyte estimated; detection below Reporting Limit but above Method Detection Limit

NA Not Analyzed



**APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)**

CONTAMINANT	IOSN Reference				
	REP1	REP2	REP3	REP4	REP5
<b>PAHs (ng/g wet weight)</b>					
Acenaphthene	0.462 U	0.458 U	0.460 U	0.954 J	0.480 U
Acenaphthylene	0.284 U	0.282 U	0.283 U	0.287 U	0.295 U
Anthracene	0.308 U	0.306 U	0.307 U	0.311 U	0.320 U
Benzo(a)anthracene	0.575 U	0.570 U	0.575 U	0.585 U	0.600 U
Benzo(a)pyrene	0.605 U	0.600 U	0.605 U	0.610 U	0.630 U
Benzo(b)fluoranthene	0.800 U	0.795 U	0.800 U	0.810 U	0.830 U
Benzo(k)fluoranthene	0.368 U	0.365 U	0.367 U	0.372 U	0.382 U
Benzo(g,h,i)perylene	0.258 U	0.255 U	0.257 U	0.260 U	0.267 U
Chrysene	0.560 U	0.555 U	0.560 U	0.565 U	0.580 U
Dibenzo(a,h)anthracene	0.299 U	0.296 U	0.297 U	0.301 U	0.310 U
Fluoranthene	1.01 J	0.451 U	0.453 U	0.459 U	0.472 U
Fluorene	0.258 U	0.255 U	0.543 J	0.832 J	0.267 U
Indeno(1,2,3-c,d)pyrene	0.605 U	0.600 U	0.600 U	0.610 U	0.625 U
Naphthalene	0.812 J	0.394 U	0.396 U	1.24 J	0.412 U
Phenanthrene	2.12 J	1.76 J	2.01 J	3.10 J	1.23 J
Pyrene	0.670 U	0.665 U	0.665 U	0.675 U	0.695 U
PAH Total	9.99	8.61	9.18	12.0	8.39

\* = Qualifiers

U Analyte not detected; below detection limit

J Analyte estimated; detection limit exceeded

NA Not Analyzed



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)**

**10 Stations at 4 Marinas Mud**

CONTAMINANT	REP1	REP2	REP3	REP4	REP5
<b>PAHs (ng/g wet weight)</b>					
Acenaphthene	0.620 <b>U</b>	1.31 <b>J</b>	0.610 <b>U</b>	1.24 <b>J</b>	0.635 <b>U</b>
Acenaphthylene	0.380 <b>U</b>	0.371 <b>U</b>	0.374 <b>U</b>	12.2	7.79
Anthracene	0.412 <b>U</b>	0.845 <b>J</b>	0.965 <b>J</b>	0.404 <b>U</b>	0.422 <b>U</b>
Benzo(a)anthracene	0.770 <b>U</b>	0.755 <b>U</b>	0.760 <b>U</b>	0.755 <b>U</b>	0.790 <b>U</b>
Benzo(a)pyrene	0.810 <b>U</b>	0.790 <b>U</b>	0.800 <b>U</b>	0.795 <b>U</b>	0.830 <b>U</b>
Benzo(b)fluoranthene	1.07 <b>U</b>	1.05 <b>U</b>	7.90	1.05 <b>U</b>	1.10 <b>U</b>
Benzo(k)fluoranthene	0.492 <b>U</b>	0.481 <b>U</b>	30.3	0.483 <b>U</b>	0.505 <b>U</b>
Benzo(g,h,i)perylene	0.344 <b>U</b>	0.337 <b>U</b>	0.339 <b>U</b>	0.338 <b>U</b>	0.776 <b>J</b>
Chrysene	1.82 <b>J</b>	1.63 <b>J</b>	0.740 <b>U</b>	0.735 <b>U</b>	0.770 <b>U</b>
Dibenzo(a,h)anthracene	0.399 <b>U</b>	0.390 <b>U</b>	0.393 <b>U</b>	0.391 <b>U</b>	0.409 <b>U</b>
Fluoranthene	7.81	8.46	10.7	2.77 <b>J</b>	3.83 <b>J</b>
Fluorene	1.73 <b>J</b>	1.31 <b>J</b>	1.13 <b>J</b>	3.78 <b>J</b>	2.30 <b>J</b>
Indeno(1,2,3-c,d)pyrene	0.805 <b>U</b>	0.790 <b>U</b>	0.795 <b>U</b>	0.790 <b>U</b>	0.830 <b>U</b>
Naphthalene	1.65 <b>JB</b>	2.32 <b>JB</b>	2.29 <b>JB</b>	0.520 <b>U</b>	1.20 <b>JB</b>
Phenanthrene	0.675 <b>U</b>	0.660 <b>U</b>	1.62 <b>J</b>	0.660 <b>U</b>	0.690 <b>U</b>
Pyrene	8.04	6.62	7.73	4.83 <b>J</b>	3.92 <b>J</b>
PAH Total	27.8	28.1	67.4	31.7	26.8

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



# CETIS Test Data Worksheet

Report Date: 19 Aug-23 06:55 (p 1 of 1)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis																			EA-EST, Inc. PBC	
Start Date: 08 Mar-23 11:32			Species: Nereis virens			Sample Code: AT3-152														
End Date: 05 Apr-23 10:32			Protocol: US ACE NED RIM (2004)			Sample Source: Yachtsman Marina NAE-2004-00319														
Sample Date: 03 Mar-23			Material: Laboratory Control Sediment			Sample Station: Laboratory Control														
Sample	Rep	Pos	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphtthalene	Phenanthrene	Pyrene	1,4-Dichlorobenze	Total PAHs
IOSN 2019	1	2	0.462	0.284	0.308	0.575	0.605	0.8	0.2575	0.368	0.56	0.2985	1.01	0.2575	0.605	0.812	2.12	0.67		
IOSN 2019	2	4	0.458	0.2815	0.3055	0.57	0.6	0.795	0.255	0.365	0.555	0.296	0.451	0.255	0.6	0.3935	1.76	0.665		
IOSN 2019	3	5	0.46	0.283	0.307	0.575	0.605	0.8	0.2565	0.3665	0.56	0.297	0.453	0.543	0.6	0.3955	2.01	0.665		
IOSN 2019	4	8	0.954	0.2865	0.311	0.585	0.61	0.81	0.26	0.3715	0.565	0.301	0.459	0.832	0.61	1.24	3.1	0.675		
IOSN 2019	5	9	0.4795	0.2945	0.3195	0.6	0.63	0.83	0.267	0.382	0.58	0.3095	0.472	0.267	0.625	0.412	1.23	0.695		
AT3-098	1	1	0.62	0.3795	0.4115	0.77	0.81	1.07	0.344	0.492	1.82	0.399	7.81	1.73	0.805	1.65	0.675	8.04		
AT3-098	2	3	1.31	0.371	0.845	0.755	0.79	1.045	0.3365	0.481	1.63	0.39	8.46	1.31	0.79	2.32	0.66	6.62		
AT3-098	3	6	0.61	0.374	0.965	0.76	0.8	7.9	0.339	30.3	0.74	0.393	10.7	1.13	0.795	2.29	1.62	7.73		
AT3-098	4	7	1.24	12.2	0.404	0.755	0.795	1.05	0.3375	0.483	0.735	0.391	2.77	3.78	0.79	0.52	0.66	4.83		
AT3-098	5	10	0.635	7.79	0.422	0.79	0.83	1.1	0.776	0.505	0.77	0.409	3.83	2.3	0.83	1.2	0.69	3.92		



## CETIS Summary Report

Report Date: 19 Aug-23 06:56 (p 1 of 5)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

## Bioaccumulation Evaluation - PAHs - Nereis

EA-EST, Inc. PBC

<b>Batch ID:</b>	16-7806-7369	<b>Test Type:</b>	Bioaccumulation - PAHs		<b>Analyst:</b>	Nancy Roka
<b>Start Date:</b>	08 Mar-23 11:32	<b>Protocol:</b>	US ACE NED RIM (2004)		<b>Diluent:</b>	Not Applicable
<b>Ending Date:</b>	05 Apr-23 10:32	<b>Species:</b>	Nereis virens		<b>Brine:</b>	Crystal Sea
<b>Test Length:</b>	27d 23h	<b>Taxon:</b>	Polychaeta		<b>Source:</b>	ARO - Aquatic Research Or <b>Age:</b>
<b>Sample ID:</b>	11-9755-1044	<b>Code:</b>	AT3-152		<b>Project:</b>	Dredged Sediment Evaluation
<b>Sample Date:</b>	03 Mar-23	<b>Material:</b>	Laboratory Control Sediment		<b>Source:</b>	Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b>	03 Mar-23 12:30	<b>CAS (PC):</b>			<b>Station:</b>	Laboratory Control
<b>Sample Age:</b>	5d 12h	<b>Client:</b>	Eco-Analysts, Inc.			
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h		
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>		
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference			
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu			
<b>Single Comparison Summary</b>						
<b>Analysis ID</b>	<b>Endpoint</b>	<b>Comparison Method</b>	<b>P-Value</b>	<b>Comparison Result</b>	<b>S</b>	
09-6281-0431	Acenaphthene	Equal Variance t Two-Sample Test	0.0634	AT3-098 passed acenaphthene	1	
10-1846-2388	Acenaphthylene	Unequal Variance t Two-Sample Test	0.0922	AT3-098 passed acenaphthylene	1	
14-8405-4060	Anthracene	Unequal Variance t Two-Sample Test	0.0352	AT3-098 failed anthracene	1	
02-1204-0422	Benzo(a)anthracene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed benzo(a)anthracene	1	
10-8756-9954	Benzo(a)pyrene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed benzo(a)pyrene	1	
09-2700-3438	Benzo(b)fluoranthene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed benzo(b)fluoranthene	1	
18-4472-6594	Benzo(b)fluoranthene	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed benzo(b)fluoranthene	1	
13-4397-7733	Benzo(g,h,i)perylene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed benzo(g,h,i)perylene	1	
15-5949-4399	Benzo(g,h,i)perylene	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed benzo(g,h,i)perylene	1	
11-9752-3554	Benzo(k)fluoranthene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed benzo(k)fluoranthene	1	
21-1524-6710	Benzo(k)fluoranthene	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed benzo(k)fluoranthene	1	
14-6869-2556	Chrysene	Unequal Variance t Two-Sample Test	0.0378	AT3-098 failed chrysene	1	
19-8988-8883	Dibenz(a,h)anthracene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed dibenz(a,h)anthracene	1	
16-7604-1580	Fluoranthene	Unequal Variance t Two-Sample Test	0.0072	AT3-098 failed fluoranthene	1	
02-3007-9915	Fluorene	Equal Variance t Two-Sample Test	0.0014	AT3-098 failed fluorene	1	
14-8100-8905	Fluorene	Equal Variance t Two-Sample Test	0.0054	AT3-098 failed fluorene	1	
08-3442-7926	Indeno(1,2,3-cd)pyrene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed indeno(1,2,3-cd)pyrene	1	
12-1685-5860	Naphthalene	Equal Variance t Two-Sample Test	0.0188	AT3-098 failed naphthalene	1	
01-9493-0851	Phenanthrene	Equal Variance t Two-Sample Test	0.9945	AT3-098 passed phenanthrene	1	
13-2043-1908	Pyrene	Unequal Variance t Two-Sample Test	0.0012	AT3-098 failed pyrene	1	



# CETIS Summary Report

Report Date: 19 Aug-23 06:56 (p 2 of 5)  
Test Code/ID: TN-23-302NvPAH / 17-1765-7444

## Bioaccumulation Evaluation - PAHs - Nereis

EA-EST, Inc. PBC

Acenaphthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.563	0.291	0.835	0.458	0.954	0.0979	0.219	38.90%	0.00%
AT3-098		5	0.883	0.437	1.33	0.61	1.31	0.16	0.359	40.64%	-56.92%
Acenaphthylene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.286	0.28	0.292	0.282	0.294	0.0023	0.00514	1.80%	0.00%
AT3-098		5	4.22	-2.6	11	0.371	12.2	2.46	5.5	130.12%	-1377.05
Anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.31	0.303	0.317	0.306	0.319	0.00249	0.00557	1.80%	0.00%
AT3-098		5	0.61	0.27	0.949	0.404	0.965	0.122	0.273	44.81%	-96.49%
Benzo(a)anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.581	0.566	0.596	0.57	0.6	0.00534	0.0119	2.05%	0.00%
AT3-098		5	0.766	0.748	0.784	0.755	0.79	0.0066	0.0147	1.93%	-31.84%
Benzo(a)pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.61	0.595	0.625	0.6	0.63	0.00524	0.0117	1.92%	0.00%
AT3-098		5	0.805	0.785	0.825	0.79	0.83	0.00707	0.0158	1.96%	-31.97%
Benzo(b)fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.807	0.79	0.824	0.795	0.83	0.00624	0.014	1.73%	0.00%
AT3-098		5	2.43	-1.36	6.23	1.04	7.9	1.37	3.06	125.62%	-201.49%
Benzo(g,h,i)perylene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.259	0.253	0.265	0.255	0.267	0.00211	0.00472	1.82%	0.00%
AT3-098		5	0.427	0.184	0.669	0.336	0.776	0.0874	0.195	45.79%	-64.58%
Benzo(k)fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.371	0.362	0.379	0.365	0.382	0.00305	0.00681	1.84%	0.00%
AT3-098		5	6.45	-10.1	23	0.481	30.3	5.96	13.3	206.62%	-1641.01
Chrysene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.564	0.552	0.576	0.555	0.58	0.0043	0.00962	1.71%	0.00%
AT3-098		5	1.14	0.469	1.81	0.735	1.82	0.241	0.539	47.35%	-101.95%
Dibenz(a,h)anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.3	0.294	0.307	0.296	0.31	0.00243	0.00542	1.81%	0.00%
AT3-098		5	0.396	0.387	0.406	0.39	0.409	0.00352	0.00786	1.98%	-31.96%
Fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.569	0.263	0.875	0.451	1.01	0.11	0.247	43.35%	0.00%
AT3-098		5	6.71	2.6	10.8	2.77	10.7	1.48	3.32	49.40%	-1079.96



# CETIS Summary Report

Report Date: 19 Aug-23 06:56 (p 3 of 5)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

## Bioaccumulation Evaluation - PAHs - Nereis

EA-EST, Inc. PBC

Fluorene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.431	0.114	0.748	0.255	0.832	0.114	0.256	59.32%	0.00%
AT3-098		5	2.05	0.725	3.37	1.13	3.78	0.477	1.07	52.04%	-375.75%
Indeno(1,2,3-cd)pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.608	0.595	0.621	0.6	0.625	0.00464	0.0104	1.71%	0.00%
AT3-098		5	0.802	0.781	0.823	0.79	0.83	0.00752	0.0168	2.10%	-31.91%
Naphthalene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.651	0.185	1.12	0.394	1.24	0.168	0.375	57.59%	0.00%
AT3-098		5	1.6	0.65	2.54	0.52	2.32	0.341	0.762	47.75%	-145.31%
Phenanthrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	2.04	1.2	2.89	1.23	3.1	0.305	0.683	33.41%	0.00%
AT3-098		5	0.861	0.334	1.39	0.66	1.62	0.19	0.424	49.30%	57.88%
Pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.674	0.659	0.689	0.665	0.695	0.00557	0.0124	1.85%	0.00%
AT3-098		5	6.23	3.99	8.46	3.92	8.04	0.805	1.8	28.92%	-824.04%



# CETIS Summary Report

Report Date: 19 Aug-23 06:56 (p 4 of 5)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

## Bioaccumulation Evaluation - PAHs - Nereis

EA-EST, Inc. PBC

<b>Acenaphthene Detail</b>							MD5: 28B59F3CDBB3583514093D0F338B80B5
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.462	0.458	0.46	0.954	0.479	
AT3-098		0.62	1.31	0.61	1.24	0.635	
<b>Acenaphthylene Detail</b>							MD5: 299524FB48C3129698F11873019E882B
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.284	0.282	0.283	0.287	0.294	
AT3-098		0.38	0.371	0.374	12.2	7.79	
<b>Anthracene Detail</b>							MD5: A34DB90A0D84147410AFDC111A084513
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.308	0.306	0.307	0.311	0.319	
AT3-098		0.412	0.845	0.965	0.404	0.422	
<b>Benzo(a)anthracene Detail</b>							MD5: F21062880BC25FB0106842311D450EF9
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.575	0.57	0.575	0.585	0.6	
AT3-098		0.77	0.755	0.76	0.755	0.79	
<b>Benzo(a)pyrene Detail</b>							MD5: 3E33BFA4FFA8A2EA09CE125D593F1F9E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.605	0.6	0.605	0.61	0.63	
AT3-098		0.81	0.79	0.8	0.795	0.83	
<b>Benzo(b)fluoranthene Detail</b>							MD5: B9DBFEDE27A858016CB5293AEE0B8C7B
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.8	0.795	0.8	0.81	0.83	
AT3-098		1.07	1.04	7.9	1.05	1.1	
<b>Benzo(g,h,i)perylene Detail</b>							MD5: 97E05B58C7062EF6512E109593DA9630
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.257	0.255	0.257	0.26	0.267	
AT3-098		0.344	0.336	0.339	0.338	0.776	
<b>Benzo(k)fluoranthene Detail</b>							MD5: 5AC16B10241B3E60E75B2811EC01D1A9
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.368	0.365	0.366	0.371	0.382	
AT3-098		0.492	0.481	30.3	0.483	0.505	
<b>Chrysene Detail</b>							MD5: 1E6F3DE2491E3F1E8BB58E2E184DE3BB
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.56	0.555	0.56	0.565	0.58	
AT3-098		1.82	1.63	0.74	0.735	0.77	
<b>Dibenz(a,h)anthracene Detail</b>							MD5: 98BDEA55C64E5C7EF57253E78848B905
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.299	0.296	0.297	0.301	0.31	
AT3-098		0.399	0.39	0.393	0.391	0.409	
<b>Fluoranthene Detail</b>							MD5: B46293A567C77CBA338763CB86CD1614
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	1.01	0.451	0.453	0.459	0.472	
AT3-098		7.81	8.46	10.7	2.77	3.83	



# CETIS Summary Report

Report Date: 19 Aug-23 06:56 (p 5 of 5)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

## Bioaccumulation Evaluation - PAHs - Nereis

EA-EST, Inc. PBC

<b>Fluorene Detail</b>							MD5: 3FA5D56A13943E3E44387FC58EED93C8
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.257	0.255	0.543	0.832	0.267	
AT3-098		1.73	1.31	1.13	3.78	2.3	
<b>Indeno(1,2,3-cd)pyrene Detail</b>							MD5: 4B1EBBEADD85F99B8C5A7EE9812EE167
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.605	0.6	0.6	0.61	0.625	
AT3-098		0.805	0.79	0.795	0.79	0.83	
<b>Naphthalene Detail</b>							MD5: CD3D20716F571D79A1152AFA9AD5B270
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.812	0.394	0.396	1.24	0.412	
AT3-098		1.65	2.32	2.29	0.52	1.2	
<b>Phenanthrene Detail</b>							MD5: C87FB68D06FB6E8BD23935F2E5F05A70
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	2.12	1.76	2.01	3.1	1.23	
AT3-098		0.675	0.66	1.62	0.66	0.69	
<b>Pyrene Detail</b>							MD5: 1B7ED20057A7949857964C82BD3C8A93
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.67	0.665	0.665	0.675	0.695	
AT3-098		8.04	6.62	7.73	4.83	3.92	



**STUDY: TN-23-302**  
**CLIENT: Eco-Analysts, Inc.**  
**PROJECT: Yachtsman Marina, Kennebunkport, ME NAE-2004-00319**  
**ASSAY: *N. virens* 28-day Bioaccumulation Evaluation**  
**TASK: Statistical Analysis of Body Burden PAHs**

Endpoint	Method	C	<	T	Statistic	Critical	P Level	Alpha	Reject Null	MSD	DF	Ties	P-Type
Acenaphthene	Equal Variance t Two-Sample Test	IOSN	<	Comp	1.703979	1.859548	0.06339341	0.05	FALSE	0.3495425	8		C
Acenaphthylene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	1.602066	2.131847	0.09219988	0.05	FALSE	5.238909	4		C
Anthracene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	2.44968	2.131847	0.03523478	0.05	TRUE	0.2604674	4		C
Benzo(a)anthracene	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.80244	1.859548	0	0.05	TRUE	0.0157788	8		C
Benzo(a)pyrene	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.15053	1.859548	0	0.05	TRUE	0.01637034	8		C
Benzo(b)fluoranthene	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0 E	
Benzo(b)fluoranthene	Equal Variance t Two-Sample Test	IOSN	<	Comp	19.86739	1.894579	0	0.05	TRUE	0.0247224	7		C
Benzo(g,h,i)perylene	Equal Variance t Two-Sample Test	IOSN	<	Comp	28.51986	1.894579	0	0.05	TRUE	0.005317733	7		C
Benzo(g,h,i)perylene	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0 E	
Benzo(k)fluoranthene	Equal Variance t Two-Sample Test	IOSN	<	Comp	20.22445	1.894579	0	0.05	TRUE	0.01120853	7		C
Benzo(k)fluoranthene	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0 E	
Chrysene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	2.383667	2.131847	0.03784344	0.05	TRUE	0.5142547	4		C
Dibenz(a,h)anthracene	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.47496	1.859548	0	0.05	TRUE	0.007942909	8		C
Fluoranthene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	4.131057	2.131847	0.007240722	0.05	TRUE	3.171149	4		C
Fluorene	Equal Variance t Two-Sample Test	IOSN	<	Comp	3.300467	1.859548	0.005425649	0.05	TRUE	0.9122329	8		C
Fluorene	Equal Variance t Two-Sample Test	IOSN	<	Comp	4.52013	1.894579	0.001365866	0.05	TRUE	0.4973545	7		C
Indeno(1,2,3-cd)pyrene	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.96619	1.859548	0	0.05	TRUE	0.01642307	8		C
Naphthalene	Equal Variance t Two-Sample Test	IOSN	<	Comp	2.489245	1.859548	0.01878322	0.05	TRUE	0.7062451	8		C
Phenanthrene	Equal Variance t Two-Sample Test	IOSN	<	Comp	-3.289896	1.859548	0.9944881	0.05	FALSE	0.6686671	8		C
Pyrene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	6.895549	2.131847	0.00115953	0.05	TRUE	1.71709	4		C



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 1 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis						EA-EST, Inc. PBC					
<b>Analysis ID:</b> 09-6281-0431	<b>Endpoint:</b> Acenaphthene		<b>CETIS Version:</b> CETISv2.1.1								
<b>Analyzed:</b> 19 Aug-23 6:55	<b>Analysis:</b> Parametric-Two Sample		<b>Status Level:</b> 1								
<b>Edit Date:</b> 08 May-23 22:50	<b>MD5 Hash:</b> 4E533CF8084BFBF14A4043A9C963E506		<b>Editor ID:</b>								
<b>Batch ID:</b> 16-7806-7369	<b>Test Type:</b> Bioaccumulation - PAHs		<b>Analyst:</b> Nancy Roka								
<b>Start Date:</b> 08 Mar-23 11:32	<b>Protocol:</b> US ACE NED RIM (2004)		<b>Diluent:</b> Not Applicable								
<b>Ending Date:</b> 05 Apr-23 10:32	<b>Species:</b> Nereis virens		<b>Brine:</b> Crystal Sea								
<b>Test Length:</b> 27d 23h	<b>Taxon:</b> Polychaeta		<b>Source:</b> ARO - Aquatic Research Or Age:								
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
<b>Data Transform</b>	<b>Alt Hyp</b>	<b>Comparison Result</b>				<b>PMSD</b>					
Untransformed	C < T	AT3-098 passed acenaphthene endpoint				62.12%					
<b>Equal Variance t Two-Sample Test</b>											
<b>Sample I</b>	<b>vs</b>	<b>Sample II</b>	<b>df</b>	<b>Test Stat</b>	<b>Critical</b>	<b>MSD</b>	<b>P-Type</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>		
Reference Sed		AT3-098	8	1.7	1.86	0.35	CDF	0.0634	Non-Significant Effect		
<b>Auxiliary Tests</b>											
<b>Attribute</b>	<b>Test</b>				<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>			
Outlier	Grubbs Extreme Value Test				1.52	2.29	1.0000	No Outliers Detected			
<b>ANOVA Table</b>											
<b>Source</b>	<b>Sum Squares</b>	<b>Mean Square</b>	<b>DF</b>	<b>F Stat</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>					
Between	0.25648	0.25648	1	2.9	0.1268	Non-Significant Effect					
Error	0.706668	0.0883335	8								
Total	0.963148		9								
<b>ANOVA Assumptions Tests</b>											
<b>Attribute</b>	<b>Test</b>				<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:1%)</b>			
Variance	Variance Ratio F Test				2.69	23.2	0.3616	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.794	0.741	0.0124	Normal Distribution			
<b>Acenaphthene Summary</b>											
<b>Sample</b>	<b>Code</b>	<b>Count</b>	<b>Mean</b>	<b>95% LCL</b>	<b>95% UCL</b>	<b>Median</b>	<b>Min</b>	<b>Max</b>	<b>Std Err</b>	<b>CV%</b>	<b>%Effect</b>
IOSN 2019	RS	5	0.563	0.291	0.835	0.462	0.458	0.954	0.0979	38.90%	0.00%
AT3-098		5	0.883	0.437	1.33	0.635	0.61	1.31	0.16	40.64%	-56.92%
<b>Acenaphthene Detail</b>											
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>					
IOSN 2019	RS	0.462	0.458	0.46	0.954	0.48					
AT3-098		0.62	1.31	0.61	1.24	0.635					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 2 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis							EA-EST, Inc. PBC				
Analysis ID: 10-1846-2388		Endpoint: Acenaphthylene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:55		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:50		MD5 Hash: 9C40152BD86A2B90D4C2F1257F4FC61E			Editor ID:						
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:32		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp	Comparison Result			PMSD					
Untransformed		C < T	AT3-098 passed acenaphthylene endpoint			1832.43%					
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	4	1.6	2.13	5.24	CDF	0.0922	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			2.18	2.29	0.0992	No Outliers Detected				
ANOVA Table											
Source	Sum Squares		Mean Square	DF	F Stat	P-Value	Decision(α:5%)				
Between	38.7499		38.7499	1	2.57	0.1478	Non-Significant Effect				
Error	120.781		15.0977	8							
Total	159.531			9							
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			1140000	23.2	<1.0E-05	Unequal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.837	0.741	0.0402	Normal Distribution				
Acenaphthylene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.286	0.28	0.292	0.284	0.282	0.295	0.0023	1.80%	0.00%
AT3-098		5	4.22	-2.6	11	0.38	0.371	12.2	2.46	130.12%	-1377.05%
Acenaphthylene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.284	0.282	0.283	0.287	0.295					
AT3-098		0.38	0.371	0.374	12.2	7.79					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 3 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis							EA-EST, Inc. PBC					
<b>Analysis ID:</b>	14-8405-4060		<b>Endpoint:</b>	Anthracene			<b>CETIS Version:</b>	CETISv2.1.1				
<b>Analyzed:</b>	19 Aug-23 6:55		<b>Analysis:</b>	Parametric-Two Sample			<b>Status Level:</b>	1				
<b>Edit Date:</b>	08 May-23 22:50		<b>MD5 Hash:</b>	0EE18B9183090C120935F3897FAFFD1A			<b>Editor ID:</b>					
<b>Batch ID:</b>	16-7806-7369		<b>Test Type:</b>	Bioaccumulation - PAHs			<b>Analyst:</b>	Nancy Roka				
<b>Start Date:</b>	08 Mar-23 11:32		<b>Protocol:</b>	US ACE NED RIM (2004)			<b>Diluent:</b>	Not Applicable				
<b>Ending Date:</b>	05 Apr-23 10:32		<b>Species:</b>	Nereis virens			<b>Brine:</b>	Crystal Sea				
<b>Test Length:</b>	27d 23h		<b>Taxon:</b>	Polychaeta			<b>Source:</b>	ARO - Aquatic Research Or Age:				
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>						
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu						
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h								
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>								
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference									
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu									
<b>Data Transform</b>	<b>Alt Hyp</b>	<b>Comparison Result</b>	<b>PMSD</b>									
Untransformed	C < T	AT3-098 failed anthracene endpoint	83.97%									
<b>Unequal Variance t Two-Sample Test</b>												
<b>Sample I</b>	<b>vs</b>	<b>Sample II</b>	<b>df</b>	<b>Test Stat</b>	<b>Critical</b>	<b>MSD</b>	<b>P-Type</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>			
Reference Sed		AT3-098*	4	2.45	2.13	0.26	CDF	0.0352	Significant Effect			
<b>Auxiliary Tests</b>												
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>							
Outlier	Grubbs Extreme Value Test	1.95	2.29	0.2857	No Outliers Detected							
<b>ANOVA Table</b>												
<b>Source</b>	<b>Sum Squares</b>	<b>Mean Square</b>	<b>DF</b>	<b>F Stat</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>						
Between	0.223951	0.223951	1	6	0.0400	Significant Effect						
Error	0.298555	0.0373194	8									
Total	0.522507		9									
<b>ANOVA Assumptions Tests</b>												
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:1%)</b>							
Variance	Variance Ratio F Test	2400	23.2	<1.0E-05	Unequal Variances							
Distribution	Shapiro-Wilk W Normality Test	0.862	0.741	0.0810	Normal Distribution							
<b>Anthracene Summary</b>												
<b>Sample</b>	<b>Code</b>	<b>Count</b>	<b>Mean</b>	<b>95% LCL</b>	<b>95% UCL</b>	<b>Median</b>	<b>Min</b>	<b>Max</b>	<b>Std Err</b>	<b>CV%</b>	<b>%Effect</b>	
IOSN 2019	RS	5	0.31	0.303	0.317	0.308	0.306	0.32	0.00249	1.80%	0.00%	
AT3-098		5	0.61	0.27	0.949	0.422	0.404	0.965	0.122	44.81%	-96.49%	
<b>Anthracene Detail</b>												
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>						
IOSN 2019	RS	0.308	0.306	0.307	0.311	0.32						
AT3-098		0.412	0.845	0.965	0.404	0.422						



# CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 4 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis										EA-EST, Inc. PBC	
Analysis ID: 02-1204-0422			Endpoint: Benzo(a)anthracene				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:55			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:50			MD5 Hash: BFC429358BDF8F36ED709B3AD11983F1				Editor ID:				
Batch ID: 16-7806-7369			Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:32			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:32			Species: Nereis virens				Brine: Crystal Sea				
Test Length: 27d 23h			Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp	Comparison Result				PMSD				
Untransformed		C < T	AT3-098 failed benzo(a)anthracene endpoint				2.72%				
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.8	1.86	0.0158	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.9	2.29	0.3527	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0855625		0.0855625		1	475	<1.0E-05	Significant Effect			
Error	0.00144		0.00018		8						
Total	0.0870025				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.53	23.2	0.6920	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.821	0.741	0.0264	Normal Distribution			
Benzo(a)anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.581	0.566	0.596	0.575	0.57	0.6	0.00534	2.05%	0.00%
AT3-098		5	0.766	0.748	0.784	0.76	0.755	0.79	0.0066	1.93%	-31.84%
Benzo(a)anthracene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.575	0.57	0.575	0.585	0.6					
AT3-098		0.77	0.755	0.76	0.755	0.79					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 5 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis										EA-EST, Inc. PBC	
Analysis ID: 10-8756-9954		Endpoint: Benzo(a)pyrene					CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:55		Analysis: Parametric-Two Sample					Status Level: 1				
Edit Date: 08 May-23 22:50		MD5 Hash: 5106A0BC1B1562C92F3CA08067BE0DDC					Editor ID:				
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs					Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)					Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:32		Species: Nereis virens					Brine: Crystal Sea				
Test Length: 27d 23h		Taxon: Polychaeta					Source: ARO - Aquatic Research Or		Age:		
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source			Station Location		Lat/Long				
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00			IOSN Reference						
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00			10 Stations at 4 Marinas Mu						
Data Transform		Alt Hyp			Comparison Result					PMSD	
Untransformed		C < T			AT3-098 failed benzo(a)pyrene endpoint					2.68%	
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.2	1.86	0.0164	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.91	2.29	0.3427	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0950625		0.0950625		1	491	<1.0E-05	Significant Effect			
Error	0.00155		0.0001938		8						
Total	0.0966125				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.82	23.2	0.5768	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.866	0.741	0.0909	Normal Distribution			
Benzo(a)pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.61	0.595	0.625	0.605	0.6	0.63	0.00524	1.92%	0.00%
AT3-098		5	0.805	0.785	0.825	0.8	0.79	0.83	0.00707	1.96%	-31.97%
Benzo(a)pyrene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.605	0.6	0.605	0.61	0.63					
AT3-098		0.81	0.79	0.8	0.795	0.83					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 6 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis										EA-EST, Inc. PBC	
Analysis ID: 18-4472-6594		Endpoint: Benzo(b)fluoranthene					CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:55		Analysis: Nonparametric-Two Sample					Status Level: 1				
Edit Date: 08 May-23 22:50		MD5 Hash: 6B7B6407C4040E1F952714F1179164B5					Editor ID:				
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs					Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)					Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:32		Species: Nereis virens					Brine: Crystal Sea				
Test Length: 27d 23h		Taxon: Polychaeta					Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp			Comparison Result					PMSD	
Untransformed		C < T			AT3-098 failed benzo(b)fluoranthene endpoint					314.95%	
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	15	---	0	Exact	0.0040	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.68	2.29	0.0004	Outlier Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	6.60969		6.60969		1	1.42	0.2683	Non-Significant Effect			
Error	37.3628		4.67035		8						
Total	43.9725				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				47900	23.2	<1.0E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.63	0.741	0.0001	Non-Normal Distribution			
Benzo(b)fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.807	0.79	0.824	0.8	0.795	0.83	0.00625	1.73%	0.00%
AT3-098		5	2.43	-1.36	6.23	1.07	1.05	7.9	1.37	125.62%	-201.49%
Benzo(b)fluoranthene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.8	0.795	0.8	0.81	0.83					
AT3-098		1.07	1.05	7.9	1.05	1.1					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 7 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis						EA-EST, Inc. PBC					
Analysis ID: 13-4397-7733		Endpoint: Benzo(g,h,i)perylene				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:55		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:50		MD5 Hash: 5FE12096E6564B4DA61A02296512A837				Editor ID:					
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:32		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed benzo(g,h,i)perylene endpoint				2.05%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	7	28.5	1.89	0.00532	CDF	<1.0E-05	Significant Effect		
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		0.01424		0.01424		1	813	<1.0E-05	Significant Effect		
Error		0.0001226		1.751E-05		7					
Total		0.0143626				8					
ANOVA Assumptions Tests											
Attribute		Test				Test Stat	Critical	P-Value	Decision(α:1%)		
Variance		Variance Ratio F Test				2.01	46.2	0.5916	Equal Variances		
Distribution		Shapiro-Wilk W Normality Test				0.871	0.701	0.1264	Normal Distribution		
Benzo(g,h,i)perylene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.259	0.253	0.265	0.258	0.255	0.267	0.00211	1.82%	0.00%
AT3-098		4	0.339	0.334	0.345	0.338	0.337	0.344	0.00166	0.98%	-30.88%
Benzo(g,h,i)perylene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.258	0.255	0.257	0.26	0.267					
AT3-098		0.344	0.337	0.339	0.338	---					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 8 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis							EA-EST, Inc. PBC				
Analysis ID: 11-9752-3554		Endpoint: Benzo(k)fluoranthene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:55		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:50		MD5 Hash: 6855E33D32DC66D489FF8ABC8834DAED			Editor ID:						
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:32		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed benzo(k)fluoranthene endpoint				3.02%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	7	20.2	1.89	0.0112	CDF	<1.0E-05	Significant Effect		
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		0.0318136		0.0318136		1	409	<1.0E-05	Significant Effect		
Error		0.0005445		7.778E-05		7					
Total		0.0323581				8					
ANOVA Assumptions Tests											
Attribute		Test				Test Stat	Critical	P-Value	Decision(α:1%)		
Variance		Variance Ratio F Test				2.58	24.3	0.3830	Equal Variances		
Distribution		Shapiro-Wilk W Normality Test				0.898	0.701	0.2390	Normal Distribution		
Benzo(k)fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.371	0.362	0.379	0.368	0.365	0.382	0.00305	1.84%	0.00%
AT3-098		4	0.49	0.473	0.508	0.483	0.481	0.505	0.00547	2.23%	-32.29%
Benzo(k)fluoranthene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.368	0.365	0.367	0.372	0.382					
AT3-098		0.492	0.481	---	0.483	0.505					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 9 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis						EA-EST, Inc. PBC					
Analysis ID: 14-6869-2556		Endpoint: Chrysene				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:55		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:50		MD5 Hash: F213485DA4637EE3A64C893711A0B1BC				Editor ID:					
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:32		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed chrysene endpoint				91.18%			
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	2.38	2.13	0.514	CDF	0.0378	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.89	2.29	0.3574	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.826563		0.826563		1	5.68	0.0443	Significant Effect			
Error	1.16379		0.145474		8						
Total	1.99035				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				3140	23.2	<1.0E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.858	0.741	0.0714	Normal Distribution			
Chrysene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.564	0.552	0.576	0.56	0.555	0.58	0.0043	1.71%	0.00%
AT3-098		5	1.14	0.469	1.81	0.77	0.735	1.82	0.241	47.35%	-101.95%
Chrysene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.56	0.555	0.56	0.565	0.58					
AT3-098		1.82	1.63	0.74	0.735	0.77					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 10 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis							EA-EST, Inc. PBC				
Analysis ID: 19-8988-8883		Endpoint: Dibenz(a,h)anthracene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:55		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:50		MD5 Hash: E03DE0113FD71AD272230D47ABC1E90C			Editor ID:						
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:32		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed dibenz(a,h)anthracene endpoint				2.64%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.5	1.86	0.00794	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.98	2.29	0.2560	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.02304		0.02304		1	505	<1.0E-05	Significant Effect			
Error	0.0003649		4.561E-05		8						
Total	0.0234049				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.1	23.2	0.4900	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.861	0.741	0.0779	Normal Distribution			
Dibenz(a,h)anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.3	0.294	0.307	0.299	0.296	0.31	0.00243	1.81%	0.00%
AT3-098		5	0.396	0.387	0.406	0.393	0.39	0.409	0.00352	1.98%	-31.96%
Dibenz(a,h)anthracene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.299	0.296	0.297	0.301	0.31					
AT3-098		0.399	0.39	0.393	0.391	0.409					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 11 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis							EA-EST, Inc. PBC				
Analysis ID: 16-7604-1580		Endpoint: Fluoranthene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:55		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:50		MD5 Hash: 58EFA4925F3AA65DCE08F4A9811ED2F7			Editor ID:						
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:32		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed fluoranthene endpoint				557.32%					
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	4.13	2.13	3.17	CDF	0.0072	Significant Effect		
Auxiliary Tests											
Attribute	Test		Test Stat	Critical	P-Value	Decision(α:5%)					
Outlier	Grubbs Extreme Value Test		1.8	2.29	0.5014	No Outliers Detected					
ANOVA Table											
Source	Sum Squares		Mean Square	DF	F Stat	P-Value	Decision(α:5%)				
Between	94.4026		94.4026	1	17.1	0.0033	Significant Effect				
Error	44.2539		5.53174	8							
Total	138.656			9							
ANOVA Assumptions Tests											
Attribute	Test		Test Stat	Critical	P-Value	Decision(α:1%)					
Variance	Variance Ratio F Test		181	23.2	0.0002	Unequal Variances					
Distribution	Shapiro-Wilk W Normality Test		0.926	0.741	0.4106	Normal Distribution					
Fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.569	0.263	0.875	0.459	0.451	1.01	0.11	43.35%	0.00%
AT3-098		5	6.71	2.6	10.8	7.81	2.77	10.7	1.48	49.40%	-1079.96%
Fluoranthene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.01	0.451	0.453	0.459	0.472					
AT3-098		7.81	8.46	10.7	2.77	3.83					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 12 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis							EA-EST, Inc. PBC				
Analysis ID: 14-8100-8905		Endpoint: Fluorene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:56		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:50		MD5 Hash: 9AEDD73F70540F039F24B66E57CB36BD			Editor ID:						
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:32		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed fluorene endpoint				211.70%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	3.3	1.86	0.912	CDF	0.0054	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.37	2.29	0.0288	Outlier Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	6.55371		6.55371		1	10.9	0.0109	Significant Effect			
Error	4.81312		0.60164		8						
Total	11.3668				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				17.4	23.2	0.0170	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.876	0.741	0.1181	Normal Distribution			
Fluorene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.431	0.114	0.748	0.267	0.255	0.832	0.114	59.32%	0.00%
AT3-098		5	2.05	0.725	3.37	1.73	1.13	3.78	0.477	52.04%	-375.75%
Fluorene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.258	0.255	0.543	0.832	0.267					
AT3-098		1.73	1.31	1.13	3.78	2.3					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 13 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis										EA-EST, Inc. PBC	
Analysis ID: 08-3442-7926		Endpoint: Indeno(1,2,3-cd)pyrene				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:56		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:50		MD5 Hash: E499F098C84D34DED30A0B8134DDA060				Editor ID:					
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:32		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result					PMSD		
Untransformed		C < T		AT3-098 failed indeno(1,2,3-cd)pyrene endpoint					2.70%		
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8 22		1.86	0.0164	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.13	2.29	0.1299	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.09409		0.09409		1	483	<1.0E-05	Significant Effect			
Error	0.00156		0.000195		8						
Total	0.09565				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.63	23.2	0.3721	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.842	0.741	0.0462	Normal Distribution			
Indeno(1,2,3-cd)pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.608	0.595	0.621	0.605	0.6	0.625	0.00464	1.71%	0.00%
AT3-098		5	0.802	0.781	0.823	0.795	0.79	0.83	0.00752	2.10%	-31.91%
Indeno(1,2,3-cd)pyrene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.605	0.6	0.6	0.61	0.625					
AT3-098		0.805	0.79	0.795	0.79	0.83					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 14 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis										EA-EST, Inc. PBC	
Analysis ID: 12-1685-5860		Endpoint: Naphthalene				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:56		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:50		MD5 Hash: 0AA9FD9E0C176677B37305CC020F17AD				Editor ID:					
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:32		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed naphthalene endpoint				108.55%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	2.49	1.86	0.706	CDF	0.0188	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.9	2.29	0.3485	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	2.23445		2.23445		1	6.2	0.0376	Significant Effect			
Error	2.88487		0.360609		8						
Total	5.11932				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				4.14	23.2	0.1978	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.927	0.741	0.4218	Normal Distribution			
Naphthalene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.651	0.185	1.12	0.412	0.394	1.24	0.168	57.59%	0.00%
AT3-098		5	1.6	0.65	2.54	1.65	0.52	2.32	0.341	47.75%	-145.31%
Naphthalene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.812	0.394	0.396	1.24	0.412					
AT3-098		1.65	2.32	2.29	0.52	1.2					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 15 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis						EA-EST, Inc. PBC					
Analysis ID: 01-9493-0851		Endpoint: Phenanthrene				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:56		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:50		MD5 Hash: 7AB24DD7125ABEB7E2AB615F6438C2A1				Editor ID:					
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:32		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed phenanthrene endpoint				32.71%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-3.29	1.86	0.669	CDF	0.9945	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.97	2.29	0.2655	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	3.49872		3.49872		1	10.8	0.0110	Significant Effect			
Error	2.58604		0.323255		8						
Total	6.08476				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.59	23.2	0.3794	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.866	0.741	0.0896	Normal Distribution			
Phenanthrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	2.04	1.2	2.89	2.01	1.23	3.1	0.305	33.41%	0.00%
AT3-098		5	0.861	0.334	1.39	0.675	0.66	1.62	0.19	49.30%	57.88%
Phenanthrene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	2.12	1.76	2.01	3.1	1.23					
AT3-098		0.675	0.66	1.62	0.66	0.69					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:56 (p 16 of 16)  
 Test Code/ID: TN-23-302NvPAH / 17-1765-7444

Bioaccumulation Evaluation - PAHs - Nereis						EA-EST, Inc. PBC					
Analysis ID: 13-2043-1908		Endpoint: Pyrene				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:56		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:50		MD5 Hash: 05FB8E6A71FC61834386F3A2DF12E9E0				Editor ID:					
Batch ID: 16-7806-7369		Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:32		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:32		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pyrene endpoint				254.76%			
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	6.9	2.13	1.72	CDF	0.0012	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.92	2.29	0.3209	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	77.1173		77.1173		1	47.5	0.0001	Significant Effect			
Error	12.9749		1.62186		8						
Total	90.0922				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				20900	23.2	<1.0E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.895	0.741	0.1925	Normal Distribution			
Pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.674	0.659	0.689	0.67	0.665	0.695	0.00557	1.85%	0.00%
AT3-098		5	6.23	3.99	8.46	6.62	3.92	8.04	0.805	28.92%	-824.04%
Pyrene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.67	0.665	0.665	0.675	0.695					
AT3-098		8.04	6.62	7.73	4.83	3.92					



## **ATTACHMENT VI**

*Nereis virens* 28-Day Solid Phase Bioaccumulation Testing  
Tissue Chemistry and Body Burden Statistical Analyses

PCBs

(29 pages)



APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)

CONTAMINANT	REP1	REP2	Pre-Assay REP3	REP4 *	REP5 *
<b>PCB Congeners (ng/g wet wt.)</b>					
PCB 8	0.0630 U	0.0650 U	0.0635 U		
PCB 18	0.0460 U	0.0473 U	0.0461 U		
PCB 28	0.0780 U	0.0805 U	0.0785 U		
PCB 44	0.0870 U	0.0895 U	0.0875 U		
PCB 52	0.0486 U	0.0500 U	0.0487 U		
PCB 66	0.0457 U	0.0470 U	0.0458 U		
PCB 101	0.0745 U	0.0765 U	0.0745 U		
PCB 105	0.0670 U	0.0685 U	0.0670 U		
PCB 118	0.0705 U	0.0725 U	0.0710 U		
PCB 128	0.0835 U	0.0855 U	0.0835 U		
PCB 138	0.267 J	0.594 J	0.0535 U		
PCB 153	0.454 J	0.651 J	0.780		
PCB 170	0.0409 U	0.0421 U	0.0410 U		
PCB 180	0.0419 U	0.0431 U	0.0420 U		
PCB 187	0.646	0.0620 U	0.0600 U		
PCB 195	0.0785 U	0.0810 U	0.0790 U		
PCB 206	0.0800 U	0.0825 U	0.0805 U		
PCB 209	0.0920 U	0.0945 U	0.0920 U		
Total PCBs	4.73	4.66	3.79		

\* = Qualifiers

U Analyte not detected; below Method Detection Limit; value is one-half the Method Detection Limit

J Analyte estimated; detection below Reporting Limit but above Method Detection Limit

NA Not Analyzed



APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)

CONTAMINANT	IOSN Reference				
	REP1	REP2	REP3	REP4	REP5
<b>PCB Congeners (ng/g wet wt)</b>					
PCB 8	0.0475 U	0.0475 U	0.0475 U	0.0480 U	0.0495 U
PCB 18	0.0345 U	0.0345 U	0.0345 U	0.0350 U	0.0360 U
PCB 28	0.0590 U	0.0585 U	0.0585 U	0.0595 U	0.0610 U
PCB 44	0.0655 U	0.0650 U	0.0655 U	0.0665 U	0.0680 U
PCB 52	0.0365 U	0.0365 U	0.0365 U	0.0370 U	0.0380 U
PCB 66	0.0345 U	0.0340 U	0.0345 U	0.0350 U	0.0355 U
PCB 101	0.0560 U	0.0555 U	0.0560 U	0.0565 U	0.0580 U
PCB 105	0.0500 U	0.0500 U	0.0500 U	0.0510 U	0.0520 U
PCB 118	0.0530 U	0.0525 U	0.0530 U	0.0535 U	0.0550 U
PCB 128	0.0630 U	0.0620 U	0.0625 U	0.0635 U	0.0650 U
PCB 138	0.714	0.498	0.0400 U	0.0405 U	0.361 J
PCB 153	0.862	0.621	0.687	1.01	0.636
PCB 170	0.0310 U	0.0305 U	0.0305 U	0.0310 U	0.0320 U
PCB 180	0.0315 U	0.0315 U	0.0315 U	0.0320 U	0.0325 U
PCB 187	0.0455 U	0.0450 U	0.0450 U	0.0455 U	0.0470 U
PCB 195	0.0590 U	0.0585 U	0.0590 U	0.0600 U	0.0615 U
PCB 206	0.0605 U	0.0600 U	0.0600 U	0.0610 U	0.0625 U
PCB 209	0.0690 U	0.0685 U	0.0690 U	0.0700 U	0.0720 U
Total PCBs	4.74	3.82	3.04	3.71	3.65

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)**

CONTAMINANT	10 Stations at 4 Marinas Mud				
	REP1	REP2	REP3	REP4	REP5
<b>PCB Congeners (ng/g wet wt)</b>					
PCB 8	0.0635 U	0.0620 U	0.0630 U	0.0625 U	0.0650 U
PCB 18	0.0463 U	0.0453 U	0.0457 U	0.0455 U	0.0475 U
PCB 28	0.0790 U	0.0770 U	0.0775 U	0.0775 U	0.0810 U
PCB 44	0.0880 U	0.0860 U	0.0865 U	0.0860 U	0.0900 U
PCB 52	0.0489 U	0.0478 U	0.0482 U	0.485 J	0.0500 U
PCB 66	0.0460 U	0.0450 U	0.0453 U	0.0451 U	0.0472 U
PCB 101	0.0750 U	0.0730 U	0.0740 U	0.0735 U	0.0770 U
PCB 105	0.0670 U	0.0655 U	3.78	0.0660 U	0.0690 U
PCB 118	0.0710 U	0.0695 U	0.0700 U	0.0695 U	0.0730 U
PCB 128	0.0840 U	0.0820 U	0.0825 U	0.0825 U	0.0860 U
PCB 138	1.00	1.15	0.0530 U	0.0525 U	0.0550 U
PCB 153	1.04	1.48	0.843	0.110 U	0.814
PCB 170	0.0412 U	0.0403 U	0.0406 U	0.0404 U	0.0422 U
PCB 180	0.0422 U	0.0412 U	0.0415 U	0.0414 U	0.0432 U
PCB 187	0.0605 U	0.0590 U	0.0595 U	0.0595 U	0.0620 U
PCB 195	0.0790 U	0.0775 U	0.0780 U	0.0775 U	0.0810 U
PCB 206	0.0805 U	0.0790 U	0.0795 U	0.0790 U	0.0830 U
PCB 209	0.0925 U	0.0905 U	0.0910 U	0.0910 U	0.0950 U
Total PCBs	6.21	7.34	11.3	3.29	3.92

\* = Qualifiers

U Analyte not detected; below detection limit

J Analyte estimated; detection limit exceeded

NA Not Analyzed



# CETIS Test Data Worksheet

Report Date: 19 Aug-23 06:57 (p 1 of 1)

Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis																								EA-EST, Inc. PBC	
Start Date:		08 Mar-23 11:33		Species:		Nereis virens		Sample Code:		AT3-152															
End Date:		05 Apr-23 10:33		Protocol:		US ACE NED RIM (2004)		Sample Source:		Yachtsman Marina NAE-2004-00319															
Sample Date:		03 Mar-23		Material:		Laboratory Control Sediment		Sample Station:		Laboratory Control															
Sample	Rep	Pos	PCB 008	PCB 018	PCB 028	PCB 044	PCB 052	PCB 066	PCB 101	PCB 105	PCB 118	PCB 128	PCB 138	PCB 153	PCB 170	PCB 180	PCB 187	PCB 195	PCB 206	PCB 209	PCB 087	PCB 049	PCB 183	PCB 184	Total PCBs
IOSN 2019	1	2	0.048	0.035	0.059	0.066	0.037	0.035	0.056	0.05	0.053	0.063	0.714	0.862	0.031	0.032	0.046	0.059	0.061	0.069	0.028	0.064	0.017	0.035	
IOSN 2019	2	3	0.048	0.035	0.059	0.065	0.037	0.034	0.056	0.05	0.053	0.062	0.498	0.621	0.031	0.032	0.045	0.059	0.06	0.069	0.028	0.064	0.017	0.035	
IOSN 2019	3	5	0.048	0.035	0.059	0.066	0.037	0.035	0.056	0.05	0.053	0.063	0.04	0.687	0.031	0.032	0.045	0.059	0.06	0.069	0.028	0.064	0.017	0.035	
IOSN 2019	4	8	0.048	0.035	0.06	0.067	0.037	0.035	0.057	0.051	0.054	0.064	0.041	1.01	0.031	0.032	0.046	0.06	0.061	0.07	0.028	0.065	0.017	0.035	
IOSN 2019	5	10	0.05	0.036	0.061	0.068	0.038	0.036	0.058	0.052	0.055	0.065	0.361	0.636	0.032	0.033	0.047	0.062	0.063	0.072	0.029	0.067	0.018	0.036	
AT3-098	1	1	0.064	0.046	0.079	0.088	0.049	0.046	0.075	0.067	0.071	0.084	1	1.04	0.041	0.042	0.061	0.079	0.081	0.093	0.037	0.086	0.023	0.046	
AT3-098	2	4	0.062	0.045	0.077	0.086	0.048	0.045	0.073	0.066	0.07	0.082	1.15	1.48	0.040	0.041	0.059	0.078	0.079	0.091	0.037	0.084	0.022	0.045	
AT3-098	3	6	0.063	0.046	0.078	0.087	0.048	0.045	0.074	3.78	0.07	0.083	0.053	0.843	0.041	0.042	0.06	0.078	0.08	0.091	0.037	0.085	0.022	0.046	
AT3-098	4	7	0.063	0.045	0.078	0.086	0.485	0.045	0.074	0.066	0.07	0.083	0.053	0.11	0.040	0.041	0.06	0.078	0.079	0.091	0.037	0.084	0.022	0.045	
AT3-098	5	9	0.065	0.048	0.081	0.09	0.05	0.047	0.077	0.069	0.073	0.086	0.055	0.814	0.042	0.043	0.062	0.081	0.083	0.095	0.038	0.088	0.023	0.048	



# CETIS Summary Report

Report Date: 19 Aug-23 06:58 (p 1 of 5)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

## Bioaccumulation Evaluation - PCB Congeners - Nereis

EA-EST, Inc. PBC

<b>Batch ID:</b> 16-3825-9393	<b>Test Type:</b> Bioaccumulation - PCBs - Nv	<b>Analyst:</b> Nancy Roka
<b>Start Date:</b> 08 Mar-23 11:33	<b>Protocol:</b> US ACE NED RIM (2004)	<b>Diluent:</b> Not Applicable
<b>Ending Date:</b> 05 Apr-23 10:33	<b>Species:</b> Nereis virens	<b>Brine:</b> Crystal Sea
<b>Test Length:</b> 27d 23h	<b>Taxon:</b> Polychaeta	<b>Source:</b> ARO - Aquatic Research Or <b>Age:</b>

<b>Sample ID:</b> 11-9755-1044	<b>Code:</b> AT3-152	<b>Project:</b> Dredged Sediment Evaluation
<b>Sample Date:</b> 03 Mar-23	<b>Material:</b> Laboratory Control Sediment	<b>Source:</b> Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b> 03 Mar-23 12:30	<b>CAS (PC):</b>	<b>Station:</b> Laboratory Control
<b>Sample Age:</b> 5d 12h	<b>Client:</b> Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

Single Comparison Summary					
Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
02-9121-2104	PCB 008	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 008	1
13-8217-6257	PCB 018	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 018	1
11-4561-0244	PCB 028	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 028	1
16-1112-5112	PCB 044	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 044	1
09-0192-7086	PCB 052	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 052	1
13-3296-8099	PCB 052	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed pcb 052	1
11-5197-6838	PCB 066	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 066	1
18-8869-0510	PCB 101	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 101	1
16-3802-4478	PCB 105	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 105	1
07-4136-0669	PCB 105	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed pcb 105	1
00-9484-6417	PCB 118	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 118	1
13-1827-6879	PCB 128	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 128	1
11-3728-5619	PCB 138	Equal Variance t Two-Sample Test	0.3277	AT3-098 passed pcb 138	1
20-6837-7661	PCB 153	Equal Variance t Two-Sample Test	0.3489	AT3-098 passed pcb 153	1
12-6194-5314	PCB 170	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 170	1
05-3230-0024	PCB 180	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 180	1
05-4569-7612	PCB 187	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 187	1
02-2598-3391	PCB 195	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 195	1
03-1612-5429	PCB 206	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 206	1
15-1840-5518	PCB 209	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 209	1



# CETIS Summary Report

Report Date: 19 Aug-23 06:58 (p 2 of 5)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

## Bioaccumulation Evaluation - PCB Congeners - Nereis

EA-EST, Inc. PBC

PCB 008 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.048	0.0469	0.0491	0.0475	0.0495	0.000387	0.000866	1.80%	0.00%
AT3-098		5	0.0632	0.0618	0.0646	0.062	0.065	0.000515	0.00115	1.82%	-31.67%
PCB 018 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0349	0.0341	0.0357	0.0345	0.036	0.000292	0.000652	1.87%	0.00%
AT3-098		5	0.046	0.0449	0.0472	0.0453	0.0475	0.000403	0.000901	1.96%	-31.92%
PCB 028 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0593	0.058	0.0606	0.0585	0.061	0.000464	0.00104	1.75%	0.00%
AT3-098		5	0.0784	0.0764	0.0804	0.077	0.081	0.000731	0.00164	2.09%	-32.21%
PCB 044 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0661	0.0646	0.0676	0.065	0.068	0.000534	0.00119	1.81%	0.00%
AT3-098		5	0.0873	0.0852	0.0894	0.086	0.09	0.000768	0.00172	1.97%	-32.07%
PCB 052 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0369	0.0361	0.0377	0.0365	0.038	0.000292	0.000652	1.77%	0.00%
AT3-098		5	0.136	-0.106	0.378	0.0478	0.485	0.0873	0.195	143.48%	-268.51%
PCB 066 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0347	0.034	0.0354	0.034	0.0355	0.000255	0.00057	1.64%	0.00%
AT3-098		5	0.0457	0.0446	0.0468	0.045	0.0472	0.000405	0.000905	1.98%	-31.70%
PCB 101 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0564	0.0552	0.0576	0.0555	0.058	0.00043	0.000962	1.71%	0.00%
AT3-098		5	0.0745	0.0725	0.0765	0.073	0.077	0.000707	0.00158	2.12%	-32.09%
PCB 105 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0506	0.0495	0.0517	0.05	0.052	0.0004	0.000894	1.77%	0.00%
AT3-098		5	0.809	-1.25	2.87	0.0655	3.78	0.743	1.66	205.13%	-1499.80
PCB 118 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0534	0.0522	0.0546	0.0525	0.055	0.00043	0.000962	1.80%	0.00%
AT3-098		5	0.0706	0.0688	0.0724	0.0695	0.073	0.00066	0.00147	2.09%	-32.21%
PCB 128 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0632	0.0618	0.0646	0.062	0.065	0.000515	0.00115	1.82%	0.00%
AT3-098		5	0.0834	0.0814	0.0854	0.082	0.086	0.000731	0.00164	1.96%	-31.96%
PCB 138 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.331	-0.0337	0.695	0.04	0.714	0.131	0.293	88.75%	0.00%
AT3-098		5	0.462	-0.236	1.16	0.0525	1.15	0.251	0.562	121.62%	-39.73%



# CETIS Summary Report

Report Date: 19 Aug-23 06:58 (p 3 of 5)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

## Bioaccumulation Evaluation - PCB Congeners - Nereis

EA-EST, Inc. PBC

PCB 153 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.763	0.555	0.972	0.621	1.01	0.0751	0.168	22.01%	0.00%
AT3-098		5	0.857	0.242	1.47	0.11	1.48	0.222	0.495	57.78%	-12.34%
PCB 170 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.031	0.0302	0.0318	0.0305	0.032	0.000274	0.000612	1.98%	0.00%
AT3-098		5	0.0409	0.0399	0.0419	0.0402	0.0422	0.000357	0.000798	1.95%	-31.97%
PCB 180 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0318	0.0312	0.0324	0.0315	0.0325	0.0002	0.000447	1.41%	0.00%
AT3-098		5	0.0419	0.0409	0.0429	0.0412	0.0432	0.000368	0.000822	1.96%	-31.70%
PCB 187 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0456	0.0446	0.0466	0.045	0.047	0.000367	0.000822	1.80%	0.00%
AT3-098		5	0.0601	0.0586	0.0616	0.059	0.062	0.000534	0.00119	1.99%	-31.80%
PCB 195 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0596	0.0581	0.0611	0.0585	0.0615	0.000534	0.00119	2.00%	0.00%
AT3-098		5	0.0786	0.0768	0.0804	0.0775	0.081	0.00066	0.00147	1.88%	-31.88%
PCB 206 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0608	0.0595	0.0621	0.06	0.0625	0.000464	0.00104	1.71%	0.00%
AT3-098		5	0.0802	0.0781	0.0823	0.079	0.083	0.000752	0.00168	2.10%	-31.91%
PCB 209 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0697	0.068	0.0714	0.0685	0.072	0.000624	0.0014	2.00%	0.00%
AT3-098		5	0.092	0.0897	0.0943	0.0905	0.095	0.000822	0.00184	2.00%	-31.99%



# CETIS Summary Report

Report Date: 19 Aug-23 06:58 (p 4 of 5)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

## Bioaccumulation Evaluation - PCB Congeners - Nereis

EA-EST, Inc. PBC

<b>PCB 008 Detail</b>							MD5: B6CD15DC1443B921495F7DFEACB92387
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0475	0.0475	0.0475	0.048	0.0495	
AT3-098		0.0635	0.062	0.063	0.0625	0.065	
<b>PCB 018 Detail</b>							MD5: 0A8FA30BC4B1B12BC4E49675F270B3A8
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0345	0.0345	0.0345	0.035	0.036	
AT3-098		0.0463	0.0453	0.0457	0.0454	0.0475	
<b>PCB 028 Detail</b>							MD5: 6FBFC0FADFAA4B848CA74B7F828197E2
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.059	0.0585	0.0585	0.0595	0.061	
AT3-098		0.079	0.077	0.0775	0.0775	0.081	
<b>PCB 044 Detail</b>							MD5: 1C1D1CB6B4C2ADEFF1E79CE2C642DB23
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0655	0.065	0.0655	0.0665	0.068	
AT3-098		0.088	0.086	0.0865	0.086	0.09	
<b>PCB 052 Detail</b>							MD5: 3920C127A4BDA389DA0F319C5F8AFCEB
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0365	0.0365	0.0365	0.037	0.038	
AT3-098		0.0489	0.0478	0.0482	0.485	0.05	
<b>PCB 066 Detail</b>							MD5: 4EE269D0EA41A6E9E9823C291BDE5535
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0345	0.034	0.0345	0.035	0.0355	
AT3-098		0.046	0.045	0.0453	0.0451	0.0472	
<b>PCB 101 Detail</b>							MD5: B20C9DAA8B6E4F50398B841B80DA6C21
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.056	0.0555	0.056	0.0565	0.058	
AT3-098		0.075	0.073	0.074	0.0735	0.077	
<b>PCB 105 Detail</b>							MD5: 4E29C9426F5B6AA09DB8A3D99E3FD1F6
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.05	0.05	0.05	0.051	0.052	
AT3-098		0.067	0.0655	3.78	0.066	0.069	
<b>PCB 118 Detail</b>							MD5: 1B5869B575FE2659921098AB6726212A
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.053	0.0525	0.053	0.0535	0.055	
AT3-098		0.071	0.0695	0.07	0.0695	0.073	
<b>PCB 128 Detail</b>							MD5: 0803864E2A529E2E5537574498EE36A7
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.063	0.062	0.0625	0.0635	0.065	
AT3-098		0.084	0.082	0.0825	0.0825	0.086	
<b>PCB 138 Detail</b>							MD5: F6533DA9A7F279C17F5EED8E45DF3AB9
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.714	0.498	0.04	0.0405	0.361	
AT3-098		1	1.15	0.053	0.0525	0.055	



# CETIS Summary Report

Report Date: 19 Aug-23 06:58 (p 5 of 5)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

## Bioaccumulation Evaluation - PCB Congeners - Nereis

EA-EST, Inc. PBC

<b>PCB 153 Detail</b>							MD5: F3D0988551B15E211EEF7D3467C18071
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.862	0.621	0.687	1.01	0.636	
AT3-098		1.04	1.48	0.843	0.11	0.814	
<b>PCB 170 Detail</b>							MD5: 23C6B5B239CEFCFA428787F92E620FE3
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.031	0.0305	0.0305	0.031	0.032	
AT3-098		0.0411	0.0402	0.0406	0.0404	0.0422	
<b>PCB 180 Detail</b>							MD5: 470506518B2F2F8E005B0E35E4536EB0
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0315	0.0315	0.0315	0.032	0.0325	
AT3-098		0.0421	0.0412	0.0415	0.0413	0.0432	
<b>PCB 187 Detail</b>							MD5: 4EBDDEB24063208E6681206C01A3F2F5
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0455	0.045	0.045	0.0455	0.047	
AT3-098		0.0605	0.059	0.0595	0.0595	0.062	
<b>PCB 195 Detail</b>							MD5: CA8DC931CC03C1416788B6DD2F3BD47E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.059	0.0585	0.059	0.06	0.0615	
AT3-098		0.079	0.0775	0.078	0.0775	0.081	
<b>PCB 206 Detail</b>							MD5: 1F069A22AD4D1FA756C1F37E04C63A59
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0605	0.06	0.06	0.061	0.0625	
AT3-098		0.0805	0.079	0.0795	0.079	0.083	
<b>PCB 209 Detail</b>							MD5: FAAA6B62B98D4AE5FBE056DA1E916DAC
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.069	0.0685	0.069	0.07	0.072	
AT3-098		0.0925	0.0905	0.091	0.091	0.095	



**STUDY: TN-23-302**  
**CLIENT: Eco-Analysts, Inc.**  
**PROJECT: Yachtsman Marina, Kennebunkport, ME NAE-2004-00319**  
**ASSAY: *N. virens* 28-day Bioaccumulation Evaluation**  
**TASK: Statistical Analysis of Body Burden PCBs**

Endpoint	Method	C	<	T	Statistic	Critical	P Level	Alpha	Reject Null	MSD	DF	Ties	P-Type
PCB 008	Equal Variance t Two-Sample Test	IOSN	<	Comp	23.59498	1.859548	0	0.05	TRUE	0.00119793	8		C
PCB 018	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.39903	1.859548	0	0.05	TRUE	0.000924833	8		C
PCB 028	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.05477	1.859548	0	0.05	TRUE	0.001610416	8		C
PCB 044	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.66373	1.859548	0	0.05	TRUE	0.001739449	8		C
PCB 052	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0	E
PCB 052	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.01617	1.894579	0	0.05	TRUE	0.001017588	7		C
PCB 066	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.99916	1.859548	0	0.05	TRUE	0.000889381	8		C
PCB 101	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.86922	1.859548	0	0.05	TRUE	0.001539049	8		C
PCB 105	Equal Variance t Two-Sample Test	IOSN	<	Comp	19.91628	1.894579	0	0.05	TRUE	0.001548194	7		C
PCB 105	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0	E
PCB 118	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.84402	1.859548	0	0.05	TRUE	0.00146421	8		C
PCB 128	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.5843	1.859548	0	0.05	TRUE	0.00166323	8		C
PCB 138	Equal Variance t Two-Sample Test	IOSN	<	Comp	0.4634183	1.859548	0.3277057	0.05	FALSE	0.5272658	8		C
PCB 153	Equal Variance t Two-Sample Test	IOSN	<	Comp	0.402669	1.859548	0.3488687	0.05	FALSE	0.435021	8		C
PCB 170	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.03038	1.859548	0	0.05	TRUE	0.000836487	8		C
PCB 180	Equal Variance t Two-Sample Test	IOSN	<	Comp	24.08549	1.859548	0	0.05	TRUE	0.000778238	8		C
PCB 187	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.37401	1.859548	0	0.05	TRUE	0.001205124	8		C
PCB 195	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.39171	1.859548	0	0.05	TRUE	0.001577879	8		C
PCB 206	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.96619	1.859548	0	0.05	TRUE	0.001642307	8		C
PCB 209	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.60877	1.859548	0	0.05	TRUE	0.001919032	8		C



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 1 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis							EA-EST, Inc. PBC				
Analysis ID: 02-9121-2104		Endpoint: PCB 008			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:52		MD5 Hash: 61B6A6446B6F829C5A69B721843C7316			Editor ID:						
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:33		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 008 endpoint				2.50%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	23.6	1.86	0.0012	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.87	2.29	0.3839	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0005776		0.0005776		1	557	<1.0E-05	Significant Effect			
Error	0.0000083		1.038E-06		8						
Total	0.0005859				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.77	23.2	0.5950	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.872	0.741	0.1046	Normal Distribution			
PCB 008 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.048	0.0469	0.0491	0.0475	0.0475	0.0495	0.000387	1.80%	0.00%
AT3-098		5	0.0632	0.0618	0.0646	0.063	0.062	0.065	0.000515	1.82%	-31.67%
PCB 008 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0475	0.0475	0.0475	0.048	0.0495					
AT3-098		0.0635	0.062	0.063	0.0625	0.065					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 2 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 13-8217-6257		Endpoint: PCB 018					CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample					Status Level: 1				
Edit Date: 08 May-23 22:52		MD5 Hash: B6DA257F039B072D56B781E2EB20402F					Editor ID:				
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv					Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)					Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:33		Species: Nereis virens					Brine: Crystal Sea				
Test Length: 27d 23h		Taxon: Polychaeta					Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 018 endpoint				2.65%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.4	1.86	0.000925	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.97	2.29	0.2663	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003102		0.0003102		1	502	<1.0E-05	Significant Effect			
Error	4.947E-06		6.184E-07		8						
Total	0.0003152				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.91	23.2	0.5462	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.826	0.741	0.0299	Normal Distribution			
PCB 018 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0349	0.0341	0.0357	0.0345	0.0345	0.036	0.000292	1.87%	0.00%
AT3-098		5	0.046	0.0449	0.0472	0.0457	0.0453	0.0475	0.000403	1.96%	-31.92%
PCB 018 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0345	0.0345	0.0345	0.035	0.036					
AT3-098		0.0463	0.0453	0.0457	0.0455	0.0475					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 3 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis							EA-EST, Inc. PBC				
Analysis ID: 11-4561-0244		Endpoint: PCB 028			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:52		MD5 Hash: 13664154466A20434E89A621986E9962			Editor ID:						
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:33		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 028 endpoint				2.72%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.1	1.86	0.00161	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.01	2.29	0.2206	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0009120		0.0009120		1	486	<1.0E-05	Significant Effect			
Error	0.000015		1.875E-06		8						
Total	0.0009270				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.49	23.2	0.3988	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.871	0.741	0.1027	Normal Distribution			
PCB 028 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0593	0.058	0.0606	0.059	0.0585	0.061	0.000464	1.75%	0.00%
AT3-098		5	0.0784	0.0764	0.0804	0.0775	0.077	0.081	0.000731	2.09%	-32.21%
PCB 028 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.059	0.0585	0.0585	0.0595	0.061					
AT3-098		0.079	0.077	0.0775	0.0775	0.081					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 4 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 16-1112-5112		Endpoint: PCB 044				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:52		MD5 Hash: DAC288685AFDD8669A3AD481C61CFF0A				Editor ID:					
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:33		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 044 endpoint				2.63%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.7	1.86	0.00174	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.94	2.29	0.3039	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0011236		0.0011236		1	514	<1.0E-05	Significant Effect			
Error	0.0000175		2.188E-06		8						
Total	0.0011411				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.07	23.2	0.4983	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.861	0.741	0.0775	Normal Distribution			
PCB 044 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0661	0.0646	0.0676	0.0655	0.065	0.068	0.000534	1.81%	0.00%
AT3-098		5	0.0873	0.0852	0.0894	0.0865	0.086	0.09	0.000768	1.97%	-32.07%
PCB 044 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0655	0.065	0.0655	0.0665	0.068					
AT3-098		0.088	0.086	0.0865	0.086	0.09					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 5 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 13-3296-8099		Endpoint: PCB 052				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:57		Analysis: Nonparametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:52		MD5 Hash: 4F06858ACDBF3FEBC8FB08A155CDB556				Editor ID:					
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:33		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 052 endpoint				439.72%			
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8 15	---		0	Exact	0.0040	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.68	2.29	0.0004	Outlier Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0245421		0.0245421		1	1.29	0.2890	Non-Significant Effect			
Error	0.152273		0.0190342		8						
Total	0.176815				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				89600	23.2	<1.0E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.628	0.741	0.0001	Non-Normal Distribution			
PCB 052 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0369	0.0361	0.0377	0.0365	0.0365	0.038	0.000292	1.77%	0.00%
AT3-098		5	0.136	-0.106	0.378	0.0489	0.0478	0.485	0.0873	143.48%	-268.51%
PCB 052 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0365	0.0365	0.0365	0.037	0.038					
AT3-098		0.0489	0.0478	0.0482	0.485	0.05					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 6 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 11-5197-6838		Endpoint: PCB 066				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:52		MD5 Hash: 2771CE0EBE3C5FC800050268051CE78A				Editor ID:					
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:33		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 066 endpoint				2.56%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8 23	1.86		0.000889	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.03	2.29	0.2022	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003025		0.0003025		1	529	<1.0E-05	Significant Effect			
Error	4.575E-06		5.719E-07		8						
Total	0.0003071				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.52	23.2	0.3927	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.905	0.741	0.2468	Normal Distribution			
PCB 066 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0347	0.034	0.0354	0.0345	0.034	0.0355	0.000255	1.64%	0.00%
AT3-098		5	0.0457	0.0446	0.0468	0.0453	0.045	0.0472	0.000405	1.98%	-31.70%
PCB 066 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0345	0.034	0.0345	0.035	0.0355					
AT3-098		0.046	0.045	0.0453	0.0451	0.0472					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 7 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 18-8869-0510		Endpoint: PCB 101				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:52		MD5 Hash: C0B3241FC036EA10A26D5C76708DBA23				Editor ID:					
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:33		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 101 endpoint				2.73%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.9	1.86	0.00154	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.03	2.29	0.2090	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0008190		0.0008190		1	478	<1.0E-05	Significant Effect			
Error	0.0000137		1.713E-06		8						
Total	0.0008327				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.7	23.2	0.3588	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.906	0.741	0.2574	Normal Distribution			
PCB 101 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0564	0.0552	0.0576	0.056	0.0555	0.058	0.00043	1.71%	0.00%
AT3-098		5	0.0745	0.0725	0.0765	0.074	0.073	0.077	0.000707	2.12%	-32.09%
PCB 101 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.056	0.0555	0.056	0.0565	0.058					
AT3-098		0.075	0.073	0.074	0.0735	0.077					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 8 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis							EA-EST, Inc. PBC				
Analysis ID: 16-3802-4478		Endpoint: PCB 105			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:52		MD5 Hash: 1C1EFD20B2ADE9BFADCF7730003EED4			Editor ID:						
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:33		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp			Comparison Result					PMSD	
Untransformed		C < T			AT3-098 failed pcb 105 endpoint					3.06%	
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	7	19.9	1.89	0.00155	CDF	<1.0E-05	Significant Effect		
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		0.0005886		0.0005886		1	397	<1.0E-05	Significant Effect		
Error		1.039E-05		1.484E-06		7					
Total		0.000599				8					
ANOVA Assumptions Tests											
Attribute		Test				Test Stat	Critical	P-Value	Decision(α:1%)		
Variance		Variance Ratio F Test				2.99	24.3	0.3169	Equal Variances		
Distribution		Shapiro-Wilk W Normality Test				0.904	0.701	0.2792	Normal Distribution		
PCB 105 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0506	0.0495	0.0517	0.05	0.05	0.052	0.0004	1.77%	0.00%
AT3-098		4	0.0669	0.0644	0.0693	0.066	0.0655	0.069	0.000774	2.31%	-32.16%
PCB 105 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.05	0.05	0.05	0.051	0.052					
AT3-098		0.067	0.0655	---	0.066	0.069					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 9 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 00-9484-6417			Endpoint: PCB 118				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:57			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:52			MD5 Hash: 67AB8F66D4D401A34EA90AE797230695				Editor ID:				
Batch ID: 16-3825-9393			Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:33			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:33			Species: Nereis virens				Brine: Crystal Sea				
Test Length: 27d 23h			Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp	Comparison Result					PMSD			
Untransformed		C < T	AT3-098 failed pcb 118 endpoint					2.74%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.8	1.86	0.00146	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.04	2.29	0.1926	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0007396		0.0007396		1	477	<1.0E-05	Significant Effect			
Error	0.0000124		1.55E-06		8						
Total	0.000752				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.35	23.2	0.4279	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.858	0.741	0.0713	Normal Distribution			
PCB 118 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0534	0.0522	0.0546	0.053	0.0525	0.055	0.00043	1.80%	0.00%
AT3-098		5	0.0706	0.0688	0.0724	0.07	0.0695	0.073	0.00066	2.09%	-32.21%
PCB 118 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.053	0.0525	0.053	0.0535	0.055					
AT3-098		0.071	0.0695	0.07	0.0695	0.073					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 10 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis						EA-EST, Inc. PBC					
Analysis ID: 13-1827-6879		Endpoint: PCB 128				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:52		MD5 Hash: C3C4DC1056F0EFDEE07C5586D6C8947A				Editor ID:					
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:33		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 128 endpoint				2.63%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.6	1.86	0.00166	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute		Test			Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier		Grubbs Extreme Value Test			1.95	2.29	0.2878	No Outliers Detected			
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		0.0010201		0.0010201		1	510	<1.0E-05	Significant Effect		
Error		0.000016		0.000002		8					
Total		0.0010361				9					
ANOVA Assumptions Tests											
Attribute		Test			Test Stat	Critical	P-Value	Decision(α:1%)			
Variance		Variance Ratio F Test			2.02	23.2	0.5130	Equal Variances			
Distribution		Shapiro-Wilk W Normality Test			0.889	0.741	0.1636	Normal Distribution			
PCB 128 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0632	0.0618	0.0646	0.063	0.062	0.065	0.000515	1.82%	0.00%
AT3-098		5	0.0834	0.0814	0.0854	0.0825	0.082	0.086	0.000731	1.96%	-31.96%
PCB 128 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.063	0.062	0.0625	0.0635	0.065					
AT3-098		0.084	0.082	0.0825	0.0825	0.086					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 11 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 11-3728-5619		Endpoint: PCB 138				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:52		MD5 Hash: 399A7E177AF191AB1A826ABF483B5A30				Editor ID:					
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:33		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location		Lat/Long						
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed pcb 138 endpoint				159.44%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	0.463	1.86	0.527	CDF	0.3277	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.63	2.29	0.8415	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0431649		0.0431649		1	0.215	0.6554	Non-Significant Effect			
Error	1.60796		0.200995		8						
Total	1.65112				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				3.67	23.2	0.2361	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.865	0.741	0.0886	Normal Distribution			
PCB 138 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.331	-0.0337	0.695	0.361	0.04	0.714	0.131	88.75%	0.00%
AT3-098		5	0.462	-0.236	1.16	0.055	0.0525	1.15	0.251	121.62%	-39.73%
PCB 138 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.714	0.498	0.04	0.0405	0.361					
AT3-098		1	1.15	0.053	0.0525	0.055					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 12 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 20-6837-7661		Endpoint: PCB 153				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:52		MD5 Hash: 3A012973E699D509F4E0717A8201D7EA				Editor ID:					
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:33		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed pcb 153 endpoint				57.00%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	0.403	1.86	0.435	CDF	0.3489	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.14	2.29	0.1193	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0221841		0.0221841		1	0.162	0.6977	Non-Significant Effect			
Error	1.09455		0.136819		8						
Total	1.11673				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				8.7	23.2	0.0594	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.919	0.741	0.3498	Normal Distribution			
PCB 153 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.763	0.555	0.972	0.687	0.621	1.01	0.0751	22.01%	0.00%
AT3-098		5	0.857	0.242	1.47	0.843	0.11	1.48	0.222	57.78%	-12.34%
PCB 153 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.862	0.621	0.687	1.01	0.636					
AT3-098		1.04	1.48	0.843	0.11	0.814					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 13 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 12-6194-5314		Endpoint: PCB 170					CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample					Status Level: 1				
Edit Date: 08 May-23 22:52		MD5 Hash: 593B2980E4B846DF34D8D0F06EC55ED6					Editor ID:				
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv					Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)					Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:33		Species: Nereis virens					Brine: Crystal Sea				
Test Length: 27d 23h		Taxon: Polychaeta					Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 170 endpoint				2.70%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8 22		1.86	0.000836	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.92	2.29	0.3191	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0002455		0.0002455		1	485	<1.0E-05	Significant Effect			
Error	4.047E-06		5.059E-07		8						
Total	0.0002496				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.7	23.2	0.6206	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.846	0.741	0.0515	Normal Distribution			
PCB 170 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.031	0.0302	0.0318	0.031	0.0305	0.032	0.000274	1.98%	0.00%
AT3-098		5	0.0409	0.0399	0.0419	0.0406	0.0403	0.0422	0.000357	1.95%	-31.97%
PCB 170 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.031	0.0305	0.0305	0.031	0.032					
AT3-098		0.0412	0.0403	0.0406	0.0404	0.0422					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 14 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 05-3230-0024			Endpoint: PCB 180				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:57			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:52			MD5 Hash: A9C9E9D4AAD109F4274B61083402572B				Editor ID:				
Batch ID: 16-3825-9393			Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:33			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:33			Species: Nereis virens				Brine: Crystal Sea				
Test Length: 27d 23h			Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source			Station Location		Lat/Long				
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00			IOSN Reference						
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00			10 Stations at 4 Marinas Mu						
Data Transform		Alt Hyp			Comparison Result				PMSD		
Untransformed		C < T			AT3-098 failed pcb 180 endpoint				2.45%		
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	24.1	1.86	0.000778	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.12	2.29	0.1372	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0002540		0.0002540		1	580	<1.0E-05	Significant Effect			
Error	3.503E-06		4.379E-07		8						
Total	0.0002575				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				3.38	23.2	0.2653	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.877	0.741	0.1206	Normal Distribution			
PCB 180 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0318	0.0312	0.0324	0.0315	0.0315	0.0325	0.0002	1.41%	0.00%
AT3-098		5	0.0419	0.0409	0.0429	0.0415	0.0412	0.0432	0.000368	1.96%	-31.70%
PCB 180 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0315	0.0315	0.0315	0.032	0.0325					
AT3-098		0.0422	0.0412	0.0415	0.0414	0.0432					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 15 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 05-4569-7612			Endpoint: PCB 187				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:57			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:52			MD5 Hash: 6C8EB23E4DC7562EB7EC3DE2C74B3B7				Editor ID:				
Batch ID: 16-3825-9393			Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:33			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:33			Species: Nereis virens				Brine: Crystal Sea				
Test Length: 27d 23h			Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp	Comparison Result					PMSD			
Untransformed		C < T	AT3-098 failed pcb 187 endpoint					2.64%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.4	1.86	0.00121	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.97	2.29	0.2691	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0005256		0.0005256		1	501	<1.0E-05	Significant Effect			
Error	8.4E-06		1.05E-06		8						
Total	0.0005340				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.11	23.2	0.4871	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.852	0.741	0.0610	Normal Distribution			
PCB 187 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0456	0.0446	0.0466	0.0455	0.045	0.047	0.000367	1.80%	0.00%
AT3-098		5	0.0601	0.0586	0.0616	0.0595	0.059	0.062	0.000534	1.99%	-31.80%
PCB 187 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0455	0.045	0.045	0.0455	0.047					
AT3-098		0.0605	0.059	0.0595	0.0595	0.062					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 16 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 02-2598-3391		Endpoint: PCB 195				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:52		MD5 Hash: 98A1F3574672923967E356CB32D52988				Editor ID:					
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:33		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 195 endpoint				2.65%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.4	1.86	0.00158	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.9	2.29	0.3527	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0009025		0.0009025		1	501	<1.0E-05	Significant Effect			
Error	0.0000144		0.0000018		8						
Total	0.0009169				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.53	23.2	0.6920	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.821	0.741	0.0264	Normal Distribution			
PCB 195 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0596	0.0581	0.0611	0.059	0.0585	0.0615	0.000534	2.00%	0.00%
AT3-098		5	0.0786	0.0768	0.0804	0.078	0.0775	0.081	0.00066	1.88%	-31.88%
PCB 195 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.059	0.0585	0.059	0.06	0.0615					
AT3-098		0.079	0.0775	0.078	0.0775	0.081					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 17 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 03-1612-5429			Endpoint: PCB 206				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:57			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:52			MD5 Hash: 03526FED9E2B52E4C0A46B32B1EECF				Editor ID:				
Batch ID: 16-3825-9393			Test Type: Bioaccumulation - PCBs - Nv				Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:33			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:33			Species: Nereis virens				Brine: Crystal Sea				
Test Length: 27d 23h			Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 206 endpoint				2.70%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8 22		1.86	0.00164	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.13	2.29	0.1299	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0009409		0.0009409		1	483	<1.0E-05	Significant Effect			
Error	0.0000156		1.95E-06		8						
Total	0.0009565				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.63	23.2	0.3721	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.842	0.741	0.0462	Normal Distribution			
PCB 206 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0608	0.0595	0.0621	0.0605	0.06	0.0625	0.000464	1.71%	0.00%
AT3-098		5	0.0802	0.0781	0.0823	0.0795	0.079	0.083	0.000752	2.10%	-31.91%
PCB 206 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0605	0.06	0.06	0.061	0.0625					
AT3-098		0.0805	0.079	0.0795	0.079	0.083					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:58 (p 18 of 18)  
 Test Code/ID: TN-23-302NvPCB / 04-0924-3837

Bioaccumulation Evaluation - PCB Congeners - Nereis										EA-EST, Inc. PBC	
Analysis ID: 15-1840-5518		Endpoint: PCB 209					CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:57		Analysis: Parametric-Two Sample					Status Level: 1				
Edit Date: 08 May-23 22:52		MD5 Hash: B776423FBBBE4078D8289235BEA0F104					Editor ID:				
Batch ID: 16-3825-9393		Test Type: Bioaccumulation - PCBs - Nv					Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:33		Protocol: US ACE NED RIM (2004)					Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:33		Species: Nereis virens					Brine: Crystal Sea				
Test Length: 27d 23h		Taxon: Polychaeta					Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 209 endpoint				2.75%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.6	1.86	0.00192	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.95	2.29	0.2877	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0012432		0.0012432		1	467	<1.0E-05	Significant Effect			
Error	0.0000213		2.663E-06		8						
Total	0.0012645				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.73	23.2	0.6082	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.834	0.741	0.0372	Normal Distribution			
PCB 209 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0697	0.068	0.0714	0.069	0.0685	0.072	0.000624	2.00%	0.00%
AT3-098		5	0.092	0.0897	0.0943	0.091	0.0905	0.095	0.000822	2.00%	-31.99%
PCB 209 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.069	0.0685	0.069	0.07	0.072					
AT3-098		0.0925	0.0905	0.091	0.091	0.095					



## **ATTACHMENT VII**

*Nereis virens* 28-Day Solid Phase Bioaccumulation Testing  
Tissue Chemistry and Body Burden Statistical Analyses

Pesticides

(30 pages)



APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)

CONTAMINANT	REP1	REP2	Pre-Assay REP3	REP4 *	REP5 *
<b>Pesticides (ng/g wet weight)</b>					
Aldrin	0.0400 U	0.0411 U	0.0401 U		
cis-Chlordane	0.0860 U	0.0885 U	0.0865 U		
trans-Chlordane	0.0243 U	0.0250 U	0.0244 U		
cis-Nonachlor	0.0116 U	0.0119 U	0.0116 U		
trans-Nonachlor	0.0107 U	0.0110 U	0.0107 U		
Oxychlordane	0.0495 U	0.0510 U	0.0497 U		
Total Chlordanes	0.182	0.187	0.183		
4,4'-DDT	0.0158 U	0.0162 U	0.0158 U		
4,4'-DDD	6.38 P	3.49 P	0.0120 U		
4,4'-DDE	0.00730 U	0.00750 U	0.00730 U		
Total DDT	6.40	3.51	0.0351		
Dieldrin	0.0241 U	0.0248 U	0.0241 U		
alpha-Endosulfan	0.0220 U	0.0226 U	0.0221 U		
beta-Endosulfan	0.0114 U	0.0117 U	0.0114 U		
Endosulfans	0.0334	0.0343	0.0334		
Endrin	0.0131 U	0.0135 U	0.0132 U		
Heptachlor	0.0250 U	0.0257 U	0.0251 U		
Heptachlor epoxide	0.0515 U	0.0530 U	0.0515 U		
Hexachlorobenzene	0.215 U	0.221 U	0.216 U		
Lindane	0.0361 U	0.0371 U	0.0362 U		
Methoxychlor	0.0570 U	0.0585 U	0.0570 U		
Toxaphene	1.04 U	1.07 U	1.04 U		

\* = Qualifiers

U Analyte not detected; below Method Detection Limit; value is one-half the Method Detection Limit

J Analyte estimated; detection below Reporting Limit but above Method Detection Limit

NA Not Analyzed



APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)

CONTAMINANT	IOSN Reference				
	REP1	REP2	REP3	REP4	REP5
<b>Pesticides (ng/g wet weight)</b>					
Aldrin	0.0600 U	0.0595 U	0.0600 U	0.0605 U	0.0625 U
cis-Chlordane	0.130 U	0.129 U	0.130 U	0.131 U	0.135 U
trans-Chlordane	0.0365 U	0.0365 U	0.0365 U	0.0370 U	0.0380 U
cis-Nonachlor	0.0175 U	0.0175 U	0.0175 U	0.0175 U	0.0180 U
trans-Nonachlor	0.0160 U	0.0160 U	0.0160 U	0.0160 U	0.0165 U
Oxychlordane	0.0745 U	0.0740 U	0.0745 U	0.0755 U	0.0775 U
Total Chlordanes	0.275	0.273	0.274	0.277	0.285
4,4'-DDT	0.0235 U	0.0235 U	0.0235 U	0.0240 U	0.0245 U
4,4'-DDD	0.0180 U	0.0180 U	0.0180 U	0.0180 U	0.0190 U
4,4'-DDE	0.0110 U	0.0110 U	0.0110 U	0.0110 U	0.0115 U
Total DDT	0.0525	0.0525	0.0525	0.0530	0.0550
Dieldrin	0.0365 U	0.0360 U	0.0360 U	0.0365 U	0.0375 U
alpha-Endosulfan	0.0330 U	0.0330 U	0.0330 U	0.0335 U	0.0345 U
beta-Endosulfan	0.0170 U	0.0170 U	0.0170 U	0.0175 U	0.0180 U
Endosulfans	0.0500	0.0500	0.0500	0.0510	0.0525
Endrin	0.0200 U	0.0195 U	0.0195 U	0.0200 U	0.0205 U
Heptachlor	0.0375 U	0.0375 U	0.0375 U	0.0380 U	0.0390 U
Heptachlor epoxide	0.0775 U	0.0770 U	0.0770 U	0.0780 U	0.0805 U
Hexachlorobenzene	0.324 U	0.321 U	0.323 U	0.327 U	0.336 U
Lindane	0.0545 U	0.0540 U	0.0540 U	0.0550 U	0.0565 U
Methoxychlor	0.835 U	0.830 U	0.835 U	0.845 U	0.870 U
Toxaphene	1.57 U	1.55 U	1.56 U	1.58 U	1.63 U

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE WORM (*N. virens*)**

**10 Stations at 4 Marinas Mud**

CONTAMINANT	REP1	REP2	REP3	REP4	REP5
<b>Pesticides (ng/g wet weight)</b>					
Aldrin	0.0402 U	0.0393 U	0.0396 U	0.0395 U	0.0412 U
cis-Chlordane	0.0870 U	0.0850 U	0.0855 U	0.0850 U	0.0890 U
trans-Chlordane	0.0245 U	0.0239 U	0.0241 U	0.0240 U	0.0251 U
cis-Nonachlor	0.0117 U	0.0114 U	0.0115 U	0.0115 U	0.0120 U
trans-Nonachlor	0.0107 U	0.0105 U	0.0106 U	0.0105 U	0.0110 U
Oxychlordane	0.0499 U	0.0488 U	0.0491 U	0.0489 U	0.0510 U
Total Chlordanes	0.184	0.180	0.181	0.180	0.188
4,4'-DDT	0.0159 U	0.0155 U	0.0156 U	0.0156 U	0.0163 U
4,4'-DDD	0.545	1.02	0.934	0.488	0.336
4,4'-DDE	0.00735 U	0.00715 U	0.00720 U	0.00720 U	0.00750 U
Total DDT	0.568	1.04	0.957	0.511	0.360
Dieldrin	0.0242 U	0.0237 U	0.0239 U	0.0238 U	0.0249 U
alpha-Endosulfan	0.0221 U	0.0217 U	0.0218 U	0.0217 U	0.0227 U
beta-Endosulfan	0.0114 U	0.0112 U	0.0113 U	0.0112 U	0.0117 U
Endosulfans	0.0335	0.0328	0.0331	0.0329	0.0344
Endrin	0.0132 U	0.0129 U	0.0130 U	0.0130 U	0.0135 U
Heptachlor	0.0252 U	0.0246 U	0.0248 U	0.0247 U	0.0258 U
Heptachlor epoxide	0.0520 U	0.0505 U	0.0510 U	0.0510 U	0.0530 U
Hexachlorobenzene	0.217 U	0.212 U	0.214 U	0.213 U	0.222 U
Lindane	0.0364 U	0.0356 U	0.0358 U	0.0357 U	0.0373 U
Methoxychlor	0.0570 U	0.0560 U	0.0565 U	0.0560 U	0.0585 U
Toxaphene	1.05 U	1.02 U	1.03 U	1.03 U	1.07 U

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



# CETIS Test Data Worksheet

Report Date: 19 Aug-23 07:00 (p 1 of 1)

Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis																											EA-EST, Inc. PBC		
Start Date: 08 Mar-23 11:34			Species: Nereis virens										Sample Code: AT3-152																
End Date: 05 Apr-23 10:34			Protocol: US ACE NED RIM (2004)										Sample Source: Yachtsman Marina NAE-2004-00319																
Sample Date: 03 Mar-23			Material: Laboratory Control Sediment										Sample Station: Laboratory Control																
Sample	Rep	Pos	4-4'-DDD	4-4'-DDE	4-4'-DDT	aldrin	alpha-chlordane	alpha-BHC	beta-BHC	cis-Nonachlor	delta-BHC	Dieldrin	endosulfan I	endosulfan II	endrin	gamma-BHC (Lindane)	gamma-chlordane	heptachlor epoxide	heptachlor	hexachlorobenzene	Methoxychlor	oxychlordane	toxaphene	trans-nonachlor	2-4'-DDD	2-4'-DDE	2-4'-DDT	endosulfan sulfate	Total DDTs
OSN 2019	1	1	0.02	0.01	0.02	0.06	0.13			0.02		0.04	0.03	0.02	0.02	0.05	0.04	0.04	0.08	0.32	0.84	0.07	1.57	0.02					
OSN 2019	2	3	0.02	0.01	0.02	0.06	0.13			0.02		0.04	0.03	0.02	0.02	0.05	0.04	0.04	0.08	0.32	0.83	0.07	1.55	0.02					
OSN 2019	3	6	0.02	0.01	0.02	0.06	0.13			0.02		0.04	0.03	0.02	0.02	0.05	0.04	0.04	0.08	0.32	0.84	0.07	1.56	0.02					
OSN 2019	4	8	0.02	0.01	0.02	0.06	0.13			0.02		0.04	0.03	0.02	0.02	0.06	0.04	0.04	0.08	0.33	0.85	0.08	1.58	0.02					
OSN 2019	5	10	0.02	0.01	0.02	0.06	0.14			0.02		0.04	0.03	0.02	0.02	0.06	0.04	0.04	0.08	0.34	0.87	0.08	1.63	0.02					
AT3-098	1	2	0.55	0.007	0.02	0.04	0.09	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.01	0.04	0.02	0.03	0.05	0.22	0.06	0.05	1.05	0.01					
AT3-098	2	4	1.02	0.007	0.02	0.04	0.09	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.01	0.04	0.02	0.02	0.05	0.21	0.06	0.05	1.02	0.01					
AT3-098	3	5	0.93	0.007	0.02	0.04	0.09	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.01	0.04	0.02	0.02	0.05	0.21	0.06	0.05	1.03	0.01					
AT3-098	4	7	0.49	0.007	0.02	0.04	0.09	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.01	0.04	0.02	0.02	0.05	0.21	0.06	0.05	1.03	0.01					
AT3-098	5	9	0.34	0.008	0.02	0.04	0.09	0.03	0.02	0.01	0.02	0.02	0.02	0.01	0.01	0.04	0.03	0.03	0.05	0.22	0.06	0.05	1.07	0.01					



# CETIS Summary Report

Report Date: 19 Aug-23 07:00 (p 1 of 5)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

## Bioaccumulation Evaluation - Pesticides - Nereis

EA-EST, Inc. PBC

<b>Batch ID:</b> 08-2970-4074	<b>Test Type:</b> Bioaccumulation - Pesticides	<b>Analyst:</b> Nancy Roka
<b>Start Date:</b> 08 Mar-23 11:34	<b>Protocol:</b> US ACE NED RIM (2004)	<b>Diluent:</b> Not Applicable
<b>Ending Date:</b> 05 Apr-23 10:34	<b>Species:</b> Nereis virens	<b>Brine:</b> Crystal Sea
<b>Test Length:</b> 27d 23h	<b>Taxon:</b> Polychaeta	<b>Source:</b> ARO - Aquatic Research Or Age:

<b>Sample ID:</b> 11-9755-1044	<b>Code:</b> AT3-152	<b>Project:</b> Dredged Sediment Evaluation
<b>Sample Date:</b> 03 Mar-23	<b>Material:</b> Laboratory Control Sediment	<b>Source:</b> Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b> 03 Mar-23 12:30	<b>CAS (PC):</b>	<b>Station:</b> Laboratory Control
<b>Sample Age:</b> 5d 12h	<b>Client:</b> Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

Single Comparison Summary					
Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
14-0552-7923	4-4'-DDD	Unequal Variance t Two-Sample Test	0.0041	AT3-098 failed 4-4'-ddd	1
14-6121-4079	4-4'-DDE	Wilcoxon Rank Sum Two-Sample Test	1.0000	AT3-098 passed 4-4'-dde	1
19-2680-5750	4-4'-DDT	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed 4-4'-ddt	1
13-5698-3625	aldrin	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed aldrin	1
11-2031-6586	alpha chlordane	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed alpha chlordane	1
13-9152-9887	cis-Nonachlor	Wilcoxon Rank Sum Two-Sample Test	1.0000	AT3-098 passed cis-nonachlor	1
06-0623-3039	Dieldrin	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed dieldrin	1
02-3083-2662	endosulfan I	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed endosulfan i	1
02-6532-5065	endosulfan II	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed endosulfan ii	1
07-0975-2842	endrin	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed endrin	1
19-3319-1425	gamma-BHC (Lindane)	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed gamma-bhc (lindane)	1
06-4006-7514	gamma-chlordane	Wilcoxon Rank Sum Two-Sample Test	1.0000	AT3-098 passed gamma-chlordane	1
11-6127-2344	heptachlor	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed heptachlor	1
03-5485-6177	heptachlor epoxide	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed heptachlor epoxide	1
02-5060-6268	hexachlorobenzene	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed hexachlorobenzene	1
19-5233-4682	Methoxychlor	Unequal Variance t Two-Sample Test	1.0000	AT3-098 passed methoxychlor	1
17-5795-8568	Methoxychlor	Wilcoxon Rank Sum Two-Sample Test	1.0000	AT3-098 passed methoxychlor	1
05-2281-2806	oxychlordane	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed oxychlordane	1
01-2624-1676	toxaphene	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed toxaphene	1
02-9910-1821	trans-nonachlor	Wilcoxon Rank Sum Two-Sample Test	1.0000	AT3-098 passed trans-nonachlor	1



# CETIS Summary Report

Report Date: 19 Aug-23 07:00 (p 2 of 5)  
Test Code/ID: TN-23-302NvPest / 04-3042-6729

## Bioaccumulation Evaluation - Pesticides - Nereis

EA-EST, Inc. PBC

4-4'-DDD Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0182	0.0176	0.0188	0.018	0.019	0.0002	0.000447	2.46%	0.00%
AT3-098		5	0.665	0.296	1.03	0.336	1.02	0.133	0.297	44.66%	-3551.65
4-4'-DDE Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0111	0.0108	0.0114	0.011	0.0115	0.0001	0.000224	2.01%	0.00%
AT3-098		5	0.00728	0.0071	0.00746	0.00715	0.0075	0.0000644	0.000144	1.98%	34.41%
4-4'-DDT Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0238	0.0232	0.0244	0.0235	0.0245	0.0002	0.000447	1.88%	0.00%
AT3-098		5	0.0157	0.0154	0.0161	0.0155	0.0162	0.000139	0.00031	1.97%	33.82%
aldrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0605	0.059	0.062	0.0595	0.0625	0.000524	0.00117	1.94%	0.00%
AT3-098		5	0.0399	0.039	0.0409	0.0393	0.0412	0.000348	0.000778	1.95%	33.97%
alpha chlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.131	0.128	0.134	0.129	0.135	0.00108	0.00241	1.84%	0.00%
AT3-098		5	0.0863	0.0842	0.0884	0.085	0.089	0.000768	0.00172	1.99%	34.07%
cis-Nonachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0176	0.0173	0.0179	0.0175	0.018	0.0001	0.000224	1.27%	0.00%
AT3-098		5	0.0116	0.0113	0.0119	0.0114	0.012	0.000101	0.000226	1.95%	34.09%
Dieldrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0365	0.0357	0.0373	0.036	0.0375	0.000274	0.000612	1.68%	0.00%
AT3-098		5	0.0241	0.0235	0.0247	0.0237	0.0248	0.000214	0.000478	1.98%	34.05%
endosulfan I Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0334	0.0326	0.0342	0.033	0.0345	0.000292	0.000652	1.95%	0.00%
AT3-098		5	0.022	0.0215	0.0225	0.0216	0.0227	0.000194	0.000434	1.97%	34.16%
endosulfan II Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0173	0.0167	0.0179	0.017	0.018	0.0002	0.000447	2.59%	0.00%
AT3-098		5	0.0113	0.0111	0.0116	0.0111	0.0117	0.0000992	0.000222	1.96%	34.45%
endrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0199	0.0194	0.0204	0.0195	0.0205	0.000187	0.000418	2.10%	0.00%
AT3-098		5	0.0131	0.0128	0.0134	0.0129	0.0135	0.00011	0.000246	1.88%	34.12%
gamma-BHC (Lindane) Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0548	0.0535	0.0561	0.054	0.0565	0.000464	0.00104	1.89%	5.20%
AT3-098		5	0.0361	0.0352	0.037	0.0355	0.0373	0.000314	0.000703	1.95%	3.49%



# CETIS Summary Report

Report Date: 19 Aug-23 07:00 (p 3 of 5)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

## Bioaccumulation Evaluation - Pesticides - Nereis

EA-EST, Inc. PBC

gamma-chlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0369	0.0361	0.0377	0.0365	0.038	0.000292	0.000652	1.77%	3.56%
AT3-098		5	0.0243	0.0237	0.0249	0.0239	0.025	0.000209	0.000468	1.92%	2.37%
heptachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0379	0.0371	0.0387	0.0375	0.039	0.000292	0.000652	1.72%	0.00%
AT3-098		5	0.025	0.0244	0.0256	0.0246	0.0258	0.00022	0.000492	1.97%	33.98%
heptachlor epoxide Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.078	0.0762	0.0798	0.077	0.0805	0.000652	0.00146	1.87%	0.00%
AT3-098		5	0.0515	0.0503	0.0527	0.0505	0.053	0.000447	0.001	1.94%	33.97%
hexachlorobenzene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.326	0.319	0.334	0.321	0.336	0.00267	0.00596	1.83%	0.00%
AT3-098		5	0.215	0.21	0.22	0.212	0.222	0.00189	0.00424	1.97%	34.01%
Methoxychlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.843	0.823	0.863	0.83	0.87	0.00718	0.016	1.90%	0.00%
AT3-098		5	0.0568	0.0555	0.0581	0.056	0.0585	0.000464	0.00104	1.83%	93.26%
oxychlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0752	0.0735	0.0769	0.074	0.0775	0.000624	0.0014	1.86%	0.00%
AT3-098		5	0.0495	0.0484	0.0507	0.0487	0.051	0.000416	0.000929	1.88%	34.15%
toxaphene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	1.58	1.54	1.61	1.55	1.63	0.0132	0.0295	1.87%	0.00%
AT3-098		5	1.04	1.01	1.06	1.02	1.07	0.00903	0.0202	1.94%	34.14%
trans-nonachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0161	0.0158	0.0164	0.016	0.0165	0.0001	0.000224	1.39%	0.00%
AT3-098		5	0.0106	0.0104	0.0109	0.0104	0.011	0.0000992	0.000222	2.09%	33.91%



# CETIS Summary Report

Report Date: 19 Aug-23 07:00 (p 4 of 5)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

## Bioaccumulation Evaluation - Pesticides - Nereis

EA-EST, Inc. PBC

<b>4-4'-DDD Detail</b>							MD5: 3AC2F24637BB4B91C14DF8039C1C2CD6
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.018	0.018	0.018	0.018	0.019	
AT3-098		0.545	1.02	0.934	0.488	0.336	
<b>4-4'-DDE Detail</b>							MD5: 84E3C18EA1D182D890C2937CB78D64AB
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.011	0.011	0.011	0.011	0.0115	
AT3-098		0.00735	0.00715	0.0072	0.0072	0.0075	
<b>4-4'-DDT Detail</b>							MD5: B6AB72835EA8F5FD1C1DB81ACC073EDB
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0235	0.0235	0.0235	0.024	0.0245	
AT3-098		0.0159	0.0155	0.0156	0.0155	0.0162	
<b>aldrin Detail</b>							MD5: 4679F2E9C684641004BB74E92D0F039E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.06	0.0595	0.06	0.0605	0.0625	
AT3-098		0.0402	0.0393	0.0396	0.0395	0.0412	
<b>alpha chlordane Detail</b>							MD5: CC2ADF7117E500C15BD9DA5DD158D663
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.13	0.129	0.13	0.131	0.135	
AT3-098		0.087	0.085	0.0855	0.085	0.089	
<b>cis-Nonachlor Detail</b>							MD5: F48BAD9D55CDAFA5A98435658706EC3E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0175	0.0175	0.0175	0.0175	0.018	
AT3-098		0.0117	0.0114	0.0115	0.0115	0.012	
<b>Dieldrin Detail</b>							MD5: 100664800AE1E04003B6578BDFD32221
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0365	0.036	0.036	0.0365	0.0375	
AT3-098		0.0242	0.0237	0.0238	0.0237	0.0248	
<b>endosulfan I Detail</b>							MD5: 6F87B91E6641DEEFABEB5CD93E1AC3A4
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.033	0.033	0.033	0.0335	0.0345	
AT3-098		0.0221	0.0216	0.0218	0.0217	0.0227	
<b>endosulfan II Detail</b>							MD5: 3239C6E4B7D89C5811C9339447AF03BD
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.017	0.017	0.017	0.0175	0.018	
AT3-098		0.0114	0.0111	0.0113	0.0112	0.0117	
<b>endrin Detail</b>							MD5: A0D2C6B4F9ECDCA13F956098900D5B9E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.02	0.0195	0.0195	0.02	0.0205	
AT3-098		0.0132	0.0129	0.013	0.013	0.0135	
<b>gamma-BHC (Lindane) Detail</b>							MD5: 614F84BF6F415E980BF132BF85F8F69F
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0545	0.054	0.054	0.055	0.0565	
AT3-098		0.0364	0.0355	0.0358	0.0356	0.0373	



# CETIS Summary Report

Report Date: 19 Aug-23 07:00 (p 5 of 5)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

## Bioaccumulation Evaluation - Pesticides - Nereis

EA-EST, Inc. PBC

<b>gamma-chlordane Detail</b>							MD5: 3034683ECBB3B1BCF6404B54278E622E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0365	0.0365	0.0365	0.037	0.038	
AT3-098		0.0245	0.0239	0.0241	0.024	0.025	
<b>heptachlor Detail</b>							MD5: 3B9E0CBD8C081E007766E0A2EC3C44A5
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0375	0.0375	0.0375	0.038	0.039	
AT3-098		0.0252	0.0246	0.0248	0.0247	0.0258	
<b>heptachlor epoxide Detail</b>							MD5: 13E302DC0DDE68B162D75B92B20650EF
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0775	0.077	0.077	0.078	0.0805	
AT3-098		0.052	0.0505	0.051	0.051	0.053	
<b>hexachlorobenzene Detail</b>							MD5: E1BBBA742E57DE5AD07AD219A57FDBF8
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.324	0.321	0.322	0.327	0.336	
AT3-098		0.216	0.212	0.213	0.213	0.222	
<b>Methoxychlor Detail</b>							MD5: 955BF3943188CA3B8CA50ED459DEDBD1
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.835	0.83	0.835	0.845	0.87	
AT3-098		0.057	0.056	0.0565	0.056	0.0585	
<b>oxychlordan Detail</b>							MD5: E6FB14D92CF4B671D06426A3C27C4B4E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0745	0.074	0.0745	0.0755	0.0775	
AT3-098		0.0498	0.0487	0.0491	0.0489	0.051	
<b>toxaphene Detail</b>							MD5: C865FEEA96D68486D2D8D5F0A836A757
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	1.57	1.55	1.56	1.58	1.63	
AT3-098		1.04	1.02	1.03	1.02	1.07	
<b>trans-nonachlor Detail</b>							MD5: 794A571E5B6F9708107F5CDABCC8729A
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.016	0.016	0.016	0.016	0.0165	
AT3-098		0.0107	0.0104	0.0105	0.0105	0.011	



**STUDY: TN-23-302**  
**CLIENT: Eco-Analysts, Inc.**  
**PROJECT: Yachtsman Marina, Kennebunkport, ME NAE-2004-00319**  
**ASSAY: *N. virens* 28-day Bioaccumulation Evaluation**  
**TASK: Statistical Analysis of Body Burden Pesticides**

Endpoint	Method	C	<	T	Statistic	Critical	P Level	Alpha	Reject Null	MSD	DF	Ties	P-Type
4-4'-DDD	Unequal Variance t Two-Sample Test	IOSN	<	Comp	4.869961	2.131847	0.00410996	0.05	TRUE	0.2829644	4		C
4-4'-DDE	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	40		1	0.05	FALSE		8	0	E
4-4'-DDT	Equal Variance t Two-Sample Test	IOSN	<	Comp	-33.07133	1.859548	1	0.05	FALSE	0.000452639	8		C
aldrin	Equal Variance t Two-Sample Test	IOSN	<	Comp	-32.65609	1.859548	1	0.05	FALSE	0.001170186	8		C
alpha chlordane	Equal Variance t Two-Sample Test	IOSN	<	Comp	-33.7144	1.859548	1	0.05	FALSE	0.002459953	8		C
cis-Nonachlor	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	40		1	0.05	FALSE		8	0	E
Dieldrin	Equal Variance t Two-Sample Test	IOSN	<	Comp	-35.78549	1.859548	1	0.05	FALSE	0.000645909	8		C
endosulfan I	Equal Variance t Two-Sample Test	IOSN	<	Comp	-32.5867	1.859548	1	0.05	FALSE	0.000651107	8		C
endosulfan II	Equal Variance t Two-Sample Test	IOSN	<	Comp	-26.69404	1.859548	1	0.05	FALSE	0.000415183	8		C
endrin	Equal Variance t Two-Sample Test	IOSN	<	Comp	-31.28667	1.859548	1	0.05	FALSE	0.000403569	8		C
gamma-BHC (Lindane)	Equal Variance t Two-Sample Test	IOSN	<	Comp	-33.34121	1.859548	1	0.05	FALSE	0.001041845	8		C
gamma-chlordane	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	40		1	0.05	FALSE		8	0	E
heptachlor	Equal Variance t Two-Sample Test	IOSN	<	Comp	-35.26453	1.859548	1	0.05	FALSE	0.000679181	8		C
heptachlor epoxide	Equal Variance t Two-Sample Test	IOSN	<	Comp	-33.52015	1.859548	1	0.05	FALSE	0.001470102	8		C
hexachlorobenzene	Equal Variance t Two-Sample Test	IOSN	<	Comp	-33.90313	1.859548	1	0.05	FALSE	0.006082738	8		C
Methoxychlor	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	40		1	0.05	FALSE		8	0	E
Methoxychlor	Unequal Variance t Two-Sample Test	IOSN	<	Comp	-245.1282	2.353364	1	0.05	FALSE	0.007483141	3		C
oxychlordane	Equal Variance t Two-Sample Test	IOSN	<	Comp	-34.23545	1.859548	1	0.05	FALSE	0.001394846	8		C
toxaphene	Equal Variance t Two-Sample Test	IOSN	<	Comp	-33.69084	1.859548	1	0.05	FALSE	0.02969462	8		C
trans-nonachlor	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	40		1	0.05	FALSE		8	0	E



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 1 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC					
<b>Analysis ID:</b>	14-0552-7923		<b>Endpoint:</b>	4-4'-DDD		<b>CETIS Version:</b>	CETISv2.1.1					
<b>Analyzed:</b>	19 Aug-23 6:59		<b>Analysis:</b>	Parametric-Two Sample		<b>Status Level:</b>	1					
<b>Edit Date:</b>	08 May-23 22:53		<b>MD5 Hash:</b>	8C3CE0F0C4CCA1BDD1003605E13CEE5		<b>Editor ID:</b>						
<b>Batch ID:</b>	08-2970-4074		<b>Test Type:</b>	Bioaccumulation - Pesticides		<b>Analyst:</b>	Nancy Roka					
<b>Start Date:</b>	08 Mar-23 11:34		<b>Protocol:</b>	US ACE NED RIM (2004)		<b>Diluent:</b>	Not Applicable					
<b>Ending Date:</b>	05 Apr-23 10:34		<b>Species:</b>	Nereis virens		<b>Brine:</b>	Crystal Sea					
<b>Test Length:</b>	27d 23h		<b>Taxon:</b>	Polychaeta		<b>Source:</b>	ARO - Aquatic Research Or Age:					
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>						
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu						
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h								
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>								
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference									
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu									
<b>Data Transform</b>	<b>Alt Hyp</b>	<b>Comparison Result</b>				<b>PMSD</b>						
Untransformed	C < T	AT3-098 failed 4-4'-ddd endpoint				1554.75%						
<b>Unequal Variance t Two-Sample Test</b>												
<b>Sample I</b>	<b>vs</b>	<b>Sample II</b>	<b>df</b>	<b>Test Stat</b>	<b>Critical</b>	<b>MSD</b>	<b>P-Type</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>			
Reference Sed		AT3-098*	4	4.87	2.13	0.283	CDF	0.0041	Significant Effect			
<b>Auxiliary Tests</b>												
<b>Attribute</b>	<b>Test</b>				<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>				
Outlier	Grubbs Extreme Value Test				1.8	2.29	0.5037	No Outliers Detected				
<b>ANOVA Table</b>												
<b>Source</b>	<b>Sum Squares</b>	<b>Mean Square</b>	<b>DF</b>	<b>F Stat</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>						
Between	1.04458	1.04458	1	23.7	0.0012	Significant Effect						
Error	0.352356	0.0440445	8									
Total	1.39694		9									
<b>ANOVA Assumptions Tests</b>												
<b>Attribute</b>	<b>Test</b>				<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:1%)</b>				
Variance	Variance Ratio F Test				440000	23.2	<1.0E-05	Unequal Variances				
Distribution	Shapiro-Wilk W Normality Test				0.906	0.741	0.2534	Normal Distribution				
<b>4-4'-DDD Summary</b>												
<b>Sample</b>	<b>Code</b>	<b>Count</b>	<b>Mean</b>	<b>95% LCL</b>	<b>95% UCL</b>	<b>Median</b>	<b>Min</b>	<b>Max</b>	<b>Std Err</b>	<b>CV%</b>	<b>%Effect</b>	
IOSN 2019	RS	5	0.0182	0.0176	0.0188	0.018	0.018	0.019	0.0002	2.46%	0.00%	
AT3-098		5	0.665	0.296	1.03	0.545	0.336	1.02	0.133	44.66%	-3551.65%	
<b>4-4'-DDD Detail</b>												
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>						
IOSN 2019	RS	0.018	0.018	0.018	0.018	0.019						
AT3-098		0.545	1.02	0.934	0.488	0.336						



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 2 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis										EA-EST, Inc. PBC	
Analysis ID: 14-6121-4079		Endpoint: 4-4'-DDE					CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:59		Analysis: Nonparametric-Two Sample					Status Level: 1				
Edit Date: 08 May-23 22:53		MD5 Hash: 23EEA41834C09139D6F093DA3ED4CFA2					Editor ID:				
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides					Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)					Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:34		Species: Nereis virens					Brine: Crystal Sea				
Test Length: 27d 23h		Taxon: Polychaeta					Source: ARO - Aquatic Research Or		Age:		
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name		Project				
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.		Dredged Sediment Evalu				
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp			Comparison Result			PMSD			
Untransformed		C < T			AT3-098 passed 4-4'-dde endpoint			1.99%			
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	40	---	0	Exact	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.26	2.29	0.0625	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	3.648E-05		3.648E-05		1	1030	<1.0E-05	Significant Effect			
Error	2.83E-07		3.538E-08		8						
Total	3.676E-05				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.41	23.2	0.4152	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.712	0.741	0.0012	Non-Normal Distribution			
4-4'-DDE Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0111	0.0108	0.0114	0.011	0.011	0.0115	0.0001	2.01%	0.00%
AT3-098		5	0.00728	0.0071	0.00746	0.0072	0.00715	0.0075	0.0000644	1.98%	34.41%
4-4'-DDE Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.011	0.011	0.011	0.011	0.0115					
AT3-098		0.00735	0.00715	0.0072	0.0072	0.0075					



# CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 3 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis						EA-EST, Inc. PBC					
Analysis ID: 19-2680-5750		Endpoint: 4-4'-DDT				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:53		MD5 Hash: 9D8A85229143661C7BED30254A154562				Editor ID:					
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:34		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed 4-4'-ddt endpoint				1.90%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-33.1	1.86	0.000453	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.93	2.29	0.3125	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0001620		0.0001620		1	1090	<1.0E-05	Significant Effect			
Error	1.185E-06		1.481E-07		8						
Total	0.0001632				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.08	23.2	0.4962	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.825	0.741	0.0295	Normal Distribution			
4-4'-DDT Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0238	0.0232	0.0244	0.0235	0.0235	0.0245	0.0002	1.88%	0.00%
AT3-098		5	0.0157	0.0154	0.0161	0.0156	0.0155	0.0163	0.000139	1.97%	33.82%
4-4'-DDT Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0235	0.0235	0.0235	0.024	0.0245					
AT3-098		0.0159	0.0155	0.0156	0.0156	0.0163					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 4 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC				
Analysis ID: 13-5698-3625		Endpoint: aldrin			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:53		MD5 Hash: 6ED9C12523B01552897D499768FD1B54			Editor ID:						
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:34		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed aldrin endpoint				1.93%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-32.7	1.86	0.00117	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.13	2.29	0.1264	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0010558		0.0010558		1	1070	<1.0E-05	Significant Effect			
Error	7.92E-06		9.9E-07		8						
Total	0.0010637				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.27	23.2	0.4461	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.837	0.741	0.0404	Normal Distribution			
aldrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0605	0.059	0.062	0.06	0.0595	0.0625	0.000524	1.94%	0.00%
AT3-098		5	0.0399	0.039	0.0409	0.0396	0.0393	0.0412	0.000348	1.95%	33.97%
aldrin Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.06	0.0595	0.06	0.0605	0.0625					
AT3-098		0.0402	0.0393	0.0396	0.0395	0.0412					



# CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 5 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC				
Analysis ID: 11-2031-6586		Endpoint: alpha chlordane			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:53		MD5 Hash: 6CF43D826CA35FAC795C430CBAF6E77B			Editor ID:						
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:34		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed alpha chlordane endpoint				1.88%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-33.7	1.86	0.00246	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.08	2.29	0.1642	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0049729		0.0049729		1	1140	<1.0E-05	Significant Effect			
Error	3.500E-05		4.375E-06		8						
Total	0.0050079				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.97	23.2	0.5287	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.832	0.741	0.0352	Normal Distribution			
alpha chlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.131	0.128	0.134	0.13	0.129	0.135	0.00108	1.84%	0.00%
AT3-098		5	0.0863	0.0842	0.0884	0.0855	0.085	0.089	0.000768	1.99%	34.07%
alpha chlordane Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.13	0.129	0.13	0.131	0.135					
AT3-098		0.087	0.085	0.0855	0.085	0.089					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 6 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis										EA-EST, Inc. PBC	
Analysis ID: 13-9152-9887		Endpoint: cis-Nonachlor					CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:59		Analysis: Nonparametric-Two Sample					Status Level: 1				
Edit Date: 08 May-23 22:53		MD5 Hash: 9365490B4EAD5D4DD63B353AD2D36FC					Editor ID:				
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides					Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)					Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:34		Species: Nereis virens					Brine: Crystal Sea				
Test Length: 27d 23h		Taxon: Polychaeta					Source: ARO - Aquatic Research Or		Age:		
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name		Project				
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.		Dredged Sediment Evalu				
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed cis-nonachlor endpoint				1.50%			
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8 40		---	0	Exact	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.89	2.29	0.3684	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.00009		0.00009		1	1780	<1.0E-05	Significant Effect			
Error	4.05E-07		5.062E-08		8						
Total	9.041E-05				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.03	23.2	0.9815	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.751	0.741	0.0037	Non-Normal Distribution			
cis-Nonachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0176	0.0173	0.0179	0.0175	0.0175	0.018	0.0001	1.27%	0.00%
AT3-098		5	0.0116	0.0113	0.0119	0.0115	0.0114	0.012	0.000101	1.95%	34.09%
cis-Nonachlor Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0175	0.0175	0.0175	0.0175	0.018					
AT3-098		0.0117	0.0114	0.0115	0.0115	0.012					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 7 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC				
Analysis ID: 06-0623-3039		Endpoint: Dieldrin			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:53		MD5 Hash: EFD8EC3403EDF502938D0D611892227E			Editor ID:						
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:34		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp		Comparison Result		PMSD					
Untransformed		C < T		AT3-098 passed dieldrin endpoint		1.77%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-35.8	1.86	0.000646	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test					Test Stat	Critical	P-Value	Decision(α:5%)		
Outlier	Grubbs Extreme Value Test					1.93	2.29	0.3099	No Outliers Detected		
ANOVA Table											
Source	Sum Squares		Mean Square			DF	F Stat	P-Value	Decision(α:5%)		
Between	0.0003863		0.0003863			1	1280	<1.0E-05	Significant Effect		
Error	2.413E-06		3.016E-07			8					
Total	0.0003887					9					
ANOVA Assumptions Tests											
Attribute	Test					Test Stat	Critical	P-Value	Decision(α:1%)		
Variance	Variance Ratio F Test					1.64	23.2	0.6423	Equal Variances		
Distribution	Shapiro-Wilk W Normality Test					0.856	0.741	0.0679	Normal Distribution		
Dieldrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0365	0.0357	0.0373	0.0365	0.036	0.0375	0.000274	1.68%	0.00%
AT3-098		5	0.0241	0.0235	0.0247	0.0239	0.0237	0.0249	0.000214	1.98%	34.05%
Dieldrin Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0365	0.036	0.036	0.0365	0.0375					
AT3-098		0.0242	0.0237	0.0239	0.0238	0.0249					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 8 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC				
Analysis ID: 02-3083-2662		Endpoint: endosulfan I			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:53		MD5 Hash: 3C4B97B68CF3AFAB4CC93CC593BED15			Editor ID:						
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:34		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed endosulfan i endpoint				1.95%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-32.6	1.86	0.000651	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.11	2.29	0.1431	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003255		0.0003255		1	1060	<1.0E-05	Significant Effect			
Error	2.452E-06		3.065E-07		8						
Total	0.0003279				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.26	23.2	0.4490	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.791	0.741	0.0114	Normal Distribution			
endosulfan I Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0334	0.0326	0.0342	0.033	0.033	0.0345	0.000292	1.95%	0.00%
AT3-098		5	0.022	0.0215	0.0225	0.0218	0.0217	0.0227	0.000194	1.97%	34.16%
endosulfan I Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.033	0.033	0.033	0.0335	0.0345					
AT3-098		0.0221	0.0217	0.0218	0.0217	0.0227					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 9 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis										EA-EST, Inc. PBC	
Analysis ID: 02-6532-5065			Endpoint: endosulfan II				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:59			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:53			MD5 Hash: 6B36FC0525BD64452BBAF680016AD88A				Editor ID:				
Batch ID: 08-2970-4074			Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:34			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:34			Species: Nereis virens				Brine: Crystal Sea				
Test Length: 27d 23h			Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed endosulfan ii endpoint				2.40%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-26.7	1.86	0.000415	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.1	2.29	0.1461	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	8.880E-05		8.880E-05		1	713	<1.0E-05	Significant Effect			
Error	9.97E-07		1.246E-07		8						
Total	8.980E-05				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				4.06	23.2	0.2034	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.869	0.741	0.0969	Normal Distribution			
endosulfan II Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0173	0.0167	0.0179	0.017	0.017	0.018	0.0002	2.58%	0.00%
AT3-098		5	0.0113	0.0111	0.0116	0.0113	0.0112	0.0117	0.0000992	1.96%	34.45%
endosulfan II Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.017	0.017	0.017	0.0175	0.018					
AT3-098		0.0114	0.0112	0.0113	0.0112	0.0117					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 10 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC				
Analysis ID: 07-0975-2842		Endpoint: endrin			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:53		MD5 Hash: DD2B453810318B599B9112113D055D16			Editor ID:						
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:34		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed endrin endpoint				2.03%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-31.3	1.86	0.000404	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.85	2.29	0.4121	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0001153		0.0001153		1	979	<1.0E-05	Significant Effect			
Error	9.42E-07		1.178E-07		8						
Total	0.0001162				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.89	23.2	0.3282	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.938	0.741	0.5309	Normal Distribution			
endrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0199	0.0194	0.0204	0.02	0.0195	0.0205	0.000187	2.10%	0.00%
AT3-098		5	0.0131	0.0128	0.0134	0.013	0.0129	0.0135	0.00011	1.88%	34.12%
endrin Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.02	0.0195	0.0195	0.02	0.0205					
AT3-098		0.0132	0.0129	0.013	0.013	0.0135					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 11 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC				
Analysis ID:	19-3319-1425		Endpoint:	gamma-BHC (Lindane)			CETIS Version:	CETISv2.1.1			
Analyzed:	19 Aug-23 6:59		Analysis:	Parametric-Two Sample			Status Level:	1			
Edit Date:	08 May-23 22:53		MD5 Hash:	83FF9521D24657BBB17A2BEF9E2053FA			Editor ID:				
Batch ID:	08-2970-4074		Test Type:	Bioaccumulation - Pesticides			Analyst:	Nancy Roka			
Start Date:	08 Mar-23 11:34		Protocol:	US ACE NED RIM (2004)			Diluent:	Not Applicable			
Ending Date:	05 Apr-23 10:34		Species:	Nereis virens			Brine:	Crystal Sea			
Test Length:	27d 23h		Taxon:	Polychaeta			Source:	ARO - Aquatic Research Or Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed gamma-bhc (lindane) endpoint				1.90%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-33.3	1.86	0.00104	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.04	2.29	0.2007	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0008724		0.0008724		1	1110	<1.0E-05	Significant Effect			
Error	6.278E-06		7.848E-07		8						
Total	0.0008786				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.17	23.2	0.4705	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.86	0.741	0.0765	Normal Distribution			
gamma-BHC (Lindane) Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0548	0.0535	0.0561	0.0545	0.054	0.0565	0.000464	1.89%	5.20%
AT3-098		5	0.0361	0.0352	0.037	0.0358	0.0356	0.0373	0.000314	1.95%	3.49%
gamma-BHC (Lindane) Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0545	0.054	0.054	0.055	0.0565					
AT3-098		0.0364	0.0356	0.0358	0.0357	0.0373					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 12 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis										EA-EST, Inc. PBC	
Analysis ID: 06-4006-7514			Endpoint: gamma-chlordane				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:59			Analysis: Nonparametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:53			MD5 Hash: 594FFD0E40779F1FE9A9ECD526C8E2AF				Editor ID:				
Batch ID: 08-2970-4074			Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka				
Start Date: 08 Mar-23 11:34			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 05 Apr-23 10:34			Species: Nereis virens				Brine: Crystal Sea				
Test Length: 27d 23h			Taxon: Polychaeta				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp	Comparison Result				PMSD				
Untransformed		C < T	AT3-098 passed gamma-chlordane endpoint				1.81%				
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	40	---	0	Exact	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.06	2.29	0.1825	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003969		0.0003969		1	1230	<1.0E-05	Significant Effect			
Error	2.575E-06		3.219E-07		8						
Total	0.0003995				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.94	23.2	0.5359	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.785	0.741	0.0097	Non-Normal Distribution			
gamma-chlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0369	0.0361	0.0377	0.0365	0.0365	0.038	0.000292	1.77%	3.56%
AT3-098		5	0.0243	0.0237	0.0249	0.0241	0.0239	0.0251	0.000209	1.92%	2.37%
gamma-chlordane Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0365	0.0365	0.0365	0.037	0.038					
AT3-098		0.0245	0.0239	0.0241	0.024	0.0251					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 13 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis						EA-EST, Inc. PBC					
Analysis ID: 03-5485-6177		Endpoint: heptachlor epoxide		CETIS Version: CETISv2.1.1							
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample		Status Level: 1							
Edit Date: 08 May-23 22:53		MD5 Hash: C7680CECAFD5671B3F20DD3C7F796E20		Editor ID:							
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides		Analyst: Nancy Roka							
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 05 Apr-23 10:34		Species: Nereis virens		Brine: Crystal Sea							
Test Length: 27d 23h		Taxon: Polychaeta		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed heptachlor epoxide endpoint				1.88%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-33.5	1.86	0.00147	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			2.12	2.29	0.1335	No Outliers Detected				
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.0017556	0.0017556	1	1120	<1.0E-05	Significant Effect					
Error	0.0000125	1.563E-06	8								
Total	0.0017681		9								
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			2.13	23.2	0.4833	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.826	0.741	0.0300	Normal Distribution				
heptachlor epoxide Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.078	0.0762	0.0798	0.0775	0.077	0.0805	0.000652	1.87%	0.00%
AT3-098		5	0.0515	0.0503	0.0527	0.051	0.0505	0.053	0.000447	1.94%	33.97%
heptachlor epoxide Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0775	0.077	0.077	0.078	0.0805					
AT3-098		0.052	0.0505	0.051	0.051	0.053					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 14 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis						EA-EST, Inc. PBC					
Analysis ID: 11-6127-2344		Endpoint: heptachlor				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:53		MD5 Hash: B23F09EECF1AE81697FD4B63712DD573				Editor ID:					
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 05 Apr-23 10:34		Species: Nereis virens				Brine: Crystal Sea					
Test Length: 27d 23h		Taxon: Polychaeta				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result						PMSD	
Untransformed		C < T		AT3-098 passed heptachlor endpoint						1.79%	
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-35.3	1.86	0.000679	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.02	2.29	0.2146	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0004147		0.0004147		1	1240	<1.0E-05	Significant Effect			
Error	2.668E-06		3.335E-07		8						
Total	0.0004174				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.76	23.2	0.5988	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.788	0.741	0.0104	Normal Distribution			
heptachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0379	0.0371	0.0387	0.0375	0.0375	0.039	0.000292	1.72%	0.00%
AT3-098		5	0.025	0.0244	0.0256	0.0248	0.0246	0.0258	0.00022	1.97%	33.98%
heptachlor Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0375	0.0375	0.0375	0.038	0.039					
AT3-098		0.0252	0.0246	0.0248	0.0247	0.0258					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 15 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC					
Analysis ID: 02-5060-6268		Endpoint: hexachlorobenzene		CETIS Version: CETISv2.1.1								
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample		Status Level: 1								
Edit Date: 08 May-23 22:53		MD5 Hash: 1ED096EED56D66A99022756438884E2A		Editor ID:								
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides		Analyst: Nancy Roka								
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable								
Ending Date: 05 Apr-23 10:34		Species: Nereis virens		Brine: Crystal Sea								
Test Length: 27d 23h		Taxon: Polychaeta		Source: ARO - Aquatic Research Or Age:								
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project						
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu						
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h								
Sample Code	Material Type	Sample Source	Station Location	Lat/Long								
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference									
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu									
Data Transform	Alt Hyp	Comparison Result						PMSD				
Untransformed	C < T	AT3-098 passed hexachlorobenzene endpoint						1.87%				
Equal Variance t Two-Sample Test												
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)			
Reference Sed		AT3-098	8	-33.9	1.86	0.00608	CDF	1.0000	Non-Significant Effect			
Auxiliary Tests												
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)							
Outlier	Grubbs Extreme Value Test	2.03	2.29	0.2054	No Outliers Detected							
ANOVA Table												
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)						
Between	0.030747	0.030747	1	1150	<1.0E-05	Significant Effect						
Error	0.000214	2.675E-05	8									
Total	0.030961		9									
ANOVA Assumptions Tests												
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)							
Variance	Variance Ratio F Test	1.98	23.2	0.5243	Equal Variances							
Distribution	Shapiro-Wilk W Normality Test	0.86	0.741	0.0769	Normal Distribution							
hexachlorobenzene Summary												
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect	
IOSN 2019	RS	5	0.326	0.319	0.334	0.324	0.321	0.336	0.00267	1.83%	0.00%	
AT3-098		5	0.215	0.21	0.22	0.214	0.212	0.222	0.00189	1.97%	34.01%	
hexachlorobenzene Detail												
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5						
IOSN 2019	RS	0.324	0.321	0.323	0.327	0.336						
AT3-098		0.217	0.212	0.214	0.213	0.222						



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 16 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis										EA-EST, Inc. PBC	
Analysis ID: 17-5795-8568		Endpoint: Methoxychlor		CETIS Version: CETISv2.1.1							
Analyzed: 19 Aug-23 6:59		Analysis: Nonparametric-Two Sample		Status Level: 1							
Edit Date: 08 May-23 22:53		MD5 Hash: 1BF0DC5558AB8A5E68602667CBF3ADAE		Editor ID:							
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides		Analyst: Nancy Roka							
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 05 Apr-23 10:34		Species: Nereis virens		Brine: Crystal Sea							
Test Length: 27d 23h		Taxon: Polychaeta		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed methoxychlor endpoint				1.59%			
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	40	---	0	Exact	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.52	2.29	0.0067	Outlier Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	1.54528		1.54528		1	12000	<1.0E-05	Significant Effect			
Error	0.0010343		0.0001293		8						
Total	1.54631				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				240	23.2	0.0001	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.783	0.741	0.0090	Non-Normal Distribution			
Methoxychlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.843	0.823	0.863	0.835	0.83	0.87	0.00718	1.90%	0.00%
AT3-098		5	0.0568	0.0555	0.0581	0.0565	0.056	0.0585	0.000464	1.83%	93.26%
Methoxychlor Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.835	0.83	0.835	0.845	0.87					
AT3-098		0.057	0.056	0.0565	0.056	0.0585					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 17 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC				
Analysis ID: 05-2281-2806		Endpoint: oxychlordane			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:59		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:53		MD5 Hash: 865DF939E6D4B28903EE27C11A10CEE1			Editor ID:						
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:34		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed oxychlordane endpoint				1.85%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-34.2	1.86	0.00139	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.06	2.29	0.1821	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0016487		0.0016487		1	1170	<1.0E-05	Significant Effect			
Error	1.125E-05		1.407E-06		8						
Total	0.0016599				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.26	23.2	0.4494	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.854	0.741	0.0646	Normal Distribution			
oxychlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0752	0.0735	0.0769	0.0745	0.074	0.0775	0.000625	1.86%	0.00%
AT3-098		5	0.0495	0.0484	0.0507	0.0491	0.0488	0.051	0.000416	1.88%	34.15%
oxychlordane Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0745	0.074	0.0745	0.0755	0.0775					
AT3-098		0.0499	0.0488	0.0491	0.0489	0.051					



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 18 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC					
<b>Analysis ID:</b>	01-2624-1676		<b>Endpoint:</b>	toxaphene			<b>CETIS Version:</b>	CETISv2.1.1				
<b>Analyzed:</b>	19 Aug-23 6:59		<b>Analysis:</b>	Parametric-Two Sample			<b>Status Level:</b>	1				
<b>Edit Date:</b>	08 May-23 22:53		<b>MD5 Hash:</b>	04A9935CB031727A1521931703F25D5D			<b>Editor ID:</b>					
<b>Batch ID:</b>	08-2970-4074		<b>Test Type:</b>	Bioaccumulation - Pesticides			<b>Analyst:</b>	Nancy Roka				
<b>Start Date:</b>	08 Mar-23 11:34		<b>Protocol:</b>	US ACE NED RIM (2004)			<b>Diluent:</b>	Not Applicable				
<b>Ending Date:</b>	05 Apr-23 10:34		<b>Species:</b>	Nereis virens			<b>Brine:</b>	Crystal Sea				
<b>Test Length:</b>	27d 23h		<b>Taxon:</b>	Polychaeta			<b>Source:</b>	ARO - Aquatic Research Or Age:				
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>						
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu						
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h								
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>								
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference									
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu									
<b>Data Transform</b>	<b>Alt Hyp</b>	<b>Comparison Result</b>	<b>PMSD</b>									
Untransformed	C < T	AT3-098 passed toxaphene endpoint	1.88%									
<b>Equal Variance t Two-Sample Test</b>												
<b>Sample I</b>	<b>vs</b>	<b>Sample II</b>	<b>df</b>	<b>Test Stat</b>	<b>Critical</b>	<b>MSD</b>	<b>P-Type</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>			
Reference Sed		AT3-098	8	-33.7	1.86	0.0297	CDF	1.0000	Non-Significant Effect			
<b>Auxiliary Tests</b>												
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>							
Outlier	Grubbs Extreme Value Test	2.06	2.29	0.1808	No Outliers Detected							
<b>ANOVA Table</b>												
<b>Source</b>	<b>Sum Squares</b>	<b>Mean Square</b>	<b>DF</b>	<b>F Stat</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>						
Between	0.72361	0.72361	1	1140	<1.0E-05	Significant Effect						
Error	0.0051000	0.0006375	8									
Total	0.72871		9									
<b>ANOVA Assumptions Tests</b>												
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:1%)</b>							
Variance	Variance Ratio F Test	2.13	23.2	0.4823	Equal Variances							
Distribution	Shapiro-Wilk W Normality Test	0.87	0.741	0.1002	Normal Distribution							
<b>toxaphene Summary</b>												
<b>Sample</b>	<b>Code</b>	<b>Count</b>	<b>Mean</b>	<b>95% LCL</b>	<b>95% UCL</b>	<b>Median</b>	<b>Min</b>	<b>Max</b>	<b>Std Err</b>	<b>CV%</b>	<b>%Effect</b>	
IOSN 2019	RS	5	1.58	1.54	1.61	1.57	1.55	1.63	0.0132	1.87%	0.00%	
AT3-098		5	1.04	1.01	1.06	1.03	1.02	1.07	0.00903	1.94%	34.14%	
<b>toxaphene Detail</b>												
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>						
IOSN 2019	RS	1.57	1.55	1.56	1.58	1.63						
AT3-098		1.05	1.02	1.03	1.03	1.07						



## CETIS Analytical Report

Report Date: 19 Aug-23 07:00 (p 19 of 19)  
 Test Code/ID: TN-23-302NvPest / 04-3042-6729

Bioaccumulation Evaluation - Pesticides - Nereis							EA-EST, Inc. PBC				
Analysis ID: 02-9910-1821		Endpoint: trans-nonachlor			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:59		Analysis: Nonparametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:53		MD5 Hash: 41665718E1BF27DB31610050171D2A19			Editor ID:						
Batch ID: 08-2970-4074		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 08 Mar-23 11:34		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 05 Apr-23 10:34		Species: Nereis virens			Brine: Crystal Sea						
Test Length: 27d 23h		Taxon: Polychaeta			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	12h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	27d 23h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed trans-nonachlor endpoint				1.63%					
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8 40	---		0	Exact	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.9	2.29	0.3433	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	7.453E-05	7.453E-05	1	1500	<1.0E-05	Significant Effect					
Error	3.97E-07	4.962E-08	8								
Total	7.493E-05		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	1.02	23.2	0.9887	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.73	0.741	0.0021	Non-Normal Distribution						
trans-nonachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0161	0.0158	0.0164	0.016	0.016	0.0165	0.0001	1.39%	0.00%
AT3-098		5	0.0106	0.0104	0.0109	0.0106	0.0105	0.011	0.0000992	2.09%	33.91%
trans-nonachlor Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.016	0.016	0.016	0.016	0.0165					
AT3-098		0.0107	0.0105	0.0106	0.0105	0.011					



## **ATTACHMENT VIII**

*Macoma nasuta* 28-Day Solid Phase Bioaccumulation Testing  
Tissue Chemistry and Body Burden Statistical Analyses

Metals

(17 pages)



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)**

CONTAMINANT	REP1	REP2	Pre-Assay REP3	REP4 *	REP5 *
<b>Metals (ug/g wet weight)</b>					
Arsenic	2.57	2.47	2.72		
Cadmium	0.0290 J	0.0260 J	0.0340 J		
Chromium	0.387	0.552	0.455		
Copper	3.72	2.98	2.60		
Lead	0.121	0.121	0.144		
Mercury	0.00173 U	0.00208 U	0.00175 U		
Nickel	0.636	0.769	0.733		
Zinc	11.5	11.1	12.3		

\* = Qualifiers

U Analyte not detected; below Method Detection Limit; value is one-half the Method Detection Limit

J Analyte estimated; detection below Reporting Limit but above Method Detection Limit

NA Not Analyzed



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)**

CONTAMINANT	IOSN Reference				
	REP1	REP2	REP3	REP4	REP5
<b>Metals (ug/g wet weight)</b>					
Arsenic	2.70	3.55	3.52	4.39	3.28
Cadmium	0.0220 J	0.0300 J	0.0210 J	0.0350 J	0.0370
Chromium	0.305 J	0.381 J	0.252 J	0.497	0.234 J
Copper	1.48	1.72	1.52	2.49	1.65
Lead	0.319	0.347	0.327	0.420	0.332
Mercury	0.00200 U	0.00150 U	0.00150 U	0.00200 U	0.00150 U
Nickel	0.394	0.499	0.450	0.844	0.416
Zinc	9.76	12.2	10.9	15.9	10.0

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)**

**10 Stations at 4 Marinas Mud**

CONTAMINANT	REP1	REP2	REP3	REP4	REP5
<b>Metals (ug/g wet weight)</b>					
Arsenic	2.59	2.83	2.49	2.50	2.31
Cadmium	0.0250 <b>J</b>	0.0300 <b>J</b>	0.0250 <b>J</b>	0.0250 <b>J</b>	0.0280 <b>J</b>
Chromium	0.501	0.393 <b>J</b>	0.510	0.395 <b>J</b>	0.371 <b>J</b>
Copper	2.33	2.78	3.23	2.65	2.54
Lead	0.506	0.446	0.489	0.361	0.456
Mercury	0.00201 <b>U</b>	0.00213 <b>U</b>	0.00210 <b>U</b>	0.00215 <b>U</b>	0.00201 <b>U</b>
Nickel	0.608	0.563	0.610	0.519	0.549
Zinc	12.0	14.3	12.4	13.5	11.7

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



# CETIS Test Data Worksheet

Report Date: 19 Aug-23 06:44 (p 1 of 1)

Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma												EA-EST, Inc. PBC
Start Date: 29 Mar-23 13:46			Species: Macoma nasuta			Sample Code: AT3-191						
End Date: 26 Apr-23 12:46			Protocol: US ACE NED RIM (2004)			Sample Source: Yachtsman Marina NAE-2004-00319						
Sample Date: 20 Mar-23			Material: Laboratory Control Sediment			Sample Station: Laboratory Control						
Sample	Rep	Pos	Body Burden	Arsenic	Cadmium	Chromium	Copper	Lead	Mercury	Nickel	Zinc	Silver
OSN 2019	1	2		2.7	0.022	0.305	1.48	0.319	0.002	0.394	9.76	
OSN 2019	2	3		3.55	0.03	0.381	1.72	0.347	0.0015	0.499	12.2	
OSN 2019	3	6		3.52	0.021	0.252	1.52	0.327	0.0015	0.45	10.9	
OSN 2019	4	7		4.39	0.035	0.497	2.49	0.42	0.002	0.844	15.9	
OSN 2019	5	10		3.28	0.037	0.234	1.65	0.332	0.0015	0.416	10	
AT3-098	1	1		2.59	0.025	0.501	2.33	0.506	0.00201	0.608	12	
AT3-098	2	4		2.83	0.03	0.393	2.78	0.446	0.002125	0.563	14.3	
AT3-098	3	5		2.49	0.025	0.51	3.23	0.489	0.002095	0.61	12.4	
AT3-098	4	8		2.5	0.025	0.395	2.65	0.361	0.002145	0.519	13.5	
AT3-098	5	9		2.31	0.028	0.371	2.54	0.456	0.002005	0.549	11.7	



# CETIS Summary Report

Report Date: 19 Aug-23 06:43 (p 1 of 3)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

## Bioaccumulation Evaluation - Metals - Macoma

EA-EST, Inc. PBC

<b>Batch ID:</b>	09-1240-8281	<b>Test Type:</b>	Bioaccumulation - Metals		<b>Analyst:</b>	Nancy Roka
<b>Start Date:</b>	29 Mar-23 13:46	<b>Protocol:</b>	US ACE NED RIM (2004)		<b>Diluent:</b>	Not Applicable
<b>Ending Date:</b>	26 Apr-23 12:46	<b>Species:</b>	Macoma nasuta		<b>Brine:</b>	Not Applicable
<b>Test Length:</b>	27d 23h	<b>Taxon:</b>	Bivalvia		<b>Source:</b>	ARO - Aquatic Research Or <b>Age:</b>
<b>Sample ID:</b>	10-1907-8970	<b>Code:</b>	AT3-191		<b>Project:</b>	Dredged Sediment Evaluation
<b>Sample Date:</b>	20 Mar-23	<b>Material:</b>	Laboratory Control Sediment		<b>Source:</b>	Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b>	20 Mar-23 16:00	<b>CAS (PC):</b>			<b>Station:</b>	Laboratory Control
<b>Sample Age:</b>	9d 14h	<b>Client:</b>	Eco-Analysts, Inc.			
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h		
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>		
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference			
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu			
<b>Single Comparison Summary</b>						
<b>Analysis ID</b>	<b>Endpoint</b>	<b>Comparison Method</b>	<b>P-Value</b>	<b>Comparison Result</b>	<b>S</b>	
03-4962-0856	Arsenic	Equal Variance t Two-Sample Test	0.9947	AT3-098 passed arsenic	1	
18-5050-5224	Cadmium	Equal Variance t Two-Sample Test	0.7481	AT3-098 passed cadmium	1	
08-7081-7384	Chromium	Equal Variance t Two-Sample Test	0.0570	AT3-098 passed chromium	1	
13-3639-8676	Copper	Equal Variance t Two-Sample Test	0.0022	AT3-098 failed copper	1	
00-6439-9040	Lead	Equal Variance t Two-Sample Test	0.0054	AT3-098 failed lead	1	
03-3555-2818	Mercury	Equal Variance t Two-Sample Test	0.0087	AT3-098 failed mercury	1	
11-4066-2552	Nickel	Equal Variance t Two-Sample Test	0.0012	AT3-098 failed nickel	1	
02-4404-1166	Nickel	Wilcoxon Rank Sum Two-Sample Test	0.0754	AT3-098 passed nickel	1	
02-9970-4423	Zinc	Equal Variance t Two-Sample Test	0.2125	AT3-098 passed zinc	1	



# CETIS Summary Report

Report Date: 19 Aug-23 06:43 (p 2 of 3)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

## Bioaccumulation Evaluation - Metals - Macoma

EA-EST, Inc. PBC

Arsenic Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	3.49	2.73	4.24	2.7	4.39	0.272	0.609	17.45%	0.00%
AT3-098		5	2.54	2.31	2.78	2.31	2.83	0.0847	0.189	7.45%	27.06%
Cadmium Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.029	0.0199	0.0381	0.021	0.037	0.00327	0.00731	25.22%	0.00%
AT3-098		5	0.0266	0.0237	0.0295	0.025	0.03	0.00103	0.0023	8.65%	8.28%
Chromium Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.334	0.2	0.467	0.234	0.497	0.0481	0.108	32.25%	0.00%
AT3-098		5	0.434	0.352	0.516	0.371	0.51	0.0295	0.066	15.21%	-30.02%
Copper Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	1.77	1.26	2.28	1.48	2.49	0.185	0.413	23.30%	0.00%
AT3-098		5	2.71	2.29	3.12	2.33	3.23	0.15	0.336	12.42%	-52.71%
Lead Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.349	0.298	0.4	0.319	0.42	0.0183	0.041	11.74%	0.00%
AT3-098		5	0.452	0.382	0.521	0.361	0.506	0.0251	0.0562	12.44%	-29.40%
Mercury Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0017	0.00136	0.00204	0.0015	0.002	0.000122	0.000274	16.11%	0.00%
AT3-098		5	0.00208	0.002	0.00216	0.002	0.00215	0.0000291	0.000065	3.13%	-22.12%
Nickel Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.521	0.291	0.75	0.394	0.844	0.0828	0.185	35.55%	0.00%
AT3-098		5	0.57	0.521	0.618	0.519	0.61	0.0175	0.0392	6.87%	-9.45%
Zinc Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	11.8	8.64	14.9	9.76	15.9	1.12	2.51	21.35%	0.00%
AT3-098		5	12.8	11.4	14.1	11.7	14.3	0.487	1.09	8.53%	-8.75%



# CETIS Summary Report

Report Date: 19 Aug-23 06:43 (p 3 of 3)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

## Bioaccumulation Evaluation - Metals - Macoma

EA-EST, Inc. PBC

<b>Arsenic Detail</b>							MD5: 7EE39F07D07100E28C7AE8E2EAAEFA0E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	2.7	3.55	3.52	4.39	3.28	
AT3-098		2.59	2.83	2.49	2.5	2.31	
<b>Cadmium Detail</b>							MD5: 2151DA575B01797147656629E9B604EA
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.022	0.03	0.021	0.035	0.037	
AT3-098		0.025	0.03	0.025	0.025	0.028	
<b>Chromium Detail</b>							MD5: 6C665E15D73B8FEF4A2BC28E229F0580
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.305	0.381	0.252	0.497	0.234	
AT3-098		0.501	0.393	0.51	0.395	0.371	
<b>Copper Detail</b>							MD5: C4B152C21884FD0CC6558BA2092E22D3
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	1.48	1.72	1.52	2.49	1.65	
AT3-098		2.33	2.78	3.23	2.65	2.54	
<b>Lead Detail</b>							MD5: 68ED2BA3FF8B3966BB42B7A580898625
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.319	0.347	0.327	0.42	0.332	
AT3-098		0.506	0.446	0.489	0.361	0.456	
<b>Mercury Detail</b>							MD5: E1F90783EFA78EC21865622AA6184D54
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.002	0.0015	0.0015	0.002	0.0015	
AT3-098		0.00201	0.00213	0.00209	0.00215	0.002	
<b>Nickel Detail</b>							MD5: FBFBFF68498CBDC1593DDF95B8A7AA56
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.394	0.499	0.45	0.844	0.416	
AT3-098		0.608	0.563	0.61	0.519	0.549	
<b>Zinc Detail</b>							MD5: 5294BF2F64ACAF262C1DD0EFF03D3C5D
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	9.76	12.2	10.9	15.9	10	
AT3-098		12	14.3	12.4	13.5	11.7	



**STUDY: TN-23-303**  
**CLIENT: Eco-Analysts, Inc.**  
**PROJECT: Yachtsman Marina, Kennebunkport, ME NAE-2004-00319**  
**ASSAY: *M. nasuta* 28-day Bioaccumulation Evaluation**  
**TASK: Statistical Analysis of Body Burden Metals**

Endpoint	Method	C	<	T	Statistic	Critical	P Level	Alpha	Reject Null	MSD	DF	Ties	P-Type
Arsenic	Equal Variance t Two-Sample Test	IOSN	<	Comp	-3.310549	1.859548	0.9946553	0.05	FALSE	0.5302483	8		C
Cadmium	Equal Variance t Two-Sample Test	IOSN	<	Comp	-0.6998541	1.859548	0.7480713	0.05	FALSE	0.006376922	8		C
Chromium	Equal Variance t Two-Sample Test	IOSN	<	Comp	1.774371	1.859548	0.05696218	0.05	FALSE	0.10501	8		C
Copper	Equal Variance t Two-Sample Test	IOSN	<	Comp	3.922431	1.859548	0.002201654	0.05	TRUE	0.4427912	8		C
Lead	Equal Variance t Two-Sample Test	IOSN	<	Comp	3.299803	1.859548	0.005431016	0.05	TRUE	0.05781848	8		C
Mercury	Equal Variance t Two-Sample Test	IOSN	<	Comp	2.986949	1.859548	0.008707395	0.05	TRUE	0.000234082	8		C
Nickel	Equal Variance t Two-Sample Test	IOSN	<	Comp	4.604793	1.894579	0.001235069	0.05	TRUE	0.05350728	7		C
Nickel	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	20		0.07539683	0.05	FALSE		8	0	E
Zinc	Equal Variance t Two-Sample Test	IOSN	<	Comp	0.8405069	1.859548	0.2125153	0.05	FALSE	2.27436	8		C



## CETIS Analytical Report

Report Date: 19 Aug-23 06:43 (p 1 of 8)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma							EA-EST, Inc. PBC				
Analysis ID: 03-4962-0856		Endpoint: Arsenic			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:42		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:42		MD5 Hash: FA1CA36C1E9D61BEE8C73B2C1B8A79B			Editor ID:						
Batch ID: 09-1240-8281		Test Type: Bioaccumulation - Metals			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:46		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:46		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed arsenic endpoint				15.20%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-3.31	1.86	0.53	CDF	0.9947	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	2.12	2.29	0.1330	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	2.22784	2.22784	1	11	0.0107	Significant Effect					
Error	1.6262	0.203275	8								
Total	3.85404		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	10.3	23.2	0.0440	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.906	0.741	0.2549	Normal Distribution						
Arsenic Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	3.49	2.73	4.24	3.52	2.7	4.39	0.272	17.45%	0.00%
AT3-098		5	2.54	2.31	2.78	2.5	2.31	2.83	0.0847	7.45%	27.06%
Arsenic Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	2.7	3.55	3.52	4.39	3.28					
AT3-098		2.59	2.83	2.49	2.5	2.31					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:43 (p 2 of 8)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma										EA-EST, Inc. PBC	
Analysis ID: 18-5050-5224		Endpoint: Cadmium				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:42		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:42		MD5 Hash: 2864B7DF258976A1EE19C7F4BEDDBE20				Editor ID:					
Batch ID: 09-1240-8281		Test Type: Bioaccumulation - Metals				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:46		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:46		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result					PMSD		
Untransformed		C < T		AT3-098 passed cadmium endpoint					21.99%		
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-0.7	1.86	0.00638	CDF	0.7481	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.56	2.29	0.9963	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0000144		0.0000144		1	0.49	0.5039	Non-Significant Effect			
Error	0.0002352		0.0000294		8						
Total	0.0002496				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				10.1	23.2	0.0458	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.957	0.741	0.7475	Normal Distribution			
Cadmium Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.029	0.0199	0.0381	0.03	0.021	0.037	0.00327	25.22%	0.00%
AT3-098		5	0.0266	0.0237	0.0295	0.025	0.025	0.03	0.00103	8.65%	8.28%
Cadmium Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.022	0.03	0.021	0.035	0.037					
AT3-098		0.025	0.03	0.025	0.025	0.028					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:43 (p 3 of 8)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma										EA-EST, Inc. PBC	
Analysis ID: 08-7081-7384		Endpoint: Chromium				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:42		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:42		MD5 Hash: 953EFD18FFDD369122AE9FE41C4211C0				Editor ID:					
Batch ID: 09-1240-8281		Test Type: Bioaccumulation - Metals				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:46		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:46		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location		Lat/Long						
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed chromium endpoint				31.46%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	1.77	1.86	0.105	CDF	0.0570	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.94	2.29	0.3010	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0251001		0.0251001		1	3.15	0.1139	Non-Significant Effect			
Error	0.0637788		0.0079724		8						
Total	0.0888789				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.66	23.2	0.3667	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.917	0.741	0.3366	Normal Distribution			
Chromium Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.334	0.2	0.467	0.305	0.234	0.497	0.0481	32.25%	0.00%
AT3-098		5	0.434	0.352	0.516	0.395	0.371	0.51	0.0295	15.21%	-30.02%
Chromium Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.305	0.381	0.252	0.497	0.234					
AT3-098		0.501	0.393	0.51	0.395	0.371					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:43 (p 4 of 8)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma							EA-EST, Inc. PBC				
Analysis ID: 13-3639-8676		Endpoint: Copper			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:42		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:42		MD5 Hash: C5F9F1B65D65EF9A525FA03996B28F54			Editor ID:						
Batch ID: 09-1240-8281		Test Type: Bioaccumulation - Metals			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:46		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:46		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed copper endpoint				24.99%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	3.92	1.86	0.443	CDF	0.0022	Significant Effect		
Auxiliary Tests											
Attribute	Test		Test Stat	Critical	P-Value	Decision(α:5%)					
Outlier	Grubbs Extreme Value Test		2.02	2.29	0.2123	No Outliers Detected					
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	2.18089	2.18089	1	15.4	0.0044	Significant Effect					
Error	1.134	0.14175	8								
Total	3.31489		9								
ANOVA Assumptions Tests											
Attribute	Test		Test Stat	Critical	P-Value	Decision(α:1%)					
Variance	Variance Ratio F Test		1.51	23.2	0.7002	Equal Variances					
Distribution	Shapiro-Wilk W Normality Test		0.851	0.741	0.0604	Normal Distribution					
Copper Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	1.77	1.26	2.28	1.65	1.48	2.49	0.185	23.30%	0.00%
AT3-098		5	2.71	2.29	3.12	2.65	2.33	3.23	0.15	12.42%	-52.71%
Copper Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.48	1.72	1.52	2.49	1.65					
AT3-098		2.33	2.78	3.23	2.65	2.54					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:43 (p 5 of 8)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma										EA-EST, Inc. PBC	
Analysis ID: 00-6439-9040			Endpoint: Lead				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:42			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:42			MD5 Hash: 1FAB2E86236F30570FE1342E97FBBD67				Editor ID:				
Batch ID: 09-1240-8281			Test Type: Bioaccumulation - Metals				Analyst: Nancy Roka				
Start Date: 29 Mar-23 13:46			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 26 Apr-23 12:46			Species: Macoma nasuta				Brine: Not Applicable				
Test Length: 27d 23h			Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result					PMSD				
Untransformed	C < T	AT3-098 failed lead endpoint					16.57%				
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	3.3	1.86	0.0578	CDF	0.0054	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.95	2.29	0.2825	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.0263169	0.0263169	1	10.9	0.0109	Significant Effect					
Error	0.0193352	0.0024169	8								
Total	0.0456521		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	1.88	23.2	0.5565	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.956	0.741	0.7435	Normal Distribution						
Lead Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.349	0.298	0.4	0.332	0.319	0.42	0.0183	11.74%	0.00%
AT3-098		5	0.452	0.382	0.521	0.456	0.361	0.506	0.0251	12.44%	-29.40%
Lead Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.319	0.347	0.327	0.42	0.332					
AT3-098		0.506	0.446	0.489	0.361	0.456					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:43 (p 6 of 8)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma						EA-EST, Inc. PBC					
Analysis ID: 03-3555-2818		Endpoint: Mercury		CETIS Version: CETISv2.1.1							
Analyzed: 19 Aug-23 6:42		Analysis: Parametric-Two Sample		Status Level: 1							
Edit Date: 08 May-23 22:42		MD5 Hash: 8041063A2B35188FB8639C0502C3F00B		Editor ID:							
Batch ID: 09-1240-8281		Test Type: Bioaccumulation - Metals		Analyst: Nancy Roka							
Start Date: 29 Mar-23 13:46		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 26 Apr-23 12:46		Species: Macoma nasuta		Brine: Not Applicable							
Test Length: 27d 23h		Taxon: Bivalvia		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed mercury endpoint				13.77%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	2.99	1.86	0.000234	CDF	0.0087	Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			1.6	2.29	0.9106	No Outliers Detected				
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	3.534E-07	3.534E-07	1	8.92	0.0174	Significant Effect					
Error	3.169E-07	3.962E-08	8								
Total	6.704E-07		9								
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			17.7	23.2	0.0165	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.877	0.741	0.1199	Normal Distribution				
Mercury Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0017	0.00136	0.00204	0.0015	0.0015	0.002	0.000122	16.11%	0.00%
AT3-098		5	0.00208	0.002	0.00216	0.0021	0.00201	0.00215	0.0000291	3.13%	-22.12%
Mercury Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.002	0.0015	0.0015	0.002	0.0015					
AT3-098		0.00201	0.00213	0.0021	0.00215	0.00201					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:43 (p 7 of 8)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma						EA-EST, Inc. PBC					
Analysis ID: 11-4066-2552		Endpoint: Nickel				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:42		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:42		MD5 Hash: DD1542AADFC689A7E4B54A4604AC8D91				Editor ID:					
Batch ID: 09-1240-8281		Test Type: Bioaccumulation - Metals				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:46		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:46		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name		Project				
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.		Dredged Sediment Evalu				
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source			Station Location		Lat/Long				
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00			IOSN Reference						
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00			10 Stations at 4 Marinas Mu						
Data Transform		Alt Hyp			Comparison Result				PMSD		
Untransformed		C < T			AT3-098 failed nickel endpoint				12.17%		
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	7	4.6	1.89	0.0535	CDF	0.0012	Significant Effect		
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		0.0375845		0.0375845		1	21.2	0.0025	Significant Effect		
Error		0.0124076		0.0017725		7					
Total		0.049992				8					
ANOVA Assumptions Tests											
Attribute		Test				Test Stat	Critical	P-Value	Decision(α:1%)		
Variance		Variance Ratio F Test				1.36	24.3	0.7479	Equal Variances		
Distribution		Shapiro-Wilk W Normality Test				0.938	0.701	0.5616	Normal Distribution		
Nickel Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	4	0.44	0.367	0.513	0.416	0.394	0.499	0.0229	10.40%	0.00%
AT3-098		5	0.57	0.521	0.618	0.563	0.519	0.61	0.0175	6.87%	-29.57%
Nickel Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.394	0.499	0.45	---	0.416					
AT3-098		0.608	0.563	0.61	0.519	0.549					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:43 (p 8 of 8)  
 Test Code/ID: TN-23-303MnMet / 11-3134-1920

Bioaccumulation Evaluation - Metals - Macoma							EA-EST, Inc. PBC				
Analysis ID: 02-9970-4423		Endpoint: Zinc			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:42		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:42		MD5 Hash: DAE55172D5F58B259B6FDFE024ABC7D			Editor ID:						
Batch ID: 09-1240-8281		Test Type: Bioaccumulation - Metals			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:46		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:46		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed zinc endpoint				19.35%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	0.841	1.86	2.27	CDF	0.2125	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			2.28	2.29	0.0552	No Outliers Detected				
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	2.64196	2.64196	1	0.706	0.4250	Non-Significant Effect					
Error	29.9181	3.73976	8								
Total	32.56		9								
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			5.3	23.2	0.1351	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.89	0.741	0.1701	Normal Distribution				
Zinc Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	11.8	8.64	14.9	10.9	9.76	15.9	1.12	21.35%	0.00%
AT3-098		5	12.8	11.4	14.1	12.4	11.7	14.3	0.487	8.53%	-8.75%
Zinc Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	9.76	12.2	10.9	15.9	10					
AT3-098		12	14.3	12.4	13.5	11.7					



## **ATTACHMENT IX**

*Macoma nasuta* 28-Day Solid Phase Bioaccumulation Testing  
Tissue Chemistry and Body Burden Statistical Analyses

PAHs

(27 pages)



**APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)**

CONTAMINANT	REP1	REP2	Pre-Assay REP3	REP4 *	REP5 *
<b>PAHs (ng/g wet weight)</b>					
Acenaphthene	0.610 U	0.620 U	1.98 J		
Acenaphthylene	0.376 U	0.382 U	0.376 U		
Anthracene	0.408 U	0.922 J	1.23 J		
Benzo(a)anthracene	0.765 U	1.57 J	1.61 J		
Benzo(a)pyrene	0.800 U	0.815 U	0.800 U		
Benzo(b)fluoranthene	1.06 U	1.08 U	1.06 U		
Benzo(k)fluoranthene	0.487 U	0.495 U	0.487 U		
Benzo(g,h,i)perylene	0.341 U	0.346 U	0.341 U		
Chrysene	2.25 J	1.82 J	1.96 J		
Dibenzo(a,h)anthracene	0.395 U	0.401 U	0.883 J		
Fluoranthene	2.40 J	2.50 J	2.81 J		
Fluorene	1.82 J	2.38 J	2.14 J		
Indeno(1,2,3-c,d)pyrene	0.800 U	0.810 U	0.800 U		
Naphthalene	4.11 J	3.64 J	3.59 J		
Phenanthrene	3.64 J	4.23 J	4.40 J		
Pyrene	2.82 J	2.99 J	2.77 J		
PAH Total	23.1	25.0	27.2		

\* = Qualifiers

U Analyte not detected; below Method Detection Limit; value is one-half the Method Detection Limit

J Analyte estimated; detection below Reporting Limit but above Method Detection Limit

NA Not Analyzed



**APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)**

CONTAMINANT	IOSN Reference				
	REP1	REP2	REP3	REP4	REP5
<b>PAHs (ng/g wet weight)</b>					
Acenaphthene	0.450 U	0.462 U	0.443 U	0.473 U	0.440 U
Acenaphthylene	0.277 U	0.284 U	0.272 U	0.291 U	0.271 U
Anthracene	0.300 U	0.308 U	0.295 U	0.315 U	0.294 U
Benzo(a)anthracene	0.560 U	0.575 U	0.550 U	0.590 U	0.550 U
Benzo(a)pyrene	0.590 U	0.605 U	0.580 U	0.620 U	0.575 U
Benzo(b)fluoranthene	0.780 U	0.800 U	0.765 U	0.820 U	0.765 U
Benzo(k)fluoranthene	0.359 U	0.368 U	0.353 U	0.844 J	0.351 U
Benzo(g,h,i)perylene	0.527 J	0.536 J	0.614 J	0.670 J	0.245 U
Chrysene	0.545 U	0.560 U	0.535 U	0.575 U	0.535 U
Dibenzo(a,h)anthracene	2.95 J	3.00 J	2.91 J	3.11 J	2.86 J
Fluoranthene	2.09 J	2.23 J	2.41 J	2.48 J	1.38 J
Fluorene	0.251 U	0.258 U	0.247 U	0.263 U	0.245 U
Indeno(1,2,3-c,d)pyrene	3.35 J	3.57 J	3.46 J	3.93 J	3.40 J
Naphthalene	0.387 U	0.397 U	0.380 U	0.406 U	0.378 U
Phenanthrene	1.73 J	2.30 J	2.31 J	2.23 J	1.30 J
Pyrene	1.50 J	1.62 J	1.69 J	1.90 J	1.45 J
PAH Total	16.6	17.9	17.8	19.5	15.0

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



CONTAMINANT	10 Stations at 4 Marinas Mud				
	REP1	REP2	REP3	REP4	REP5
<b>PAHs (ng/g wet weight)</b>					
Acenaphthene	0.605 U	0.620 U	2.99 J	2.93 J	0.630 U
Acenaphthylene	0.372 U	0.382 U	0.384 U	0.380 U	0.389 U
Anthracene	2.36 J	2.61 J	3.40 J	3.39 J	1.69 J
Benzo(a)anthracene	6.45	4.37 J	5.43 J	5.14 J	5.60 J
Benzo(a)pyrene	2.42 J	0.815 U	1.64 J	1.71 J	2.10 J
Benzo(b)fluoranthene	5.53 J	3.32 J	4.04 J	3.64 J	5.52 J
Benzo(k)fluoranthene	2.14 J	0.496 U	1.08 J	1.04 J	1.48 J
Benzo(g,h,i)perylene	1.66 J	0.347 U	0.348 U	0.345 U	1.40 J
Chrysene	4.22 J	2.49 J	2.36 J	3.09 J	2.42 J
Dibenzo(a,h)anthracene	0.390 U	0.402 U	0.403 U	0.399 U	0.409 U
Fluoranthene	26.1	19.6	35.9	36.8	14.8
Fluorene	0.935 J	1.27 J	2.60 J	3.00 J	0.882 J
Indeno(1,2,3-c,d)pyrene	0.790 U	0.810 U	0.815 U	0.810 U	1.70 J
Naphthalene	2.00 J	1.66 J	1.91 J	1.81 J	1.45 J
Phenanthrene	4.86 J	4.73 J	10.7	10.1	4.23 J
Pyrene	23.4	13.0	23.0	22.5	22.0
PAH Total	84.2	56.9	97.0	97.1	66.7

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



# CETIS Test Data Worksheet

Report Date: 19 Aug-23 06:44 (p 1 of 1)

Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma																			EA-EST, Inc. PBC	
Start Date: 29 Mar-23 13:47			Species: Macoma nasuta			Sample Code: AT3-191														
End Date: 26 Apr-23 12:47			Protocol: US ACE NED RIM (2004)			Sample Source: Yachtsman Marina NAE-2004-00319														
Sample Date: 20 Mar-23			Material: Laboratory Control Sediment			Sample Station: Laboratory Control														
Sample	Rep	Pos	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenzo(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphtthalene	Phenanthrene	Pyrene	1,4-Dichlorobenze	Total PAHs
IOSN 2019	1	2	0.45	0.2765	0.3	0.56	0.59	0.78	0.527	0.359	0.545	2.95	2.09	0.251	3.35	0.387	1.73	1.5		
IOSN 2019	2	3	0.462	0.284	0.308	0.575	0.605	0.8	0.536	0.368	0.56	3	2.23	0.2575	3.57	0.397	2.3	1.62		
IOSN 2019	3	5	0.4425	0.272	0.295	0.55	0.58	0.765	0.614	0.3525	0.535	2.91	2.41	0.2465	3.46	0.38	2.31	1.69		
IOSN 2019	4	7	0.4725	0.2905	0.315	0.59	0.62	0.82	0.67	0.844	0.575	3.11	2.48	0.263	3.93	0.406	2.23	1.9		
IOSN 2019	5	9	0.44	0.2705	0.2935	0.55	0.575	0.765	0.245	0.3505	0.535	2.86	1.38	0.245	3.4	0.378	1.3	1.45		
AT3-098	1	1	0.605	0.3715	2.36	6.45	2.42	5.53	1.66	2.14	4.22	0.39	26.1	0.935	0.79	2	4.86	23.4		
AT3-098	2	4	0.62	0.382	2.61	4.37	0.815	3.32	0.3465	0.4955	2.49	0.4015	19.6	1.27	0.81	1.66	4.73	13		
AT3-098	3	6	2.99	0.384	3.4	5.43	1.64	4.04	0.348	1.08	2.36	0.403	35.9	2.6	0.815	1.91	10.7	23		
AT3-098	4	8	2.93	0.3795	3.39	5.14	1.71	3.64	0.3445	1.04	3.09	0.399	36.8	3	0.81	1.81	10.1	22.5		
AT3-098	5	10	0.63	0.389	1.69	5.6	2.1	5.52	1.4	1.48	2.42	0.4085	14.8	0.882	1.7	1.45	4.23	22		



# CETIS Summary Report

Report Date: 19 Aug-23 06:45 (p 1 of 5)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

## Bioaccumulation Evaluation - PAHs - Macoma

EA-EST, Inc. PBC

<b>Batch ID:</b> 07-2064-6975	<b>Test Type:</b> Bioaccumulation - PAHs	<b>Analyst:</b> Nancy Roka
<b>Start Date:</b> 29 Mar-23 13:47	<b>Protocol:</b> US ACE NED RIM (2004)	<b>Diluent:</b> Not Applicable
<b>Ending Date:</b> 26 Apr-23 12:47	<b>Species:</b> Macoma nasuta	<b>Brine:</b> Not Applicable
<b>Test Length:</b> 27d 23h	<b>Taxon:</b> Bivalvia	<b>Source:</b> ARO - Aquatic Research Or <b>Age:</b>

<b>Sample ID:</b> 10-1907-8970	<b>Code:</b> AT3-191	<b>Project:</b> Dredged Sediment Evaluation
<b>Sample Date:</b> 20 Mar-23	<b>Material:</b> Laboratory Control Sediment	<b>Source:</b> Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b> 20 Mar-23 16:00	<b>CAS (PC):</b>	<b>Station:</b> Laboratory Control
<b>Sample Age:</b> 9d 14h	<b>Client:</b> Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

### Single Comparison Summary

Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
07-7538-5618	Acenaphthene	Unequal Variance t Two-Sample Test	0.0636	AT3-098 passed acenaphthene	1
11-6416-3760	Acenaphthylene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed acenaphthylene	1
05-9439-4057	Anthracene	Unequal Variance t Two-Sample Test	0.0009	AT3-098 failed anthracene	1
14-6989-9668	Benzo(a)anthracene	Unequal Variance t Two-Sample Test	6.9E-05	AT3-098 failed benzo(a)anthracene	1
01-9784-4906	Benzo(a)pyrene	Unequal Variance t Two-Sample Test	0.0067	AT3-098 failed benzo(a)pyrene	1
15-8115-7379	Benzo(b)fluoranthene	Unequal Variance t Two-Sample Test	0.0008	AT3-098 failed benzo(b)fluoranthene	1
11-2901-4695	Benzo(g,h,i)perylene	Equal Variance t Two-Sample Test	0.1736	AT3-098 passed benzo(g,h,i)perylene	1
18-6572-8367	Benzo(k)fluoranthene	Equal Variance t Two-Sample Test	0.0128	AT3-098 failed benzo(k)fluoranthene	1
19-9439-8456	Chrysene	Unequal Variance t Two-Sample Test	0.0006	AT3-098 failed chrysene	1
10-9778-7549	Chrysene	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed chrysene	1
04-5124-3396	Dibenz(a,h)anthracene	Unequal Variance t Two-Sample Test	1.0000	AT3-098 passed dibenz(a,h)anthracene	1
05-6250-1207	Fluoranthene	Unequal Variance t Two-Sample Test	0.0025	AT3-098 failed fluoranthene	1
14-9364-0252	Fluorene	Unequal Variance t Two-Sample Test	0.0143	AT3-098 failed fluorene	1
09-5016-7764	Indeno(1,2,3-cd)pyrene	Unequal Variance t Two-Sample Test	1.0000	AT3-098 passed indeno(1,2,3-cd)pyrene	1
07-5576-6393	Indeno(1,2,3-cd)pyrene	Wilcoxon Rank Sum Two-Sample Test	1.0000	AT3-098 passed indeno(1,2,3-cd)pyrene	1
12-2133-3190	Naphthalene	Unequal Variance t Two-Sample Test	7.2E-05	AT3-098 failed naphthalene	1
04-1490-0844	Phenanthrene	Unequal Variance t Two-Sample Test	0.0132	AT3-098 failed phenanthrene	1
04-1423-2436	Pyrene	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pyrene	1
02-1982-1065	Pyrene	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed pyrene	1



# CETIS Summary Report

Report Date: 19 Aug-23 06:45 (p 2 of 5)  
Test Code/ID: TN-23-303MnPAH / 13-3685-4237

## Bioaccumulation Evaluation - PAHs - Macoma

EA-EST, Inc. PBC

Acenaphthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.453	0.436	0.47	0.44	0.472	0.00612	0.0137	3.02%	0.00%
AT3-098		5	1.56	-0.0378	3.15	0.605	2.99	0.574	1.28	82.49%	-242.96%
Acenaphthylene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.279	0.268	0.289	0.271	0.29	0.00377	0.00843	3.02%	0.00%
AT3-098		5	0.381	0.373	0.389	0.371	0.389	0.00288	0.00645	1.69%	-36.78%
Anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.302	0.291	0.314	0.294	0.315	0.00406	0.00908	3.00%	0.00%
AT3-098		5	2.69	1.79	3.59	1.69	3.4	0.325	0.726	27.00%	-789.84%
Benzo(a)anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.565	0.543	0.587	0.55	0.59	0.00775	0.0173	3.07%	0.00%
AT3-098		5	5.4	4.46	6.33	4.37	6.45	0.337	0.754	13.96%	-855.40%
Benzo(a)pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.594	0.571	0.617	0.575	0.62	0.00828	0.0185	3.12%	0.00%
AT3-098		5	1.74	0.987	2.49	0.815	2.42	0.27	0.604	34.76%	-192.42%
Benzo(b)fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.786	0.756	0.816	0.765	0.82	0.0107	0.0238	3.03%	0.00%
AT3-098		5	4.41	3.11	5.71	3.32	5.53	0.469	1.05	23.79%	-461.07%
Benzo(g,h,i)perylene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.518	0.315	0.722	0.245	0.67	0.0732	0.164	31.59%	0.00%
AT3-098		5	0.82	0.00675	1.63	0.345	1.66	0.293	0.655	79.87%	-58.14%
Benzo(k)fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.455	0.185	0.725	0.35	0.844	0.0973	0.218	47.86%	0.00%
AT3-098		5	1.25	0.49	2	0.495	2.14	0.273	0.61	48.89%	-174.21%
Chrysene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.55	0.528	0.572	0.535	0.575	0.00775	0.0173	3.15%	0.00%
AT3-098		5	2.92	1.94	3.89	2.36	4.22	0.351	0.785	26.93%	-430.18%
Dibenz(a,h)anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	2.97	2.85	3.08	2.86	3.11	0.0427	0.0956	3.22%	0.00%
AT3-098		5	0.4	0.392	0.409	0.39	0.408	0.00303	0.00678	1.69%	86.50%
Fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	2.12	1.57	2.66	1.38	2.48	0.197	0.44	20.77%	0.00%
AT3-098		5	26.6	14.6	38.7	14.8	36.8	4.35	9.73	36.54%	-1157.79



# CETIS Summary Report

Report Date: 19 Aug-23 06:45 (p 3 of 5)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma

EA-EST, Inc. PBC

Fluorene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.253	0.243	0.262	0.245	0.263	0.00339	0.00758	3.00%	0.00%
AT3-098		5	1.74	0.506	2.97	0.882	3	0.443	0.991	57.07%	-587.81%
Indeno(1,2,3-cd)pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	3.54	3.25	3.83	3.35	3.93	0.104	0.232	6.55%	0.00%
AT3-098		5	0.985	0.489	1.48	0.79	1.7	0.179	0.4	40.59%	72.19%
Naphthalene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.39	0.375	0.404	0.378	0.406	0.00528	0.0118	3.03%	0.00%
AT3-098		5	1.77	1.5	2.04	1.45	2	0.0971	0.217	12.29%	-353.29%
Phenanthrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	1.97	1.42	2.53	1.3	2.31	0.2	0.447	22.63%	0.00%
AT3-098		5	6.92	2.96	10.9	4.23	10.7	1.43	3.19	46.06%	-250.76%
Pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	1.63	1.41	1.85	1.45	1.9	0.0793	0.177	10.87%	0.00%
AT3-098		5	20.8	15.3	26.2	13	23.4	1.96	4.38	21.08%	-1173.28



# CETIS Summary Report

Report Date: 19 Aug-23 06:45 (p 4 of 5)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

## Bioaccumulation Evaluation - PAHs - Macoma

EA-EST, Inc. PBC

<b>Acenaphthene Detail</b>							MD5: E5B5D58470B8911B03E3A444CD72A835
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.45	0.462	0.442	0.472	0.44	
AT3-098		0.605	0.62	2.99	2.93	0.63	
<b>Acenaphthylene Detail</b>							MD5: B126413E64AFB02AA98C384725F0DFA2
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.276	0.284	0.272	0.29	0.271	
AT3-098		0.371	0.382	0.384	0.38	0.389	
<b>Anthracene Detail</b>							MD5: 60426D23768D2C28728EDBAC9882B215
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.3	0.308	0.295	0.315	0.294	
AT3-098		2.36	2.61	3.4	3.39	1.69	
<b>Benzo(a)anthracene Detail</b>							MD5: 1951C02D07B040E6EE2D0CF93503F4CB
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.56	0.575	0.55	0.59	0.55	
AT3-098		6.45	4.37	5.43	5.14	5.6	
<b>Benzo(a)pyrene Detail</b>							MD5: 2581DF2E71E7F8C3E6B9B596CC98B34D
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.59	0.605	0.58	0.62	0.575	
AT3-098		2.42	0.815	1.64	1.71	2.1	
<b>Benzo(b)fluoranthene Detail</b>							MD5: 184AC37F45B688263B5D502E21B35F91
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.78	0.8	0.765	0.82	0.765	
AT3-098		5.53	3.32	4.04	3.64	5.52	
<b>Benzo(g,h,i)perylene Detail</b>							MD5: C795931A73D2727BC941E8445CFD11FB
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.527	0.536	0.614	0.67	0.245	
AT3-098		1.66	0.347	0.348	0.345	1.4	
<b>Benzo(k)fluoranthene Detail</b>							MD5: EA1BCC3872760ADB5077234B1A27DAD9
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.359	0.368	0.352	0.844	0.35	
AT3-098		2.14	0.495	1.08	1.04	1.48	
<b>Chrysene Detail</b>							MD5: 51ACA5FD98A49CB3999C452E5009FD95
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.545	0.56	0.535	0.575	0.535	
AT3-098		4.22	2.49	2.36	3.09	2.42	
<b>Dibenz(a,h)anthracene Detail</b>							MD5: FD1BF8DB86033846450D484A5E121790
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	2.95	3	2.91	3.11	2.86	
AT3-098		0.39	0.401	0.403	0.399	0.408	
<b>Fluoranthene Detail</b>							MD5: 02FE249E2ED2D91DEAEAA82D9706D753
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	2.09	2.23	2.41	2.48	1.38	
AT3-098		26.1	19.6	35.9	36.8	14.8	



# CETIS Summary Report

Report Date: 19 Aug-23 06:45 (p 5 of 5)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

## Bioaccumulation Evaluation - PAHs - Macoma

EA-EST, Inc. PBC

<b>Fluorene Detail</b>							MD5: ADB7E3D32CDAFFED1BF3E0C1F4B318D
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.251	0.257	0.247	0.263	0.245	
AT3-098		0.935	1.27	2.6	3	0.882	
<b>Indeno(1,2,3-cd)pyrene Detail</b>							MD5: 04EF0FDA4072F35B041FA8C366C6C059
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	3.35	3.57	3.46	3.93	3.4	
AT3-098		0.79	0.81	0.815	0.81	1.7	
<b>Naphthalene Detail</b>							MD5: A25DF7EFF98F86EA33A59A892C25ED5E
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.387	0.397	0.38	0.406	0.378	
AT3-098		2	1.66	1.91	1.81	1.45	
<b>Phenanthrene Detail</b>							MD5: C9F4DC5579DCB046DD6F1DF1A33B7C36
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	1.73	2.3	2.31	2.23	1.3	
AT3-098		4.86	4.73	10.7	10.1	4.23	
<b>Pyrene Detail</b>							MD5: E41EFCCD8E706B9E9AABDEC3CCEBC5A
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	1.5	1.62	1.69	1.9	1.45	
AT3-098		23.4	13	23	22.5	22	



**STUDY: TN-23-303**  
**CLIENT: Eco-Analysts, Inc.**  
**PROJECT: Yachtsman Marina, Kennebunkport, ME NAE-2004-00319**  
**ASSAY: *M. nasuta* 28-day Bioaccumulation Evaluation**  
**TASK: Statistical Analysis of Body Burden PAHs**

Endpoint	Method	C	<	T	Statistic	Critical	P Level	Alpha	Reject Null	MSD	DF	Ties	P-Type
Acenaphthene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	1.920121	2.131847	0.06362686	0.05	FALSE	1.22307	4		C
Acenaphthylene	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.59451	1.859548	0	0.05	TRUE	0.008826488	8		C
Anthracene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	7.351591	2.131847	0.00091167	0.05	TRUE	0.6923958	4		C
Benzo(a)anthracene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	14.33588	2.131847	6.87805E-05	0.05	TRUE	0.7187011	4		C
Benzo(a)pyrene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	4.23065	2.131847	0.00668155	0.05	TRUE	0.5759637	4		C
Benzo(b)fluoranthene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	7.720544	2.131847	0.000757623	0.05	TRUE	1.000682	4		C
Benzo(g,h,i)perylene	Equal Variance t Two-Sample Test	IOSN	<	Comp	0.9984897	1.859548	0.1736408	0.05	FALSE	0.5613155	8		C
Benzo(k)fluoranthene	Equal Variance t Two-Sample Test	IOSN	<	Comp	2.736334	1.859548	0.01279694	0.05	TRUE	0.5384284	8		C
Chrysene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	12.07474	2.353364	0.000611206	0.05	TRUE	0.3975953	3		C
Chrysene	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0 E	
Dibenz(a,h)anthracene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	-59.88929	2.131847	0.9999998	0.05	FALSE	0.09132629	4		C
Fluoranthene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	5.627316	2.131847	0.002452458	0.05	TRUE	9.289891	4		C
Fluorene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	3.348493	2.131847	0.01430444	0.05	TRUE	0.9453106	4		C
Indeno(1,2,3-cd)pyrene	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	40		1	0.05	FALSE		8	0 E	
Indeno(1,2,3-cd)pyrene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	-26.3434	2.131847	0.9999938	0.05	FALSE	0.2213914	4		C
Naphthalene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	14.15599	2.131847	7.22851E-05	0.05	TRUE	0.2072815	4		C
Phenanthrene	Unequal Variance t Two-Sample Test	IOSN	<	Comp	3.437374	2.131847	0.01317851	0.05	TRUE	3.069972	4		C
Pyrene	Equal Variance t Two-Sample Test	IOSN	<	Comp	74.90878	1.894579	0	0.05	TRUE	0.5334801	7		C
Pyrene	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0 E	



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 1 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 07-7538-5618		Endpoint: Acenaphthene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: D2ED3F048BC1A568A37D9F572F6C7946			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed acenaphthene endpoint				269.76%			
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	4	1.92	2.13	1.22	CDF	0.0636	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.68	2.29	0.7286	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	3.03381		3.03381		1	3.69	0.0911	Non-Significant Effect			
Error	6.58295		0.822869		8						
Total	9.61676				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				8790	23.2	<1.0E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.827	0.741	0.0310	Normal Distribution			
Acenaphthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.453	0.436	0.47	0.45	0.44	0.473	0.00612	3.02%	0.00%
AT3-098		5	1.56	-0.0378	3.15	0.63	0.605	2.99	0.574	82.49%	-242.96%
Acenaphthene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.45	0.462	0.443	0.473	0.44					
AT3-098		0.605	0.62	2.99	2.93	0.63					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 2 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC						
<b>Analysis ID:</b>	11-6416-3760		<b>Endpoint:</b>	Acenaphthylene			<b>CETIS Version:</b>	CETISv2.1.1					
<b>Analyzed:</b>	19 Aug-23 6:45		<b>Analysis:</b>	Parametric-Two Sample			<b>Status Level:</b>	1					
<b>Edit Date:</b>	08 May-23 22:44		<b>MD5 Hash:</b>	5C3DB5F62B559D82EAE0FE53CB0C21E2								<b>Editor ID:</b>	
<b>Batch ID:</b>	07-2064-6975		<b>Test Type:</b>	Bioaccumulation - PAHs			<b>Analyst:</b>	Nancy Roka					
<b>Start Date:</b>	29 Mar-23 13:47		<b>Protocol:</b>	US ACE NED RIM (2004)			<b>Diluent:</b>	Not Applicable					
<b>Ending Date:</b>	26 Apr-23 12:47		<b>Species:</b>	Macoma nasuta			<b>Brine:</b>	Not Applicable					
<b>Test Length:</b>	27d 23h		<b>Taxon:</b>	Bivalvia			<b>Source:</b>	ARO - Aquatic Research Or Age:					
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>							
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu							
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h									
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>									
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference										
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu										
<b>Data Transform</b>	<b>Alt Hyp</b>	<b>Comparison Result</b>	<b>PMSD</b>										
Untransformed	C < T	AT3-098 failed acenaphthylene endpoint	3.17%										
<b>Equal Variance t Two-Sample Test</b>													
<b>Sample I</b>	<b>vs</b>	<b>Sample II</b>	<b>df</b>	<b>Test Stat</b>	<b>Critical</b>	<b>MSD</b>	<b>P-Type</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>				
Reference Sed		AT3-098*	8	21.6	1.86	0.00883	CDF	<1.0E-05	Significant Effect				
<b>Auxiliary Tests</b>													
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>								
Outlier	Grubbs Extreme Value Test	1.67	2.29	0.7506	No Outliers Detected								
<b>ANOVA Table</b>													
<b>Source</b>	<b>Sum Squares</b>	<b>Mean Square</b>	<b>DF</b>	<b>F Stat</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>							
Between	0.0262656	0.0262656	1	466	<1.0E-05	Significant Effect							
Error	0.0004506	5.633E-05	8										
Total	0.0267162		9										
<b>ANOVA Assumptions Tests</b>													
<b>Attribute</b>	<b>Test</b>	<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:1%)</b>								
Variance	Variance Ratio F Test	1.71	23.2	0.6162	Equal Variances								
Distribution	Shapiro-Wilk W Normality Test	0.968	0.741	0.8715	Normal Distribution								
<b>Acenaphthylene Summary</b>													
<b>Sample</b>	<b>Code</b>	<b>Count</b>	<b>Mean</b>	<b>95% LCL</b>	<b>95% UCL</b>	<b>Median</b>	<b>Min</b>	<b>Max</b>	<b>Std Err</b>	<b>CV%</b>	<b>%Effect</b>		
IOSN 2019	RS	5	0.279	0.268	0.289	0.277	0.271	0.291	0.00377	3.02%	0.00%		
AT3-098		5	0.381	0.373	0.389	0.382	0.372	0.389	0.00288	1.69%	-36.78%		
<b>Acenaphthylene Detail</b>													
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>							
IOSN 2019	RS	0.277	0.284	0.272	0.291	0.271							
AT3-098		0.372	0.382	0.384	0.38	0.389							



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 3 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 05-9439-4057		Endpoint: Anthracene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 042322FA3115DECF606B32A76349129B			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result	PMSD								
Untransformed	C < T	AT3-098 failed anthracene endpoint	229.04%								
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	7.35	2.13	0.692	CDF	0.0009	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	2.07	2.29	0.1751	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	14.2528	14.2528	1	54	8.0E-05	Significant Effect					
Error	2.10973	0.263716	8								
Total	16.3625		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	6400	23.2	<1.0E-05	Unequal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.853	0.741	0.0636	Normal Distribution						
Anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.302	0.291	0.314	0.3	0.294	0.315	0.00406	3.00%	0.00%
AT3-098		5	2.69	1.79	3.59	2.61	1.69	3.4	0.325	27.00%	-789.84%
Anthracene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.3	0.308	0.295	0.315	0.294					
AT3-098		2.36	2.61	3.4	3.39	1.69					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 4 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 14-6989-9668		Endpoint: Benzo(a)anthracene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 1CD720C83E6122B474A72A1DF292B2EF			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result	PMSD								
Untransformed	C < T	AT3-098 failed benzo(a)anthracene endpoint	127.20%								
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	14.3	2.13	0.719	CDF	6.9E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	2.09	2.29	0.1534	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	58.3947	58.3947	1	206	<1.0E-05	Significant Effect					
Error	2.27308	0.284135	8								
Total	60.6678		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	1890	23.2	<1.0E-05	Unequal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.814	0.741	0.0214	Normal Distribution						
Benzo(a)anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.565	0.543	0.587	0.56	0.55	0.59	0.00775	3.07%	0.00%
AT3-098		5	5.4	4.46	6.33	5.43	4.37	6.45	0.337	13.96%	-855.40%
Benzo(a)anthracene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.56	0.575	0.55	0.59	0.55					
AT3-098		6.45	4.37	5.43	5.14	5.6					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 5 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 01-9784-4906		Endpoint: Benzo(a)pyrene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 07D0CC872CB4E0C372BEC64FFC492DF			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result	PMSD								
Untransformed	C < T	AT3-098 failed benzo(a)pyrene endpoint	96.96%								
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	4.23	2.13	0.576	CDF	0.0067	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	2.29	2.29	0.0502	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	3.26612	3.26612	1	17.9	0.0029	Significant Effect					
Error	1.45985	0.182481	8								
Total	4.72597		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	1060	23.2	<1.0E-05	Unequal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.81	0.741	0.0193	Normal Distribution						
Benzo(a)pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.594	0.571	0.617	0.59	0.575	0.62	0.00828	3.12%	0.00%
AT3-098		5	1.74	0.987	2.49	1.71	0.815	2.42	0.27	34.76%	-192.42%
Benzo(a)pyrene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.59	0.605	0.58	0.62	0.575					
AT3-098		2.42	0.815	1.64	1.71	2.1					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 6 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 15-8115-7379		Endpoint: Benzo(b)fluoranthene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 12547D065D7BFDF89C5D32437B23B6B5			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed benzo(b)fluoranthene endpoint				127.31%					
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	7.72	2.13	1	CDF	0.0008	Significant Effect		
Auxiliary Tests											
Attribute	Test		Test Stat	Critical	P-Value	Decision(α:5%)					
Outlier	Grubbs Extreme Value Test		1.6	2.29	0.9059	No Outliers Detected					
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	32.8334	32.8334	1	59.6	5.6E-05	Significant Effect					
Error	4.40667	0.550834	8								
Total	37.2401		9								
ANOVA Assumptions Tests											
Attribute	Test		Test Stat	Critical	P-Value	Decision(α:1%)					
Variance	Variance Ratio F Test		1940	23.2	<1.0E-05	Unequal Variances					
Distribution	Shapiro-Wilk W Normality Test		0.888	0.741	0.1599	Normal Distribution					
Benzo(b)fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.786	0.756	0.816	0.78	0.765	0.82	0.0107	3.03%	0.00%
AT3-098		5	4.41	3.11	5.71	4.04	3.32	5.53	0.469	23.79%	-461.07%
Benzo(b)fluoranthene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.78	0.8	0.765	0.82	0.765					
AT3-098		5.53	3.32	4.04	3.64	5.52					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 7 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 11-2901-4695		Endpoint: Benzo(g,h,i)perylene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 523DFF6E6369E963329CFCD3E8F54598			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed benzo(g,h,i)perylene endpoint				108.28%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	0.998	1.86	0.561	CDF	0.1736	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			1.87	2.29	0.3940	No Outliers Detected				
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.227105	0.227105	1	0.997	0.3473	Non-Significant Effect					
Error	1.82234	0.227792	8								
Total	2.04944		9								
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			16	23.2	0.0200	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.9	0.741	0.2185	Normal Distribution				
Benzo(g,h,i)perylene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.518	0.315	0.722	0.536	0.245	0.67	0.0732	31.59%	0.00%
AT3-098		5	0.82	0.00675	1.63	0.348	0.345	1.66	0.293	79.87%	-58.14%
Benzo(g,h,i)perylene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.527	0.536	0.614	0.67	0.245					
AT3-098		1.66	0.347	0.348	0.345	1.4					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 8 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 18-6572-8367		Endpoint: Benzo(k)fluoranthene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 5C2EE81F8C8B0F2DD96F2421269DB368			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed benzo(k)fluoranthene endpoint				118.39%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	2.74	1.86	0.538	CDF	0.0128	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	2.07	2.29	0.1724	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	1.56935	1.56935	1	7.49	0.0256	Significant Effect					
Error	1.67676	0.209595	8								
Total	3.24611		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	7.85	23.2	0.0709	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.899	0.741	0.2138	Normal Distribution						
Benzo(k)fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.455	0.185	0.725	0.359	0.351	0.844	0.0973	47.86%	0.00%
AT3-098		5	1.25	0.49	2	1.08	0.496	2.14	0.273	48.89%	-174.21%
Benzo(k)fluoranthene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.359	0.368	0.353	0.844	0.351					
AT3-098		2.14	0.496	1.08	1.04	1.48					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 9 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma						EA-EST, Inc. PBC					
Analysis ID: 19-9439-8456		Endpoint: Chrysene				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:44		MD5 Hash: B1108F814D754F82887339DD0B743FF4				Editor ID:					
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source			Station Location		Lat/Long				
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00			IOSN Reference						
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00			10 Stations at 4 Marinas Mu						
Data Transform		Alt Hyp			Comparison Result				PMSD		
Untransformed		C < T			AT3-098 failed chrysene endpoint				72.29%		
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	3	12.1	2.35	0.398	CDF	0.0006	Significant Effect		
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		9.248		9.248		1	189	<1.0E-05	Significant Effect		
Error		0.343		0.049		7					
Total		9.591				8					
ANOVA Assumptions Tests											
Attribute		Test				Test Stat	Critical	P-Value	Decision(α:1%)		
Variance		Variance Ratio F Test				380	24.3	4.6E-05	Unequal Variances		
Distribution		Shapiro-Wilk W Normality Test				0.775	0.701	0.0107	Normal Distribution		
Chrysene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.55	0.528	0.572	0.545	0.535	0.575	0.00775	3.15%	0.00%
AT3-098		4	2.59	2.05	3.13	2.42	2.36	3.09	0.169	13.03%	-370.91%
Chrysene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.545	0.56	0.535	0.575	0.535					
AT3-098		---	2.49	2.36	3.09	2.42					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 10 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 04-5124-3396		Endpoint: Dibenz(a,h)anthracene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 2095720A7786D968BC7EBB4D69170523			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result	PMSD								
Untransformed	C < T	AT3-098 passed dibenz(a,h)anthracene endpoint	3.08%								
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	4	-59.9	2.13	0.0913	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	2.25	2.29	0.0628	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	16.4558	16.4558	1	3590	<1.0E-05	Significant Effect					
Error	0.0367037	0.004588	8								
Total	16.4925		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	199	23.2	0.0001	Unequal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.882	0.741	0.1367	Normal Distribution						
Dibenz(a,h)anthracene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	2.97	2.85	3.08	2.95	2.86	3.11	0.0427	3.22%	0.00%
AT3-098		5	0.4	0.392	0.409	0.402	0.39	0.409	0.00303	1.69%	86.50%
Dibenz(a,h)anthracene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	2.95	3	2.91	3.11	2.86					
AT3-098		0.39	0.402	0.403	0.399	0.409					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 11 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 05-6250-1207		Endpoint: Fluoranthene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: C656B55B4D6FA492965B4472C7B4590E			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result	PMSD								
Untransformed	C < T	AT3-098 failed fluoranthene endpoint	438.62%								
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	5.63	2.13	9.29	CDF	0.0025	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.82	2.29	0.4607	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	1503.32	1503.32	1	31.7	0.0005	Significant Effect					
Error	379.786	47.4733	8								
Total	1883.11		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	490	23.2	2.5E-05	Unequal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.884	0.741	0.1467	Normal Distribution						
Fluoranthene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	2.12	1.57	2.66	2.23	1.38	2.48	0.197	20.77%	0.00%
AT3-098		5	26.6	14.6	38.7	26.1	14.8	36.8	4.35	36.54%	-1157.79%
Fluoranthene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	2.09	2.23	2.41	2.48	1.38					
AT3-098		26.1	19.6	35.9	36.8	14.8					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 12 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 14-9364-0252		Endpoint: Fluorene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 50355D2D13938BB1E1552D52468F309A			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed fluorene endpoint				374.23%					
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	3.35	2.13	0.945	CDF	0.0143	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.91	2.29	0.3362	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	5.51158	5.51158	1	11.2	0.0101	Significant Effect					
Error	3.93249	0.491561	8								
Total	9.44406		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	17100	23.2	<1.0E-05	Unequal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.886	0.741	0.1543	Normal Distribution						
Fluorene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.253	0.243	0.262	0.251	0.245	0.263	0.00339	3.00%	0.00%
AT3-098		5	1.74	0.506	2.97	1.27	0.882	3	0.443	57.07%	-587.81%
Fluorene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.251	0.258	0.247	0.263	0.245					
AT3-098		0.935	1.27	2.6	3	0.882					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 13 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 07-5576-6393		Endpoint: Indeno(1,2,3-cd)pyrene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Nonparametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 6E4371FDEEA6BDEEBBFD7C28EF82A93			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or		Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result	PMSD								
Untransformed	C < T	AT3-098 passed indeno(1,2,3-cd)pyrene endpoint	10.85%								
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	40	---	0	Exact	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	2.32	2.29	0.0405	Outlier Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	16.3456	16.3456	1	153	<1.0E-05	Significant Effect					
Error	0.85448	0.10681	8								
Total	17.2001	9									
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	2.97	23.2	0.3164	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.692	0.741	0.0007	Non-Normal Distribution						
Indeno(1,2,3-cd)pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	3.54	3.25	3.83	3.46	3.35	3.93	0.104	6.55%	0.00%
AT3-098		5	0.985	0.489	1.48	0.81	0.79	1.7	0.179	40.59%	72.19%
Indeno(1,2,3-cd)pyrene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	3.35	3.57	3.46	3.93	3.4					
AT3-098		0.79	0.81	0.815	0.81	1.7					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 14 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma										EA-EST, Inc. PBC	
Analysis ID: 12-2133-3190		Endpoint: Naphthalene				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:44		MD5 Hash: 18048F756F904A0CF0BB10D204271968				Editor ID:					
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location		Lat/Long						
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp		Comparison Result					PMSD		
Untransformed		C < T		AT3-098 failed naphthalene endpoint					53.20%		
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	14.2	2.13	0.207	CDF	7.2E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.18	2.29	0.0978	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	4.73619		4.73619		1	200	<1.0E-05	Significant Effect			
Error	0.189077		0.0236347		8						
Total	4.92527				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				338	23.2	5.2E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.903	0.741	0.2387	Normal Distribution			
Naphthalene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.39	0.375	0.404	0.387	0.378	0.406	0.00528	3.03%	0.00%
AT3-098		5	1.77	1.5	2.04	1.81	1.45	2	0.0971	12.29%	-353.29%
Naphthalene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.387	0.397	0.38	0.406	0.378					
AT3-098		2	1.66	1.91	1.81	1.45					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 15 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 04-1490-0844		Endpoint: Phenanthrene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 5AB9E6A0C2E5AB41C2FAA05D78AA4D2			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed phenanthrene endpoint				155.52%					
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	3.44	2.13	3.07	CDF	0.0132	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.76	2.29	0.5686	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	61.2563	61.2563	1	11.8	0.0089	Significant Effect					
Error	41.475	5.18438	8								
Total	102.731		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	50.9	23.2	0.0022	Unequal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.908	0.741	0.2657	Normal Distribution						
Phenanthrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	1.97	1.42	2.53	2.23	1.3	2.31	0.2	22.63%	0.00%
AT3-098		5	6.92	2.96	10.9	4.86	4.23	10.7	1.43	46.06%	-250.76%
Phenanthrene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.73	2.3	2.31	2.23	1.3					
AT3-098		4.86	4.73	10.7	10.1	4.23					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:45 (p 16 of 16)  
 Test Code/ID: TN-23-303MnPAH / 13-3685-4237

Bioaccumulation Evaluation - PAHs - Macoma							EA-EST, Inc. PBC				
Analysis ID: 04-1423-2436		Endpoint: Pyrene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:45		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:44		MD5 Hash: 08C81C009542A76C78DFD918D23F22FA			Editor ID:						
Batch ID: 07-2064-6975		Test Type: Bioaccumulation - PAHs			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:47		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:47		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp			Comparison Result				PMSD		
Untransformed		C < T			AT3-098 failed pyrene endpoint				32.69%		
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	7	74.9	1.89	0.533	CDF	<1.0E-05	Significant Effect		
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		988.699		988.699		1	5610	<1.0E-05	Significant Effect		
Error		1.23338		0.176197		7					
Total		989.933				8					
ANOVA Assumptions Tests											
Attribute		Test				Test Stat	Critical	P-Value	Decision(α:1%)		
Variance		Variance Ratio F Test				11.7	24.3	0.0377	Equal Variances		
Distribution		Shapiro-Wilk W Normality Test				0.97	0.701	0.8905	Normal Distribution		
Pyrene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	1.63	1.41	1.85	1.62	1.45	1.9	0.0793	10.87%	0.00%
AT3-098		4	22.7	21.8	23.7	22.5	22	23.4	0.304	2.67%	-1292.46%
Pyrene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	1.5	1.62	1.69	1.9	1.45					
AT3-098		23.4	---	23	22.5	22					



## **ATTACHMENT X**

*Macoma nasuta* 28-Day Solid Phase Bioaccumulation Testing  
Tissue Chemistry and Body Burden Statistical Analyses

PCBs

(29 pages)



**APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)**

CONTAMINANT	REP1	REP2	Pre-Assay REP3	REP4 *	REP5 *
<b>PCB Congeners (ng/g wet wt.)</b>					
PCB 8	0.0630 U	0.0640 U	0.0630 U		
PCB 18	0.0459 U	0.0466 U	0.0458 U		
PCB 28	0.0780 U	0.0790 U	0.0780 U		
PCB 44	0.0870 U	0.0880 U	0.0870 U		
PCB 52	1.83	2.74	1.71		
PCB 66	0.0455 U	0.0462 U	0.0455 U		
PCB 101	0.0740 U	0.0755 U	0.0740 U		
PCB 105	0.0665 U	0.0675 U	0.0665 U		
PCB 118	0.0705 U	0.0715 U	0.0705 U		
PCB 128	0.0830 U	0.0845 U	0.0830 U		
PCB 138	1.07	0.0540 U	0.0530 U		
PCB 153	0.111 U	0.113 U	0.111 U		
PCB 170	0.0408 U	0.0414 U	0.0408 U		
PCB 180	0.0417 U	0.0424 U	0.0417 U		
PCB 187	0.0600 U	0.0610 U	0.0600 U		
PCB 195	0.0785 U	0.0795 U	0.0780 U		
PCB 206	0.0800 U	0.0810 U	0.0800 U		
PCB 209	0.0915 U	0.0930 U	0.0915 U		
Total PCBs	8.03	7.85	5.76		

\* = Qualifiers

U Analyte not detected; below Method Detection Limit; value is one-half the Method Detection Limit

J Analyte estimated; detection below Reporting Limit but above Method Detection Limit

NA Not Analyzed



**Yachtsman Marina**  
**NAE-2004-00319**

**APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)**

CONTAMINANT	IOSN Reference				
	REP1	REP2	REP3	REP4	REP5
<b>PCB Congeners (ng/g wet wt)</b>					
PCB 8	0.0465 U	0.0475 U	0.0455 U	0.0485 U	0.0455 U
PCB 18	0.0340 U	0.0345 U	0.0330 U	0.0355 U	0.0330 U
PCB 28	0.0575 U	0.0590 U	0.0565 U	0.0600 U	0.0560 U
PCB 44	0.0640 U	0.0655 U	0.0630 U	0.0670 U	0.0625 U
PCB 52	0.0355 U	0.0365 U	0.0350 U	0.0375 U	0.0350 U
PCB 66	0.0335 U	0.0345 U	0.0330 U	0.0350 U	0.0330 U
PCB 101	0.0545 U	0.0560 U	0.0535 U	0.0575 U	0.0535 U
PCB 105	0.0490 U	0.0500 U	0.0480 U	0.0515 U	0.0480 U
PCB 118	0.0520 U	0.0530 U	0.0510 U	0.0545 U	0.0505 U
PCB 128	0.0610 U	0.0630 U	0.0600 U	0.0640 U	0.0600 U
PCB 138	0.0390 U	0.0400 U	0.0385 U	0.0410 U	0.0385 U
PCB 153	0.0815 U	0.0835 U	0.0800 U	0.0855 U	0.0795 U
PCB 170	0.0300 U	0.0310 U	0.0295 U	0.0315 U	0.0295 U
PCB 180	0.0305 U	0.0315 U	0.0300 U	0.0325 U	0.0300 U
PCB 187	0.0440 U	0.0455 U	0.0435 U	0.0465 U	0.0430 U
PCB 195	0.0575 U	0.0590 U	0.0565 U	0.0605 U	0.0565 U
PCB 206	0.0590 U	0.0605 U	0.0580 U	0.0620 U	0.0575 U
PCB 209	0.0675 U	0.0690 U	0.0665 U	0.0710 U	0.0660 U
Total PCBs	1.79	1.84	1.76	1.88	1.76

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)

CONTAMINANT	10 Stations at 4 Marinas Mud				
	REP1	REP2	REP3	REP4	REP5
<b>PCB Congeners (ng/g wet wt)</b>					
PCB 8	0.0625 U	0.0640 U	0.0645 U	0.0635 U	0.0650 U
PCB 18	0.0453 U	0.0467 U	0.0469 U	0.0464 U	0.0475 U
PCB 28	0.0770 U	0.0795 U	0.0795 U	0.0790 U	0.0805 U
PCB 44	0.0860 U	0.0885 U	0.0890 U	0.0880 U	0.0900 U
PCB 52	0.0479 U	0.0492 U	0.0495 U	0.662	0.0500 U
PCB 66	0.0450 U	0.0463 U	0.0465 U	0.0460 U	0.0471 U
PCB 101	0.0735 U	0.0755 U	0.0760 U	0.0750 U	0.0770 U
PCB 105	0.0660 U	0.0675 U	0.0680 U	0.0670 U	0.0690 U
PCB 118	0.0695 U	0.423 J	0.0720 U	0.0710 U	0.0730 U
PCB 128	0.0820 U	0.0845 U	0.0850 U	0.0840 U	0.0860 U
PCB 138	0.0525 U	0.0540 U	0.0545 U	0.0535 U	0.0550 U
PCB 153	0.110 U	0.113 U	0.113 U	0.260 J	0.115 U
PCB 170	0.0403 U	0.0415 U	0.0416 U	0.0412 U	0.0422 U
PCB 180	0.0412 U	0.0424 U	0.0426 U	0.0422 U	0.0432 U
PCB 187	0.0590 U	0.0610 U	0.0610 U	0.0605 U	0.0620 U
PCB 195	0.0775 U	0.0795 U	0.0800 U	0.0790 U	0.0810 U
PCB 206	0.0790 U	0.0810 U	0.0815 U	0.0810 U	0.0825 U
PCB 209	0.0905 U	0.0930 U	0.0935 U	0.0925 U	0.0950 U
Total PCBs	2.41	3.18	2.49	3.98	2.52

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



# CETIS Test Data Worksheet

Report Date: 19 Aug-23 06:47 (p 1 of 1)

Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma																							EA-EST, Inc. PBC		
Start Date:		29 Mar-23 13:48		Species:		Macoma nasuta						Sample Code:		AT3-191											
End Date:		26 Apr-23 12:48		Protocol:		US ACE NED RIM (2004)						Sample Source:		Yachtsman Marina NAE-2004-00319											
Sample Date:		20 Mar-23		Material:		Laboratory Control Sediment						Sample Station:		Laboratory Control											
Sample	Rep	Pos	PBC 008	PBC 018	PBC 028	PBC 044	PBC 052	PBC 066	PBC 101	PBC 105	PBC 118	PBC 128	PBC 138	PBC 153	PBC 170	PBC 180	PBC 187	PBC 195	PBC 206	PBC 209	PBC 087	PBC 049	PBC 183	PBC 184	Total PCBs
IOSN 2019	1	2	0.047	0.034	0.058	0.064	0.036	0.034	0.055	0.049	0.052	0.061	0.039	0.082	0.03	0.031	0.044	0.058	0.059	0.068	0.027	0.063	0.017	0.034	
IOSN 2019	2	3	0.048	0.035	0.059	0.066	0.037	0.035	0.056	0.05	0.053	0.063	0.04	0.084	0.031	0.032	0.046	0.059	0.061	0.069	0.028	0.064	0.017	0.035	
IOSN 2019	3	6	0.046	0.033	0.057	0.063	0.035	0.033	0.054	0.048	0.051	0.06	0.039	0.08	0.03	0.03	0.044	0.057	0.058	0.067	0.027	0.062	0.017	0.033	
IOSN 2019	4	7	0.049	0.036	0.06	0.067	0.038	0.035	0.058	0.052	0.055	0.064	0.041	0.086	0.032	0.033	0.047	0.061	0.062	0.071	0.029	0.066	0.018	0.036	
IOSN 2019	5	10	0.046	0.033	0.056	0.063	0.035	0.033	0.054	0.048	0.051	0.06	0.039	0.08	0.03	0.03	0.043	0.057	0.058	0.066	0.027	0.061	0.016	0.033	
AT3-098	1	1	0.063	0.045	0.077	0.086	0.048	0.045	0.074	0.066	0.07	0.082	0.053	0.11	0.040	0.041	0.059	0.078	0.079	0.091	0.037	0.084	0.022	0.045	
AT3-098	2	4	0.064	0.047	0.08	0.089	0.049	0.046	0.076	0.068	0.423	0.085	0.054	0.113	0.041	0.042	0.061	0.08	0.081	0.093	0.038	0.087	0.023	0.047	
AT3-098	3	5	0.065	0.047	0.08	0.089	0.049	0.047	0.076	0.068	0.072	0.085	0.055	0.113	0.042	0.043	0.061	0.08	0.082	0.094	0.038	0.087	0.023	0.047	
AT3-098	4	8	0.064	0.046	0.079	0.088	0.662	0.046	0.075	0.067	0.071	0.084	0.054	0.26	0.041	0.042	0.061	0.079	0.081	0.093	0.037	0.551	0.023	0.046	
AT3-098	5	9	0.065	0.047	0.081	0.09	0.05	0.047	0.077	0.069	0.073	0.086	0.055	0.115	0.042	0.043	0.062	0.081	0.083	0.095	0.038	0.088	0.023	0.047	



# CETIS Summary Report

Report Date: 19 Aug-23 06:48 (p 1 of 5)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

## Bioaccumulation Evaluation - PCB Congeners - Macoma

EA-EST, Inc. PBC

<b>Batch ID:</b> 14-7703-1847	<b>Test Type:</b> Bioaccumulation - PCBs - Mn	<b>Analyst:</b> Nancy Roka
<b>Start Date:</b> 29 Mar-23 13:48	<b>Protocol:</b> US ACE NED RIM (2004)	<b>Diluent:</b> Not Applicable
<b>Ending Date:</b> 26 Apr-23 12:48	<b>Species:</b> Macoma nasuta	<b>Brine:</b> Not Applicable
<b>Test Length:</b> 27d 23h	<b>Taxon:</b> Bivalvia	<b>Source:</b> ARO - Aquatic Research Or <b>Age:</b>

<b>Sample ID:</b> 10-1907-8970	<b>Code:</b> AT3-191	<b>Project:</b> Dredged Sediment Evaluation
<b>Sample Date:</b> 20 Mar-23	<b>Material:</b> Laboratory Control Sediment	<b>Source:</b> Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b> 20 Mar-23 16:00	<b>CAS (PC):</b>	<b>Station:</b> Laboratory Control
<b>Sample Age:</b> 9d 14h	<b>Client:</b> Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

### Single Comparison Summary

Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
11-6719-3611	PCB 008	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 008	1
16-3276-0407	PCB 018	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 018	1
13-9608-7387	PCB 028	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 028	1
19-3839-9687	PCB 044	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 044	1
05-0591-9058	PCB 052	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 052	1
09-3696-3646	PCB 052	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed pcb 052	1
14-5817-1474	PCB 066	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 066	1
14-9269-7357	PCB 101	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 101	1
04-1507-5714	PCB 105	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 105	1
20-1325-5525	PCB 118	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 118	1
11-1662-6316	PCB 118	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed pcb 118	1
11-7225-5352	PCB 128	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 128	1
09-9129-8390	PCB 138	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 138	1
10-1176-5480	PCB 153	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 153	1
08-1735-4110	PCB 153	Wilcoxon Rank Sum Two-Sample Test	0.0040	AT3-098 failed pcb 153	1
12-8292-6359	PCB 170	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 170	1
15-8865-0666	PCB 180	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 180	1
01-5676-1440	PCB 187	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 187	1
02-4694-1435	PCB 195	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 195	1
03-3708-3472	PCB 206	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 206	1
08-3719-0550	PCB 209	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed pcb 209	1



# CETIS Summary Report

Report Date: 19 Aug-23 06:48 (p 2 of 5)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

## Bioaccumulation Evaluation - PCB Congeners - Macoma

EA-EST, Inc. PBC

PCB 008 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0467	0.0451	0.0483	0.0455	0.0485	0.000583	0.0013	2.79%	0.00%
AT3-098		5	0.0639	0.0627	0.0651	0.0625	0.065	0.00043	0.000962	1.51%	-36.83%
PCB 018 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.034	0.0327	0.0353	0.033	0.0355	0.000474	0.00106	3.12%	0.00%
AT3-098		5	0.0465	0.0455	0.0475	0.0453	0.0474	0.000354	0.000792	1.70%	-36.82%
PCB 028 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0578	0.0557	0.0599	0.056	0.06	0.000752	0.00168	2.91%	0.00%
AT3-098		5	0.0791	0.0775	0.0807	0.077	0.0805	0.000579	0.00129	1.64%	-36.85%
PCB 044 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0644	0.0621	0.0667	0.0625	0.067	0.000828	0.00185	2.87%	0.00%
AT3-098		5	0.0883	0.0865	0.0901	0.086	0.09	0.000663	0.00148	1.68%	-37.11%
PCB 052 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0359	0.0346	0.0372	0.035	0.0375	0.000485	0.00108	3.02%	0.00%
AT3-098		5	0.172	-0.169	0.512	0.0479	0.662	0.123	0.274	159.63%	-378.27%
PCB 066 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0338	0.0327	0.0349	0.033	0.035	0.000406	0.000908	2.69%	0.00%
AT3-098		5	0.0462	0.0452	0.0471	0.045	0.0471	0.000346	0.000773	1.67%	-36.63%
PCB 101 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.055	0.0528	0.0572	0.0535	0.0575	0.000775	0.00173	3.15%	0.00%
AT3-098		5	0.0754	0.0738	0.077	0.0735	0.077	0.000579	0.00129	1.72%	-37.09%
PCB 105 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0493	0.0475	0.0511	0.048	0.0515	0.000663	0.00148	3.01%	0.00%
AT3-098		5	0.0675	0.0661	0.0689	0.066	0.069	0.0005	0.00112	1.66%	-36.92%
PCB 118 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0522	0.0502	0.0542	0.0505	0.0545	0.000718	0.0016	3.07%	0.00%
AT3-098		5	0.142	-0.0536	0.337	0.0695	0.423	0.0703	0.157	110.98%	-171.46%
PCB 128 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0616	0.0593	0.0639	0.06	0.064	0.000812	0.00182	2.95%	0.00%
AT3-098		5	0.0843	0.0825	0.0861	0.082	0.086	0.000663	0.00148	1.76%	-36.85%
PCB 138 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0394	0.0381	0.0407	0.0385	0.041	0.000485	0.00108	2.75%	0.00%
AT3-098		5	0.0539	0.0527	0.0551	0.0525	0.055	0.00043	0.000962	1.78%	-36.80%



# CETIS Summary Report

Report Date: 19 Aug-23 06:48 (p 3 of 5)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

## Bioaccumulation Evaluation - PCB Congeners - Macoma

EA-EST, Inc. PBC

PCB 153 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.082	0.0789	0.0851	0.0795	0.0855	0.00112	0.0025	3.05%	0.00%
AT3-098		5	0.142	0.0599	0.224	0.109	0.26	0.0295	0.066	46.54%	-73.05%
PCB 170 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0303	0.0292	0.0314	0.0295	0.0315	0.000406	0.000908	3.00%	0.00%
AT3-098		5	0.0414	0.0405	0.0422	0.0403	0.0422	0.00031	0.000693	1.68%	-36.47%
PCB 180 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0309	0.0296	0.0322	0.03	0.0325	0.000485	0.00108	3.51%	0.00%
AT3-098		5	0.0423	0.0414	0.0432	0.0412	0.0432	0.000321	0.000717	1.69%	-36.89%
PCB 187 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0445	0.0427	0.0463	0.043	0.0465	0.000652	0.00146	3.28%	0.00%
AT3-098		5	0.0607	0.0593	0.0621	0.059	0.062	0.00049	0.0011	1.80%	-36.40%
PCB 195 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.058	0.0558	0.0602	0.0565	0.0605	0.000775	0.00173	2.99%	0.00%
AT3-098		5	0.0794	0.0778	0.081	0.0775	0.081	0.000579	0.00129	1.63%	-36.90%
PCB 206 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0594	0.0571	0.0617	0.0575	0.062	0.000828	0.00185	3.12%	0.00%
AT3-098		5	0.081	0.0794	0.0826	0.079	0.0825	0.00057	0.00127	1.57%	-36.36%
PCB 209 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.068	0.0655	0.0705	0.066	0.071	0.000908	0.00203	2.99%	0.00%
AT3-098		5	0.0929	0.0909	0.0949	0.0905	0.095	0.000731	0.00164	1.76%	-36.62%



# CETIS Summary Report

Report Date: 19 Aug-23 06:48 (p 4 of 5)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

## Bioaccumulation Evaluation - PCB Congeners - Macoma

EA-EST, Inc. PBC

<b>PCB 008 Detail</b>							MD5: 9C603D30B16A57D426E738700F73B519
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0465	0.0475	0.0455	0.0485	0.0455	
AT3-098		0.0625	0.064	0.0645	0.0635	0.065	
<b>PCB 018 Detail</b>							MD5: DD9BEDC40F682A4349BA0136904F97C7
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.034	0.0345	0.033	0.0355	0.033	
AT3-098		0.0453	0.0466	0.0468	0.0463	0.0474	
<b>PCB 028 Detail</b>							MD5: 786773990FB8BBB1B08C3594EEA9CE4D
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0575	0.059	0.0565	0.06	0.056	
AT3-098		0.077	0.0795	0.0795	0.079	0.0805	
<b>PCB 044 Detail</b>							MD5: D2EFAD9773BDE40510B0CEAEF31B9A2D
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.064	0.0655	0.063	0.067	0.0625	
AT3-098		0.086	0.0885	0.089	0.088	0.09	
<b>PCB 052 Detail</b>							MD5: 936FDE147307595B0DD61AD9E6253183
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0355	0.0365	0.035	0.0375	0.035	
AT3-098		0.0479	0.0492	0.0494	0.662	0.05	
<b>PCB 066 Detail</b>							MD5: 7A24F9E788E803B4DB65AED846AE44FA
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0335	0.0345	0.033	0.035	0.033	
AT3-098		0.045	0.0463	0.0465	0.046	0.0471	
<b>PCB 101 Detail</b>							MD5: 030FC5C2EC3878D6CB1097D3BD05BD5C
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0545	0.056	0.0535	0.0575	0.0535	
AT3-098		0.0735	0.0755	0.076	0.075	0.077	
<b>PCB 105 Detail</b>							MD5: D02B9D3F2A01B1B333F2F0D7963B1648
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.049	0.05	0.048	0.0515	0.048	
AT3-098		0.066	0.0675	0.068	0.067	0.069	
<b>PCB 118 Detail</b>							MD5: F4A31E554A76400BC4D54496C71B1A3E
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.052	0.053	0.051	0.0545	0.0505	
AT3-098		0.0695	0.423	0.072	0.071	0.073	
<b>PCB 128 Detail</b>							MD5: F7C2E9EACAC0BEBB404EE5A1AC418C2
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.061	0.063	0.06	0.064	0.06	
AT3-098		0.082	0.0845	0.085	0.084	0.086	
<b>PCB 138 Detail</b>							MD5: EB396B64B9D31D9A53B859815C4B1256
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.039	0.04	0.0385	0.041	0.0385	
AT3-098		0.0525	0.054	0.0545	0.0535	0.055	



# CETIS Summary Report

Report Date: 19 Aug-23 06:48 (p 5 of 5)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

## Bioaccumulation Evaluation - PCB Congeners - Macoma

EA-EST, Inc. PBC

<b>PCB 153 Detail</b>							MD5: BFDB7A2262DFC5BD213F5DAA527DC792
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.0815	0.0835	0.08	0.0855	0.0795	
AT3-098		0.109	0.112	0.113	0.26	0.115	
<b>PCB 170 Detail</b>							MD5: 5B285380C382208B75EA8F6FD2806A3E
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.03	0.031	0.0295	0.0315	0.0295	
AT3-098		0.0403	0.0415	0.0416	0.0412	0.0422	
<b>PCB 180 Detail</b>							MD5: E7A91940C4BA30C77459FE5B9AFB47F1
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.0305	0.0315	0.03	0.0325	0.03	
AT3-098		0.0412	0.0424	0.0426	0.0421	0.0432	
<b>PCB 187 Detail</b>							MD5: 2CB198593AF1373895ED983CC6673022
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.044	0.0455	0.0435	0.0465	0.043	
AT3-098		0.059	0.061	0.061	0.0605	0.062	
<b>PCB 195 Detail</b>							MD5: 4BD0DE09D74BAE601C1618D06FEEEE3D
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.0575	0.059	0.0565	0.0605	0.0565	
AT3-098		0.0775	0.0795	0.08	0.079	0.081	
<b>PCB 206 Detail</b>							MD5: 3D17519E07607620A736093499E06742
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.059	0.0605	0.058	0.062	0.0575	
AT3-098		0.079	0.081	0.0815	0.081	0.0825	
<b>PCB 209 Detail</b>							MD5: 927A5DA40F4466C5BFC0586882D4BFFD
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	
IOSN 2019	RS	0.0675	0.069	0.0665	0.071	0.066	
AT3-098		0.0905	0.093	0.0935	0.0925	0.095	



**STUDY: TN-23-303**  
**CLIENT: Eco-Analysts, Inc.**  
**PROJECT: Yachtsman Marina, Kennebunkport, ME NAE-2004-00319**  
**ASSAY: *M. nasuta* 28-day Bioaccumulation Evaluation**  
**TASK: Statistical Analysis of Body Burden PCBs**

Endpoint	Method	C	<	T	Statistic	Critical	P Level	Alpha	Reject Null	MSD	DF	Ties	P-Type
PCB 008	Equal Variance t Two-Sample Test	IOSN	<	Comp	23.73826	1.859548	0	0.05	TRUE	0.00134737	8		C
PCB 018	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.15057	1.859548	0	0.05	TRUE	0.001100752	8		C
PCB 028	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.45218	1.859548	0	0.05	TRUE	0.001764121	8		C
PCB 044	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.53314	1.859548	0	0.05	TRUE	0.001972349	8		C
PCB 052	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0 E	
PCB 052	Equal Variance t Two-Sample Test	IOSN	<	Comp	19.43555	1.894579	1.20916E-07	0.05	TRUE	0.001289174	7		C
PCB 066	Equal Variance t Two-Sample Test	IOSN	<	Comp	23.21432	1.859548	0	0.05	TRUE	0.000991681	8		C
PCB 101	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.09718	1.859548	0	0.05	TRUE	0.001798097	8		C
PCB 105	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.91023	1.859548	0	0.05	TRUE	0.001544656	8		C
PCB 118	Equal Variance t Two-Sample Test	IOSN	<	Comp	18.34905	1.894579	1.78724E-07	0.05	TRUE	0.00197986	7		C
PCB 118	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0 E	
PCB 128	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.64359	1.859548	0	0.05	TRUE	0.001950312	8		C
PCB 138	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.37398	1.859548	0	0.05	TRUE	0.001205125	8		C
PCB 153	Wilcoxon Rank Sum Two-Sample Test	IOSN	<	Comp	15		0.003968254	0.05	TRUE		8	0 E	
PCB 153	Equal Variance t Two-Sample Test	IOSN	<	Comp	19.38645	1.894579	1.23008E-07	0.05	TRUE	0.002968457	7		C
PCB 170	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.62928	1.859548	0	0.05	TRUE	0.000950009	8		C
PCB 180	Equal Variance t Two-Sample Test	IOSN	<	Comp	19.61586	1.859548	0	0.05	TRUE	0.0010807	8		C
PCB 187	Equal Variance t Two-Sample Test	IOSN	<	Comp	19.86572	1.859548	0	0.05	TRUE	0.001516415	8		C
PCB 195	Equal Variance t Two-Sample Test	IOSN	<	Comp	22.13136	1.859548	0	0.05	TRUE	0.001798097	8		C
PCB 206	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.49281	1.859548	0	0.05	TRUE	0.001868822	8		C
PCB 209	Equal Variance t Two-Sample Test	IOSN	<	Comp	21.35157	1.859548	0	0.05	TRUE	0.002168588	8		C



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 1 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma							EA-EST, Inc. PBC				
Analysis ID: 11-6719-3611		Endpoint: PCB 008			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:47		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: FECC1FE80AF281307E4EC8BA3C0DF58			Editor ID:						
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location		Lat/Long						
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed pcb 008 endpoint				2.89%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	23.7	1.86	0.00135	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			1.67	2.29	0.7532	No Outliers Detected				
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0007396		0.0007396		1	564	<1.0E-05	Significant Effect			
Error	0.0000105		1.313E-06		8						
Total	0.0007501				9						
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			1.84	23.2	0.5700	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.949	0.741	0.6522	Normal Distribution				
PCB 008 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0467	0.0451	0.0483	0.0465	0.0455	0.0485	0.000583	2.79%	0.00%
AT3-098		5	0.0639	0.0627	0.0651	0.064	0.0625	0.065	0.00043	1.51%	-36.83%
PCB 008 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0465	0.0475	0.0455	0.0485	0.0455					
AT3-098		0.0625	0.064	0.0645	0.0635	0.065					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 2 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma							EA-EST, Inc. PBC				
Analysis ID: 16-3276-0407		Endpoint: PCB 018			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:47		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: D3EC8A4E7F778C71526F3FF6A664DC74			Editor ID:						
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 018 endpoint				3.24%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.2	1.86	0.0011	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.7	2.29	0.6826	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003919		0.0003919		1	447	<1.0E-05	Significant Effect			
Error	7.008E-06		8.76E-07		8						
Total	0.0003989				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.79	23.2	0.5851	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.952	0.741	0.6974	Normal Distribution			
PCB 018 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.034	0.0327	0.0353	0.034	0.033	0.0355	0.000474	3.12%	0.00%
AT3-098		5	0.0465	0.0455	0.0475	0.0467	0.0453	0.0475	0.000354	1.70%	-36.82%
PCB 018 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.034	0.0345	0.033	0.0355	0.033					
AT3-098		0.0453	0.0467	0.0469	0.0464	0.0475					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 3 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 13-9608-7387		Endpoint: PCB 028				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:47		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 0377D7B29B5F9732FE5E94EDBB423E9A				Editor ID:					
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location		Lat/Long						
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed pcb 028 endpoint				3.05%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.5	1.86	0.00176	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.56	2.29	1.0000	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0011342		0.0011342		1	504	<1.0E-05	Significant Effect			
Error	0.000018		2.25E-06		8						
Total	0.0011522				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.69	23.2	0.6250	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.962	0.741	0.8099	Normal Distribution			
PCB 028 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0578	0.0557	0.0599	0.0575	0.056	0.06	0.000752	2.91%	0.00%
AT3-098		5	0.0791	0.0775	0.0807	0.0795	0.077	0.0805	0.000579	1.64%	-36.85%
PCB 028 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0575	0.059	0.0565	0.06	0.056					
AT3-098		0.077	0.0795	0.0795	0.079	0.0805					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 4 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 19-3839-9687		Endpoint: PCB 044				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 3EAC3D0D7916F43F6F89F408981BBB9F				Editor ID:					
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 044 endpoint				3.06%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.5	1.86	0.00197	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.64	2.29	0.8024	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0014280		0.0014280		1	508	<1.0E-05	Significant Effect			
Error	0.0000225		2.813E-06		8						
Total	0.0014505				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.56	23.2	0.6785	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.976	0.741	0.9412	Normal Distribution			
PCB 044 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0644	0.0621	0.0667	0.064	0.0625	0.067	0.000828	2.87%	0.00%
AT3-098		5	0.0883	0.0865	0.0901	0.0885	0.086	0.09	0.000663	1.68%	-37.11%
PCB 044 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.064	0.0655	0.063	0.067	0.0625					
AT3-098		0.086	0.0885	0.089	0.088	0.09					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 5 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 09-3696-3646			Endpoint: PCB 052				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:48			Analysis: Nonparametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:45			MD5 Hash: 1BE4B4C3D6E2B223EE9F421AA372C32C				Editor ID:				
Batch ID: 14-7703-1847			Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka				
Start Date: 29 Mar-23 13:48			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 26 Apr-23 12:48			Species: Macoma nasuta				Brine: Not Applicable				
Test Length: 27d 23h			Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 052 endpoint				634.92%			
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	15	---	0	Exact	0.0040	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.68	2.29	0.0004	Outlier Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0461041		0.0461041		1	1.23	0.3001	Non-Significant Effect			
Error	0.3005		0.0375625		8						
Total	0.346604				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				63900	23.2	<1.0E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.628	0.741	0.0001	Non-Normal Distribution			
PCB 052 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0359	0.0346	0.0372	0.0355	0.035	0.0375	0.000485	3.02%	0.00%
AT3-098		5	0.172	-0.169	0.512	0.0495	0.0479	0.662	0.123	159.63%	-378.27%
PCB 052 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0355	0.0365	0.035	0.0375	0.035					
AT3-098		0.0479	0.0492	0.0495	0.662	0.05					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 6 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma							EA-EST, Inc. PBC				
Analysis ID: 14-5817-1474		Endpoint: PCB 066			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: 4D9D160EF348E0EFD14D69E0CFCD9004			Editor ID:						
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 066 endpoint				2.93%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	23.2	1.86	0.000992	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.51	2.29	1.0000	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003832		0.0003832		1	539	<1.0E-05	Significant Effect			
Error	5.688E-06		7.11E-07		8						
Total	0.0003888				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.38	23.2	0.7616	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.963	0.741	0.8243	Normal Distribution			
PCB 066 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0338	0.0327	0.0349	0.0335	0.033	0.035	0.000406	2.69%	0.00%
AT3-098		5	0.0462	0.0452	0.0471	0.0463	0.045	0.0471	0.000346	1.67%	-36.63%
PCB 066 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0335	0.0345	0.033	0.035	0.033					
AT3-098		0.045	0.0463	0.0465	0.046	0.0471					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 7 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 14-9269-7357		Endpoint: PCB 101				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 3353EB38044B278D7CACC4E48E04E727				Editor ID:					
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 101 endpoint				3.27%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.1	1.86	0.0018	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.73	2.29	0.6144	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0010404		0.0010404		1	445	<1.0E-05	Significant Effect			
Error	0.0000187		2.338E-06		8						
Total	0.0010591				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.79	23.2	0.5862	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.959	0.741	0.7763	Normal Distribution			
PCB 101 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.055	0.0528	0.0572	0.0545	0.0535	0.0575	0.000775	3.15%	0.00%
AT3-098		5	0.0754	0.0738	0.077	0.0755	0.0735	0.077	0.000579	1.72%	-37.09%
PCB 101 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0545	0.056	0.0535	0.0575	0.0535					
AT3-098		0.0735	0.0755	0.076	0.075	0.077					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 8 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 04-1507-5714		Endpoint: PCB 105				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 99C7BBF4546172ABF116BDFFE560FFE6				Editor ID:					
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result						PMSD	
Untransformed		C < T		AT3-098 failed pcb 105 endpoint						3.13%	
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.9	1.86	0.00154	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.78	2.29	0.5371	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0008281		0.0008281		1	480	<1.0E-05	Significant Effect			
Error	0.0000138		1.725E-06		8						
Total	0.0008419				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.76	23.2	0.5974	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.943	0.741	0.5867	Normal Distribution			
PCB 105 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0493	0.0475	0.0511	0.049	0.048	0.0515	0.000663	3.01%	0.00%
AT3-098		5	0.0675	0.0661	0.0689	0.0675	0.066	0.069	0.0005	1.66%	-36.92%
PCB 105 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.049	0.05	0.048	0.0515	0.048					
AT3-098		0.066	0.0675	0.068	0.067	0.069					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 9 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma							EA-EST, Inc. PBC				
Analysis ID: 20-1325-5525		Endpoint: PCB 118			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: 0597AABE8A5C5DFE63E5199110DC7087			Editor ID:						
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 118 endpoint				3.79%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	7	18.3	1.89	0.00198	CDF	<1.0E-05	Significant Effect		
ANOVA Table											
Source		Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)		
Between		0.0008171		0.0008171		1	337	<1.0E-05	Significant Effect		
Error		1.699E-05		2.427E-06		7					
Total		0.0008341				8					
ANOVA Assumptions Tests											
Attribute		Test				Test Stat	Critical	P-Value	Decision(α:1%)		
Variance		Variance Ratio F Test				1.16	46.2	0.9433	Equal Variances		
Distribution		Shapiro-Wilk W Normality Test				0.955	0.701	0.7426	Normal Distribution		
PCB 118 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0522	0.0502	0.0542	0.052	0.0505	0.0545	0.000718	3.07%	0.00%
AT3-098		4	0.0714	0.069	0.0738	0.071	0.0695	0.073	0.000747	2.09%	-36.73%
PCB 118 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.052	0.053	0.051	0.0545	0.0505					
AT3-098		0.0695	---	0.072	0.071	0.073					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 10 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 11-7225-5352		Endpoint: PCB 128				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 85B5447611C018A32DDC654868069831				Editor ID:					
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location		Lat/Long						
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed pcb 128 endpoint				3.17%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.6	1.86	0.00195	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.54	2.29	1.0000	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0012882		0.0012882		1	468	<1.0E-05	Significant Effect			
Error	0.000022		2.75E-06		8						
Total	0.0013102				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.5	23.2	0.7040	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.964	0.741	0.8284	Normal Distribution			
PCB 128 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0616	0.0593	0.0639	0.061	0.06	0.064	0.000812	2.95%	0.00%
AT3-098		5	0.0843	0.0825	0.0861	0.0845	0.082	0.086	0.000663	1.76%	-36.85%
PCB 128 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.061	0.063	0.06	0.064	0.06					
AT3-098		0.082	0.0845	0.085	0.084	0.086					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 11 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 09-9129-8390			Endpoint: PCB 138				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:48			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:45			MD5 Hash: 9769FBC2DCBFB15B6C7D55433F7C843E				Editor ID:				
Batch ID: 14-7703-1847			Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka				
Start Date: 29 Mar-23 13:48			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 26 Apr-23 12:48			Species: Macoma nasuta				Brine: Not Applicable				
Test Length: 27d 23h			Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp	Comparison Result					PMSD			
Untransformed		C < T	AT3-098 failed pcb 138 endpoint					3.06%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.4	1.86	0.00121	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.66	2.29	0.7759	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0005256		0.0005256		1	501	<1.0E-05	Significant Effect			
Error	8.400E-06		1.05E-06		8						
Total	0.0005340				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.27	23.2	0.8223	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.963	0.741	0.8142	Normal Distribution			
PCB 138 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0394	0.0381	0.0407	0.039	0.0385	0.041	0.000485	2.75%	0.00%
AT3-098		5	0.0539	0.0527	0.0551	0.054	0.0525	0.055	0.00043	1.78%	-36.80%
PCB 138 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.039	0.04	0.0385	0.041	0.0385					
AT3-098		0.0525	0.054	0.0545	0.0535	0.055					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 12 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 08-1735-4110		Endpoint: PCB 153				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:48		Analysis: Nonparametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 00ECE76B49D2C091BA135A7A3DE94EC				Editor ID:					
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 153 endpoint				67.03%			
Wilcoxon Rank Sum Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	15	---	0	Exact	0.0040	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.68	2.29	0.0005	Outlier Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0089700		0.0089700		1	4.11	0.0773	Non-Significant Effect			
Error	0.0174727		0.0021841		8						
Total	0.0264427				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				698	23.2	1.2E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.655	0.741	0.0003	Non-Normal Distribution			
PCB 153 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.082	0.0789	0.0851	0.0815	0.0795	0.0855	0.00112	3.05%	0.00%
AT3-098		5	0.142	0.0599	0.224	0.113	0.11	0.26	0.0295	46.54%	-73.05%
PCB 153 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0815	0.0835	0.08	0.0855	0.0795					
AT3-098		0.11	0.113	0.113	0.26	0.115					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 13 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma							EA-EST, Inc. PBC				
Analysis ID: 12-8292-6359		Endpoint: PCB 170			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: 67E462D9ADC4D30E150C55A068B00550			Editor ID:						
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 170 endpoint				3.14%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.6	1.86	0.00095	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.58	2.29	0.9685	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003053		0.0003053		1	468	<1.0E-05	Significant Effect			
Error	5.22E-06		6.525E-07		8						
Total	0.0003105				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.72	23.2	0.6127	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.955	0.741	0.7278	Normal Distribution			
PCB 170 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0303	0.0292	0.0314	0.03	0.0295	0.0315	0.000406	3.00%	0.00%
AT3-098		5	0.0414	0.0405	0.0422	0.0415	0.0403	0.0422	0.00031	1.68%	-36.47%
PCB 170 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.03	0.031	0.0295	0.0315	0.0295					
AT3-098		0.0403	0.0415	0.0416	0.0412	0.0422					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 14 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma							EA-EST, Inc. PBC				
Analysis ID: 15-8865-0666		Endpoint: PCB 180			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: 03DC1AB4E1FD1E4DFD5ACE341B1943A			Editor ID:						
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed pcb 180 endpoint				3.50%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	19.6	1.86	0.00108	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			1.85	2.29	0.4236	No Outliers Detected				
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.0003249	0.0003249	1	385	<1.0E-05	Significant Effect					
Error	6.755E-06	8.444E-07	8								
Total	0.0003317		9								
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			2.29	23.2	0.4427	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.957	0.741	0.7484	Normal Distribution				
PCB 180 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0309	0.0296	0.0322	0.0305	0.03	0.0325	0.000485	3.51%	0.00%
AT3-098		5	0.0423	0.0414	0.0432	0.0424	0.0412	0.0432	0.000321	1.69%	-36.89%
PCB 180 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0305	0.0315	0.03	0.0325	0.03					
AT3-098		0.0412	0.0424	0.0426	0.0422	0.0432					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 15 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 01-5676-1440			Endpoint: PCB 187				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:48			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:45			MD5 Hash: 86402B7DEFC80573430F72405948C151				Editor ID:				
Batch ID: 14-7703-1847			Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka				
Start Date: 29 Mar-23 13:48			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 26 Apr-23 12:48			Species: Macoma nasuta				Brine: Not Applicable				
Test Length: 27d 23h			Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result					PMSD				
Untransformed	C < T	AT3-098 failed pcb 187 endpoint					3.41%				
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	19.9	1.86	0.00152	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.65	2.29	0.8005	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	0.0006561	0.0006561	1	395	<1.0E-05	Significant Effect					
Error	0.0000133	1.663E-06	8								
Total	0.0006694		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	1.77	23.2	0.5935	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.969	0.741	0.8860	Normal Distribution						
PCB 187 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0445	0.0427	0.0463	0.044	0.043	0.0465	0.000652	3.28%	0.00%
AT3-098		5	0.0607	0.0593	0.0621	0.061	0.059	0.062	0.00049	1.80%	-36.40%
PCB 187 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.044	0.0455	0.0435	0.0465	0.043					
AT3-098		0.059	0.061	0.061	0.0605	0.062					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 16 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 02-4694-1435			Endpoint: PCB 195				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:48			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:45			MD5 Hash: 52480CC6C967322F8696B7D2B1073D17				Editor ID:				
Batch ID: 14-7703-1847			Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka				
Start Date: 29 Mar-23 13:48			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 26 Apr-23 12:48			Species: Macoma nasuta				Brine: Not Applicable				
Test Length: 27d 23h			Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp	Comparison Result					PMSD			
Untransformed		C < T	AT3-098 failed pcb 195 endpoint					3.10%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	22.1	1.86	0.0018	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.73	2.29	0.6144	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0011449		0.0011449		1	490	<1.0E-05	Significant Effect			
Error	0.0000187		2.338E-06		8						
Total	0.0011636				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.79	23.2	0.5862	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.959	0.741	0.7763	Normal Distribution			
PCB 195 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.058	0.0558	0.0602	0.0575	0.0565	0.0605	0.000775	2.99%	0.00%
AT3-098		5	0.0794	0.0778	0.081	0.0795	0.0775	0.081	0.000579	1.63%	-36.90%
PCB 195 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0575	0.059	0.0565	0.0605	0.0565					
AT3-098		0.0775	0.0795	0.08	0.079	0.081					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 17 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 03-3708-3472			Endpoint: PCB 206				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:48			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:45			MD5 Hash: 0052B1A254D0C6A3EC0F1C651396EBD1				Editor ID:				
Batch ID: 14-7703-1847			Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka				
Start Date: 29 Mar-23 13:48			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 26 Apr-23 12:48			Species: Macoma nasuta				Brine: Not Applicable				
Test Length: 27d 23h			Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp	Comparison Result				PMSD				
Untransformed		C < T	AT3-098 failed pcb 206 endpoint				3.15%				
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.5	1.86	0.00187	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.74	2.29	0.6123	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0011664		0.0011664		1	462	<1.0E-05	Significant Effect			
Error	0.0000202		2.525E-06		8						
Total	0.0011866				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				2.11	23.2	0.4880	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.96	0.741	0.7875	Normal Distribution			
PCB 206 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0594	0.0571	0.0617	0.059	0.0575	0.062	0.000828	3.12%	0.00%
AT3-098		5	0.081	0.0794	0.0826	0.081	0.079	0.0825	0.00057	1.57%	-36.36%
PCB 206 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.059	0.0605	0.058	0.062	0.0575					
AT3-098		0.079	0.081	0.0815	0.081	0.0825					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:48 (p 18 of 18)  
 Test Code/ID: TN-23-303MnPCB / 17-0778-2871

Bioaccumulation Evaluation - PCB Congeners - Macoma										EA-EST, Inc. PBC	
Analysis ID: 08-3719-0550		Endpoint: PCB 209				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:48		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: A94FA3F1BA86D1A63C7A3EFA1334CCE				Editor ID:					
Batch ID: 14-7703-1847		Test Type: Bioaccumulation - PCBs - Mn				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:48		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:48		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed pcb 209 endpoint				3.19%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	21.4	1.86	0.00217	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.73	2.29	0.6312	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0015500		0.0015500		1	456	<1.0E-05	Significant Effect			
Error	0.0000272		0.0000034		8						
Total	0.0015772				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				1.54	23.2	0.6850	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.97	0.741	0.8953	Normal Distribution			
PCB 209 Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.068	0.0655	0.0705	0.0675	0.066	0.071	0.000908	2.99%	0.00%
AT3-098		5	0.0929	0.0909	0.0949	0.093	0.0905	0.095	0.000731	1.76%	-36.62%
PCB 209 Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0675	0.069	0.0665	0.071	0.066					
AT3-098		0.0905	0.093	0.0935	0.0925	0.095					



## **ATTACHMENT XI**

*Macoma nasuta* 28-Day Solid Phase Bioaccumulation Testing  
Tissue Chemistry and Body Burden Statistical Analyses

Pesticides

(30 pages)



APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)

CONTAMINANT	REP1	REP2	Pre-Assay REP3	REP4 *	REP5 *
<b>Pesticides (ng/g wet weight)</b>					
Aldrin	0.0199 U	0.0202 U	0.0199 U		
cis-Chlordane	0.0430 U	0.0437 U	0.0430 U		
trans-Chlordane	0.0121 U	0.0123 U	0.0121 U		
cis-Nonachlor	0.00580 U	0.00585 U	0.00580 U		
trans-Nonachlor	0.00530 U	0.00540 U	0.00530 U		
Oxychlordane	0.0247 U	0.0251 U	0.0247 U		
Total Chlordanes	0.0908	0.0923	0.0908		
4,4'-DDT	0.00785 U	0.00795 U	0.00785 U		
4,4'-DDD	0.00595 U	0.00605 U	0.00595 U		
4,4'-DDE	0.00363 U	0.00369 U	0.00363 U		
Total DDT	0.0174	0.0177	0.0174		
Dieldrin	0.0120 U	0.0122 U	0.0120 U		
alpha-Endosulfan	0.0110 U	0.0111 U	0.0110 U		
beta-Endosulfan	0.00565 U	0.00575 U	0.00565 U		
Endosulfans	0.0166	0.0169	0.0166		
Endrin	0.00650 U	0.00660 U	0.00650 U		
Heptachlor	0.0125 U	0.0127 U	0.0125 U		
Heptachlor epoxide	0.0256 U	0.0260 U	0.0256 U		
Hexachlorobenzene	0.107 U	0.109 U	0.107 U		
Lindane	0.0180 U	0.0183 U	0.0180 U		
Methoxychlor	0.0284 U	0.0288 U	0.0283 U		
Toxaphene	0.515 U	0.525 U	0.515 U		

\* = Qualifiers

U Analyte not detected; below Method Detection Limit; value is one-half the Method Detection Limit

J Analyte estimated; detection below Reporting Limit but above Method Detection Limit

NA Not Analyzed



**APPENDIX A. CONCENTRATIONS OF COCs IN THE CLAM (*M. nasuta*)**

CONTAMINANT	IOSN Reference				
	REP1	REP2	REP3	REP4	REP5
<b>Pesticides (ng/g wet weight)</b>					
Aldrin	0.0295 U	0.0300 U	0.0290 U	0.0310 U	0.0285 U
cis-Chlordane	0.0635 U	0.0650 U	0.0620 U	0.0665 U	0.0620 U
trans-Chlordane	0.0180 U	0.0185 U	0.0175 U	0.0185 U	0.0175 U
cis-Nonachlor	0.00850 U	0.00900 U	0.00850 U	0.00900 U	0.00850 U
trans-Nonachlor	0.00800 U	0.00800 U	0.00750 U	0.00800 U	0.00750 U
Oxychlordane	0.0365 U	0.0375 U	0.0355 U	0.0380 U	0.0355 U
Total Chlordanes	0.135	0.138	0.131	0.140	0.131
4,4'-DDT	0.0115 U	0.0120 U	0.0115 U	0.0120 U	0.0115 U
4,4'-DDD	0.00900 U	0.00900 U	0.00850 U	0.00900 U	0.00850 U
4,4'-DDE	0.191 J	0.224 J	0.228 J	0.213 J	0.239
Total DDT	0.212	0.245	0.248	0.234	0.259
Dieldrin	0.0175 U	0.0180 U	0.0175 U	0.0185 U	0.0175 U
alpha-Endosulfan	0.0160 U	0.0165 U	0.0160 U	0.0170 U	0.0160 U
beta-Endosulfan	0.00850 U	0.00850 U	0.00800 U	0.00900 U	0.00800 U
Endosulfans	0.0245	0.0250	0.0240	0.0260	0.0240
Endrin	0.00950 U	0.0100 U	0.00950 U	0.0100 U	0.00950 U
Heptachlor	0.0185 U	0.0190 U	0.0180 U	0.0195 U	0.0180 U
Heptachlor epoxide	0.0380 U	0.0390 U	0.0370 U	0.0395 U	0.0370 U
Hexachlorobenzene	0.158 U	0.162 U	0.155 U	0.166 U	0.154 U
Lindane	0.0265 U	0.0270 U	0.0260 U	0.0280 U	0.0260 U
Methoxychlor	0.408 U	0.419 U	0.401 U	0.428 U	0.399 U
Toxaphene	0.760 U	0.780 U	0.750 U	0.800 U	0.745 U

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



CONTAMINANT	10 Stations at 4 Marinas Mud				
	REP1	REP2	REP3	REP4	REP5
<b>Pesticides (ng/g wet weight)</b>					
Aldrin	0.0197 U	0.0203 U	0.0203 U	0.0201 U	0.0206 U
cis-Chlordane	0.0425 U	0.0437 U	0.0439 U	0.0435 U	0.0445 U
trans-Chlordane	0.0120 U	0.0123 U	0.0124 U	0.0122 U	0.0125 U
cis-Nonachlor	0.00570 U	0.00590 U	0.00590 U	0.00585 U	0.00600 U
trans-Nonachlor	0.00525 U	0.00540 U	0.00540 U	0.00535 U	0.00550 U
Oxychlordane	0.0244 U	0.0251 U	0.0252 U	0.0250 U	0.0256 U
Total Chlordanes	0.0898	0.0924	0.0928	0.0918	0.0941
4,4'-DDT	0.00775 U	0.00800 U	0.00800 U	0.00795 U	0.00810 U
4,4'-DDD	0.485	0.299	0.381	0.414	0.374
4,4'-DDE	0.546	0.434	0.456	0.532	0.528
Total DDT	1.04	0.741	0.845	0.954	0.910
Dieldrin	0.0119 U	0.0122 U	0.0123 U	0.0121 U	0.0124 U
alpha-Endosulfan	0.0108 U	0.0112 U	0.0112 U	0.0111 U	0.0114 U
beta-Endosulfan	0.00560 U	0.00575 U	0.00575 U	0.00570 U	0.00585 U
Endosulfans	0.0164	0.0169	0.0170	0.0168	0.0172
Endrin	0.00645 U	0.00665 U	0.00665 U	0.00660 U	0.00675 U
Heptachlor	0.0123 U	0.0127 U	0.0128 U	0.0126 U	0.0129 U
Heptachlor epoxide	0.0254 U	0.0261 U	0.0262 U	0.0259 U	0.0265 U
Hexachlorobenzene	0.106 U	0.109 U	0.110 U	0.108 U	0.111 U
Lindane	0.0178 U	0.0183 U	0.0184 U	0.0182 U	0.0186 U
Methoxychlor	0.0280 U	0.0288 U	0.0290 U	0.0287 U	0.0293 U
Toxaphene	0.510 U	0.525 U	0.530 U	0.520 U	0.535 U

\* = Qualifiers

U Analyte not detected; below

J Analyte estimated; detection

NA Not Analyzed



# CETIS Test Data Worksheet

Report Date: 19 Aug-23 06:50 (p 1 of 1)

Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma																											EA-EST, Inc. PBC		
Start Date: 29 Mar-23 13:49			Species: Macoma nasuta										Sample Code: AT3-191																
End Date: 26 Apr-23 12:49			Protocol: US ACE NED RIM (2004)										Sample Source: Yachtsman Marina NAE-2004-00319																
Sample Date: 20 Mar-23			Material: Laboratory Control Sediment										Sample Station: Laboratory Control																
Sample	Rep	Pos	4-4'-DDD	4-4'-DDE	4-4'-DDT	aldrin	alpha-chlordane	alpha-BHC	beta-BHC	cis-Nonachlor	delta-BHC	Dieldrin	endosulfan I	endosulfan II	endrin	gamma-BHC (Lindane)	gamma-chlordane	heptachlor epoxide	heptachlor	hexachlorobenzene	Methoxychlor	oxychlordane	toxaphene	trans-nonachlor	2-4'-DDD	2-4'-DDE	2-4'-DDT	endosulfan sulfate	Total DDTs
IOSN 2019	1	1	0.009	0.19	0.01	0.03	0.06			0.009		0.02	0.02	0.009	0.01	0.03	0.02	0.02	0.04	0.16	0.41	0.04	0.76	0.008					
IOSN 2019	2	4	0.009	0.22	0.01	0.03	0.07			0.009		0.02	0.02	0.009	0.01	0.03	0.02	0.02	0.04	0.16	0.42	0.04	0.78	0.008					
IOSN 2019	3	6	0.009	0.23	0.01	0.03	0.06			0.009		0.02	0.02	0.008	0.01	0.03	0.02	0.02	0.04	0.16	0.40	0.04	0.75	0.008					
IOSN 2019	4	7	0.009	0.21	0.01	0.03	0.07			0.009		0.02	0.02	0.009	0.01	0.03	0.02	0.02	0.04	0.17	0.43	0.04	0.8	0.008					
IOSN 2019	5	10	0.009	0.24	0.01	0.03	0.06			0.009		0.02	0.02	0.008	0.01	0.03	0.02	0.02	0.04	0.15	0.4	0.04	0.75	0.008					
AT3-098	1	2	0.49	0.55	0.008	0.02	0.04	0.01	0.008	0.006	0.009	0.01	0.01	0.006	0.006	0.02	0.01	0.01	0.03	0.11	0.03	0.02	0.51	0.005					
AT3-098	2	3	0.3	0.43	0.008	0.02	0.04	0.01	0.008	0.006	0.01	0.01	0.01	0.006	0.007	0.02	0.01	0.01	0.03	0.11	0.03	0.03	0.53	0.005					
AT3-098	3	5	0.38	0.46	0.008	0.02	0.04	0.01	0.008	0.006	0.01	0.01	0.01	0.006	0.007	0.02	0.01	0.01	0.03	0.11	0.03	0.03	0.53	0.005					
AT3-098	4	8	0.41	0.53	0.008	0.02	0.04	0.01	0.008	0.006	0.01	0.01	0.01	0.006	0.007	0.02	0.01	0.01	0.03	0.11	0.03	0.02	0.52	0.005					
AT3-098	5	9	0.37	0.53	0.008	0.02	0.04	0.01	0.009	0.006	0.01	0.01	0.01	0.006	0.007	0.02	0.01	0.01	0.03	0.11	0.03	0.03	0.54	0.006					



# CETIS Summary Report

Report Date: 19 Aug-23 06:51 (p 1 of 5)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

## Bioaccumulation Evaluation - Pesticides - Macoma

EA-EST, Inc. PBC

<b>Batch ID:</b> 16-7638-7277	<b>Test Type:</b> Bioaccumulation - Pesticides	<b>Analyst:</b> Nancy Roka
<b>Start Date:</b> 29 Mar-23 13:49	<b>Protocol:</b> US ACE NED RIM (2004)	<b>Diluent:</b> Not Applicable
<b>Ending Date:</b> 26 Apr-23 12:49	<b>Species:</b> Macoma nasuta	<b>Brine:</b> Not Applicable
<b>Test Length:</b> 27d 23h	<b>Taxon:</b> Bivalvia	<b>Source:</b> ARO - Aquatic Research Or <b>Age:</b>

<b>Sample ID:</b> 10-1907-8970	<b>Code:</b> AT3-191	<b>Project:</b> Dredged Sediment Evaluation
<b>Sample Date:</b> 20 Mar-23	<b>Material:</b> Laboratory Control Sediment	<b>Source:</b> Yachtsman Marina NAE-2004-00319 (
<b>Receipt Date:</b> 20 Mar-23 16:00	<b>CAS (PC):</b>	<b>Station:</b> Laboratory Control
<b>Sample Age:</b> 9d 14h	<b>Client:</b> Eco-Analysts, Inc.	

Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h		

Sample Code	Material Type	Sample Source	Station Location	Lat/Long
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference	
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu	

Single Comparison Summary					
Analysis ID	Endpoint	Comparison Method	P-Value	Comparison Result	S
04-1300-9223	4-4'-DDD	Unequal Variance t Two-Sample Test	0.0001	AT3-098 failed 4-4'-ddd	1
19-1389-8615	4-4'-DDE	Equal Variance t Two-Sample Test	<1.0E-05	AT3-098 failed 4-4'-dde	1
13-4412-8912	4-4'-DDT	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed 4-4'-ddt	1
11-0747-7870	aldrin	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed aldrin	1
09-4761-2761	alpha chlordane	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed alpha chlordane	1
12-1877-4562	cis-Nonachlor	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed cis-nonachlor	1
07-6660-5254	Dieldrin	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed dieldrin	1
03-9121-3921	endosulfan I	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed endosulfan i	1
00-9261-3119	endosulfan II	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed endosulfan ii	1
12-3923-0051	endrin	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed endrin	1
06-4834-6007	gamma-BHC (Lindane)	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed gamma-bhc (lindane)	1
00-5738-4808	gamma-chlordane	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed gamma-chlordane	1
16-1399-3357	heptachlor	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed heptachlor	1
15-0976-0545	heptachlor epoxide	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed heptachlor epoxide	1
17-3869-7799	hexachlorobenzene	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed hexachlorobenzene	1
20-4435-9159	Methoxychlor	Unequal Variance t Two-Sample Test	1.0000	AT3-098 passed methoxychlor	1
06-1250-5714	oxychlordane	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed oxychlordane	1
20-3031-3246	toxaphene	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed toxaphene	1
21-2045-5284	trans-nonachlor	Equal Variance t Two-Sample Test	1.0000	AT3-098 passed trans-nonachlor	1



# CETIS Summary Report

Report Date: 19 Aug-23 06:51 (p 2 of 5)  
Test Code/ID: TN-23-303MnPest / 17-4167-8246

## Bioaccumulation Evaluation - Pesticides - Macoma

EA-EST, Inc. PBC

4-4'-DDD Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0088	0.00846	0.00914	0.0085	0.009	0.000122	0.000274	3.11%	0.00%
AT3-098		5	0.391	0.307	0.474	0.299	0.485	0.0302	0.0675	17.28%	-4338.64
4-4'-DDE Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.219	0.196	0.242	0.191	0.239	0.00814	0.0182	8.31%	0.00%
AT3-098		5	0.499	0.436	0.562	0.434	0.546	0.0226	0.0505	10.12%	-127.95%
4-4'-DDT Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0117	0.0114	0.012	0.0115	0.012	0.000122	0.000274	2.34%	0.00%
AT3-098		5	0.00796	0.0078	0.00812	0.00775	0.0081	0.0000579	0.000129	1.63%	31.97%
aldrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0296	0.0284	0.0308	0.0285	0.031	0.00043	0.000962	3.25%	0.00%
AT3-098		5	0.0202	0.0197	0.0206	0.0196	0.0206	0.000155	0.000347	1.72%	31.82%
alpha chlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0638	0.0614	0.0662	0.062	0.0665	0.000875	0.00196	3.07%	0.00%
AT3-098		5	0.0436	0.0427	0.0445	0.0425	0.0445	0.000327	0.000732	1.68%	31.65%
cis-Nonachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0087	0.00836	0.00904	0.0085	0.009	0.000122	0.000274	3.15%	0.00%
AT3-098		5	0.00587	0.00573	0.00601	0.0057	0.006	0.000049	0.00011	1.87%	32.53%
Dieldrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0178	0.0172	0.0184	0.0175	0.0185	0.0002	0.000447	2.51%	0.00%
AT3-098		5	0.0122	0.0119	0.0124	0.0119	0.0124	0.0000914	0.000204	1.68%	31.69%
endosulfan I Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0163	0.0157	0.0169	0.016	0.017	0.0002	0.000447	2.74%	0.00%
AT3-098		5	0.0111	0.0109	0.0114	0.0108	0.0114	0.0000914	0.000204	1.84%	31.84%
endosulfan II Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0084	0.00788	0.00892	0.008	0.009	0.000187	0.000418	4.98%	0.00%
AT3-098		5	0.00573	0.00562	0.00584	0.0056	0.00585	0.0000406	0.0000908	1.59%	31.79%
endrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0097	0.00936	0.01	0.0095	0.01	0.000122	0.000274	2.82%	0.00%
AT3-098		5	0.00662	0.00648	0.00676	0.00645	0.00675	0.000049	0.00011	1.65%	31.75%
gamma-BHC (Lindane) Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0267	0.0257	0.0277	0.026	0.028	0.000374	0.000837	3.13%	2.60%
AT3-098		5	0.0183	0.0179	0.0186	0.0178	0.0186	0.000133	0.000297	1.62%	1.79%



# CETIS Summary Report

Report Date: 19 Aug-23 06:51 (p 3 of 5)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

## Bioaccumulation Evaluation - Pesticides - Macoma

EA-EST, Inc. PBC

gamma-chlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.018	0.0174	0.0186	0.0175	0.0185	0.000224	0.0005	2.78%	1.77%
AT3-098		5	0.0123	0.012	0.0125	0.012	0.0125	0.0000914	0.000204	1.67%	1.21%
heptachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0186	0.0178	0.0194	0.018	0.0195	0.000292	0.000652	3.50%	0.00%
AT3-098		5	0.0126	0.0124	0.0129	0.0123	0.0129	0.0001	0.000224	1.77%	31.99%
heptachlor epoxide Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0381	0.0367	0.0395	0.037	0.0395	0.00051	0.00114	2.99%	0.00%
AT3-098		5	0.026	0.0255	0.0265	0.0254	0.0265	0.00019	0.000426	1.64%	31.76%
hexachlorobenzene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.159	0.153	0.165	0.154	0.166	0.00216	0.00483	3.04%	0.00%
AT3-098		5	0.109	0.106	0.111	0.106	0.111	0.000831	0.00186	1.71%	31.59%
Methoxychlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.411	0.395	0.426	0.398	0.428	0.00552	0.0124	3.01%	0.00%
AT3-098		5	0.0287	0.0281	0.0293	0.028	0.0293	0.000214	0.000479	1.67%	93.00%
oxychlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0366	0.0352	0.038	0.0355	0.038	0.00051	0.00114	3.12%	0.00%
AT3-098		5	0.025	0.0245	0.0256	0.0244	0.0256	0.000188	0.00042	1.68%	31.58%
toxaphene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.767	0.739	0.795	0.745	0.8	0.0102	0.0228	2.97%	0.00%
AT3-098		5	0.524	0.512	0.536	0.51	0.535	0.0043	0.00962	1.84%	31.68%
trans-nonachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
IOSN 2019	RS	5	0.0078	0.00746	0.00814	0.0075	0.008	0.000122	0.000274	3.51%	0.00%
AT3-098		5	0.00538	0.00527	0.00549	0.00525	0.0055	0.0000406	0.0000908	1.69%	31.03%



# CETIS Summary Report

Report Date: 19 Aug-23 06:51 (p 4 of 5)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

## Bioaccumulation Evaluation - Pesticides - Macoma

EA-EST, Inc. PBC

<b>4-4'-DDD Detail</b>							MD5: 6E6988FA5B03C7BC3EB6353D464682D1
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.009	0.009	0.0085	0.009	0.0085	
AT3-098		0.485	0.299	0.381	0.414	0.374	
<b>4-4'-DDE Detail</b>							MD5: F4D550F088660B59635932B36EB9DF79
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.191	0.224	0.228	0.213	0.239	
AT3-098		0.546	0.434	0.456	0.532	0.528	
<b>4-4'-DDT Detail</b>							MD5: AF75DA90CA351C43F7C196271A7F16D6
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0115	0.012	0.0115	0.012	0.0115	
AT3-098		0.00775	0.008	0.008	0.00795	0.0081	
<b>aldrin Detail</b>							MD5: 301E73616502E2670F5FC3318FEE7A12
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0295	0.03	0.029	0.031	0.0285	
AT3-098		0.0196	0.0203	0.0203	0.0201	0.0206	
<b>alpha chlordane Detail</b>							MD5: 703F861370B0A94C257C3A8C12D3CC37
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0635	0.065	0.062	0.0665	0.062	
AT3-098		0.0425	0.0437	0.0439	0.0435	0.0445	
<b>cis-Nonachlor Detail</b>							MD5: D2850062905152A4167463F1E3886452
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0085	0.009	0.0085	0.009	0.0085	
AT3-098		0.0057	0.0059	0.0059	0.00585	0.006	
<b>Dieldrin Detail</b>							MD5: 02D3602EC2A5FCEFFEAC483B9BD8EEF8
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0175	0.018	0.0175	0.0185	0.0175	
AT3-098		0.0119	0.0122	0.0122	0.0121	0.0124	
<b>endosulfan I Detail</b>							MD5: 2179FD1F268BFEB969D482E0762F6824
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.016	0.0165	0.016	0.017	0.016	
AT3-098		0.0108	0.0111	0.0112	0.011	0.0114	
<b>endosulfan II Detail</b>							MD5: DD9592CFE4FFDEFA1D01AFBD9A3C3E38
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0085	0.0085	0.008	0.009	0.008	
AT3-098		0.0056	0.00575	0.00575	0.0057	0.00585	
<b>endrin Detail</b>							MD5: 0B41949737A6651ACC510A71D8D476CA
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0095	0.01	0.0095	0.01	0.0095	
AT3-098		0.00645	0.00665	0.00665	0.0066	0.00675	
<b>gamma-BHC (Lindane) Detail</b>							MD5: 60251AA948AC95E51588C67755903211
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0265	0.027	0.026	0.028	0.026	
AT3-098		0.0178	0.0183	0.0184	0.0182	0.0186	



# CETIS Summary Report

Report Date: 19 Aug-23 06:51 (p 5 of 5)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

## Bioaccumulation Evaluation - Pesticides - Macoma

EA-EST, Inc. PBC

<b>gamma-chlordane Detail</b>							MD5: 49923285CFE98A4BA040D71D755F8CAA
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.018	0.0185	0.0175	0.0185	0.0175	
AT3-098		0.012	0.0123	0.0124	0.0122	0.0125	
<b>heptachlor Detail</b>							MD5: 53B685F92CDB3914E9196B3D340E172D
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0185	0.019	0.018	0.0195	0.018	
AT3-098		0.0123	0.0127	0.0127	0.0126	0.0129	
<b>heptachlor epoxide Detail</b>							MD5: E354D5595899229516607BE234C05DC9
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.038	0.039	0.037	0.0395	0.037	
AT3-098		0.0254	0.026	0.0262	0.0259	0.0265	
<b>hexachlorobenzene Detail</b>							MD5: DCABBBE8D68BA42551D06690801EE595
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.158	0.162	0.155	0.166	0.154	
AT3-098		0.106	0.109	0.109	0.108	0.111	
<b>Methoxychlor Detail</b>							MD5: A2FD57269A20FEF0C987EC0129C39497
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.408	0.419	0.401	0.428	0.398	
AT3-098		0.028	0.0288	0.029	0.0287	0.0293	
<b>oxychlordan Detail</b>							MD5: 67211C76559A024E63B0B7BF0F707FB0
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.0365	0.0375	0.0355	0.038	0.0355	
AT3-098		0.0244	0.0251	0.0252	0.0249	0.0256	
<b>toxaphene Detail</b>							MD5: DBF200E2A25282F09214EF29AE0B7FB9
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.76	0.78	0.75	0.8	0.745	
AT3-098		0.51	0.525	0.53	0.52	0.535	
<b>trans-nonachlor Detail</b>							MD5: F12EA705331241F011416BDAB4D4E33C
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>	
IOSN 2019	RS	0.008	0.008	0.0075	0.008	0.0075	
AT3-098		0.00525	0.0054	0.0054	0.00535	0.0055	



**STUDY: TN-23-303**  
**CLIENT: Eco-Analysts, Inc.**  
**PROJECT: Yachtsman Marina, Kennebunkport, ME NAE-2004-00319**  
**ASSAY: *M. nasuta* 28-day Bioaccumulation Evaluation**  
**TASK: Statistical Analysis of Body Burden Pesticides**

Endpoint	Method	C	<	T	Statistic	Critical	P Level	Alpha	Reject Null	MSD	DF	Ties	P-Type
4-4'-DDD	Unequal Variance t Two-Sample Test	IOSN	<	Comp	12.65047	2.131847	0.000112413	0.05	TRUE	0.06434064	4		C
4-4'-DDE	Equal Variance t Two-Sample Test	IOSN	<	Comp	11.66548	1.859548	1.32927E-06	0.05	TRUE	0.04466556	8		C
4-4'-DDT	Equal Variance t Two-Sample Test	IOSN	<	Comp	-27.60917	1.859548	1	0.05	FALSE	0.000251899	8		C
aldrin	Equal Variance t Two-Sample Test	IOSN	<	Comp	-20.59785	1.859548	1	0.05	FALSE	0.000850426	8		C
alpha chlordane	Equal Variance t Two-Sample Test	IOSN	<	Comp	-21.61987	1.859548	1	0.05	FALSE	0.001736563	8		C
cis-Nonachlor	Equal Variance t Two-Sample Test	IOSN	<	Comp	-21.45421	1.859548	1	0.05	FALSE	0.000245291	8		C
Dieldrin	Equal Variance t Two-Sample Test	IOSN	<	Comp	-25.64962	1.859548	1	0.05	FALSE	0.000408889	8		C
endosulfan I	Equal Variance t Two-Sample Test	IOSN	<	Comp	-23.60311	1.859548	1	0.05	FALSE	0.000408889	8		C
endosulfan II	Equal Variance t Two-Sample Test	IOSN	<	Comp	-13.9468	1.859548	0.9999996	0.05	FALSE	0.000355995	8		C
endrin	Equal Variance t Two-Sample Test	IOSN	<	Comp	-23.34941	1.859548	1	0.05	FALSE	0.000245291	8		C
gamma-BHC (Lindane)	Equal Variance t Two-Sample Test	IOSN	<	Comp	-21.26005	1.859548	1	0.05	FALSE	0.00073822	8		C
gamma-chlordane	Equal Variance t Two-Sample Test	IOSN	<	Comp	-23.76246	1.859548	1	0.05	FALSE	0.000449188	8		C
heptachlor	Equal Variance t Two-Sample Test	IOSN	<	Comp	-19.30434	1.859548	1	0.05	FALSE	0.000573152	8		C
heptachlor epoxide	Equal Variance t Two-Sample Test	IOSN	<	Comp	-22.23085	1.859548	1	0.05	FALSE	0.001012131	8		C
hexachlorobenzene	Equal Variance t Two-Sample Test	IOSN	<	Comp	-21.70335	1.859548	1	0.05	FALSE	0.004301147	8		C
Methoxychlor	Unequal Variance t Two-Sample Test	IOSN	<	Comp	-69.11124	2.131847	0.9999999	0.05	FALSE	0.01178525	4		C
oxychlordane	Equal Variance t Two-Sample Test	IOSN	<	Comp	-21.27108	1.859548	1	0.05	FALSE	0.001010592	8		C
toxaphene	Equal Variance t Two-Sample Test	IOSN	<	Comp	-21.95524	1.859548	1	0.05	FALSE	0.02058143	8		C
trans-nonachlor	Equal Variance t Two-Sample Test	IOSN	<	Comp	-18.7546	1.859548	1	0.05	FALSE	0.000239947	8		C



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 1 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 04-1300-9223		Endpoint: 4-4'-DDD			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: 365E136C7ABE425E3505FB05BD0FEC9A			Editor ID:						
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 failed 4-4'-ddd endpoint				731.14%			
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	4	12.7	2.13	0.0643	CDF	0.0001	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.1	2.29	0.1497	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.364428		0.364428		1	160	<1.0E-05	Significant Effect			
Error	0.0182175		0.0022772		8						
Total	0.382646				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				60700	23.2	<1.0E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.818	0.741	0.0238	Normal Distribution			
4-4'-DDD Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0088	0.00846	0.00914	0.009	0.0085	0.009	0.000122	3.11%	0.00%
AT3-098		5	0.391	0.307	0.474	0.381	0.299	0.485	0.0302	17.28%	-4338.64%
4-4'-DDD Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.009	0.009	0.0085	0.009	0.0085					
AT3-098		0.485	0.299	0.381	0.414	0.374					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 2 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma										EA-EST, Inc. PBC	
Analysis ID: 19-1389-8615		Endpoint: 4-4'-DDE				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 0449532986689BF4D27ED639AF32C67A				Editor ID:					
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location		Lat/Long						
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 failed 4-4'-dde endpoint				20.40%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098*	8	11.7	1.86	0.0447	CDF	<1.0E-05	Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.82	2.29	0.4634	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.19628		0.19628		1	136	<1.0E-05	Significant Effect			
Error	0.0115388		0.0014424		8						
Total	0.207819				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				7.7	23.2	0.0732	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.952	0.741	0.6872	Normal Distribution			
4-4'-DDE Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.219	0.196	0.242	0.224	0.191	0.239	0.00814	8.31%	0.00%
AT3-098		5	0.499	0.436	0.562	0.528	0.434	0.546	0.0226	10.12%	-127.95%
4-4'-DDE Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.191	0.224	0.228	0.213	0.239					
AT3-098		0.546	0.434	0.456	0.532	0.528					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 3 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
<b>Analysis ID:</b>	13-4412-8912		<b>Endpoint:</b>	4-4'-DDT		<b>CETIS Version:</b>	CETISv2.1.1				
<b>Analyzed:</b>	19 Aug-23 6:50		<b>Analysis:</b>	Parametric-Two Sample		<b>Status Level:</b>	1				
<b>Edit Date:</b>	08 May-23 22:45		<b>MD5 Hash:</b>	A51056C72B17F409154A14A5FFBA4206		<b>Editor ID:</b>					
<b>Batch ID:</b>	16-7638-7277		<b>Test Type:</b>	Bioaccumulation - Pesticides		<b>Analyst:</b>	Nancy Roka				
<b>Start Date:</b>	29 Mar-23 13:49		<b>Protocol:</b>	US ACE NED RIM (2004)		<b>Diluent:</b>	Not Applicable				
<b>Ending Date:</b>	26 Apr-23 12:49		<b>Species:</b>	Macoma nasuta		<b>Brine:</b>	Not Applicable				
<b>Test Length:</b>	27d 23h		<b>Taxon:</b>	Bivalvia		<b>Source:</b>	ARO - Aquatic Research Or Age:				
<b>Sample Code</b>	<b>Sample ID</b>	<b>Sample Date</b>	<b>Receipt Date</b>	<b>Sample Age</b>	<b>Client Name</b>	<b>Project</b>					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
<b>Sample Code</b>	<b>Material Type</b>	<b>Sample Source</b>	<b>Station Location</b>	<b>Lat/Long</b>							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
<b>Data Transform</b>	<b>Alt Hyp</b>	<b>Comparison Result</b>				<b>PMSD</b>					
Untransformed	C < T	AT3-098 passed 4-4'-ddt endpoint				2.15%					
<b>Equal Variance t Two-Sample Test</b>											
<b>Sample I</b>	<b>vs</b>	<b>Sample II</b>	<b>df</b>	<b>Test Stat</b>	<b>Critical</b>	<b>MSD</b>	<b>P-Type</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>		
Reference Sed		AT3-098	8	-27.6	1.86	0.000252	CDF	1.0000	Non-Significant Effect		
<b>Auxiliary Tests</b>											
<b>Attribute</b>	<b>Test</b>				<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>			
Outlier	Grubbs Extreme Value Test				1.49	2.29	1.0000	No Outliers Detected			
<b>ANOVA Table</b>											
<b>Source</b>	<b>Sum Squares</b>	<b>Mean Square</b>	<b>DF</b>	<b>F Stat</b>	<b>P-Value</b>	<b>Decision(α:5%)</b>					
Between	3.497E-05	3.497E-05	1	762	<1.0E-05	Significant Effect					
Error	3.67E-07	4.588E-08	8								
Total	3.534E-05		9								
<b>ANOVA Assumptions Tests</b>											
<b>Attribute</b>	<b>Test</b>				<b>Test Stat</b>	<b>Critical</b>	<b>P-Value</b>	<b>Decision(α:1%)</b>			
Variance	Variance Ratio F Test				4.48	23.2	0.1756	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.859	0.741	0.0740	Normal Distribution			
<b>4-4'-DDT Summary</b>											
<b>Sample</b>	<b>Code</b>	<b>Count</b>	<b>Mean</b>	<b>95% LCL</b>	<b>95% UCL</b>	<b>Median</b>	<b>Min</b>	<b>Max</b>	<b>Std Err</b>	<b>CV%</b>	<b>%Effect</b>
IOSN 2019	RS	5	0.0117	0.0114	0.012	0.0115	0.0115	0.012	0.000122	2.34%	0.00%
AT3-098		5	0.00796	0.0078	0.00812	0.008	0.00775	0.0081	0.0000579	1.63%	31.97%
<b>4-4'-DDT Detail</b>											
<b>Sample</b>	<b>Code</b>	<b>Rep 1</b>	<b>Rep 2</b>	<b>Rep 3</b>	<b>Rep 4</b>	<b>Rep 5</b>					
IOSN 2019	RS	0.0115	0.012	0.0115	0.012	0.0115					
AT3-098		0.00775	0.008	0.008	0.00795	0.0081					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 4 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma						EA-EST, Inc. PBC					
Analysis ID: 11-0747-7870		Endpoint: aldrin				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 4F40C84C6B9CA709AB35EFFDDB21BEE				Editor ID:					
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed aldrin endpoint				2.87%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-20.6	1.86	0.00085	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.05	2.29	0.1849	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0002218		0.0002218		1	424	<1.0E-05	Significant Effect			
Error	4.183E-06		5.229E-07		8						
Total	0.0002260				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				7.66	23.2	0.0738	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.958	0.741	0.7671	Normal Distribution			
aldrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0296	0.0284	0.0308	0.0295	0.0285	0.031	0.00043	3.25%	0.00%
AT3-098		5	0.0202	0.0197	0.0206	0.0203	0.0197	0.0206	0.000155	1.72%	31.82%
aldrin Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0295	0.03	0.029	0.031	0.0285					
AT3-098		0.0197	0.0203	0.0203	0.0201	0.0206					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 5 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma						EA-EST, Inc. PBC					
Analysis ID: 09-4761-2761		Endpoint: alpha chlordane				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 448C3EA7D282402304013A540199B9B4				Editor ID:					
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed alpha chlordane endpoint				2.72%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-21.6	1.86	0.00174	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.94	2.29	0.3000	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0010191		0.0010191		1	467	<1.0E-05	Significant Effect			
Error	1.744E-05		2.180E-06		8						
Total	0.0010365				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				7.14	23.2	0.0831	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.954	0.741	0.7193	Normal Distribution			
alpha chlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0638	0.0614	0.0662	0.0635	0.062	0.0665	0.000875	3.07%	0.00%
AT3-098		5	0.0436	0.0427	0.0445	0.0437	0.0425	0.0445	0.000327	1.68%	31.65%
alpha chlordane Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0635	0.065	0.062	0.0665	0.062					
AT3-098		0.0425	0.0437	0.0439	0.0435	0.0445					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 6 of 19)  
Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 12-1877-4562		Endpoint: cis-Nonachlor			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: D00F2F890F999B426D2D24A5205E0A8E			Editor ID:						
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed cis-nonachlor endpoint				2.82%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-21.5	1.86	0.000245	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:5%)						
Outlier	Grubbs Extreme Value Test	1.53	2.29	1.0000	No Outliers Detected						
ANOVA Table											
Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)					
Between	2.002E-05	2.002E-05	1	460	<1.0E-05	Significant Effect					
Error	3.48E-07	4.35E-08	8								
Total	2.037E-05		9								
ANOVA Assumptions Tests											
Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)						
Variance	Variance Ratio F Test	6.25	23.2	0.1037	Equal Variances						
Distribution	Shapiro-Wilk W Normality Test	0.865	0.741	0.0873	Normal Distribution						
cis-Nonachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0087	0.00836	0.00904	0.0085	0.0085	0.009	0.000122	3.15%	0.00%
AT3-098		5	0.00587	0.00573	0.00601	0.0059	0.0057	0.006	0.000049	1.87%	32.53%
cis-Nonachlor Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0085	0.009	0.0085	0.009	0.0085					
AT3-098		0.0057	0.0059	0.0059	0.00585	0.006					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 7 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 07-6660-5254		Endpoint: Dieldrin			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: B1F5A087058062B2C2CD2637621354E4			Editor ID:						
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform	Alt Hyp	Comparison Result				PMSD					
Untransformed	C < T	AT3-098 passed dieldrin endpoint				2.30%					
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-25.6	1.86	0.000409	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:5%)				
Outlier	Grubbs Extreme Value Test			2.14	2.29	0.1241	No Outliers Detected				
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	7.952E-05		7.952E-05		1	658	<1.0E-05	Significant Effect			
Error	9.67E-07		1.209E-07		8						
Total	8.049E-05				9						
ANOVA Assumptions Tests											
Attribute	Test			Test Stat	Critical	P-Value	Decision(α:1%)				
Variance	Variance Ratio F Test			4.79	23.2	0.1583	Equal Variances				
Distribution	Shapiro-Wilk W Normality Test			0.868	0.741	0.0948	Normal Distribution				
Dieldrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0178	0.0172	0.0184	0.0175	0.0175	0.0185	0.0002	2.51%	0.00%
AT3-098		5	0.0122	0.0119	0.0124	0.0122	0.0119	0.0124	0.0000914	1.68%	31.69%
Dieldrin Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0175	0.018	0.0175	0.0185	0.0175					
AT3-098		0.0119	0.0122	0.0123	0.0121	0.0124					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 8 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma										EA-EST, Inc. PBC	
Analysis ID: 03-9121-3921			Endpoint: endosulfan I				CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:50			Analysis: Parametric-Two Sample				Status Level: 1				
Edit Date: 08 May-23 22:45			MD5 Hash: FF47CC503AB8E950BFB23279C7F3F277				Editor ID:				
Batch ID: 16-7638-7277			Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka				
Start Date: 29 Mar-23 13:49			Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable				
Ending Date: 26 Apr-23 12:49			Species: Macoma nasuta				Brine: Not Applicable				
Test Length: 27d 23h			Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source			Station Location		Lat/Long				
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00			IOSN Reference						
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00			10 Stations at 4 Marinas Mu						
Data Transform		Alt Hyp			Comparison Result				PMSD		
Untransformed		C < T			AT3-098 passed endosulfan i endpoint				2.51%		
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-23.6	1.86	0.000409	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.14	2.29	0.1241	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	6.734E-05		6.734E-05		1	557	<1.0E-05	Significant Effect			
Error	9.67E-07		1.209E-07		8						
Total	6.831E-05				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				4.79	23.2	0.1583	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.868	0.741	0.0948	Normal Distribution			
endosulfan I Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0163	0.0157	0.0169	0.016	0.016	0.017	0.0002	2.74%	0.00%
AT3-098		5	0.0111	0.0109	0.0114	0.0112	0.0108	0.0114	0.0000914	1.84%	31.84%
endosulfan I Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.016	0.0165	0.016	0.017	0.016					
AT3-098		0.0108	0.0112	0.0112	0.0111	0.0114					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 9 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma						EA-EST, Inc. PBC					
Analysis ID: 00-9261-3119		Endpoint: endosulfan II				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 37132A5DA7BEE80601694F5308195EDA				Editor ID:					
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source			Station Location		Lat/Long				
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00			IOSN Reference						
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00			10 Stations at 4 Marinas Mu						
Data Transform		Alt Hyp			Comparison Result				PMSD		
Untransformed		C < T			AT3-098 passed endosulfan ii endpoint				4.24%		
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-13.9	1.86	0.000356	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test					Test Stat	Critical	P-Value	Decision(α:5%)		
Outlier	Grubbs Extreme Value Test					2.1	2.29	0.1467	No Outliers Detected		
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	1.782E-05		1.782E-05		1	195	<1.0E-05	Significant Effect			
Error	7.33E-07		9.162E-08		8						
Total	1.856E-05				9						
ANOVA Assumptions Tests											
Attribute	Test					Test Stat	Critical	P-Value	Decision(α:1%)		
Variance	Variance Ratio F Test					21.2	23.2	0.0118	Equal Variances		
Distribution	Shapiro-Wilk W Normality Test					0.895	0.741	0.1938	Normal Distribution		
endosulfan II Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0084	0.00788	0.00892	0.0085	0.008	0.009	0.000187	4.98%	0.00%
AT3-098		5	0.00573	0.00562	0.00584	0.00575	0.0056	0.00585	0.0000406	1.59%	31.79%
endosulfan II Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0085	0.0085	0.008	0.009	0.008					
AT3-098		0.0056	0.00575	0.00575	0.0057	0.00585					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 10 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma						EA-EST, Inc. PBC					
Analysis ID: 12-3923-0051		Endpoint: endrin				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 4B88CC605516CF4BE2798D8338BEB52A				Editor ID:					
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or		Age:			
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed endrin endpoint				2.53%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-23.3	1.86	0.000245	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.53	2.29	1.0000	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	2.372E-05		2.372E-05		1	545	<1.0E-05	Significant Effect			
Error	3.48E-07		4.35E-08		8						
Total	2.406E-05				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				6.25	23.2	0.1037	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.865	0.741	0.0873	Normal Distribution			
endrin Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0097	0.00936	0.01	0.0095	0.0095	0.01	0.000122	2.82%	0.00%
AT3-098		5	0.00662	0.00648	0.00676	0.00665	0.00645	0.00675	0.000049	1.65%	31.75%
endrin Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0095	0.01	0.0095	0.01	0.0095					
AT3-098		0.00645	0.00665	0.00665	0.0066	0.00675					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 11 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 06-4834-6007		Endpoint: gamma-BHC (Lindane)			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: 952F1413F8BBDA7AF2A0951D723E0DDE			Editor ID:						
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed gamma-bhc (lindane) endpoint				2.76%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-21.3	1.86	0.000738	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.2	2.29	0.0891	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0001781		0.0001781		1	452	<1.0E-05	Significant Effect			
Error	3.152E-06		3.94E-07		8						
Total	0.0001812				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				7.95	23.2	0.0693	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.915	0.741	0.3168	Normal Distribution			
gamma-BHC (Lindane) Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0267	0.0257	0.0277	0.0265	0.026	0.028	0.000374	3.13%	2.60%
AT3-098		5	0.0183	0.0179	0.0186	0.0183	0.0178	0.0186	0.000133	1.62%	1.79%
gamma-BHC (Lindane) Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0265	0.027	0.026	0.028	0.026					
AT3-098		0.0178	0.0183	0.0184	0.0182	0.0186					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 12 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 00-5738-4808		Endpoint: gamma-chlordane			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: EB91F29CD133C53DA8BED1666723A7AE			Editor ID:						
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed gamma-chlordane endpoint				2.50%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-23.8	1.86	0.000449	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.39	2.29	1.0000	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	8.237E-05		8.237E-05		1	565	<1.0E-05	Significant Effect			
Error	1.167E-06		1.459E-07		8						
Total	8.354E-05				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				5.99	23.2	0.1111	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.928	0.741	0.4274	Normal Distribution			
gamma-chlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.018	0.0174	0.0186	0.018	0.0175	0.0185	0.000224	2.78%	1.77%
AT3-098		5	0.0123	0.012	0.0125	0.0123	0.012	0.0125	0.0000914	1.67%	1.21%
gamma-chlordane Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.018	0.0185	0.0175	0.0185	0.0175					
AT3-098		0.012	0.0123	0.0124	0.0122	0.0125					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 13 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 15-0976-0545		Endpoint: heptachlor epoxide		CETIS Version: CETISv2.1.1							
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample		Status Level: 1							
Edit Date: 08 May-23 22:45		MD5 Hash: 43A5EA41BA8B2FE6A9EB5F2F725DCAE1		Editor ID:							
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides		Analyst: Nancy Roka							
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)		Diluent: Not Applicable							
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta		Brine: Not Applicable							
Test Length: 27d 23h		Taxon: Bivalvia		Source: ARO - Aquatic Research Or Age:							
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed heptachlor epoxide endpoint				2.66%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-22.2	1.86	0.00101	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.73	2.29	0.6316	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003660		0.0003660		1	494	<1.0E-05	Significant Effect			
Error	5.925E-06		7.406E-07		8						
Total	0.000372				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				7.17	23.2	0.0825	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.957	0.741	0.7545	Normal Distribution			
heptachlor epoxide Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0381	0.0367	0.0395	0.038	0.037	0.0395	0.00051	2.99%	0.00%
AT3-098		5	0.026	0.0255	0.0265	0.0261	0.0254	0.0265	0.00019	1.64%	31.76%
heptachlor epoxide Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.038	0.039	0.037	0.0395	0.037					
AT3-098		0.0254	0.0261	0.0262	0.0259	0.0265					



# CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 14 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma						EA-EST, Inc. PBC					
Analysis ID: 16-1399-3357		Endpoint: heptachlor				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 11143760E14E109A61EEF9D035EBD914				Editor ID:					
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result						PMSD	
Untransformed		C < T		AT3-098 passed heptachlor endpoint						3.08%	
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-19.3	1.86	0.000573	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.96	2.29	0.2778	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	8.851E-05		8.851E-05		1	373	<1.0E-05	Significant Effect			
Error	0.0000019		2.375E-07		8						
Total	9.041E-05				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				8.5	23.2	0.0618	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.955	0.741	0.7224	Normal Distribution			
heptachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0186	0.0178	0.0194	0.0185	0.018	0.0195	0.000292	3.50%	0.00%
AT3-098		5	0.0126	0.0124	0.0129	0.0127	0.0123	0.0129	0.0001	1.77%	31.99%
heptachlor Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0185	0.019	0.018	0.0195	0.018					
AT3-098		0.0123	0.0127	0.0128	0.0126	0.0129					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 15 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 17-3869-7799		Endpoint: hexachlorobenzene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: F0E4A641FACB3A5649CF9480030475F0			Editor ID:						
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed hexachlorobenzene endpoint				2.71%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-21.7	1.86	0.0043	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.91	2.29	0.3310	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0063001		0.0063001		1	471	<1.0E-05	Significant Effect			
Error	0.000107		1.338E-05		8						
Total	0.0064071				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				6.75	23.2	0.0912	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.976	0.741	0.9428	Normal Distribution			
hexachlorobenzene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.159	0.153	0.165	0.158	0.154	0.166	0.00216	3.04%	0.00%
AT3-098		5	0.109	0.106	0.111	0.109	0.106	0.111	0.000831	1.71%	31.59%
hexachlorobenzene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.158	0.162	0.155	0.166	0.154					
AT3-098		0.106	0.109	0.11	0.108	0.111					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 16 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma						EA-EST, Inc. PBC					
Analysis ID: 20-4435-9159		Endpoint: Methoxychlor				CETIS Version: CETISv2.1.1					
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample				Status Level: 1					
Edit Date: 08 May-23 22:45		MD5 Hash: 181BFD1EECC5567DCF971DEE81281D0				Editor ID:					
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides				Analyst: Nancy Roka					
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)				Diluent: Not Applicable					
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta				Brine: Not Applicable					
Test Length: 27d 23h		Taxon: Bivalvia				Source: ARO - Aquatic Research Or Age:					
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed methoxychlor endpoint				2.87%			
Unequal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	4	-69.1	2.13	0.0118	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2.09	2.29	0.1580	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.364925		0.364925		1	4780	<1.0E-05	Significant Effect			
Error	0.0006112		7.640E-05		8						
Total	0.365536				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				666	23.2	1.3E-05	Unequal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.905	0.741	0.2509	Normal Distribution			
Methoxychlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.411	0.395	0.426	0.408	0.399	0.428	0.00552	3.01%	0.00%
AT3-098		5	0.0287	0.0281	0.0293	0.0288	0.028	0.0293	0.000214	1.67%	93.00%
Methoxychlor Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.408	0.419	0.401	0.428	0.399					
AT3-098		0.028	0.0288	0.029	0.0287	0.0293					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 17 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 06-1250-5714		Endpoint: oxychlordane			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: 2CEAE8CE035F223B0DAD46500D2D3437			Editor ID:						
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed oxychlordane endpoint				2.76%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-21.3	1.86	0.00101	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.73	2.29	0.6265	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.0003341		0.0003341		1	452	<1.0E-05	Significant Effect			
Error	5.907E-06		7.384E-07		8						
Total	0.00034				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				7.36	23.2	0.0791	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.956	0.741	0.7424	Normal Distribution			
oxychlordane Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0366	0.0352	0.038	0.0365	0.0355	0.038	0.00051	3.12%	0.00%
AT3-098		5	0.025	0.0245	0.0256	0.0251	0.0244	0.0256	0.000188	1.68%	31.58%
oxychlordane Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.0365	0.0375	0.0355	0.038	0.0355					
AT3-098		0.0244	0.0251	0.0252	0.025	0.0256					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 18 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma							EA-EST, Inc. PBC				
Analysis ID: 20-3031-3246		Endpoint: toxaphene			CETIS Version: CETISv2.1.1						
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample			Status Level: 1						
Edit Date: 08 May-23 22:45		MD5 Hash: 64BBF430881C98257BBB693837667970			Editor ID:						
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides			Analyst: Nancy Roka						
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)			Diluent: Not Applicable						
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta			Brine: Not Applicable						
Test Length: 27d 23h		Taxon: Bivalvia			Source: ARO - Aquatic Research Or Age:						
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source		Station Location		Lat/Long					
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00		IOSN Reference							
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00		10 Stations at 4 Marinas Mu							
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed toxaphene endpoint				2.68%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-22	1.86	0.0206	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				2	2.29	0.2341	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	0.147623		0.147623		1	482	<1.0E-05	Significant Effect			
Error	0.00245		0.0003063		8						
Total	0.150073				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				5.62	23.2	0.1231	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.963	0.741	0.8219	Normal Distribution			
toxaphene Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.767	0.739	0.795	0.76	0.745	0.8	0.0102	2.97%	0.00%
AT3-098		5	0.524	0.512	0.536	0.525	0.51	0.535	0.0043	1.84%	31.68%
toxaphene Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.76	0.78	0.75	0.8	0.745					
AT3-098		0.51	0.525	0.53	0.52	0.535					



## CETIS Analytical Report

Report Date: 19 Aug-23 06:51 (p 19 of 19)  
 Test Code/ID: TN-23-303MnPest / 17-4167-8246

Bioaccumulation Evaluation - Pesticides - Macoma										EA-EST, Inc. PBC	
Analysis ID: 21-2045-5284		Endpoint: trans-nonachlor					CETIS Version: CETISv2.1.1				
Analyzed: 19 Aug-23 6:50		Analysis: Parametric-Two Sample					Status Level: 1				
Edit Date: 08 May-23 22:45		MD5 Hash: E900AD219B0D2BF45F2DDF2B2F538B16					Editor ID:				
Batch ID: 16-7638-7277		Test Type: Bioaccumulation - Pesticides					Analyst: Nancy Roka				
Start Date: 29 Mar-23 13:49		Protocol: US ACE NED RIM (2004)					Diluent: Not Applicable				
Ending Date: 26 Apr-23 12:49		Species: Macoma nasuta					Brine: Not Applicable				
Test Length: 27d 23h		Taxon: Bivalvia					Source: ARO - Aquatic Research Or Age:				
Sample Code	Sample ID	Sample Date	Receipt Date	Sample Age	Client Name	Project					
IOSN 2019	13-4648-8170	08 Mar-23	08 Mar-23	21d 14h	Eco-Analysts, Inc.	Dredged Sediment Evalu					
AT3-098	07-1559-4974	08 Feb-23 13:00	09 Feb-23 16:30	49d 1h							
Sample Code	Material Type	Sample Source	Station Location	Lat/Long							
IOSN 2019	Reference sediment	Yachtsman Marina NAE-2004-00	IOSN Reference								
AT3-098	Marine Sediment	Yachtsman Marina NAE-2004-00	10 Stations at 4 Marinas Mu								
Data Transform		Alt Hyp		Comparison Result				PMSD			
Untransformed		C < T		AT3-098 passed trans-nonachlor endpoint				3.08%			
Equal Variance t Two-Sample Test											
Sample I	vs	Sample II	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)		
Reference Sed		AT3-098	8	-18.8	1.86	0.00024	CDF	1.0000	Non-Significant Effect		
Auxiliary Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:5%)			
Outlier	Grubbs Extreme Value Test				1.56	2.29	1.0000	No Outliers Detected			
ANOVA Table											
Source	Sum Squares		Mean Square		DF	F Stat	P-Value	Decision(α:5%)			
Between	1.464E-05		1.464E-05		1	352	<1.0E-05	Significant Effect			
Error	3.330E-07		4.163E-08		8						
Total	1.497E-05				9						
ANOVA Assumptions Tests											
Attribute	Test				Test Stat	Critical	P-Value	Decision(α:1%)			
Variance	Variance Ratio F Test				9.09	23.2	0.0550	Equal Variances			
Distribution	Shapiro-Wilk W Normality Test				0.877	0.741	0.1214	Normal Distribution			
trans-nonachlor Summary											
Sample	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
IOSN 2019	RS	5	0.0078	0.00746	0.00814	0.008	0.0075	0.008	0.000122	3.51%	0.00%
AT3-098		5	0.00538	0.00527	0.00549	0.0054	0.00525	0.0055	0.0000406	1.69%	31.03%
trans-nonachlor Detail											
Sample	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5					
IOSN 2019	RS	0.008	0.008	0.0075	0.008	0.0075					
AT3-098		0.00525	0.0054	0.0054	0.00535	0.0055					



## **ATTACHMENT XII**

Report Quality Assurance Record  
(2 pages)


















# REPORT QUALITY ASSURANCE RECORD

Client: Eco Analysts Project Number: EA.TOX  
Author: M. Chanu EA Report Number: 9180

## REPORT CHECKLIST

<u>QA/QC ITEM</u>	<u>REVIEWER</u>	<u>DATE</u>
1. Samples collected, transported, and received according to study plan requirements.		<u>9/5/23</u>
2. Samples prepared and processed according to study plan requirements.		<u>9/5/23</u>
3. Data collected using calibrated instruments and equipment.		<u>9/5/23</u>
4. Calculations checked:		
- Hand calculations checked		<u>9/5/23</u>
- Documented and verified statistical procedure used.		<u>9/5/23</u>
5. Data input/statistical analyses complete and correct.		<u>9/6/2023</u>
6. Reported results and facts checked against original sources.		<u>9/6/2023</u>
7. Data presented in figures and tables correct and in agreement with text.		<u>9/6/2023</u>
8. Results reviewed for compliance with study plan requirements.		<u>9/5/23</u>

<u>AUTHOR</u>	<u>DATE</u>
	<u>9/6/23</u>
	<u>9/6/23</u>
PROJECT MANAGER	DATE
	<u>9/6/2023</u>
QUALITY CONTROL OFFICER	DATE
	<u>9/6/23</u>
SENIOR TECHNICAL OFFICER	DATE



## **ATTACHMENT XIII**

Army Corps of Engineers Quality Assurance Records  
(3 pages)



**Table II-1: Completeness Checklist**

<b>Quality Assurance/Quality Control Questions</b>	<b>Yes/No? Comments?</b>
1. Was the report signed by the responsible applicant approved representative?	Yes
2. Were the methods for sampling, chemical and biological testing described in the Sampling and Analysis Plan (SAP) and the Laboratory QA Plan (LQAP) followed?	Yes
3. If not, were deviations documented?	NA
4. Was the SAP approved by the New England District?	Yes
5. Did the applicant use a laboratory with a LQAP on file at the New England District?	Yes
6. Did the samples adequately represent the physical/chemical variability in the dredging area?	Yes
7. Were the correct stations sampled (include the precision of the navigation method used)?	Yes
8. Were the preservation and storage requirements in Chapter 8 of the EPA/Corps QA/QC Manual (EPA/USACE 1995) and EPA (2001d) followed?	Yes
9. Were the samples properly labeled?	Yes
10. Were all the requested data included?	Yes
11. Were the reporting limits met?	Yes
12. Were the chain-of-custody forms properly processed?	Yes
13. Were the method blanks run and were the concentration below the acceptance criteria?	See Tissue Chemistry report under separate cover
14. Was the MDL study performed on each matrix (with this data submission) or within the last 12 months?	See Tissue Chemistry report under separate cover
15. Were the SRM/CRM analyses within acceptance criteria?	See Tissue Chemistry report under separate cover
16. Were the matrix spike/matrix spike duplicates run at the required frequency and was the percent recovery/RPD within the acceptance criteria?	See Tissue Chemistry report under separate cover
17. Were the duplicate samples analyzed and were the RPDs within the required acceptance criteria?	See Tissue Chemistry report under separate cover
18. For each analytical fraction of organic compounds, were recoveries for the internal standard within the acceptance criteria?	See Tissue Chemistry report under separate cover
19. Were surrogate recoveries within the required acceptance criteria?	See Tissue Chemistry report under separate cover
20. Were corrective action forms provided for all non-conforming data?	NA
21. Were all the species-specific test conditions in Appendix V met?	Yes
22. Were the test-specific age requirements met for each test species?	Yes
23. Was the bulk physical/chemical testing performed on the sediments/composites that were biologically tested?	See data package from first phase of testing
24. Were the mortality acceptance criteria met for the water column and sediment toxicity tests?	Yes
25. Were the test performance requirements in Table 11.3 of EPA (1994a) met?	Yes



**Table II-8: Quality Control Summary for Biological Toxicity Testing only**

Method Reference Numbers:

Quality Control (QC) Element	Acceptance Criteria*	Criteria Met? Yes/No	List results outside criteria (Cross-reference results table in data report)	Location of Results (Retained at Lab or in Data Package)
Test condition requirements for each species:  Temperature, Salinity, pH, D.O., Ammonia (Total, Un- ionized)	Test conditions within the requirements specified for each species	Yes		Data Package
Test species age	Age/health within guidelines for each species (Appendix V)	Yes		Data Package
Bulk physical/chemical analyses (If required by the Sampling plan)	Required? If so, performed? Yes or No	Yes		Data Package (separate cover)
Water column toxicity test:  Control mortality  Control abnormality	$\leq 10\%$ mean  $\leq 30\%$ mussel/oyster; $< 40\%$ clam larvae, $< 30\%$ sea urchin larvae	NA		
Sediment toxicity test:  Control mortality  Compliance with applicable test acceptability requirements in Table 11.3 (EPA 1994a)	$\leq 10\%$ mean (no chamber $> 20\%$ )  See EPA (1994a) Section 9; Table 11.3	Yes		Data Package

\* The Quality Control Acceptance Criteria are general guidelines. If alternate criteria are used, they must be documented in this table.



## **ATTACHMENT XIV**

Email Communications  
(7 pages)



---

## Tissue Reporting

---

Fri, Mar 30, 2018 at 10:17 AM

To:

Cc:

Good morning -

Please see the below confirmation just received from NAE regarding the handling of statistics under their recently requested "totals" calculation protocol. Please proceed using the below guidance and let us know if any questions etc

Best

-----Original Message-----

From: Loyd, Richard B CIV USARMY CENAE (US) [mailto:[Richard.B.Loyd@usace.army.mil](mailto:Richard.B.Loyd@usace.army.mil)]

Sent: Friday, March 30, 2018 10:12 AM

To:

Cc:

Su

Hey there ,

I agree with ESI's recommendation to use 1/2 MDL for non-detects for both the computation of totals and for statistical analysis. It took a little while to get you an answer because I was waiting on a call back from our regulatory office to make sure they were ok with that methodology as well. In future ESI should follow the proposed protocol for both federal and private projects.

Thanks,

Ben

Richard B. Loyd  
US Army Corps of Engineers  
696 Virginia Road  
Concord, MA 01742  
Office: (978) 318-8048  
Cell: (978) 763-5438  
[Richard.B.Loyd@usace.army.mil](mailto:Richard.B.Loyd@usace.army.mil)

-----Original Message-----

From:

Sent: Wednesday, March 28, 2018 4:56 PM

To: Lo

[usace.army.mil](mailto:usace.army.mil)>

Cc:

Subject: [Non-DoD Source] Tissue Reporting



Based on the recent directive regarding reporting on non-detects and summation of totals, we have some further questions regarding statistical evaluation. The issue, paraphrased from ESI is as follows:

"Historically the Bioaccumulation EDD, where totals for PCBs etc are provided, uses the MDL when a value is a non-detect "ND" and the statistical analysis on the individual compounds are run using the MDL in place of the ND. Going forward, as per direction from USACE, we will use 1/2 of the MDL to compute the "Total" concentration for specified compounds. Under this scenario what number should be incorporated into the statistical analysis program, the 1/2 MDL or the MDL? As indicated, the "Total" numbers have not been included in the statistical analysis historically. However, a potential issue arises if the stats were run using the MDL then a review of the full data package differs shows different numbers which could potentially lead to some level of confusion. ESI's suggestion would be to use the 1/2 MDL for the computation of totals and for the statistical analysis, for those groups where total are generated, PCBs, Pesticides and PAHs.

Do you concur with ESI's recommendation?

Thanks Ben,

-----Original Message-----

From: Loyd, Richard B CIV USARMY CENAE (US) [mailto:[Richard.B.Loyd@usace.army.mil](mailto:Richard.B.Loyd@usace.army.mil)]  
<mailto:[Richard.B.Loyd@usace.army.mil](mailto:Richard.B.Loyd@usace.army.mil)> ]

Sent: Monday, March 26, 2018 2:28 PM

To:

Cc:

Subject: RE: Draft Report

Hello,

I realize that the reporting methods we requested are in conflict with the guidance of the RIM and the 2009 errata. The 2009 errata is the most recent RIM update. Please stick to the guidance we gave you in our last conference call, which is summarized below:

- Please continue to report NDs as the full RL. We are in the process of changing our methods to report NDs as the full MDL, but this change might not take place in the near future.

- For totals calculations (PCBs, DDT, PAHs) please use 1/2 the MDL for NDs. Please remember that PCB totals are calculated using only the NOAA 18 congeners. Also, despite what the errata guidance, please continue to calculate PCB totals for sediment chemistry.

Thanks,  
Ben

Richard B. Loyd  
US Army Corps of Engineers  
696 Virginia Road  
Concord, MA 01742  
Office: (978) 318-8048  
Cell: (978) 763-5438  
[Richard.B.Loyd@usace.army.mil](mailto:Richard.B.Loyd@usace.army.mil) <mailto:[Richard.B.Loyd@usace.army.mil](mailto:Richard.B.Loyd@usace.army.mil)>



---

**From:** Loyd, Richard B CIV USARMY CENAE (USA) <Richard.B.Loyd@usace.army.mil> on behalf of Loyd, Richard B CIV USARMY CENAE (USA)  
**Sent:** Tuesday, July 28, 2020 1:08 PM  
**To:**  
**Cc:**  
**Subject:** RE: [Non-DoD Source] Re: CLDS and CCBDS reference area data

Hello,

Please continue to use 1/2 the MDL for non-detects and add appropriate qualifiers as you have done in the past.

The only thing that is changing is the removal of the 'c' qualifier and the requirement to run statistics in a scenario where you have measurable analyte concentrations in your dredge area samples but non-detects in the reference area sample.

Thanks,  
Ben

Richard B. Loyd  
US Army Corps of Engineers  
696 Virginia Road  
Concord, MA 01742  
Office: (978) 318-8048  
Cell: (978) 763-5438  
Richard.B.Loyd@usace.army.mil

-----Original Message-----

**From:**  
**Sent:** Tuesday, July 28, 2020 12:53 PM  
**To:** Loyd, Richard B CIV USARMY CENAE (USA) <Richard.B.Loyd@usace.army.mil>  
**Cc:**  
**Subject:** [Non-DoD Source] Re: CLDS and CCBDS reference area data

Greetings,

For the statistical analysis of the bioaccumulation data we have been using half the MDL when a replicate is reported as a non-detect.

Moving forward, what value are we using for instances where the replicate is reported as a non-detect?

Regards,



<Blockedhttps://mail.google.com/mail/u/0/?ui=2&ik=5daaac60f2&attid=0.1&permmsgid=msg-f%3A1626109999743927214&th=16911a6de47283ae&view=fimg&sz=s0-l75-ft&attbid=ANGjdJ-0iO-ICKOCTnsL25z4zFmO422I3FDAfvBsfv4B17PjvXhvUWXWaVHz6HM-0GQEVw3iHhW3FcmarSRaMZ0MW0gEjSr655W30Proa\_AXugmmSR-DiYCxX\_-qEQ&disp=emb&realattid=677ce2b6e9998d9d\_0.1>

Please take a moment to provide Customer Feedback <Blockedhttps://www.surveymonkey.com/r/T2SSR8W>

Please consider the environment before printing this email

This message is intended solely for the use of the individual or entity to whom it is addressed and contains information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this material or of the attachments is prohibited. If you received this e-mail in error, please notify use by return e-mail immediately

On Tue, Jul 28, 2020 at 11:49 AM Loyd, Richard B CIV USARMY CENAE (USA) <Richard.B.Loyd@usace.army.mil  
<mailto:Richard.B.Loyd@usace.army.mil> > wrote:

Hello,

The 10-day / 28-day survival and the tissue chemistry results for the standard CLDS and CCBDS reference area data sets are attached. I believe these are the only two sites you are working with at the moment. Please reach out to me for data for other reference areas as needed. Please note that we plan to update these data sets every few years.

When you run bioaccumulation stats we want you to treat the reference site values as a detectable concentrations even if there are 'u'/'a' qualifiers in the data. This will eliminate the use of the 'c' qualifier for the dredge area samples. This is being done to simplify the data input process for the EPA risk assessment model. In the past we have seen elevated dredge area tissue concentrations that are flagged with a 'c' because the analyte was not detected in the reference area sample. This means we have to go through the EDD manually to determine if any of the analytes with a 'C' qualifier need to be included in the model run.

Please let me know if you have any questions.

Thanks,  
Ben

Richard B. Loyd



---

**From:** Loyd, Richard B CIV USARMY CENAE (USA) <Richard.B.Loyd@usace.army.mil> on behalf of Loyd, Richard B CIV USARMY CENAE (USA)  
**Sent:** Friday, October 09, 2020 3:58 PM  
**To:**  
**Cc:**  
**Subject:** RE: [Non-DoD Source] Re: CLDS and CCBDS reference area data

I think it would be fine to use the 'c' qualifier, but please be sure to update the footnote descriptions accordingly so that no one gets confused.

best,  
Ben

Richard B. Loyd  
US Army Corps of Engineers  
696 Virginia Road  
Concord, MA 01742  
Office: (978) 318-8048  
Cell: (978) 763-5438  
Richard.B.Loyd@usace.army.mil

-----Original Message-----

**From:**  
**Sent:** Friday, October 9, 2020 3:53 PM  
**To:** Loyd, Richard B CIV USARMY CENAE (USA) <Richard.B.Loyd@usace.army.mil>;  
**Cc:**  
**Subject:** RE: [Non-DoD Source] Re: CLDS and CCBDS reference area data

Hello Ben, I do have a follow up question.

The COCs that will be eliminated from further evaluation because they are not detected in any of the reference and dredge area replicates would be footnoted as such. Should we use the "c" footnote in that instance? Or will that get confused with the prior definition of "c" in the Corps' EDD?

Thanks again-

-----Original Message-----

**From:** Loyd, Richard B CIV USARMY CENAE (USA) <Richard.B.Loyd@usace.army.mil>  
**Sent:** Friday, October 09, 2020 3:34 PM  
**To:**  
**Cc:**  
**Subject:** RE: [Non-DoD Source] Re: CLDS and CCBDS reference area data

Hello ,

If both the reference and dredge area samples are 'a' qualified with non-detects for all replicates then you can eliminate them from further evaluation. If one or more of the dredge area replicates came back with a detectable concentration then you should proceed with further evaluation.



Let me know if you have any other questions.

Thanks,  
Ben

Richard B. Loyd  
US Army Corps of Engineers  
696 Virginia Road  
Concord, MA 01742  
Office: (978) 318-8048  
Cell: (978) 763-5438  
Richard.B.Loyd@usace.army.mil

-----Original Message-----

From:  
Sent: Thursday, October 8, 2020 1:41 PM  
To: Loyd, Richard B CIV USARMY CENAE (USA) <Richard.B.Loyd@usace.army.mil>;  
Cc:  
Subject: RE: [Non-DoD Source] Re: CLDS and CCBDS reference area data

Good afternoon Ben-

I am in the beginning stages of reporting two 28-day bioaccumulation evaluations (private and IDIQ projects), and am seeking clarification on the new approach for treating "c" qualified data as outlined in your email below. My understanding from your email is that "c" qualifiers should be eliminated, and those COCs that had been removed from further consideration because they were "c" qualified will now be retained for further evaluation.

My question is this: How should we treat COCs that are not detected in either the historic reference tissue or in any current (i.e., project-specific) site composite tissues? Should those COCs be retained for further evaluation or should they be eliminated?

Much appreciated-





## **ECOTOXICOLOGICAL TESTING WATER COLUMN BIOASSAYS**

### **KENNEBUNKPORT, MAINE**

*Prepared for:*

Eco-Analysts, Inc.  
P.O. Box 224  
Bath, Maine 04530

*Prepared by:*

EA Engineering, Science, and Technology, Inc., PBC  
231 Schilling Circle  
Hunt Valley, Maryland 21031  
For questions concerning this report, please contact Michael Chanov  
ph: 410-584-7000

*Results relate only to the items tested or to the samples as received by the laboratory.*

*This report shall not be reproduced, except in full, without written approval of  
EA Engineering, Science, and Technology, Inc., PBC*

*This report contains 21 pages plus 6 attachments.*

A handwritten signature in black ink, appearing to read 'Michael K. Chanov II', is written over a horizontal line.

Michael K. Chanov II  
Laboratory Director

8 August 2023

Date



## 1. INTRODUCTION

In accordance with the US Army Corps of Engineers, New England District (CENAE), EA Engineering, Science, and Technology, Inc., PBC performed water column toxicity testing on sediment samples collected from the area of dredging proposed for the marinas located on the Kennebunk River in Kennebunkport, Maine. Placement of dredge materials is proposed at the Isles of Shoals North (IOSN) Disposal Site. Samples were provided by Eco-Analysts, Inc., Bath, Maine. The purpose of this study was to evaluate the toxicity of standard elutriates prepared from the sediment samples on water column organisms.

The toxicity testing program consisted of acute water column bioassays with *Mytilus* sp. (blue mussel), *Americamysis bahia* (opossum shrimp), and *Menidia beryllina* (inland silverside). The acute water column bioassays evaluated the effects of exposure to the sediment elutriates on survival of the test organisms, and on the development of embryonic *Mytilus* sp. All biological testing was completed at EA Engineering, Science and Technology, Inc. PBC (EA), Hunt Valley, Maryland. All chemical analyses of elutriate solutions were completed by Alpha Analytical, Westborough, Massachusetts.



## **2. MATERIALS AND METHODS**

### **2.1 SAMPLE RECEIPT AND PREPARATION**

Ten sediment samples were collected by Eco-Analysts personnel from locations in the dredge footprint identified in the Sampling and Analysis Plan. One sediment composite was created for the project and placed into five 5-gallon buckets. Water collected from the dredge footprint was collected in 5-gallon pails. The samples were held at  $\leq 4^{\circ}\text{C}$  and were hand delivered to EA's Ecotoxicology Laboratory in Hunt Valley, Maryland. The samples were logged in and assigned an EA laboratory accession number and stored in the dark in a secured walk-in cooler at  $\leq 4^{\circ}\text{C}$  until used for testing. Table 1 summarizes the sample identification, accession numbers, and collection and receipt information for the sediment and site water samples. Chain-of-custody records are included in Attachment I.

### **2.2 TOXICITY TEST METHODS**

All toxicity testing was conducted following EA's standard operating procedures (EA 2022) which are in accordance with the *Regional Implementation Manual for Evaluation of Dredged Material Proposed for Disposal in New England Waters* (US EPA, CENAE 2004), USEPA/USACE guidance (1991, 1998) and USEPA guidance (2002).

#### **2.2.1 Water Column Toxicity Testing**

Elutriates were prepared using the sediment composite samples and the site water. A subsample of homogenized sediment was combined with site water in a 1:4 sediment to water ratio, on a volume/volume basis. The sediment/water combination was vigorously mixed by aeration and manual stirring for 30 minutes and was then allowed to settle for a minimum of one hour. After settling, the supernatant was siphoned off and adjusted, if necessary, to 30 ppt salinity using Crystal Sea Bioassay Grade synthetic sea salts. The elutriate was used for the water column acute toxicity testing within 24 hours of preparation. Aliquots of the prepared elutriate were couriered overnight and on ice to Alpha Analytical for chemical analysis.



Static, non-renewal bioassays were conducted on the prepared elutriates using *Americamysis bahia* (opossum shrimp) and *Menidia beryllina* (inland silverside). The blue mussel (*Mytilus* sp.) was used as the test species for embryo development tests. The test organisms were acquired from outside vendors. Acquired lots of organisms were gradually acclimated to test temperature and salinity prior to use in testing.

Test concentrations of 100, 50, and 10 percent elutriate were prepared by measuring aliquots of elutriate in a graduated cylinder and bringing to final volume with 30 ppt artificial sea water. A test was also prepared for an undiluted site water sample. The artificial seawater was prepared by mixing Crystal Sea synthetic sea salts with laboratory water to a final salinity of 30 ppt. The source of the laboratory water was the City of Baltimore municipal tap water that was passed through a high-capacity, activated carbon filtration system. This synthetic seawater formulation has proven acceptable for aquatic toxicological studies, and has been used successfully at EA for maintaining multigeneration cultures, and for holding healthy populations of estuarine and marine species. Batches of artificial seawater were aerated and aged at least 24 hours prior to use in testing.

In order to evaluate the toxicity of ammonia to the test species, separate toxicity tests were conducted in which the test organisms were exposed to a graded concentration of ammonia, administered as ammonium chloride (NH<sub>4</sub>Cl).

#### **2.2.1.1 Mytilus sp. Water Column Toxicity Testing**

Larval development tests were conducted with the blue mussel (*Mytilus* sp.) on the prepared elutriate. Adult mussels were acquired from Aquatic Research Organisms (Hampton, New Hampshire). Upon receipt at EA, the adult mussels were visually inspected, were scrubbed clean (e.g., barnacles removed) and were placed in 30 ppt artificial seawater at 4°C. The collection of mussel eggs and sperm, and preparation of gamete dilution were performed according to EA's standard operating procedures (EA 2022) which follow guidelines in USEPA/USACE (1998), USEPA (1995) and ASTM (2012). Spawning was temperature induced by placing the mussels individually into 125 ml cups containing 30 ppt artificial seawater and raising the temperature of



the water from 12°C and 20°C. Gametes were microscopically inspected to determine normality of eggs and motility of sperm. Gametes that were determined to be acceptable for testing were pooled and were used to prepare the sperm and egg suspensions for the fertilization procedures. Care was taken to keep male and female gametes completely separate to avoid accidental fertilization during gamete preparation. Only combined gamete preparations that had achieved a minimum of 90 percent fertilization were used in testing. Toxicity tests were initiated within 4 hours of egg fertilization.

Test chambers were 30-ml scintillation vials with screw caps. Each test concentration and control had five replicate test chambers containing 10 ml of test solution. At test initiation, 100 µl of fertilized gamete preparation was delivered into each test chamber containing test dilution. Extra replicates of controls were prepared to monitor embryo counts at test initiation and termination. The tests were maintained at a target temperature of 16±1°C with a 16-hour light/8-hour dark photoperiod. Water quality parameters (temperature, pH, dissolved oxygen, and salinity) were measured in separate water quality cups at test initiation and daily during the 48-hour exposure period. Summaries of water quality parameters can be found in Table 4.

The toxicity tests were terminated by adding 250 µl of 37 percent buffered formalin to each test chamber. The preserved samples were then observed microscopically to determine the percent survival of control organisms, and the percentage of embryos in each test treatment and control that had normally developed (C-shaped, hinged, prodissoconch larvae) shells.

In order to evaluate the toxicity of ammonia to *Mytilus* sp., a separate toxicity test was conducted in which the *Mytilus* sp. embryos were exposed to a graded concentration of ammonia, administered as ammonium chloride (NH<sub>4</sub>Cl). Copies of all data sheets from the mussel toxicity tests are included in Attachment II.

#### **2.2.1.2 Americamysis bahia and Menidia beryllina Water Column Toxicity Testing**

The 96-hour toxicity tests with *A. bahia* and *M. beryllina* were initiated using test organisms received from Aquatic BioSystems (Fort Collins, Colorado). At test initiation, the *A. bahia* were



5 days old. The *M. beryllina* were 12 days old at test initiation. The opossum shrimp and inland silversides were fed *Artemia* sp. nauplii (<24 hours old) during holding, prior to use in testing.

The *A. bahia* and *M. beryllina* testing was conducted in 1-L beakers. Each beaker contained 200 ml of test solution, with five replicate beakers per test concentration. Ten organisms were randomly introduced into each replicate for a total of 50 organisms per concentration. The test chambers were maintained at  $20 \pm 1^\circ\text{C}$  and 30 ppt  $\pm 10\%$ . Dissolved oxygen was maintained at  $\geq 40\%$  saturation using aeration as needed. Illumination was kept at 16-hour light/8-hour dark photoperiod. The *A. bahia* and *M. beryllina* were fed a small ration of brine shrimp nauplii (*Artemia* sp.) daily to avoid starvation and cannibalism (*A. bahia*). Temperature, pH, dissolved oxygen, and salinity were measured daily in one replicate of each concentration of the *A. bahia* and *M. beryllina* toxicity tests during the 96-hour exposure period. Summaries of water quality parameters measured during the toxicity tests are presented in Tables 4 (*A. bahia*) and 5 (*M. beryllina*). The number of live organisms in each test chamber were counted daily and recorded on the test data sheets. Copies of the *A. bahia* and *M. beryllina* acute toxicity test data sheets are included in Attachments III and IV, respectively.

### **2.2.2 Data Analysis**

Statistical analyses were performed on the water column test data according to USEPA/USACE (1998) guidance and using the ToxCalc statistical software package (Version 5.0, Tidepool Scientific Software). For the elutriate testing, an EC50 (median effective concentration) or LC50 (median lethal concentration) was calculated for each test species using the linear interpolation, Spearman-Kärber, Trimmed Spearman-Kärber, or probit method. Additionally, if normal development or survival in the 100 percent elutriate concentration was at least 10 percent lower than the dilution water control, then a statistical comparison (t-Test) was performed between the 100 percent elutriate concentration and the control. The t-test was based on the assumptions that the observations were independent and normally distributed as determined by the Shapiro-Wilk's test. The F-Test was used to test for homogeneity of variance. When the data did not meet the normality assumption, the nonparametric test, Wilcoxon's Two-Sample Test, was used to analyze the data. An arc sine (square root [Y]) transformation was performed on the survival percentages.



The results of the ammonia testing are summarized in Table 6. The results of the water column testing on the elutriate samples are presented in Tables 7 through 9, and summarized in Table 10.

### **2.2.3 Reference Toxicant Testing**

In conformance with EA's quality assurance/quality control program requirements, reference toxicant testing was performed by EA on *Mytilus* sp., *A. bahia* and *M. beryllina*. The reference toxicant tests consisted of a graded concentration series of a specific toxicant in water only tests. The results of the reference toxicant tests were compared to established control chart limits. Table 11 presents the results of the reference toxicant testing.

## **2.3 ARCHIVES**

Original data sheets, records, memoranda, notes, and computer printouts are archived at EA's Office in Hunt Valley, Maryland. These data will be retained for a period of 5 years unless a longer period of time is requested.



### 3. RESULTS AND DISCUSSION

This bioassay study using elutriates prepared from the composited sediments collected the marinas located on the Kennebunk River in Kennebunkport, Maine, was designed and conducted to meet the requirements of the USEPA/USACE dredged material testing program and the CENAE protocol requirements. The results of these toxicity tests met the current NELAC standards, where applicable. A summary of the toxicity testing results can be found in Table 10.

#### 3.1 WATER COLUMN TOXICITY TESTING

In order to evaluate the toxicity of ammonia to the test species, separate toxicity tests were conducted in which the test organisms were exposed to a graded concentration of ammonia, administered as ammonium chloride (NH<sub>4</sub>Cl). The results of this ammonia study are summarized in Table 6. The 48-hour LC50 value for *Mytilus* sp. was 7.6 mg/L NH<sub>3</sub>-N, while the corresponding EC50 was 5.6 mg/L NH<sub>3</sub>-N. The ammonia 96-hour LC50 value for *Americamysis bahia* was 31.2 mg/L NH<sub>3</sub>-N, while the 96-hour LC50 value for *Menidia beryllina* was 19.7 mg/L NH<sub>3</sub>-N.

##### 3.1.1 *Mytilus* sp. Water Column Testing

The results of the *Mytilus* sp. toxicity tests conducted on the elutriate sample are presented in Table 7. Exposure to the sample indicated that the 48-hour LC50 value was >100 percent elutriate. Exposure to the sample did not produce an adverse effect on embryo development, with 48-hour EC50 value of >100 percent elutriate. Percent survival and normal development in 100 percent concentration of the elutriate was 90 and 86 percent, respectively, and was not significantly less (p=0.05) than the laboratory control. The percent survival and normal embryo development in the site water used to prepare the elutriate were 94 and 90 percent, respectively.

##### 3.1.2 *Americamysis bahia* Water Column Testing

Table 8 summarizes the results of the elutriate testing with *A. bahia*. The elutriate sample was not acutely toxic to *A. bahia*. The elutriate had a 96-hour LC50 value of >100 percent elutriate, and survival in the 100 percent test concentration was 90 percent. There was a minimum of 94



percent survival in the laboratory controls, and the site water had 96 percent survival at test termination.

### **3.1.3 *Menidia beryllina* Water Column Testing**

The *M. beryllina* water column test results are presented in Table 9. The elutriate sample was not acutely toxic to *M. beryllina*. The elutriate had a 96-hour LC50 value of >100 percent elutriate, and survival in the 100 percent test concentration was 88 percent. There was a minimum of 94 percent survival in the laboratory controls, and the site water had 82 percent survival at test termination.

## **3.2 REFERENCE TOXICANT TESTS**

The results of the reference toxicant tests are summarized in Table 11. All of the reference toxicant test results fell within the established laboratory control chart limits.



#### **4. REFERENCES CITED**

- EA. 2022. EA Ecotoxicology Laboratory Quality Assurance and Standard Operating Procedures Manual. EA Manual ATS-102. Internal document prepared by EA's Ecotoxicology Laboratory, EA Engineering, Science, and Technology, Inc., PBC, Hunt Valley, Maryland.
- USEPA/USACE, 1991. Evaluation of Dredged Material Proposal for Ocean Disposal, Testing Manual (commonly called "The Green Book").
- USEPA/USACE. 1998. Evaluation of Dredged Material Proposed for Discharge in Waters of the U.S.-Inland Testing Manual. EPA/823/B-94/004. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. and Department of the Army, U.S. Army Corps of Engineers, Washington, D.C.
- US EPA. 2002. Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms. Fifth Edition. EPA-821-R-02-012. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- U.S. Army Corps of Engineers (USACE) New York District/U.S. Environmental Protection Agency (USEPA) Region 2. 2016. Guidance for Performing Tests on Dredged Material Proposed for Ocean Disposal. Regional Testing Manual. April.
- US EPA Region 1, CENAE. 2004. Regional Implementation Manual for Evaluation of Dredged Material Proposed for Disposal in New England Waters. September 2004.



TABLE 1 SUMMARY OF COLLECTION AND RECEIPT INFORMATION FOR SEDIMENT AND SITEWATER SAMPLES

Sample Identification	EA Accession Number	Collection		Receipt	
		Time	Date	Time	Date
10 Stations at 4 Marinas Mud	AT3-098	0900-1300	8 February 2023	1630	9 February 2023
10 Stations at 4 Marinas Site Water	AT3-099	0900-1300	8 February 2023	1630	9 February 2023



TABLE 2 AMMONIA CONCENTRATIONS MEASURED ON ELUTRIATES PRIOR TO WATER COLUMN TOXICITY TESTING

		Ammonia (mg/L NH <sub>3</sub> -N)
Sediment Identification	EA Accession Number	(Total/Unionized) Elutriate
10 Stations at 4 Marinas Mud	AT3-098	2.2/0.05
10 Stations at 4 Marinas Site Water	AT3-099	<0.1/<0.1



TABLE 3 SUMMARY OF WATER QUALITY PARAMETERS MEASURED DURING ELUTRIATE BIOASSAY TESTING WITH *Mytilus* sp.

Sediment Sample Identification	EA Accession Number	Test Number	Range			
			Temperature (°C)	pH	Dissolved Oxygen (mg/L)	Salinity (ppt)
10 Stations at 4 Marinas Mud	AT3-098	TN-23-209	15.6 – 16.9	7.7 – 8.2	7.9 – 8.5	28.6 – 32.9
10 Stations at 4 Marinas Site Water	AT3-099	TN-23-210	15.6 – 16.7	7.8 – 8.2	8.0 – 8.6	28.8 – 33.0



TABLE 4 SUMMARY OF WATER QUALITY PARAMETERS MEASURED DURING ELUTRIATE BIOASSAY TESTING  
WITH *Americamysis bahia*

Sediment Sample Identification	EA Accession Number	Test Number	Range			
			Temperature (°C)	pH	Dissolved Oxygen (mg/L)	Salinity (ppt)
10 Stations at 4 Marinas Mud	AT3-098	TN-23-212	19.0 – 20.4	7.2 – 8.0	5.8 – 7.7	28.3 – 33.0
10 Stations at 4 Marinas Site Water	AT3-099	TN-23-213	19.0 – 20.0	7.4 – 8.0	5.9 – 7.7	28.4 – 33.0



TABLE 5 SUMMARY OF WATER QUALITY PARAMETERS MEASURED DURING ELUTRIATE BIOASSAY TESTING WITH *Menidia beryllina*

Sediment Sample Identification	EA Accession Number	Test Number	Range			
			Temperature (°C)	pH	Dissolved Oxygen (mg/L)	Salinity (ppt)
10 Stations at 4 Marinas Mud	AT3-098	TN-23-214	19.0 – 20.4	7.7 – 8.1	6.7 – 7.7	28.6 – 33.0
10 Stations at 4 Marinas Site Water	AT3-099	TN-23-215	19.0 – 20.3	7.8 – 8.0	6.7 – 7.9	28.7 – 33.0



TABLE 6 RESULTS OF AMMONIA (NH<sub>4</sub>Cl) TOXICITY TESTING

Test Organism	Test Number	48-Hour Survival (%)						48-hour LC50 (mg/L NH <sub>3</sub> -N)
		Lab Control	mg/L NH <sub>3</sub> -N					
			50 mg/L	10 mg/L	3.7 mg/L	1.5 mg/L	0.65 mg/L	
<i>Mytilus</i> sp.	TN-23-211	99	4	24	90	94	90	7.6

Test Organism	Test Number	48-Hour Normal Development (%)						48-hour EC50 (mg/L NH <sub>3</sub> -N)
		Lab Control	mg/L NH <sub>3</sub> -N					
			50 mg/L	10 mg/L	3.7 mg/L	1.5 mg/L	0.65 mg/L	
<i>Mytilus</i> sp.	TN-23-211	97	0	1	85	89	86	5.6

Test Organism	Test Number	96-Hour Survival (%)						96-hour LC50 (mg/L NH <sub>3</sub> -N)
		Lab Control	mg/L NH <sub>3</sub> -N					
			150 mg/L	87 mg/L	42 mg/L	21 mg/L	7.5 mg/L	
<i>A. bahia</i>	TN-23-202	90	0	0	10	80	80	31.2
<i>M. beryllina</i>	TN-23-205	90	0	0	0	50	80	19.7



TABLE 7 RESULTS OF TOXICITY TESTING WITH *Mytilus* sp. ON ELUTRIATES

Sediment Sample Identification	EA Accession Number	Test Number	48-Hour Survival (%)				
			Lab Control	Percent Elutriate			48-hour LC50 (% elutriate)
				100%	50%	10%	
10 Stations at 4 Marinas Mud	AT3-098	TN-23-209	94	90	100	98	>100
10 Stations at 4 Marinas Site Water	AT3-099	TN-23-210	93	94	---	---	>100

Sediment Sample Identification	EA Accession Number	Test Number	48-Hour Normal Embryo Development (%)				
			Lab Control	Percent Elutriate			48-hour EC50 (% elutriate)
				100%	50%	10%	
10 Stations at 4 Marinas Mud	AT3-098	TN-23-209	91	86	99	94	>100
10 Stations at 4 Marinas Site Water	AT3-099	TN-23-210	90	90	---	---	>100



TABLE 8 RESULTS OF TOXICITY TESTING WITH *Americamysis bahia* ON ELUTRIATES

Sample Identification	EA Accession Number	Test Number	96-Hour Survival (%)				
			Lab Control	Percent Elutriate			96-hour LC50 (% elutriate)
				100%	50%	10%	
10 Stations at 4 Marinas Mud	AT3-098	TN-23-212	94	90	92	98	>100
10 Stations at 4 Marinas Site Water	AT3-099	TN-23-213	94	96	---	---	>100



TABLE 9 RESULTS OF TOXICITY TESTING WITH *Menidia beryllina* ON ELUTRIATES

Sample Identification	EA Accession Number	Test Number	96-Hour Survival (%)				
			Lab Control	Percent Elutriate			96-hour LC50 (% elutriate)
				100%	50%	10%	
10 Stations at 4 Marinas Mud	AT3-098	TN-23-214	94	88	92	90	>100
10 Stations at 4 Marinas Site Water	AT3-099	TN-23-215	100	82 <sup>(a)</sup>	---	---	>100

(a) 100 percent elutriate treatment is significantly different (p=0.05) from the laboratory control



TABLE 10 SUMMARY OF RESULTS OF TOXICITY TESTING ON ELUTRIATES

Sample Identification	<i>Mytilus</i> sp.		<i>Mytilus</i> sp.		<i>Americamysis bahia</i>		<i>Menidia beryllina</i>	
	48-hour LC <sub>50</sub> (% elutriate)	Statistical Difference 100% vs. Control	48-hour EC <sub>50</sub> (% elutriate)	Statistical Difference 100% vs. Control	96-hour LC <sub>50</sub> (% elutriate)	Statistical Difference 100% vs. Control	96-hour LC <sub>50</sub> (% elutriate)	Statistical Difference 100% vs. Control
<b>Standard Elutriates</b>								
10 Stations at 4 Marinas Mud	>100	No	>100	No	>100	No	>100	No
10 Stations at 4 Marinas Site Water	>100	No	>100	No	>100	No	>100	Yes



TABLE 11 RESULTS OF REFERENCE TOXICANT TESTING ON ACQUIRED TEST ORGANISMS

Test Species	Reference Toxicant	Test Endpoint	Acceptable Control Chart Limits
<i>Mytilus</i> sp.	Copper chloride (CuCl <sub>2</sub> )	48-Hour EC50: 5.1 µg/L Cu	2.2– 10.0 µg/L Cu
<i>Americamysis bahia</i>	Potassium chloride (KCl)	48-Hour LC50: 485 mg/L KCl	412 – 604 mg/L KCl
<i>Menidia beryllina</i>	Potassium chloride (KCl)	48-Hour LC50: 1,105 mg/L KCl	817 – 1,325 mg/L KCl



## **ATTACHMENT I**

Chain-of-Custody Records  
(2 pages)



# Chain-of-Custody Record



**EA Engineering, Science,  
and Technology**

EA Ecotoxicology Laboratory  
231 Schilling Circle  
Hunt Valley, Maryland 21031  
Telephone: 410-584-7000  
Fax: 410-584-1057



Sample Shipped By: (circle)

Fed. Ex.

UPS

Other:

Courier

Tracking #:

Client: ECO-ANALYSTS, INC. Project No.: \_\_\_\_\_

NPDES Number: \_\_\_\_\_ Client Purchase Order Number: \_\_\_\_\_

City/State Collected: KENNEBUNK RIVER, MAINE

## PLEASE READ SAMPLING INSTRUCTIONS ON BACK OF FORM

Accession Number (office use only)	Grab	Composite	Collection		Sample Description (including Site, Station Number, and Outfall Number)	Number/Volume of Container
			Start Date/Time	End Date/Time		
A13-018		x	2/8/23 0900	02/8/23 1300	10 Stations at 4 Marinas mud	5 Ten Gal Buckets
A13-099	x		"	"	" Site water	"

Sampled By: Dustin Kach & Bud Brown	Date/Time 2/8/23 0900 - 1300	Received By: Dustin Kach	Date/Time 2/8/23 1300
Sampler's Printed Name: Dustin Kach & Bud Brown	Title: President	Relinquished By: <i>[Signature]</i>	Date/Time 2/9/23 @ 11:37am
Relinquished By: <i>[Signature]</i>	Date/Time 2/8/23 1137	Received By Laboratory <i>[Signature]</i>	Date/Time 2/9/23 1630

Was Sample Chilled During Collection? **No**

Comments:

### Sample Collection Parameters

Visual Description:

Temperature (°C):

pH:

TRC (mg/L):

Other:



## **ATTACHMENT II**

*Mytilus* sp. 48-Hour Elutriate Toxicity Tests  
Data Sheets and Statistical Analyses  
(26 pages)





# TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-209

## TEST ORGANISM INFORMATION

Common Name: BLUE MUSSEL Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Mytilus sp. Neonates Pulled & Fed (Time, Date): \_\_\_\_\_  
Lot Number: ME-097 Acclimation: 64 hrs Age: 24 hrs  
Source: ARO Culture Water (T/S): 16.0 °C 29.0 ppt

## TEST INITIATION

<u>Date</u>	<u>Time</u>	<u>Initials</u>	<u>Activity</u>
2/15/23	0905	TP	Dilutions Made
↓	↓	↓	Test Vessels Filled
	1620		Organisms Transferred
	1700	M	Head Counts

## TEST SET-UP

Sample Number: AT3-098

Dilution Number: 30 ppt C.S. (LD3-180)

<u>Test Concentration</u>	<u>Volume Test Material</u>	<u>Final Volume</u>
Control	0 ml	100 ml
10 %	10 ml	↓
50 %	50 ml	
100 %	100 ml	





# TOXICITY TEST DATA SHEET

Project Number: EA.TOX  
Client: Eco Analysis  
QC Test Number: TN-23-209  
Test Material: ELUTRIATE  
Accession Number: AT3-098  
Dilution Water: 30 PPT C.S.  
Accession Number: LD3-180

TEST ORGANISM: BLUE MUSSEL  
Common Name: Mytilus sp.  
Scientific Name: Mytilus sp.  
TARGET VALUES  
Temp: 16 °C DO: ≥4.0 mg/L  
pH: 6.0-9.0 Salinity: 30±3 ppt  
Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc  
Beginning Date: 2/15/23 Time: 1630  
Ending Date: 2/17/23 Time: 1630  
TEST TYPE: Static / Flowthrough  
Renewal / Non-renewal  
Test Container: 30 ml vial  
Test Volume: 10 ml  
Test Duration: 48 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)				
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96
Control							15.6	16.4	16.5			8.1	8.2	7.7			8.5	8.0	8.1			28.8	29.7	29.7		
10%							15.6	16.5	16.6			8.1	8.2	7.7			8.5	8.1	8.0			29.2	29.3	28.6		
50%							15.9	16.7	16.8			8.1	8.2	7.7			8.4	8.2	7.9			30.7	30.9	29.9		
100%							16.5	16.9	16.8			8.0	8.2	7.7			8.4	8.1	7.9			32.6	32.9	31.8		
Meter Number																										
Time							1682	1682	1681			1682	1682	1681			1682	1682	1681			1682	1682	1681		
Initials							TP	TP	TP			TP	TP	TP			TP	TP	TP			TP	TP	TP		

EPA Test Method: EPA 821-R-02-012 (CHECK ONE)

Ceriodaphnia: 2002.0  
Magna/pulex: 2021.0

Fathead: 2000.0  
Trout: 2019.0

Americanysis: 2007.0  
Cyprinodon: 2004.0

Menidia: 2006.0  
OTHER: ☒





# BIVALVE DEVELOPMENT TEST EMBRYO OBSERVATION DATA SHEET

Project Number: EA.TOX

Test Species

Client: Eco Analysts

Scientific Name: Mytilus sp.

QC Test Number: TN-23-209

Elutriate: ---

Initial number of embryos: 224

Accession Number: AT3-098

Embryos counted (date, initials): 4/6/23 MJ

Lot#: ME-097

Test Concentration	Replicate	Total # Surviving/ Counted	# Normal	# Abnormal
Control	A	218	218	6
	B	207	203	4
	C	207	200	7
	D	201	195	6
	E	223	214	9
10%	A	216	204	12
	B	224	218	14
	C	218	209	9
	D	219	212	7
	E	227	217	10
50%	A	241	236	5
	B	226	216	10
	C	231	225	6
	D	<del>252</del> 251	243	8
	E	232	223	9
100%	A	227	213	14
	B	184	177	7
	C	199	188	11
	D	187	181	6
	E	211	200	11

8/17/2023  
JR





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-209

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-209

Date/Time/Initials

Comments/Activity





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-209

Day	Testing Location	Date	Time	Initials
0	51	2/15/23	1620	TP
1	51	2/16/23	1600	TP
2	51	2/17/23	1454	TP
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				



# Bivalve Larval Survival and Development Test-Proportion Alive

Start Date: 2/15/2023 Test ID: TN-23-209 Sample ID: Eco Analysts  
 End Date: 2/17/2023 Lab ID: Sample Type: Elutriate  
 Sample Date: Protocol: Test Species: MS-Mytilis species  
 Comments:


Conc-%	1	2	3	4	5
Control	0.9732	0.9241	0.9241	0.8973	0.9955
10	0.9643	1.0000	0.9732	0.9777	1.0000
50	1.0000	1.0000	1.0000	1.0000	1.0000
100	1.0000	0.8214	0.8884	0.8348	0.9420

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					Rank Sum	1-Tailed Critical	Isotonic	
			Mean	Min	Max	CV%	N			Mean	N-Mean
Control	0.9429	1.0000	1.3477	1.2446	1.5039	7.849	5			0.9753	1.0000
10	0.9830	1.0426	1.4565	1.3807	1.5374	5.163	5	35.50	17.00	0.9753	1.0000
50	1.0000	1.0606	1.5374	1.5374	1.5374	0.000	5	40.00	17.00	0.9753	1.0000
100	0.8973	0.9517	1.2764	1.1345	1.5374	12.898	5	23.00	17.00	0.8973	0.9200

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution ( $p > 0.01$ )	0.92896	0.868	1.05644	1.66226
Equality of variance cannot be confirmed				

Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU
Steel's Many-One Rank Test	100	>100		1

Linear Interpolation (200 Resamples)				
Point	%	SD	95% CL(Exp)	Skew
IC05	81.269			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			





# Bivalve Larval Survival and Development Test-Proportion Normal

Start Date: 2/15/2023 Test ID: TN-23-209 Sample ID: Eco Analysts  
End Date: 2/17/2023 Lab ID: Sample Type: Elutriate  
Sample Date: Protocol: Test Species: MS-Mytilis species  
Comments:

Conc-%	1	2	3	4	5
Control	0.9464	0.9063	0.8929	0.8705	0.9554
10	0.9107	0.9375	0.9330	0.9464	0.9688
50	1.0000	0.9643	1.0000	1.0000	0.9955
100	0.9509	0.7902	0.8393	0.8080	0.8929

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					t-Stat	1-Tailed		MSD		
			Mean	Min	Max	CV%	N		Critical				
Control	0.9143	1.0000	1.2790	1.2027	1.3579	5.178	5					96	1120
10	0.9393	1.0273	1.3250	1.2674	1.3931	3.461	5	-0.988	2.230	0.1038		68	1120
50	0.9920	1.0850	1.4993	1.3807	1.5374	4.529	5	-4.733	2.230	0.1038		9	1120
100	0.8563	0.9365	1.1910	1.0950	1.3473	8.635	5	1.888	2.230	0.1038		161	1120

Auxiliary Tests					Statistic		Critical		Skew		Kurt	
Shapiro-Wilk's Test indicates normal distribution ( $p > 0.01$ )					0.98103		0.868		0.26127		0.0741	
Bartlett's Test indicates equal variances ( $p = 0.50$ )					2.3588		11.3449					
Hypothesis Test (1-tail, 0.05)			NOEC	LOEC	ChV	TU	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test			100	>100		1	0.06577	0.07171	0.08409	0.00542	5.4E-05	3, 16





## TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-210

### TEST ORGANISM INFORMATION

Common Name: BLUE MUSSEL Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Mytilus sp. Neonates Pulled & Fed (Time, Date): \_\_\_\_\_  
Lot Number: ME- 097 Acclimation: 64hr Age: 64hr  
Source: ARO Culture Water (T/S): 16.0 °C 29.0 ppt

### TEST INITIATION

<u>Date</u>	<u>Time</u>	<u>Initials</u>	<u>Activity</u>
2115123	0907	JK	Dilutions Made
↓	↓	↓	Test Vessels Filled
	1620		Organisms Transferred
	1700	JK	Head Counts

### TEST SET-UP

Sample Number: AT3-099  
Dilution Number: 30 ppt C.S. (LD3-100)

<u>Test Concentration</u>	<u>Volume Test Material</u>	<u>Final Volume</u>
Control	0 ml	100 ml
Site Water (AT3-099)	100 ml	↓





# TOXICITY TEST DATA SHEET

Project Number: EA.TOX

TEST ORGANISM

Beginning Date: 2/15/23 Time: 10:00

Client: Eco Analysts

Common Name: BLUE MUSSEL

Ending Date: 2/1/23 Time: 1030

QC Test Number: TN-23-210

Scientific Name: Mytilus sp.

TEST TYPE: Static / Flowthrough

Test Material: SITE WATER

TARGET VALUES

Renewal / Non-renewal

Accession Number: SEE BENCH SHEET

Temp: 16 °C DO: >4.0 mg/L Test Container: 30 ml vial

Dilution Water: 30 PPT C.S.

pH: 6.0 - 9.0 Salinity: 30±3 ppt Test Volume: 10 ml

Accession Number: LD3-180

Photoperiod: 16L, 8d      Test Duration: 48 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)				
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96					
Control							15.6	16.5	16.5			8.0	8.2	7.8			8.0	8.1	8.0			28.8	29.5	29.4		
Site Water (AT3-099)							16.1	16.7	16.7			8.1	8.2	7.8			8.6	8.1	8.6			33.0	33.0	32.3		

EPA Test Method: EPA 821-R-02-012 (CHECK ONE)

<u>Ceriodaphnia:</u>	2002.0	Fathead:	2000.0
<u>Magna/pulex:</u>	2021.0	Trout:	2019.0

Americamysis: 2007. \_\_\_\_\_  
Cyprinodon: 2004.0 \_\_\_\_\_

Menidia: 2006.0  
OTHER: X









## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-210

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-210

Date/Time/Initials

Comments/Activity





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-210

Day	Testing Location	Date	Time	Initials
0	SI	2/15/23	1620	To
1	SI	2/16/23	1241	To
2	SI	2/17/23	1455	To
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				



### Bivalve Larval Survival and Development Test-Proportion Alive

Start Date: 2/15/2023	Test ID: TN-23-210	Sample ID: Eco Analysts
End Date: 2/17/2023	Lab ID:	Sample Type: Site Water
Sample Date:	Protocol:	Test Species: MS-Mytilis species
Comments:		


Conc-%	1	2	3	4	5
Control	0.9286	0.9464	0.9554	0.9821	0.8616
100	0.8839	0.9196	0.9598	1.0000	0.9330

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					t-Stat	1-Tailed Critical	MSD	Isotonic	
			Mean	Min	Max	CV%	N				Mean	N-Mean
Control	0.9348	1.0000	1.3244	1.1896	1.4368	6.823	5				0.9371	1.0000
100	0.9393	1.0048	1.3444	1.2231	1.5374	8.920	5	-0.298	1.860	0.1249	0.9371	1.0000

Auxiliary Tests	Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	0.95866		0.781		0.57472	0.24716
F-Test indicates equal variances (p = 0.60)	1.76119		23.1545			
Hypothesis Test (1-tail, 0.05)	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences	0.07214	0.0767	0.001	0.01127	0.77303	1, 8

#### Linear Interpolation (200 Resamples)

Point	%	SD	95% CL(Exp)	Skew
IC05	>100			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			





# Bivalve Larval Survival and Development Test-Proportion Normal

Start Date: 2/15/2023 Test ID: TN-23-210 Sample ID: Eco Analysts  
 End Date: 2/17/2023 Lab ID: Sample Type: Site Water  
 Sample Date: Protocol: Test Species: MS-Mytilis species  
 Comments:

Conc-%	1	2	3	4	5
Control	0.8929	0.8973	0.9152	0.9509	0.8348
100	0.8393	0.8482	0.9420	0.9688	0.8884

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					t-Stat	1-Tailed Critical	MSD	Isotonic	
			Mean	Min	Max	CV%	N				Mean	N-Mean
Control	0.8982	1.0000	1.2514	1.1523	1.3473	5.629	5				0.8982	1.0000
100	0.8973	0.9990	1.2559	1.1583	1.3931	8.101	5	-0.083	1.860	0.1029	0.8973	0.9990

## Auxiliary Tests


	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution ( $p > 0.01$ )	0.93456	0.781	0.32136	-1.0127
F-Test indicates equal variances ( $p = 0.49$ )	2.08637	23.1545		

## Hypothesis Test (1-tail, 0.05)

	MSDu	MSDp	MSB	MSE	F-Prob	df
Homoscedastic t Test indicates no significant differences	0.0694	0.077	5.2E-05	0.00766	0.9362	1, 8

## Linear Interpolation (200 Resamples)

Point	%	SD	95% CL(Exp)	Skew
IC05	>100			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			







## TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-211

### TEST ORGANISM INFORMATION

Common Name: BLUE MUSSEL Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Mytilus sp. Neonates Pulled & Fed (Time, Date): \_\_\_\_\_  
Lot Number: ME-097 Acclimation: 24hrs Age: 64hrs  
Source: ARO Culture Water (T/S): 16.0 °C 29.0 ppt

### TEST INITIATION

<u>Date</u>	<u>Time</u>	<u>Initials</u>	<u>Activity</u>
2/15/23	0910	to	Dilutions Made
↓	↓	↓	Test Vessels Filled
	1620		Organisms Transferred
	1700	✓	Head Counts

### TEST SET-UP

Sample Number: SP3-010 1 g/L NH<sub>3</sub>-N (0.383 g NH<sub>4</sub>Cl / 100 mg DI)

Dilution Number: 30 ppt C.S. (LD3-180)

<u>Test Concentration</u>	<u>Volume Test Material</u>	<u>Final Volume</u>
CONTROL	0 ml	200 ml
0.65 mg/L	0.13 ml	↓
1.5 mg/L	0.30 ml	
3.7 mg/L	0.74 ml	
10.0 mg/L	2.0 ml	
50.0 mg/L	10.0 ml	





# ACUTE TOXICITY TEST DATA SHEET

Project Number: EA.TOX  
Client: Eco Analysts  
QC Test Number: TN-23-211  
Test Material: 1 g/L NH<sub>3</sub>-N  
Accession Number: SP3-C10  
Dilution Water: 30 PPT C.S.  
Accession Number: LD3-180

TEST ORGANISM  
Common Name: BLUE MUSSEL  
Scientific Name: Mytilus sp.  
Beginning Date: 2/15/23 Time: 1620  
Ending Date: 2/17/23 Time: 1630  
TEST TYPE: Static / Flowthrough  
Renewal / Non-renewal  
Temp: 16±1 °C DO: >4.0 mg/L  
pH: 6.0-9.0 Salinity: 30±3 ppt Test Container: 30 ml Vial  
Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc Test Volume: 10 ml  
Test Duration: 48 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)				
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96
Control							16.3	16.6	16.5			8.0	8.2	7.8			8.3	8.2	8.1			28.2	29.5	29.6		
0.65 mg/L							16.1	16.6	16.4			8.1	8.2	7.8			8.3	8.2	8.1			28.5	29.1	28.7		
1.5 mg/L							16.0	16.9	16.6			8.1	8.2	7.9			8.3	8.7	8.0			28.6	29.1	28.6		
3.7 mg/L							16.0	17.5	16.6			8.2	8.2	7.9			8.2	8.2	8.0			28.6	29.1	28.4		
10 mg/L							15.9	17.6	16.6			8.2	8.2	7.9			8.2	8.2	7.9			28.5	29.0	28.4		
50 mg/L							16.0	16.9	16.5			8.2	8.2	7.9			8.3	8.1	7.9			27.7	28.3	28.0		
Meter Number							1682	1682	1681			1682	1682	1681			1682	1682	1681			1682	1682	1681		
Time							1025	1244	1457			1025	1244	1457			1025	1244	1457			1025	1244	1457		
Initials							J	J	J			J	J	J			J	J	J			J	J	J		

EPA Test Method: EPA 821-R-02-012 (CHECK ONE)

Ceriodaphnia: 2002.0  
Magna/pulex: 2021.0

Fathead: 2000.0  
Trout: 2019.0

Americanysis: 2007.  
Cypripodon: 2004.0

Menidia: 2006.0  
OTHER: ☒





# BIVALVE DEVELOPMENT TEST EMBRYO OBSERVATION DATA SHEET

Project Number: EA.TOX

Test Species

Client: Eco Analysts

Scientific Name: Mytilus sp.

QC Test Number: TN-23-211

Test Material: 1 g/L NH<sub>3</sub>-N

Initial number of embryos: 224

Accession Number: SP3-010

Embryos counted (date, initials): 4/7/23 MD

Test Concentration	Replicate	Total # Surviving/ Counted	# Normal	# Abnormal
CONTROL	A	231 233	226	7
	B	238	231	7
	C	246	214	12
	D	209	201	8
	E	225	220	5
0.65 mg/L	A	216	210	6
	B	196	186	10
	C	203	199	4
	D	199	191	8
	E	189	182	7
1.5 mg/L	A	207	199	8
	B	204	196	8
	C	216	206	10
	D	204	195	9
	E	219	206	13
3.7 mg/L	A	202	188	14
	B	204	196	8
	C	201	187	14
	D	204	193	11
	E	198	185	13

Q 8/7/2023  
OR





Embryos counted (date, initials): 4/7/23 MD

[illegible]





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-211

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-211

Date/Time/Initials

Comments/Activity





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-211

Day	Testing Location	Date	Time	Initials
0	51	2/15/23	1620	TS
1	51	2/16/23	1244	TS
2	51	2/17/23	1457	TS
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				



# Bivalve Larval Survival and Development Test-Proportion Alive


Start Date: 2/15/2023 Test ID: TN-23-211 Sample ID: Eco Analysts  
 End Date: 2/17/2023 Lab ID: Sample Type: Ammonia  
 Sample Date: Protocol: Test Species: MS-Mytilis species  
 Comments:

Conc-mg/L	1	2	3	4	5
Control	1.0000	1.0000	1.0000	0.9330	1.0000
0.65	0.9643	0.8750	0.9063	0.8884	0.8438
1.5	0.9241	0.9107	0.9643	0.9107	0.9777
3.7	0.9018	0.9107	0.8973	0.9107	0.8839
10	0.2634	0.2857	0.2768	0.1741	0.2188
50	0.0536	0.0670	0.0357	0.0402	0.0089

Conc-mg/L	Mean	N-Mean	Transform: Arcsin Square Root				N	t-Stat	1-Tailed Critical	MSD	Number Resp	Total Number
			Mean	Min	Max	CV%						
Control	0.9866	1.0000	1.4917	1.3090	1.5374	6.846	5				15	1120
*0.65	0.8955	0.9077	1.2489	1.1644	1.3807	6.520	5	5.473	2.360	0.1047	117	1120
*1.5	0.9375	0.9502	1.3256	1.2674	1.4208	5.339	5	3.744	2.360	0.1047	70	1120
*3.7	0.9009	0.9131	1.2509	1.2231	1.2674	1.470	5	5.427	2.360	0.1047	111	1120
*10	0.2438	0.2471	0.5148	0.4304	0.5639	10.834	5	22.015	2.360	0.1047	847	1120
*50	0.0411	0.0416	0.1964	0.0946	0.2618	32.284	5	29.191	2.360	0.1047	1074	1120

Auxiliary Tests					Statistic	Critical	Skew	Kurt						
Shapiro-Wilk's Test indicates normal distribution (p > 0.01)					0.96664	0.9	-0.6622	1.23727						
Bartlett's Test indicates equal variances (p = 0.14)					8.28922	15.0863								
Hypothesis Test (1-tail, 0.05)					NOEC	LOEC	ChV	TU	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test					<0.65	0.65			0.02716	0.02734	1.35376	0.00492	2.3E-20	5, 24

Trimmed Spearman-Kärber			
Trim Level	EC50	95% CL	
0.0%			
5.0%			
10.0%	7.4688	7.1647	7.7857
20.0%	6.9359	6.6822	7.1993
Auto-7.1%	7.6248	7.2938	7.9709





# Bivalve Larval Survival and Development Test-Proportion Normal


Start Date: 2/15/2023 Test ID: TN-23-211 Sample ID: Eco Analysts  
 End Date: 2/17/2023 Lab ID: Sample Type: Ammonia  
 Sample Date: Protocol: Test Species: MS-Mytilus species  
 Comments:

Conc-mg/L	1	2	3	4	5
Control	1.0000	1.0000	0.9554	0.8973	0.9821
0.65	0.9375	0.8304	0.8884	0.8527	0.8125
1.5	0.8884	0.8750	0.9196	0.8705	0.9196
3.7	0.8393	0.8750	0.8348	0.8616	0.8259
10	0.0045	0.0045	0.0000	0.0045	0.0134
50	0.0045	0.0000	0.0000	0.0000	0.0000

Conc-mg/L	Transform: Arcsin Square Root						Rank Sum	1-Tailed Critical	Number Resp	Total Number
	Mean	N-Mean	Mean	Min	Max	CV%				
Control	0.9670	1.0000	1.4228	1.2446	1.5374	8.780	5		37	1120
*0.65	0.8643	0.8938	1.1989	1.1230	1.3181	6.489	5	16.00	152	1120
1.5	0.8946	0.9252	1.2418	1.2027	1.2834	3.162	5	17.00	118	1120
*3.7	0.8473	0.8763	1.1700	1.1404	1.2094	2.443	5	15.00	171	1120
*10	0.0054	0.0055	0.0700	0.0334	0.1160	42.155	5	15.00	1114	1120
*50	0.0009	0.0009	0.0401	0.0334	0.0669	37.303	5	15.00	1119	1120

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution ( $p > 0.01$ )	0.92351	0.9	-0.2971	2.44307
Bartlett's Test indicates unequal variances ( $p = 1.33E-03$ )	19.8514	15.0863		
Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU
Steel's Many-One Rank Test	<0.65	0.65		

Trimmed Spearman-Kärber			
Trim Level	EC50	95% CL	
0.0%			
5.0%			
10.0%	5.6340	5.4966	5.7749
20.0%	5.6858	5.6127	5.7599
Auto-9.0%	5.5869	5.4508	5.7264





## **ATTACHMENT III**

*Americamysis bahia* 96-Hour Elutriate Toxicity Tests  
Data Sheets and Statistical Analyses  
(14 pages)





# TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-212

## TEST ORGANISM INFORMATION

Common Name: OPOSSOM SHRIMP Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Americamysis bahia Neonates Pulled & Fed (Time, Date): \_\_\_\_\_  
Lot Number: AB-1218 Acclimation: 24h Age: 5 days  
Source: ABS Culture Water (T/S): 18.9 °C 27.0 ppt

## TEST INITIATION

Date	Time	Initials	Activity
2/15/23	0840	SL	Dilutions Made
↓	↓	↓	Test Vessels Filled
	0951	SL	Organisms Transferred
	1049	7	Head Counts

## TEST SET-UP

Sample Number: AT3-098

Dilution Number: LD3-161 (30 ppt C.S.)

Test Concentration	Volume Test Material	Final Volume
Control	0 ml	1,000 ml
10 %	100 ml	↓
50 %	500 ml	
100 %	1,000 ml	





# ACUTE TOXICITY TEST DATA SHEET

Project Number: EA TOX TEST ORGANISM: Common Name: OPOSSUM SHRIMP Beginning Date: 2/15/23 Time: 0951  
Client: Eco Analysis Scientific Name: Americanys baha Ending Date: 2/19/23 Time: 0926  
QC Test Number: TN-23-212 TARGET VALUES  
Test Material: ELUTRIATE  
Accession Number: AT3-098 Temp: 20±1 °C DO: >4.0 mg/L Test Container: 1-L BEAKER  
Dilution Water: 30 PPT C.S. pH: 6.0 - 9.0 Salinity: 30±3 ppt Test Volume: 200 ml  
Accession Number: ID3-181 Photoperiod: 16 L 8 d Light Intensity: 50 - 100 fc Test Duration: 96 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)					
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	
CONTROL	A	10	10	10	10	10	14.0	14.2	14.1	12.6	11.3	7.7	8.0	7.9	8.6	7.2	7.7	7.7	7.2	6.4	7.3	7.4	24.5	24.9	28.3	27.8	30.1
	B	10	10	10	10	10																					
	C	10	9	10	9	9																					
	D	10	9	9	9	9																					
	E	10	10	10	10	9																					
10%	A	10	10	10	10	10	11.0	14.4	12.0	11.7	14.4	7.8	8.0	7.9	8.1	7.2	7.7	6.5	6.1	6.9	7.1	24.6	24.8	28.5	30.1	32.1	
	B	10	10	10	10	10																					
	C	10	10	10	10	9																					
	D	10	10	10	10	10																					
	E	10	10	10	10	10																					
Meter Number																											
Time	1044	0936	1004	1234	0916	0846	0834	0856	0837	0712	0803	0854	0856	0837	0720	0803	0854	0856	0837	0720	0803	0854	0856	0837	0720		
Initials	W	Y	R	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	

EPA Test Method: EPA 821-R-02-012 (CHECK ONE)  
Ceriodaphnia: 2002.0  
Magna/pulex: 2021.0

Fathead: 2000.0  
Trout: 2019.0  
Americanyss: 2007. X  
Cyprinodon: 2004.0

Mentia: 2006.0  
OTHER:

ATS-T01  
12/02/08

02/22 2/19/23





# ACUTE TOXICITY TEST DATA SHEET

Project Number: EA.TOX TEST ORGANISM: Common Name: OPOSSUM SHRIMP Beginning Date: 2/15/23 Time: 0951  
Client: Eco Analysis Scientific Name: Americanysis bahia Ending Date: 2/19/23 Time: 0926  
QC Test Number: TN-23-212 TARGET VALUES  
Test Material: ELUTRIATE  
Accession Number: AT3-098 Temp: 20±1 °C DO: >4.0 mg/L Test Container: 1-L BEAKER  
Dilution Water: 30 PPT C.S. pH: 6.0 - 9.0 Salinity: 30±3 ppt Test Volume: 200 ml  
Accession Number: LD3-181 Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc Test Duration: 96 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)				
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96					
50%	A	10	10	10	10	10	19.8	19.3	19.8	11.7	17.3	7.8	8.0	7.8	8.0	7.3	7.0	6.3	5.8	6.7	7.0	31.1	31.2	29.8	31.5	31.3
	B	10	10	10	10	9																				
	C	10	10	10	10	8																				
	D	10	10	10	10	10																				
	E	10	10	10	10	9																				
100%	A	10	10	10	9	9	20.4	19.2	19.8	19.7	19.5	7.8	7.9	7.8	8.0	7.3	7.6	6.4	6.2	6.7	7.3	32.9	32.9	31.6	33.0	33.0
	B	10	10	10	9	8																				
	C	10	10	10	10	9																				
	D	10	10	10	10	10																				
	E	10	10	10	10	9																				





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-212

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABOATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-212

Date/Time/Initials	Comments/Activity
2/15/23 1127 SC	no dead observed





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-212

Day	Testing Location	Date	Time	Initials
0	SB	2/15/23	0905	SL
1	SB	2/16/23	0957	SL
2	SB	2/17/23	0959	SL
3	SB	2/18/23	0957	JL
4	SB	2/19/23	0937	JL
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				



# Acute Test-96 Hr Survival

Start Date: 2/15/2023 Test ID: TN-23-212 Sample ID: Eco Analysts  
 End Date: 2/19/2023 Lab ID: Sample Type: Elutriate  
 Sample Date: Protocol: Test Species: MY-Mysidopsis bahia  
 Comments:

Conc-%	1	2	3	4	5
Control	1.0000	1.0000	0.9000	0.9000	0.9000
10	1.0000	1.0000	0.9000	1.0000	1.0000
50	1.0000	0.9000	0.8000	1.0000	0.9000
100	0.9000	0.8000	0.9000	1.0000	0.9000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					t-Stat	1-Tailed Critical	MSD	Isotonic	
			Mean	Min	Max	CV%	N				Mean	N-Mean
Control	0.9400	1.0000	1.3142	1.2490	1.4120	6.792	5				0.9600	1.0000
10	0.9800	1.0426	1.3794	1.2490	1.4120	5.284	5	-1.011	2.230	0.1437	0.9600	1.0000
50	0.9200	0.9787	1.2859	1.1071	1.4120	10.026	5	0.440	2.230	0.1437	0.9200	0.9583
100	0.9000	0.9574	1.2533	1.1071	1.4120	8.613	5	0.946	2.230	0.1437	0.9000	0.9375


## Auxiliary Tests

	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution ( $p > 0.01$ )	0.96751	0.868	-0.1392	-0.5638
Bartlett's Test indicates equal variances ( $p = 0.74$ )	1.27199	11.3449		

Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test	100	>100		1	0.08747	0.0935	0.01438	0.01039	0.28366	3, 16

## Linear Interpolation (200 Resamples)

Point	%	SD	95% CL(Exp)	Skew
IC05	70.000			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			







## TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-213

### TEST ORGANISM INFORMATION

Common Name: OPOSSOM SHRIMP Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Americamysis bahia Neonates Pulled & Fed (Time, Date): \_\_\_\_\_  
Lot Number: AB-1218 Acclimation: 24h Age: 5 days  
Source: ABS Culture Water (T/S): 18.9 °C 27.0 ppt

### TEST INITIATION

<u>Date</u>	<u>Time</u>	<u>Initials</u>	<u>Activity</u>
2/15/23	0928	SL	Dilutions Made
↓	↓	↓	Test Vessels Filled
	0958	SL	Organisms Transferred
	1037	SL	Head Counts

### TEST SET-UP

Sample Number: AT3-099

Dilution Number: LD3-181

<u>Test Concentration</u>	<u>Volume Test Material</u>	<u>Final Volume</u>
Control	0 ml	1,000 ml
AT3-099	1,000 ml	↓





# ACUTE TOXICITY TEST DATA SHEET

Project Number: EA.TOX  
Client: Eco Analysis  
QC Test Number: TN-23-213  
Test Material: ELUTRIATE  
Accession Number: AT3-099  
Dilution Water: 30 PPT C.S.  
Accession Number: LD3481

TEST ORGANISM: Common Name: OPOSSUM SHRIMP  
Scientific Name: Americanys baha  
TARGET VALUES  
Temp: 20±1 °C DO: >4.0 mg/L  
pH: 6.0-9.0 Salinity: 30±3 ppt  
Photoperiod: 16L, 8d Light Intensity: 50-100 fc  
Beginning Date: 2/15/23 Time: 0958  
Ending Date: 2/19/23 Time: 0937  
TEST TYPE: Static / Flowthrough  
Renewal / Non-renewal  
Test Container: 1-L BEAKER  
Test Volume: 200 ml  
Test Duration: 96 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)				
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96
CONTROL	A	10	10	10	10	10	19.0	19.4	19.9	19.8	19.9	8.0	7.9	7.9	8.0	7.9	7.7	7.3	6.9	7.1	7.0	21.6	21.8	20.4	22.8	27.4
	B	10	10	10	10	9																				
	C	10	10	10	10	9																				
	D	10	10	10	10	9																				
	E	10	10	10	10	10																				
AT3-099	A	10	10	9	9	9	19.0	19.4	19.9	19.8	19.9	8.0	7.9	7.9	8.0	7.9	7.7	7.3	6.9	7.1	7.0	21.6	21.8	20.4	22.8	27.4
	B	10	10	10	10	10																				
	C	10	10	10	9	9																				
	D	10	10	10	10	10																				
	E	10	10	10	10	10																				
Meter Number																										
Time		1037	1002	1044	0533	0557	082	082	083	082	081	082	082	083	082	081	082	082	083	082	081	082	082	083	082	081
Initials		TP	TP	BL	02	TL	SL	TP	BL	SL	TL	SL	TP	BL	SL	TL	SL	TP	BL	SL	TL	SL	TP	BL	SL	TL





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-213

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABOATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-213

Date/Time/Initials

Comments/Activity

2/15/23 1130 SC

no dead observed





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-213

Day	Testing Location	Date	Time	Initials
0	GA	2/15/23	0940	SC
1	GA	2/16/23	1000	SC
2	GA	2/17/23	1048	SC
3	GA	2/18/23	0935	JL
4	GA	2/19/23	0938	JL
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				



# Acute Test-96 Hr Survival

Start Date: 2/15/2023 Test ID: TN-23-213 Sample ID: Eco Analysts  
 End Date: 2/19/2023 Lab ID: Sample Type: Sitewater  
 Sample Date: Protocol: Test Species: MY-Mysidopsis bahia  
 Comments:


Conc-%	1	2	3	4	5
Control	1.0000	0.9000	0.9000	0.9000	1.0000
100	0.9000	1.0000	0.9000	1.0000	1.0000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					t-Stat	1-Tailed Critical	MSD	Isotonic	
			Mean	Min	Max	CV%	N				Mean	N-Mean
Control	0.9400	1.0000	1.3142	1.2490	1.4120	6.792	5				0.9500	1.0000
100	0.9600	1.0213	1.3468	1.2490	1.4120	6.628	5	-0.577	1.860	0.1050	0.9500	1.0000

## Auxiliary Tests

Shapiro-Wilk's Test indicates normal distribution (p > 0.01)	Statistic		Critical		Skew	Kurt
F-Test indicates equal variances (p = 1.00)	0.79894		0.781		0	-2.2768
<b>Hypothesis Test (1-tail, 0.05)</b>	1		23.1545			
Homoscedastic t Test indicates no significant differences	MSDu	MSDp	MSB	MSE	F-Prob	df
	0.06072	0.0649	0.00266	0.00797	0.57958	1, 8

Point	%	SD	Linear Interpolation (200 Resamples)	
			95% CL(Exp)	Skew
IC05	>100			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			





## **ATTACHMENT IV**

*Menidia beryllina* 96-Hour Elutriate Toxicity Tests  
Data Sheets and Statistical Analyses  
(15 pages)





# TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-214

## TEST ORGANISM INFORMATION

Common Name: INLAND SILVERSIDE Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Menidia beryllina Neonates Pulled & Fed (Time, Date): \_\_\_\_\_  
Lot Number: MS- 330 Acclimation: 24h Age: 11 days  
Source: ABS Culture Water (T/S): 20.0 °C 27.4 ppt

## TEST INITIATION

<u>Date</u>	<u>Time</u>	<u>Initials</u>	<u>Activity</u>
2/15/23	0840	SC	Dilutions Made
↓	↓	↓	Test Vessels Filled
↓	1122	SC	Organisms Transferred
	1155	GL	Head Counts

## TEST SET-UP

Sample Number: AT3-098

Dilution Number: LD3-181 (30 ppt C.S.)

<u>Test Concentration</u>	<u>Volume Test Material</u>	<u>Final Volume</u>
Control	0 ml	1,000 ml
10 %	100 ml	↓
50 %	500 ml	
100 %	1,000 ml	





# ACUTE TOXICITY TEST DATA SHEET

Project Number: EA-TOX  
Client: Eco Analysis  
QC Test Number: TN-23-214  
Test Material: ELUTRIATE  
Accession Number: AT3-098  
Dilution Water: 30 PPT C.S.  
Accession Number: LD3-181

TEST ORGANISM  
Common Name: INLAND SILVERSIDE  
Scientific Name: Menidia beryllina  
TARGET VALUES  
Temp: 20±1 °C DO: ≥4.0 mg/L  
pH: 6.0 - 9.0 Salinity: 30±3 ppt  
Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc  
Beginning Date: 2/15/23 Time: 1122  
Ending Date: 2/17/23 Time: 1244  
TEST TYPE: Static / Flowthrough  
Renewal / Non-renewal  
Test Container: 1-L BEAKER  
Test Volume: 200 ml  
Test Duration: 96 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)				
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96					
CONTROL	A	10	10	10	10	9	19.0	19.0	19.0	19.6	19.4	7.7	7.9	7.7	7.8	7.7	7.7	7.1	7.2	7.5	29.5	29.8	28.6	30.0	29.4	
	B	10	10	10	9	9																				
	C	10	10	10	10	10																				
	D	10	10	10	10	10																				
	E	10	9	9	9	9																				
10%	A	10	9	8	8	8	19.0	19.1	19.4	19.6	19.5	7.8	7.9	7.9	8.1	7.8	7.7	7.3	6.8	7.7	7.4	29.6	30.0	28.8	30.1	30.0
	B	10	9	8	8	8																				
	C	10	10	10	10	9																				
	D	10	10	10	10	10																				
	E	10	10	10	10	10																				
Meter Number																										
Time		1155	1055	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046	
Initials		EL	TP	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	GL	

EPA Test Method: EPA 821-R-02-012 (CHECK ONE)  
Cetodaphnia: 2002.0  
MagnaPulse: 2021.0

Fathead: 2000.0  
Trout: 2019.0  
Americanyssis: 2007.  
Cyprinodon: 2004.0  
Menidia: 2006.0 X  
OTHER: \_\_\_\_\_

ATS-101  
12/02/08





# ACUTE TOXICITY TEST DATA SHEET

Project Number: EA.TOX TEST ORGANISM: INLAND SILVERSIDE Beginning Date: 2/5/23 Time: 1122  
Client: Eco Analysis Common Name: Menidia beryllina Ending Date: 2/9/23 Time: 1044  
QC Test Number: TN-23-214 Scientific Name: Menidia beryllina TEST TYPE: Static / Flowthrough  
Test Material: ELUTRIATE TARGET VALUES  
Accession Number: AT3-098 Temp: 20±1 °C DO: ≥4.0 mg/L Test Container: 1-L BEAKER  
Dilution Water: 30 PPT C.S. pH: 6.0 - 9.0 Salinity: 30±3 ppt Test Volume: 200 ml  
Accession Number: LD3-181 Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc Test Duration: 96 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)				
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96
50%	A	10	9	9	9	9	19.8	19.1	19.4	19.7	19.6	7.8	8.0	7.9	8.1	7.8	7.6	7.3	6.7	7.1	7.3	31.1	31.0	30.9	31.2	31.2
	B	10	10	10	10	10																				
	C	10	9	8	8	8																				
	D	10	10	10	10	10																				
	E	10	9	9	9	9																				
100%	A	10	9	9	8	8	20.4	19.1	19.4	19.6	19.6	7.8	8.0	7.9	8.1	7.8	7.6	7.2	6.7	7.2	7.3	32.9	32.6	31.2	33.0	32.8
	B	10	10	10	10	10																				
	C	10	10	10	10	10																				
	D	10	9	9	9	9																				
	E	10	8	7	7	7																				





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-214

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-214

Date/Time/Initials

Comments/Activity

2/15/23 1310 SC

no observed dead





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-214

Day	Testing Location	Date	Time	Initials
0	SA	2/15/23	0905	SL
1	SA	2/16/23	1055	SL
2	SA	2/17/23	1152	SL
3	SA	2/18/23	1013	SL
4	SA	2/19/23	1048	SL
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				



# Acute Test-96 Hr Survival

Start Date: 2/15/2023 Test ID: TN-23-214 Sample ID: Eco Analysts  
 End Date: 2/19/2023 Lab ID: Sample Type: Elutriate  
 Sample Date: Protocol: Test Species: MB-Menidia beryllina  
 Comments:

Conc-%	1	2	3	4	5
Control	0.9000	0.9000	1.0000	1.0000	0.9000
10	0.8000	0.8000	0.9000	1.0000	1.0000
50	0.9000	1.0000	0.8000	1.0000	0.9000
100	0.8000	1.0000	1.0000	0.9000	0.7000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					t-Stat	1-Tailed Critical	MSD	Isotonic	
			Mean	Min	Max	CV%	N				Mean	N-Mean
Control	0.9400	1.0000	1.3142	1.2490	1.4120	6.792	5				0.9400	1.0000
10	0.9000	0.9574	1.2575	1.1071	1.4120	12.128	5	0.625	2.230	0.2026	0.9100	0.9681
50	0.9200	0.9787	1.2859	1.1071	1.4120	10.026	5	0.312	2.230	0.2026	0.9100	0.9681
100	0.8800	0.9362	1.2343	0.9912	1.4120	15.085	5	0.880	2.230	0.2026	0.8800	0.9362


## Auxiliary Tests

	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution ( $p > 0.01$ )	0.93109	0.868	-0.1368	-1.2218
Bartlett's Test indicates equal variances ( $p = 0.59$ )	1.91346	11.3449		

Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test	100	>100		1	0.132	0.14109	0.00601	0.02063	0.83102	3, 16

## Linear Interpolation (200 Resamples)

Point	%	SD	95% CL(Exp)	Skew
IC05	78.333			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			







# TOXICITY TEST SET-UP BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-215

## TEST ORGANISM INFORMATION

Common Name: INLAND SILVERSIDE Adults Isolated (Time, Date): \_\_\_\_\_  
Scientific Name: Menidia beryllina Neonates Pulled & Fed (Time, Date): 11  
Lot Number: MS- 330 Acclimation: 24h Age: 12 days  
Source: ABS Culture Water (T/S): 19.0 °C 27.4 ppt

(b)  
76  
2/15/23

## TEST INITIATION

<u>Date</u>	<u>Time</u>	<u>Initials</u>	<u>Activity</u>
2/15/23	0928	SL	Dilutions Made
✓	↓	↓	Test Vessels Filled
	1103	SL	Organisms Transferred
	1151	GL	Head Counts

## TEST SET-UP

Sample Number: AT3-099

Dilution Number: LD3-181

<u>Test Concentration</u>	<u>Volume Test Material</u>	<u>Final Volume</u>
Control	0 ml	1,000 ml
AT3-099	1,000 ml	↓





# ACUTE TOXICITY TEST DATA SHEET

Project Number: EA.TOX  
Client: Eco Analysis  
QC Test Number: TN-23-215  
Test Material: SITE WATER  
Accession Number: AT3-099  
Dilution Water: 30 PPT C.S.  
Accession Number: UD3-181

TEST ORGANISM: INLAND SILVERSIDE  
Common Name: Menidia beryllina  
Scientific Name: Menidia beryllina  
Beginning Date: 2/15/23 Time: 103  
Ending Date: 2/19/23 Time: 1027  
TEST TYPE: Static / Flowthrough  
Renewal / Non-renewal  
Temp: 20±1 °C DO: >4.0 mg/L  
pH: 6.0 - 9.0 Salinity: 30±3 ppt  
Photoperiod: 16 L, 8 d Light Intensity: 50 - 100 fc  
Test Container: 1-L BEAKER  
Test Volume: 200 ml  
Test Duration: 96 hours

Concentration	Rep	Number of Live Organisms					Temperature (°C)					pH					Dissolved Oxygen (mg/L)					Salinity (ppt)					
		0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	0	24	48	72	96	
Control	A	10	10	10	10	10	19.0	19.3	19.4	19.5	20.3	8.0	8.0	7.9	7.9	7.8	7.7	7.7	7.4	6.8	7.9	7.3	29.6	29.8	30.7	30.2	29.1
	B	10	10	10	10	10																					
	C	10	10	10	10	10																					
	D	10	10	10	10	10																					
	E	10	10	10	10	10																					
AT3-099	A	10	9	8	8	8	19.0	19.5	19.8	19.1	20.2	8.0	8.0	7.9	7.9	7.8	7.7	7.7	7.2	6.7	7.5	7.1	33.0	32.5	31.3	32.7	32.5
	B	10	9	10	9	9																					
	C	10	10	8	8	9																					
	D	10	9	9	9	9																					
	E	10	8	8	8	8																					
Meter Number																											
Time																											
Initials	GL	1029	1049	1049	1049	1027	GL	0951	1094	0925	1014	GL	0951	1034	0925	1024	GL	0951	1034	0925	1024	GL	0951	1034	0925	1024	

EPA Test Method: EPA 821-R-02-012 (CHECK ONE)  
Cetiodaphnia: 2002.0 Fathead: 2000.0 Americanysis: 2007.0 Menidia: 2006.0 X  
Magna/pulex: 2021.0 Trout: 2019.0 Cyprinodon: 2004.0 OTHER: \_\_\_\_\_  
GL 6052 2115/23 2119/23





## TOXICOLOGY LABORATORY CORRECTION BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-215

### Correction Explanations

---

- (a) Technician Error-Mathematical
- (b) Technician Error-Manual Data Recording
- (c) Technician Error-Head Count Observation
- (d) Technician Error-Overwrite
- (e) Technician Error-Missing Data
- (f) Technician Error-Lost Organism
- (g) Technician Error-Transcription Error
- (h) Technician Error-Other:
- (i) Meter Malfunction





## TOXICOLOGY LABORATORY BENCH SHEET

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-215

Date/Time/Initials

Comments/Activity

2/15/23 1300 SL

no dead observed





# TOXICOLOGY LABORATORY BENCH SHEET - TESTING LOCATION

Project Number: EA.TOX

Client: Eco Analysts

QC Test Number: TN-23-215

Day	Testing Location	Date	Time	Initials
0	GA	2/15/23	0930	SL
1	GA	2/16/23	1026	TP
2	GA	2/17/23	1047	GC
3	GA	2/18/23	0927	JL
4	GA	2/19/23	1027	JL
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				



# Acute Test-96 Hr Survival

Start Date: 2/15/2023 Test ID: TN-23-215 Sample ID: Eco Analysts  
 End Date: 2/19/2023 Lab ID: Sample Type: Sitewater  
 Sample Date: Protocol: Test Species: MB-Menidia beryllina  
 Comments:

Conc-%	1	2	3	4	5
Control	1.0000	1.0000	1.0000	1.0000	1.0000
100	0.8000	0.8000	0.8000	0.9000	0.8000

Conc-%	Mean	N-Mean	Transform: Arcsin Square Root					Rank Sum	1-Tailed Critical	Isotonic	
			Mean	Min	Max	CV%	N			Mean	N-Mean
Control	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	5			1.0000	1.0000
*100	0.8200	0.8200	1.1355	1.1071	1.2490	5.588	5	15.00	19.00	0.8200	0.8200

## Auxiliary Tests

	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution ( $p \leq 0.01$ )	0.62485	0.781	2.51558	7.15179
Equality of variance cannot be confirmed				


## Hypothesis Test (1-tail, 0.05)

Wilcoxon Two-Sample Test indicates significant differences

## Linear Interpolation (200 Resamples)

Point	%	SD	95% CL(Exp)		Skew
IC05*	27.778	3.324	23.333	40.476	1.3377
IC10*	55.556	6.648	46.667	80.952	1.3377
IC15*	83.333				
IC20	>100				
IC25	>100				
IC40	>100				
IC50	>100				

\* indicates IC estimate less than the lowest concentration





## **ATTACHMENT V**

Report Quality Assurance Records  
(2 pages)





# REPORT QUALITY ASSURANCE RECORD

Client: Eco Analysts Project Number: EA.TOX  
Author: Michael Chaner EA Report Number: 9259

## REPORT CHECKLIST

QA/QC ITEM	REVIEWER	DATE
1. Samples collected, transported, and received according to study plan requirements.	<u>[Signature]</u>	<u>8/1/23</u>
2. Samples prepared and processed according to study plan requirements.	<u>[Signature]</u>	<u>8/1/23</u>
3. Data collected using calibrated instruments and equipment.	<u>[Signature]</u>	<u>8/1/23</u>
4. Calculations checked:		
- Hand calculations checked	<u>[Signature]</u>	<u>8/1/23</u>
- Documented and verified statistical procedure used.	<u>[Signature]</u>	<u>8/1/23</u>
5. Data input/statistical analyses complete and correct.	<u>[Signature]</u>	<u>8/7/2023</u>
6. Reported results and facts checked against original sources.	<u>[Signature]</u>	<u>8/7/2023</u>
7. Data presented in figures and tables correct and in agreement with text.	<u>[Signature]</u>	<u>8/7/2023</u>
8. Results reviewed for compliance with study plan requirements.	<u>[Signature]</u>	<u>8/1/23</u>

	AUTHOR	DATE
9. Commentary reviewed and resolved.	<u>[Signature]</u>	<u>8/9/23</u>
10. All study plan and quality assurance/control requirements have been met and the report is approved:	<u>[Signature]</u>	<u>8/9/23</u>
	PROJECT MANAGER	DATE
	<u>[Signature]</u>	<u>8/7/2023</u>
	QUALITY CONTROL OFFICER	DATE
	<u>[Signature]</u>	<u>8/8/23</u>
	SENIOR TECHNICAL OFFICER	DATE



## **ATTACHMENT VI**

US Army Corps of Engineers Quality Assurance Checklist  
(2 pages)



**Table II-8: Quality Control Summary for Biological Toxicity Testing only**

Method Reference Numbers:

Quality Control (QC) Element	Acceptance Criteria*	Criteria Met? Yes/No	List results outside criteria (Cross-reference results table in data report)	Location of Results (Retained at Lab or in Data Package)
Test condition requirements for each species: Temperature, Salinity, pH, D.O., Ammonia (Total, Un-ionized)	Test conditions within the requirements specified for each species	Yes	N/A	In Data Package
Test species age	Age/health within guidelines for each species (Appendix V)	Yes	N/A	In Data Package
Bulk physical/chemical analyses (If required by the Sampling plan)	Required? If so, performed? Yes or No	N/A	N/A	In Data Package
Water column toxicity test: Control mortality Control abnormality	≤ 10% mean ≤ 30% mussel/oyster; ≤ 40% clam larvae, ≤ 30% sea urchin larvae	Yes	N/A	In Data Package
Sediment toxicity test: Control mortality Compliance with applicable test acceptability requirements in Table 11.3 (EPA 1994a)	≤ 10% mean (no chamber > 20%) See EPA (1994a) Section 9; Table 11.3	N/A	N/A	In Data Package

\* The Quality Control Acceptance Criteria are general guidelines. If alternate criteria are used, they must be documented in this table.