



Janet T. Mills
GOVERNOR

STATE OF MAINE
DEPARTMENT OF TRANSPORTATION
16 STATE HOUSE STATION
AUGUSTA, MAINE 04333-0016

Dale F. Doughty
ACTING COMMISSIONER

October 6, 2025
Subject: Mill Bridge Replacement
State WIN: 026630.06
Location: Robbinston
Amendment No. 2

Dear Sir/Ms.:

Make the following changes to the bid documents:

In the bid book:

Remove Pages sixteen through twenty three titled Proposal Schedule of Items dated 8/19/2025 and **Replace** with the attached Proposal Schedule of items dated 10/6/2025

In the Plan sheet

Remove sheet two titled ESTIMATED QUANTITIES AND GENERAL NOTES dated 8/12/2025 and **Replace** with the attached ESTIMATED QUANTITIES AND GENERAL NOTES dated 10/6/2025

The following questions have been received:

Question: Sheet 2 Note #7 states to use Granular Borrow meeting Underwater Backfill Spec. Please confirm that this Granular Borrow will be paid for under Bid Item 203.25.

Response: Yes, all granular borrow will be paid for under Bid Item 203.25 Granular Borrow.

Question: Could the department evaluate their quantities based on what will be paid under item 203.20 Common Excavation? Amendment #1 had a response regarding this item that stated “Payment for all excavation required to remove the existing 15 ft. diameter pipe culvert and the former (abandoned) Route 1 Bridge to form the new stream channel will be considered incidental to Pay Items 202.19, Removing Existing Bridge- Abandoned, 202.19, Removing Existing Bridge and 610.16, Heavy Riprap.” In the Bridge Excavation Detail on Sheet 49, cross out the annotation “Pay Limits of Common Excavation” in pen and ink. However by making this excavation incidental to item 202.19 it significantly reduces the amount of common excavation paid under item 203.20, and the item was not reduced in the SOI.

Response: The quantity of Item 203.20, Common Excavation, is revised to 2,900 CY.

Question: In order to increase the likelihood of avoiding a winter detour, will the Department allow contractor option to use a 1” integral concrete wearing surface on the 8” concrete deck, as a permanent replacement for the HP membrane and pavement?

Response: No, the Department will not allow the use of a 1” integral concrete wearing surface on this project.

Question: Are Pile Tips required to be attached according to D1.5 Welding Specifications?

Response: Refer to page 140 of 296 of the Contract Bid book for pile tip welding specifications.

Consider these changes and information prior to submitting your bid on **October 8, 2025**.

Sincerely,



George M. A. Macdougall P.E.
Contracts & Specifications Engineer

10/6/2025

Maine Department of Transportation

Proposal Schedule of Items

Page 1 of 8

Proposal ID: 026630.06

Project(s): 026630.06

SECTION: 1 INITIAL GROUP

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0010	201.11 CLEARING	1.200 AC	_____	_____	_____	_____
0020	202.19 REMOVING EXISTING BRIDGE	LUMP SUM	LUMP SUM		_____	_____
0030	202.19 REMOVING EXISTING BRIDGE ABANDONED	LUMP SUM	LUMP SUM		_____	_____
0040	202.202 REMOVING PAVEMENT SURFACE	440.000 SY	_____	_____	_____	_____
0050	203.20 COMMON EXCAVATION	2,900.000 CY	_____	_____	_____	_____
0060	203.2318 DISPOSAL OF SPECIAL WASTE	276.000 T	_____	_____	_____	_____
0070	203.25 GRANULAR BORROW	560.000 CY	_____	_____	_____	_____
0080	206.082 STRUCTURAL EARTH EXCAVATION - MAJOR STRUCTURES	817.000 CY	_____	_____	_____	_____
0090	304.10 AGGREGATE SUBBASE COURSE - GRAVEL	1,700.000 CY	_____	_____	_____	_____
0100	403.2081 12.5 MM POLYMER MODIFIED HOT MIX ASPHALT	226.000 T	_____	_____	_____	_____
0110	403.209 HOT MIX ASPHALT 9.5 MM (SIDEWALKS, DRIVES, INCIDENTALS)	65.000 T	_____	_____	_____	_____
0120	403.211 HOT MIX ASPHALT (SHIMMING)	12.000 T	_____	_____	_____	_____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 026630.06

Project(s): 026630.06

SECTION: 1 INITIAL GROUP

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0130	403.2131 12.5 MM POLYMER MODIFIED HMA BASE	511.000 T	_____	 _____	_____	 _____
0140	409.15 BITUMINOUS TACK COAT - APPLIED	247.000 G	_____	 _____	_____	 _____
0150	461.131 TEMPORARY PAVEMENT	270.000 T	_____	 _____	_____	 _____
0160	501.231 DYNAMIC LOADING TEST	2.000 EA	_____	 _____	_____	 _____
0170	501.54 STEEL H-BEAM PILES 117 LBS/FT, DELIVERED	870.000 LF	_____	 _____	_____	 _____
0180	501.541 STEEL H-BEAM PILES 117 LBS/FT, IN PLACE	870.000 LF	_____	 _____	_____	 _____
0190	501.90 PILE TIPS	12.000 EA	_____	 _____	_____	 _____
0200	501.91 PILE SPLICES	12.000 EA	_____	 _____	_____	 _____
0210	501.92 PILE DRIVING EQUIPMENT MOBILIZATION	LUMP SUM		 LUMP SUM	_____	 _____
0220	502.219 STRUCTURAL CONCRETE, ABUTMENTS AND RETAINING WALLS	LUMP SUM		 LUMP SUM	_____	 _____
0230	502.261 STRUCTURAL CONCRETE ROADWAY & SIDEWALK SLAB ON CONCRETE BRIDGE	LUMP SUM		 LUMP SUM	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 026630.06

Project(s): 026630.06

SECTION: 1 INITIAL GROUP

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0240	502.31 STRUCTURAL CONCRETE APPROACH SLABS	LUMP SUM	LUMP	SUM	_____	_____
0250	502.49 STRUCTURAL CONCRETE CURBS AND SIDEWALKS	LUMP SUM	LUMP	SUM	_____	_____
0260	503.12 REINFORCING STEEL, FABRICATED AND DELIVERED	18,000.000 LB	_____	_____	_____	_____
0270	503.13 REINFORCING STEEL, PLACING	18,000.000 LB	_____	_____	_____	_____
0280	503.19 LOW-CARBON, CHROMIUM REINFORCEMENT - FABRICATED & DELIVERED	19,000.000 LB	_____	_____	_____	_____
0290	503.20 LOW-CARBON, CHROMIUM REINFORCEMENT - PLACING	19,000.000 LB	_____	_____	_____	_____
0300	507.0821 STEEL BRIDGE RAILING, 3 BAR	LUMP SUM	LUMP	SUM	_____	_____
0310	507.0822 STEEL APPROACH RAILING, 3-BAR	4.000 EA	_____	_____	_____	_____
0320	508.14 HIGH PERFORMANCE WATERPROOFING MEMBRANE	LUMP SUM	LUMP	SUM	_____	_____
0330	510.10 SPECIAL DETOUR _____ ROADWAY WIDTH VEHICULAR & PEDESTRIAN TRAFFIC NOT SEPARATED	LUMP SUM	LUMP	SUM	_____	_____
0340	511.07 COFFERDAM: MILL COVE NEW	LUMP SUM	LUMP	SUM	_____	_____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 026630.06

Project(s): 026630.06

SECTION: 1 INITIAL GROUP

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0350	512.081 FRENCH DRAINS	LUMP SUM	LUMP	SUM	_____	_____
0360	515.21 PROTECTIVE COATING FOR CONCRETE SURFACES	LUMP SUM	LUMP	SUM	_____	_____
0370	526.301 PORTABLE CONCRETE BARRIER TYPE I	LUMP SUM	LUMP	SUM	_____	_____
0380	527.34 WORK ZONE CRASH CUSHIONS	2.000 UN	_____	_____	_____	_____
0390	530.30 GFRP, REINFORCEMENT BARS, FABRICATED & DELIVERED	38,000.000 LF	_____	_____	_____	_____
0400	530.31 GFRP, REINFORCEMENT BARS, PLACING	38,000.000 LF	_____	_____	_____	_____
0410	535.61 PRESTRESSED STRUCTURAL CONCRETE I-GIRDERS MILL COVE NEW	LUMP SUM	LUMP	SUM	_____	_____
0420	604.161 ALTERING CATCH BASIN	2.000 EA	_____	_____	_____	_____
0430	604.18 ADJUSTING MANHOLE OR CATCH BASIN TO GRADE	1.000 EA	_____	_____	_____	_____
0440	606.1301 31" W-BM GR, MID-WAY SPLICE-SGL FACED	1,075.000 LF	_____	_____	_____	_____
0450	606.1303 31" W-BM GR, MID-WAY SPLICE-15' RAD AND LESS	50.000 LF	_____	_____	_____	_____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 026630.06

Project(s): 026630.06

SECTION: 1 INITIAL GROUP

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0460	606.1304 31" W-BM GR, MID-WAY SPLICE-OVER 15' RAD	150.000 LF	_____	 _____	_____	 _____
0470	606.1721 BRIDGE TRANSITION - TYPE 1	4.000 EA	_____	 _____	_____	 _____
0480	606.259 ANCHORAGE ASSEMBLY	1.000 EA	_____	 _____	_____	 _____
0490	606.265 TERMINAL END - SINGLE RAIL - GALVANIZED STEEL	3.000 EA	_____	 _____	_____	 _____
0500	606.353 REFLECTORIZED FLEXIBLE GUARDRAIL MARKER	8.000 EA	_____	 _____	_____	 _____
0510	606.47 SINGLE WOOD POST	2.000 EA	_____	 _____	_____	 _____
0520	609.31 CURB TYPE 3	140.000 LF	_____	 _____	_____	 _____
0530	609.34 CURB TYPE 5	215.000 LF	_____	 _____	_____	 _____
0540	609.35 CURB TYPE 5 - CIRCULAR	15.000 LF	_____	 _____	_____	 _____
0550	610.08 PLAIN RIPRAP	1,350.000 CY	_____	 _____	_____	 _____
0560	610.16 HEAVY RIPRAP	5,858.000 CY	_____	 _____	_____	 _____
0570	610.18 STONE DITCH PROTECTION	15.000 CY	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 026630.06

Project(s): 026630.06

SECTION: 1 INITIAL GROUP

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0580	613.319 EROSION CONTROL BLANKET	310.000 SY	_____	 _____	_____	 _____
0590	615.07 LOAM	75.000 CY	_____	 _____	_____	 _____
0600	618.14 SEEDING METHOD NUMBER 2	12.000 UN	_____	 _____	_____	 _____
0610	619.12 MULCH	12.000 UN	_____	 _____	_____	 _____
0620	619.14 EROSION CONTROL MIX	49.000 CY	_____	 _____	_____	 _____
0630	620.58 EROSION CONTROL GEOTEXTILE	8,650.000 SY	_____	 _____	_____	 _____
0640	627.733 4" WHITE OR YELLOW PAINTED PAVEMENT MARKING LINE	2,300.000 LF	_____	 _____	_____	 _____
0650	629.05 HAND LABOR, STRAIGHT TIME	15.000 HR	_____	 _____	_____	 _____
0660	631.12 ALL PURPOSE EXCAVATOR (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____
0670	631.14 GRADER (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____
0680	631.15 ROLLER, EARTH AND BASE COURSE (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____
0690	631.172 TRUCK - LARGE (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____

Maine Department of Transportation

Proposal Schedule of Items

Proposal ID: 026630.06

Project(s): 026630.06

SECTION: 1 INITIAL GROUP

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0700	631.18 CHAIN SAW RENTAL (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____
0710	631.20 STUMP CHIPPER (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____
0720	631.22 FRONT END LOADER (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____
0730	631.32 CULVERT CLEANER (INCLUDING OPERATOR)	10.000 HR	_____	 _____	_____	 _____
0740	639.19 FIELD OFFICE TYPE B	1.000 EA	_____	 _____	_____	 _____
0750	643.66 RESIDENTIAL DRIVEWAY TEMPORARY SIGNAL	1.000 EA	_____	 _____	_____	 _____
0760	643.72 TEMPORARY TRAFFIC SIGNAL	LUMP SUM		 LUMP SUM	_____	 _____
0770	645.292 REGULATORY, WARNING, CONFIRMATION AND ROUTE MARKER ASSEMBLY SIGNS TYPE II	40.000 SF	_____	 _____	_____	 _____
0780	652.312 TYPE III BARRICADE	10.000 EA	_____	 _____	_____	 _____
0790	652.33 DRUM	75.000 EA	_____	 _____	_____	 _____
0800	652.34 CONE	25.000 EA	_____	 _____	_____	 _____

10/6/2025

Maine Department of Transportation

Proposal Schedule of Items

Page 8 of 8

Proposal ID: 026630.06

Project(s): 026630.06

SECTION: 1 INITIAL GROUP

Alt Set ID: Alt Mbr ID:

Contractor: _____

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price		Bid Amount	
			Dollars	Cents	Dollars	Cents
0810	652.35 CONSTRUCTION SIGNS	400.000 SF	_____	_____	_____	_____
0820	652.361 MAINTENANCE OF TRAFFIC CONTROL DEVICES	LUMP SUM	LUMP SUM		_____	_____
0830	652.38 FLAGGER	420.000 HR	_____	_____	_____	_____
0840	652.41 PORTABLE CHANGEABLE MESSAGE SIGN	2.000 EA	_____	_____	_____	_____
0850	656.75 TEMPORARY SOIL EROSION AND WATER POLLUTION CONTROL	LUMP SUM	LUMP SUM		_____	_____
0860	658.20 ACRYLIC LATEX COLOR FINISH, GREEN	250.000 SY	_____	_____	_____	_____
0870	659.10 MOBILIZATION	LUMP SUM	LUMP SUM		_____	_____
Section: 1			Total:		_____	_____
			Total Bid:		_____	_____

ESTIMATED QUANTITIES			
ITEM NO.	DESCRIPTION	QUANTITY	UNIT
201.11	CLEARING	1.2	AC
202.19	REMOVING EXISTING BRIDGE - ABANDONED (500 CY)	1	LS
202.19	REMOVING EXISTING BRIDGE (50 CY)	1	LS
202.202	REMOVING PAVEMENT SURFACE	440	SY
203.20	COMMON EXCAVATION	2900	CY
203.2318	DISPOSAL OF SPECIAL WASTE	276	T
203.25	GRANULAR BORROW	560	CY
206.082	STRUCTURAL EARTH EXCAVATION - MAJOR STRUCTURES	817	CY
304.10	AGGREGATE SUBBASE COURSE - GRAVEL	1700	CY
403.2081	HOT MIX ASPHALT, 12.5 MM NOMINAL MAXIMUM SIZE (POLYMER MODIFIED)	226	T
403.209	HOT MIX ASPHALT, 9.5 MM NOMINAL MAXIMUM SIZE (SIDEWALKS, DRIVES, ISLANDS & INCIDENTALS)	65	T
403.211	HOT MIX ASPHALT NOMINAL MAXIMUM SIZE (SHIMMING)	12	T
403.2131	HOT MIX ASPHALT, 12.5 MM NOMINAL MAX SIZE (BASE AND INTERMEDIATE COURSE POLYMER MODIFIED)	511	T
409.15	BITUMINOUS TACK COAT, APPLIED	247	G
461.131	TEMPORARY PAVEMENT	270	T
501.231	DYNAMIC LOADING TESTS	2	EA
501.54	STEEL H-BEAM PILES 117 LB/FT, DELIVERED	870	LF
501.541	STEEL H-BEAM PILES 117 LB/FT, IN PLACE	870	LF
501.90	PILE TIPS	12	EA
501.91	PILE SPLICES	12	EA
501.92	PILE DRIVING EQUIPMENT MOBILIZATION	1	LS
502.219	STRUCTURAL CONCRETE, ABUTMENTS AND RETAINING WALLS (160 CY)	1	LS
502.261	STRUCTURAL CONCRETE ROADWAY AND SIDEWALK SLABS ON CONCRETE BRIDGE (140 CY)	1	LS
502.31	STRUCTURAL CONCRETE APPROACH SLABS (24 CY)	1	LS
502.49	STRUCTURAL CONCRETE CURBS AND SIDEWALKS (15 CY)	1	LS
503.12	REINFORCING STEEL, FABRICATED AND DELIVERED	18000	LB
503.13	REINFORCING STEEL, PLACING	18000	LB
503.19	LOW-CARBON CHROMIUM REINFORCEMENT, FABRICATED AND DELIVERED	19000	LB
503.20	LOW-CARBON CHROMIUM REINFORCEMENT, PLACING	19000	LB
507.0821	STEEL BRIDGE RAILING, 3 BAR (287 LF)	1	LS
507.0822	STEEL APPROACH RAILING, 3 BAR	4	EA
508.14	HIGH PERFORMANCE WATERPROOFING MEMBRANE (460 SY)	1	LS
510.10	SPECIAL DETOUR, VEHICULAR AND PEDESTRIAN TRAFFIC NOT SEPARATED	1	LS
511.07	COFFERDAM	1	LS
512.081	FRENCH DRAINS (106 LF)	1	LS
515.21	PROTECTIVE COATING FOR CONCRETE SURFACES (24 SY)	1	LS
526.301	TEMPORARY CONCRETE BARRIER TYPE I (25 LF)	1	LS
527.34	WORK ZONE CRASH CUSHION	2	UN
530.30	GFRP, REINFORCEMENT BARS, FABRICATED & DELIVERED	38000	LF
530.31	GFRP, REINFORCEMENT BARS, PLACING	38000	LF
535.61	PRESTRESSED STRUCTURAL CONCRETE I-GIRDERS (608 LF)	1	LS
604.161	ALTERING CATCH BASIN	2	EA
604.18	ADJUSTING MANHOLE OR CATCH BASIN TO GRADE	1	EA
606.1301	31" W-BEAM GUARDRAIL-MID-WAY SPLICE - SINGLE FACED	1075	LF
606.1303	31" W-BEAM GUARDRAIL-MID-WAY-SPLICE, 15' RADIUS OR LESS	50	LF
606.1304	31" W-BEAM GUARDRAIL-MID-WAY-SPLICE, OVER 15' RADIUS	150	LF
606.1721	BRIDGE TRANSITION - TYPE 1	4	EA
606.259	ANCHORAGE ASSEMBLY	1	EA
606.265	TERMINAL END-SINGLE RAIL - GALVANIZED STEEL	3	EA
606.353	REFLECTORIZED FLEXIBLE GUARDRAIL MARKER	8	EA
606.47	SINGLE WOOD POST	2	EA
609.31	CURB TYPE 3	140	LF
609.34	CURB TYPE 5	215	LF
609.35	CURB TYPE 5 - CIRCULAR	15	LF
610.08	PLAIN RIPRAP	1350	CY
610.16	HEAVY RIPRAP	5858	CY
610.18	STONE DITCH PROTECTION	15	CY
613.319	EROSION CONTROL BLANKET	310	SY
615.07	LOAM	75	CY
618.14	SEEDING METHOD NUMBER 2	12	UN
619.12	MULCH	12	UN
619.14	EROSION CONTROL MIX	49	CY
620.58	EROSION CONTROL GEOTEXTILE	8650	SY
627.733	4" WHITE OR YELLOW PAINTED PAVEMENT MARKING LINE	2300	LF
629.05	HAND LABOR, STRAIGHT TIME	15	HR
631.12	ALL PURPOSE EXCAVATOR (INCLUDING OPERATOR)	10	HR
631.14	GRADER (INCLUDING OPERATOR)	10	HR
631.15	ROLLER, EARTH AND BASE COURSE (INCLUDING OPERATOR)	10	HR
631.172	TRUCK-LARGE (INCLUDING OPERATOR)	10	HR
631.18	CHAIN SAW RENTAL (INCLUDING OPERATOR)	10	HR
631.20	STUMP CHIPPER RENTAL (INCLUDING OPERATOR)	10	HR
631.22	FRONT END LOADER (INCLUDING OPERATOR)	10	HR
631.32	CULVERT CLEANER (INCLUDING OPERATORS)	10	HR
639.19	FIELD OFFICE TYPE B	1	EA
643.66	RESIDENTIAL DRIVEWAY TEMPORARY SIGNAL (RDTs)	1	EA
643.72	TEMPORARY TRAFFIC SIGNAL	1	LS
645.292	REGULATORY, WARNING, CONFIRMATION, AND ROUTE MARKER ASSEMBLY SIGNS TYPE II	40	SF
652.312	TYPE III BARRICADES	10	EA
652.33	DRUM	75	EA
652.34	CONE	25	EA
652.35	CONSTRUCTION SIGNS	400	SF
652.361	MAINTENANCE OF TRAFFIC CONTROL DEVICES	1	LS
652.38	FLAGGERS	420	HR
652.41	PORTABLE CHANGEABLE MESSAGE BOARD	2	EA



ESTIMATED QUANTITIES			
ITEM NO.	DESCRIPTION	QUANTITY	UNIT
656.75	TEMPORARY SOIL EROSION AND WATER POLLUTION CONTROL	1	LS
658.20	ACRYLIC LATEX COLOR FINISH	250	SY
659.10	MOBILIZATION	1	LS

GENERAL CONSTRUCTION NOTES

1. For easements, construction limits, and right of way lines, refer to the Right of Way Map.

2. The clearing limits as shown on the plans are approximate. The actual clearing limits for payment will be established in the field by the Resident.

3. All utility facilities shall be adjusted by the respective utilities unless otherwise noted.

4. Existing signs within the Project limits shall be removed and reset as directed by the Resident. Payment for removal and installation of existing signs will be considered incidental to the Contract. No separate payment will be made.

5. Do not excavate for Aggregate Subbase Course where existing material is suitable as determined by the Resident.

6. In areas where the Resident directs the Contractor not to excavate to the subgrade line shown on the plans, payment for removing existing pavement, grubbing, shaping, ditching, and compacting the existing subbase and layers of new subbase 6 inches or less thick will be made under appropriate equipment rental items.

7. All embankment material, except as otherwise shown, placed below EL. 18.0 shall be Granular Borrow meeting the requirements of Standard Specifications Subsection 703.19, Granular Borrow, for Material for Underwater Backfill.

8. Place riprap on sideslopes up to EL. 18.0.

9. Construct the riprap shelf at EL. 26.75 at Abutment No. 1 and at EL. 28.00 at Abutment No. 2.

10. Place loam 2 inches deep on all new or reconstructed sideslopes or as directed by the Resident.

11. Seeding Method No. 2 is anticipated on all undisturbed slope areas.

12. Erosion Control Mix may be substituted in those areas normally receiving loam and seed as directed by the Resident. Placement shall be in accordance with Standard Specifications Section 619, Mulch. Payment will be made under Pay Item 619.14, Erosion Control Mix.

13. Place a 24 inch wide strip of Erosion Control Blanket on the sideslopes along the top of the riprap and behind the wingwalls.

14. A MASH compliant guardrail end treatment shall be installed concurrently with the placement of each section of beam guardrail.

15. Where it is apparent that runoff will cause continual erosion, Erosion Control Blanket, seeded gutters, riprap downspouts, and other gutters lined with Stone Ditch Protection shall be constructed after paving and shoulder work is completed. Payment will be made under the appropriate Contract Items.

16. Where called for on the plans, where new pavement joins existing pavement, the existing pavement shall be sawcut along a smooth line to a neat, even, vertical joint as directed by the Resident. Broken or raveled edges will not be permitted. All work necessary for the preparation of this joint will be considered incidental to the related Contract Items.

17. Inlets and outlets of all culverts shall be riprapped unless otherwise noted on the plans or directed by the Resident.

18. No existing drainage shall be removed, abandoned, or plugged without prior approval of the Resident.

19. Existing culverts and catch basins will be cleaned as directed by the Resident under the appropriate Contract Items.

20. Sign posts and any associated breakaway devices necessary will be considered incidental to Item 645.292, Regulatory, Warning, Confirmation, and Route Marker Assembly Signs Type II.

21. Two reflectORIZED guardrail markers shall be installed at each guardrail end.

22. Protective Coating for Concrete Surfaces shall be applied to the following areas:

All exposed surfaces of concrete curbs,
Fascias down to the drip notch,
Top of abutment backwalls and wingwalls, and
To one foot below the ground on vertical walls against earth.

23. Project information referred to below may be accessed at the following MaineDOT web address: <https://www.maine.gov/dot/doing-business/bid-opportunities>

24. The existing bridge plans may be accessed at the MaineDOT web address. The plans are reproductions of the original drawings as prepared for the construction of the bridge. It is very unlikely that the plans will show any construction field changes or any alterations which may have been made to the bridge during its life span.

25. Reports on hydrology and/or hydraulics applicable to the bridge site may be accessed at the MaineDOT web address. The reports are based on MaineDOT's interpretation of the information obtained for the subject site. No assurance is given that the information or the conclusions of the report will be representative of actual conditions at the time of construction.

26. The project geotechnical report titled: Geotechnical Design Report, Mill Cove Bridge, Soils Report 2025-08-13 may be accessed at the MaineDOT web address.

27. Geotechnical information furnished or referred to in this plan set is for the use of the Bidders and the Contractor. No assurance is given that the information or interpretations will be representative of actual subsurface conditions at the construction site. MaineDOT will not be responsible for the Bidders' or Contractor's interpretations of, or conclusions drawn from, the geotechnical information. The boring logs contained in the plan set present factual and interpretive subsurface information collected at discrete locations. Data provided may not be representative of the subsurface conditions between the boring locations.

28. Quantities included for pay items measured and paid for by Lump Sum are estimated quantities and are provided by MaineDOT for informational purposes only. Lump Sum pay items will be paid for at the Contract Bid amount, with no addition or reduction in payment to the Contractor if the actual final quantities are different from the MaineDOT provided estimated quantities, except as follows:

a. If a Lump Sum pay item is eliminated, the requirements of Standard Specifications Section 109.2, Elimination of Items, will take precedence.

b. If other Contract Documents specifically allow a change in payment for a Lump Sum pay item, those requirements will be followed.

c. If a design change results in changes to estimated quantities for Lump Sum pay items, price adjustments will be made in accordance with Standard Specifications Section 109.7, Equitable Adjustments to Compensation and Time.

29. This site lends itself to different cofferdam configurations, depending on the Contractor's means and methods. Rather than speculate on how the bidders will configure the cofferdams, the Department has provided a single pay item to be used to cover all cofferdams on the project, regardless of how many are actually used.

30. Payment for equipment, labor and materials to access the work, as well as to re-establish original ground, will be considered incidental to related Contract Items.

31. The Contractor will be responsible for maintaining all existing mailboxes to ensure that mail will be deliverable. Payment for this work will be considered incidental to the Contract.

32. Provide four large boulders (roughly 48 inches in diameter) across the width of the old roadway at each approach as indicated on the plan. Each boulder shall weigh a minimum of 2,500 pounds. Boulders shall be evenly spaced at 8 feet on center across the opening and shall be located approximately 10 feet from the embankment slope break, or as directed by the Resident. Place a 12 inch by 36 inch MUTC OM3 aluminum object marker sign mounted to a galvanized steel, 2 lbs/ft, 10 foot long U-Channel post behind each boulder. The bottom of the sign shall be 5 feet above grade and the post shall be embedded at least 3 feet into the ground. Retroreflective strip on the post is not required. Payment for procurement and placement of boulders (including all labor, equipment, and related incidentals) shall be considered incidental to Item 203.20 Common Excavation. Payment for the object marker and posts shall be under Item 645.292 Warning Signs Type II.

STATE OF MAINE
DEPARTMENT OF TRANSPORTATION

Federal Project No. 02663006

WIN 026630.06

SIGNATURE

P.E. NUMBER

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

U.S. ROUTE 1 BRIDGE NO. 6205
CROSSING MILL COVE
ROBBINSONESTIMATED QUANTITIES
AND GENERAL NOTES

SHEET NUMBER

2

OF 60

Thornton
Tomasetti