



STATE OF MAINE  
DEPARTMENT OF TRANSPORTATION  
16 STATE HOUSE STATION  
AUGUSTA, MAINE 04333-0016

Janet T. Mills  
GOVERNOR

Bruce A. Van Note  
COMMISSIONER

May 13, 2025  
Subject: Mill & Fill  
WIN: 027520.00 & 027522.00  
Location: **Wells & Kennebunk**  
**Amendment No. 1**

Dear Sir/Ms.:

Please make the following changes to the Bid Book:

**INSERT** attached "SPECIAL PROVISION, SECTION 104, Utilities", 3 pages, dated March 19, 2025, after page 89.

Consider these changes and information prior to submitting your bid on **May 14, 2025**.

Sincerely,

A handwritten signature in blue ink, reading "George M. A. Macdougall".

George M. A. Macdougall P.E.  
Contracts & Specifications Engineer

## **SPECIAL PROVISIONS**

### **SECTION 104**

#### **Utilities**

#### **UTILITY COORDINATION**

The contractor has primary responsibility for coordinating their work with utilities after contract award. The contractor shall communicate directly with the utilities regarding any utility work necessary to maintain the contractor's schedule and prevent project construction delays. The contractor shall notify the resident of any issues.

#### **THE CONTRACTOR SHALL PLAN AND CONDUCT WORK ACCORDINGLY.**

#### **MEETING**

A Preconstruction Utility Conference, as defined in Subsection 104.4.6 of the Standard Specifications, **IS** required.

#### **GENERAL INFORMATION**

These Special Provisions outline the arrangements that have been made by the Department for utility work to be undertaken in conjunction with this project. The following list identifies all known utilities having facilities presently located within the limits of this project or intending to install facilities during project construction.

Utilities have been notified and will be furnished a project specification.

The Contractor shall give all Utilities **ten (10) working days' notice** prior to beginning **ANY** work on this project.

#### **Overview & Utility Contact Information:**

<b>Utility</b>	<b>Aerial</b>	<b>Subsurface</b>	<b>Contact Person</b>	<b>Contact Phone</b>
<b>Central Maine Power Company</b>	<b>X</b>		<b>Eric Fletcher</b>	<b>(207)329-4500</b>
<b>Charter Communications</b>	<b>X</b>		<b>Peter Deteso</b>	<b>(207)318-6542</b>
<b>Consolidated Communications</b>	<b>X</b>	<b>X</b>	<b>Martin Pease</b>	<b>(207)272-7993</b>
<b>Firstlight</b>	<b>X</b>		<b>Mike Ellingwood</b>	<b>(207)462-2759</b>
<b>GWI</b>	<b>X</b>		<b>Sheila Ouimette</b>	<b>(207)494-2133</b>
<b>Kennebunk Light &amp; Power District</b>	<b>X</b>		<b>Kevin Vezina</b>	<b>(207)216-1050</b>
<b>Kennebunk Sewer District</b>		<b>X</b>	<b>Chris Johnson</b>	<b>(207)985-4741</b>
<b>Kennebunk, Kennebunkport &amp; Wells Water District</b>		<b>X</b>	<b>Jamie Paschal</b>	<b>(207)604-6218</b>
<b>Town of Kennebunk</b>		<b>X</b>	<b>Bryan Laverriere</b>	<b>(207)423-3369</b>
<b>Town of Wells</b>		<b>X</b>	<b>Stephen Buckley</b>	<b>(207)361-8784</b>

Temporary utility adjustments are **NOT** anticipated. If any unexpected utility relocations become necessary, they shall be scheduled in accordance with Section 104 of the Standard

Specifications and shall be performed by the appropriate utility company in conjunction with the work by the Contractor. Should the Contractor choose to have any poles temporarily relocated, all work shall be done at the Contractor's request and expense, with no additional cost or schedule impacts to the Department.

All adjustments are to be made by the respective utility unless otherwise specified herein.

Fire hydrants shall not be disturbed until all necessary work has been accomplished to provide proper fire protection.

***\*\* Specific information regarding the line voltage can be requested from Central Maine Power Co. \*\****

Utility working days are Monday through Friday. Times are estimated on the basis of a single crew for each utility. Any times and dates mentioned are **estimates only** and are dependent upon favorable weather, working conditions, and freedom from emergencies.

### **AERIAL**

Aerial utility adjustments are **NOT** anticipated as part of this project. Utilities have been notified and if utility relocations, though unexpected, become necessary, they will be scheduled in compliance with Section 104 of the Standard Specifications and will be done by the utilities in conjunction with the work by the Contractor.

### **SUBSURFACE**

#### **Consolidated Communications**

Consolidated Communications has approximately **1 telecommunications manholes** to adjust to grade. Consolidated Communications intends to lower their telecommunications manholes prior to milling, where needed. Consolidated Communications intends to adjust their telecommunications manholes to grade prior to paving surface and estimates **1 working days to complete the adjustments**. The contractor shall provide **two weeks notification** to Consolidated Communications for any and all work to be performed by Consolidated Communications.

#### **Kennebunk Sewer District**

Kennebunk Sewer District (KSD) has approximately **26 sewer manholes** within the project limits to adjust to grade. KSD intends to lower their sewer manholes prior to milling, where needed. KSD intends to adjust their sewer manholes to grade prior to paving surface and estimates **10 working days to complete the adjustments**. The contractor shall provide **two weeks notification** to KSD for any and all work to be performed by Kennebunk Sewer District.

#### **Kennebunk, Kennebunkport & Wells Water District**

Kennebunk, Kennebunkport & Wells Water District (KK&WWD) has approximately **8 water gate valves** to adjust to grade. KK&WWD intends to lower their water gate valves prior to milling. KK&WWD intends to loosen and raise their water gate valves prior to paving surface and estimates **3 working days to complete the adjustments**. **The Contractor will be responsible to make final grade adjustments in conjunction with the paving operations.**

The contractor shall provide **two weeks notification** to KK&WWD for any and all work to be performed by Kennebunk, Kennebunkport & Wells Water District.

### **Unitil**

Unitil has gas mains and approximately **1 gas gate valves** located within the project limits. Unitil intends to lower their gas gate valves prior to milling. Unitil intends to loosen and raise their gas gate valves prior to paving surface and estimates **1 working days to complete the adjustments. Unitil will be responsible to make final grade adjustments in conjunction with the paving operations.** The contractor shall provide **two weeks notification** to Unitil for any and all work to be performed by Unitil. The Contractor shall notify Unitil for additional information on the location of the gas mains prior to beginning any excavation. Unitil MUST be notified prior to any/all subsurface work in the vicinity of their gas mains. One-week initial notification and 48 hours' notification for subsequent work is requested so they may have a representative present.

### **PLEASE NOTE**

All underground utilities require **3 working days' notice** for any/all excavation or any other subsurface work around any underground facilities to schedule an on-site representative to be present. The contractor shall hand dig around all the underground facilities.

### **MAINTAINING UTILITY LOCATION MARKINGS**

The Contractor will be responsible for maintaining the buried utility location markings following the initial locating by the appropriate utility or their designated representative.

### **UTILITY SIGNING**

Any utility working within the construction limits of this project shall ensure that the traveling public is adequately protected at all times. All work areas shall be signed, lighted, and traffic flaggers employed as determined by field conditions. All traffic controls shall be in accordance with the latest edition of the Manual on Uniform Traffic Control Devices for Streets and Highways, as issued by the Federal Highway Administration.