RS 3310 - 5106

Note - For cable stay brackets and drainage in covering plates see Sheets A-1X2-1-1-0-1X6

Movement 2½"

Girder 6'-5½" up

2-Pin Pls 26-2 2 " 15½ 1-Web Fill 15-½ 2Ls 6-3½-⅜

2-Pin Pls 18-½ 2 " 15½ 1-Web Fill 15½ 2Ls 6-3½-⅜

Pedestal 2Ls 8-6-⅝ 2Ls 6-3½-⅜ 4-Webs-⅜ Base Pl 18-½

Web 18-⅜ thick 2Ls 3½-3½-⅜ 1-Fill 8-⅜

Webs to bear

SECTION A-A

Typical Conn to Col.

23'-6" C-C Girders

20'-0" Out. Curb Lr For Material not given see Drg S-102

Provide suitable expansion detail for Sidewalk 2½"

End of center WF

Lot. pl.

Pedestal for 24 WF 74 center R = 40 Lbs

2Ls 3-3½-⅜

2 Webs

24 WF 74-6 5

Side Span

24 WF 94

Main Span

SECTION B-B

1½ Max. Clearance

8-1½-9 planed

3'-0" Rad.

SECTION C-C

At Mean Temperature

Grating bars to have V Notch ¼" max. Deep every 3" on Top

Field rivets

⅝ Bolt Lock Washer

2½ sl. bar

Edge L 7

Weld

⅜ Bolt

PLAN

DETAIL OF EXPANSION GRATING

Scale 1½" = 1'-0"

2¾ Bronze

Polish

¼ R

⅛ Letter 6 Polish Phosphor Bronze

Steel Nut & Pin

DETAIL OF EXPANSION BEARING

Scale 3" = 1'-0"

Rivets 7/8" Open holes 15/16" unless noted

For drainage on floor see Dwg. S-1X7

SUPERSTRUCTURE

P.W.A. PROJECT NO. ME. 1010-D

DEER ISLE SEDGWICK BRIDGE DISTRICT

BRIDGE OVER EGGEMOGGIN REACH FROM LITTLE DEER ISLE TO SEDGWICK HANCOCK COUNTY, MAINE

FLOOR EXPANSION JOINTS AT MAIN TOWERS

ROBINSON AND STEINMAN ENGINEERS NEW YORK CITY

RS 3310

124-20

1-26-37 Revised as built