

Damariscotta #1
CR04281

Loam and Seed

DWF 2x6

Regrade Sidewalk


Remove Granite
curb. Reset with
15' Tip down

Saw cut 2' from
face of curb/
gutterline. Base
and re-pave after
curb install.



GPS Map Camera

Damariscotta, Maine, United States
250 Main St, Damariscotta, ME 04543, USA
Lat 44.031855°
Long -69.529679°
01/04/24 11:00 AM GMT -04:00



Google

Damariscotta #2
CR04828

Loam and Seed


Reargrade Sidewalk

Remove Granite
curb. Reset with
15' Tip down

DWF 2x6

Saw cut 2' from
face of curb/
gutterline. Base
and re-pave after
curb install.

Remove Granite
Tip down, reset
normal height then
add 12' of curb (4'
regular and 8' tip
down)



Damariscotta, Maine, United States
250 Main St, Damariscotta, ME 04543, USA
Lat 44.031867°
Long -69.529661°
01/04/24 11:00 AM GMT -04:00

Damariscotta #3
CR12388

Loam and Seed

Remove and
replace with 20' of
Bituminous Curb

DWF 2x6

Regrade Sidewalk




Damariscotta #4, #5, #6

CR12389

CR04280

CR04283



Lincolnvile #1
CR04184

Add
Crosswalk
Sign Post
about here

Cut in DWF
2x10



Lincolnvile #1
CR04185

Loam and
Seed

DWF 2x6

Remove
Brick
sidewalk,
Regrade
and
replace.

Remove
Curb and
reset to
normal
height. Last
piece make
a tip down

Saw cut 2'
from face of
curb/
gutterline.
Base and
re-pave
after curb
install.

Saint George #1
CR10190

Loam and Seed

DWF 2x4


Add Crosswalk
Sign Post about
here

Regrade sidewalk.

Remove tip down
and replace with
concrete curb with 8'
Tip down

Remove tip down
and replace with
concrete curb with 8'
Tip down

Saw cut 2' from
face of curb/
gutterline. Base
and re-pave after
curb install.



Dec 6, 2024 at 10:22:10 AM
+43.928791,-69.255791
United States

Saint George #2
(Need Asset)
N. Corner of Rt131
and Glenmere Rd

Add Crosswalk
Sign Post about
here


DWF 2x4

Loam and Seed

Regrade sidewalk.

Saw cut 2' from
face of curb/
gutterline. Base
and re-pave after
curb install.

Add Concrete tip up/
tip down, 4' each, to
build a safe landing
pad



Dec 6, 2024 at 10:22:26 AM
+43.928742,-69.255672
United States

Saint George #3
CR14449

Loam and Seed

Add Crosswalk
Sign Post about
here

DWF 2x4

Regrade sidewalk.

Saw cut 2' from
face of curb/
gutterline. Base
and re-pave after
curb install.

Remove tip down
and replace with
concrete curb with 8'
Tip down

Remove tip down
and replace with
concrete curb with 8'
Tip down

Dec 6, 2024 at 10:24:17 AM
+43.928004,-69.256820
United States

Saint George #4
CR16686

Regrade sidewalk.


Add
Crosswalk
Sign Post
about here

Loam and Seed

Saw cut 2' from
face of curb/
gutterline. Base
and re-pave after
curb install.

DWF 2x4

Add Concrete tip up/
tip down, 4' each, to
build a safe landing
pad



Dec 6, 2024 at 10:24:28 AM
+43.928004,-69.256820
United States

Wiscasset #1
Need Asset

Add Crosswalk
Sign Post about
here (School)

DWF 2x5

Remove 4' tip down.
Replace with 8'
Granite tip down to
protect pole

Loam and Seed


Saw cut 2' from
face of curb/
gutterline. Base
and re-pave after
curb install.

Remove sidewalk.
Construct NEW
Concrete Sidewalk
extending to be
able to place DWF.



GPS Map Camera

Wiscasset, Maine, United States
77 ME-218, Wiscasset, ME 04578, USA
Lat 44.008074°
Long -69.663373°
01/04/24 11:19 AM GMT -04:00



Google

Wiscasset #2
Need Asset

Add Crosswalk
Sign Post about
here (School)

DWF 2x4

Regrade Sidewalk

Loam and Seed


Saw cut 2' from
face of curb/
gutterline. Base
and re-pave after
curb install.

Remove 2 Pieces of
granite curb,
Replace one back
as tip down.



GPS Map Camera

Wiscasset, Maine, United States
20 Hooper St, Wiscasset, ME 04578, USA
Lat 44.008142°
Long -69.66336°
01/04/24 11:20 AM GMT -04:00



Google