

REQUEST FOR STATEMENT OF INTEREST

BANGOR KENDUSKEAG AVENUE OVER I-95 AND I-95 SOUTHBOUND AND NORTHBOUND OVER STILLWATER AVENUE

BRIDGE NOs. 5798, 1427, 5800 BRIDGE REPLACEMENTS DESIGN-BUILD PROJECT

PROJECT NOs. 2609500 and 2717600

July 12, 2024

STATEMENT OF INTEREST DUE:

August 21, 2024 3:00 PM (EDT)



Table of Contents


Ta 1		of Contentsroduction	
• •		efinitions	
۷.	2.1	RFSOI Coordinator	
	2.2	Design-Builder	2
	2.3	Major Participant	2
3.	Pro 3.1	oject InformationDepartment Goals	
	3.2	Project Description, Scope, and Location	3
	3.2		
	_	2.2 I-95 NB & SB over Stillwater Avenue (WIN 027176.00)	4
	3.2 3.3	2.3 Additional Responsibilities of the Design-Builder Project Design and Construction	
	3.3	5	
	3.3 3.4	3.2 I-95 NB & SB over Stillwater Avenue (WIN 027176.00) Project Status	
	3.5	Disadvantaged Business Enterprise (DBE) Goal	7
	3.6	On-the-Job Training (OJT)	7
	3.7	Changes in Key Personnel	7
	3.8	Stipend	8
4.	Pro 4.1	ocurement InformationGeneral Information	
	4.2	Schedule	9
	4.3	Questions	10
5.	Sta 5.1	atement of Interest (SOI) Requirements	
	5.2	Submission Contents	11
	5.2	2.1 Design-Builder Cover Letter	11
	5.2	1 1	
	5.3		
	5.3 5.3	· · · · · · · · · · · · · · · · · · ·	
6.		otest Procedures	



1. Introduction

The Maine Department of Transportation (Department) is soliciting information needed to select Design-Builders that will be invited to submit proposals for the Bangor Bridge Replacements Design-Build Project (Project). The Department will use a Statement of Interest (SOI) two-step, best value procurement method for this project in accordance with Title 23, MRSA, Section §4244 – Design-build Contracting and 23 CFR Section 636 – Design-Build Contracting. The first step is the solicitation and evaluation of SOI for the purposes of ranking the submittals and determining which Design-Builders will be invited to respond to the Request for Proposals (RFP). The procurement process is depicted in the flow chart shown in Figure 1.

Step 1 – Request for Statement of Interest (RFSOI)



Step 2 – Request for Proposals (RFP)




Figure 1: Contract Procurement Process Flow Chart



2. <u>Definitions</u>

2.1 RFSOI Coordinator

All contact with the MaineDOT regarding this RFSOI <u>must</u> be made through the RFSOI Coordinator listed below, via e-mail. This contact includes, but is not limited to, questions, requests for clarification and/or additional information, and Technical Proposal submissions.

RFSOI Coordinator: George MacDougall Title: Contracts and Specifications Engineer Office: Bureau of Project Development E-mail: George.Macdougall@maine.gov

2.2 <u>Design-Builder</u>

Design-Builder is defined as the entity that will be executing the Contract and that will be a single point of responsibility for all obligations under the Contract. The Design-Builder shall be independent with respect to the Department and shall not be an employee, agent, or representative of the Department. The Design-Builder and any related entities/affiliated companies that are not currently prequalified may become prequalified for this project, if selected and invited to participate in the RFP phase of the procurement process.

2.3 Major Participant

Major Participant is defined as:

- The Design-Builder and any Related Entities/Affiliated Companies;
- The Builder and all Related Entities/Affiliated Companies;
- The Designer and all Related Entities/Affiliated Companies;
- Any firm providing more than 30% of the value of the onsite construction work and all Related Entities/Affiliated Companies; or
- Any firm providing more than 30% of the value of the design work and all Related Entities/Affiliated Companies.

3. Project Information

The project consists of replacing three bridges in Bangor: Kenduskeag Avenue over I-95, and I-95 northbound (NB) and southbound (SB) over Stillwater Avenue. The bridges within the project each have concrete decks that have been identified as being in a state of advanced deterioration, with minor deterioration on the superstructures and minor section loss on the substructures. Due to the cost and effort required to maintain bridges in these conditions as well as expected service life of the structural elements, the bridges have been identified for replacement. The replacement of these bridges



provides an opportunity to coordinate traffic management, eliminate chronic bridge maintenance issues, and address clearance needs at each location.

3.1 **Department Goals**

The Department has identified the following Project goals:

- To deliver a cost-effective Project;
- To design and construct three (3) safe, durable, appropriately sized, and low maintenance bridges that fit in well in their surroundings; and
- To minimize impacts to the traveling public, local residences, local communities, and emergency services during construction.

3.2 Project Description, Scope, and Location

The Project includes the design and construction of three (3) replacement bridges located in Bangor, ME, between Exit 184 and Exit 186. The project consists of two site locations: Kenduskeag Avenue over I-95 and I-95 NB and SB over Stillwater Avenue. The project location is shown in Figure 2: Project Location Map.




Figure 2: Project Location Map



3.2.1 Kenduskeag Avenue over I-95 (WIN 026095.00)

The Kenduskeag Avenue site, located between Exit 184 and Exit 185, carries two (2) lanes of traffic over I-95. The existing Kenduskeag Avenue bridge has a curb-to-curb width of approximately twenty-six feet (26') and consists of four (4) spans with a total length of approximately two hundred twenty-five feet (225'). This site will include the removal and replacement of the Kenduskeag Avenue bridge, construction of approach roadway work, and profile adjustments to meet vertical clearance requirements. An off-site detour is anticipated at this project location.

3.2.2 <u>I-95 NB & SB over Stillwater Avenue (WIN 027176.00)</u>

The NB and SB Interstate 95 bridges at the Stillwater Avenue site, located between Exit 185 and Exit 186, each carry two (2) lanes of traffic over Stillwater Avenue. The existing I-95 bridges over Stillwater Avenue each have a curb-to-curb width of approximately thirty feet (30'). The northbound and southbound bridges consist of three (3) spans with total lengths of approximately two hundred ten feet (210') and two hundred fifty feet (250') respectively. This site will include the removal and replacement of the northbound and southbound bridges, construction of approach work and exit/entrance ramps as needed, profile adjustments to I-95 and/or Stillwater Avenue to meet vertical clearance requirements, widening of Stillwater Avenue to include a center turn lane, pedestrian access along Stillwater Avenue, and construction of a temporary onsite detour.

3.2.3 Additional Responsibilities of the Design-Builder

The following work is also expected to be the responsibility of the selected Design-Builder:

- Interpreting subsurface exploration data and geotechnical evaluations.
- Planning, executing, and evaluation of supplemental geotechnical investigations as necessary.
- Providing utility coordination, accommodation, and relocation, as appropriate.
- Providing right of way coordination.
- Providing any additional survey needed beyond that which is provided by the Department.
- Preparing any amendments to environmental permits required due to the Design-Builder's design, and/or during construction due to the Design-Builder's construction operation and submitting them to the Department



- (the Department will not be responsible for delays caused by the amending of environmental permits).
- Public outreach, such as holding informational meetings, updating the project website, distributing email notifications, and responding to public inquiries.

3.3 Project Design and Construction

The Request for Proposals (RFP) is expected to include, but not be limited to, the following design and construction parameters for the Project, which are subject to change:

3.3.1 Kenduskeag Avenue over I-95 (WIN 026095.00)

- Durable replacement bridge with minimal maintenance needs located in the same location as the existing bridge;
- Kenduskeag Avenue having a cross-section of two travel lanes and shoulders meeting applicable design criteria and transitioning to the existing shoulders on the approaches at the project limits;
- Approaches that minimize impacts to right of way and utilities to the extent practical, while also meeting design criteria and general MaineDOT best design practices;
- I-95 beneath Kenduskeag Ave. will maintain the existing cross-section of two travel lanes in each direction with a closed center median and pier protection as required by applicable design criteria and standards;
- Demolition and removal of the existing steel girder bridge;

3.3.2 I-95 NB & SB over Stillwater Avenue (WIN 027176.00)

- Durable replacement bridges with minimal maintenance needs;
- I-95 northbound and southbound over Stillwater Avenue having two travel lanes in each direction with lane and shoulder widths meeting applicable design criteria and standards transitioning into existing cross-sections at the project limits;
- Exit 186 on and off ramp improvements within the project limits as required by applicable design criteria and standards;
- Stillwater Avenue having a cross-section of two travel lanes and widened to include a single center turn lane as well as multimodal facilities, such as a sidewalk and bike lanes:
- Approaches that minimize impacts to right of way, wetlands, and utilities to the extent practical, while also meeting design criteria and general MaineDOT best design practices;



- Maintenance of traffic that minimizes impacts to the traveling public and local communities as defined in the RFP and in accordance with current standards;
- Demolition and removal of the existing steel girder bridges;

3.4 Project Status

The current status of the Project is outlined below. This information is preliminary in nature and thus subject to change.

Survey Survey information in MaineDOT OpenRoads format will be available on the Project website concurrent with the Draft RFP.

<u>Plan and Profile</u> Existing vertical and horizontal alignments will be available on the Project website for informational purposes only, concurrent with the Draft RFP. These alignments do not necessarily conform to all expected parameters and restrictions that will be included in the RFP.

Geotechnical Preliminary geotechnical investigations are being completed. Approximate locations of test borings will be shown on the survey plans. Preliminary Geotechnical Data Reports (PGDRs) including boring logs and laboratory test results will be available for review on the Project website for informational purposes only, concurrent with the Draft RFP.

<u>Utilities</u> The Department has attempted to locate existing utilities on the survey plan; however, not all may be shown.

There are utilities present at each site:

- Kenduskeag Avenue over I-95 (WIN 026095.00):
 - Aerial utilities running parallel to each side of the bridge.
 - Abandoned bridge mounted conduits in the northern span only.
 - Underground utilities within the bridge approaches.
- I-95 NB & SB over Stillwater Avenue (WIN 027176.00)
 - Aerial utilities running perpendicular to each bridge at the southern abutment.
 - Underground utilities along both edges of Stillwater Avenue.



Right-of-Way The existing Right-of-Way will be shown on the survey plan. Additional Right-of-Way is anticipated to be required to support the Project. The Design-Builder will be required to develop and submit, the necessary Right-of-Way mapping, for approval, to aid the Department in their acquisition procedures.

Acquisition of any temporary rights required to accommodate lay down and storage areas shall be the sole responsibility of the Design-Builder.

Environmental The Department expects to complete NEPA and permitting. The current environmental considerations are:

- Historic The Department has determined that there are no archaeological concerns in the area. However, an architectural survey will be completed by the Department for one property on the northwest approach to Bridge 5798 (Kenduskeag Avenue Br).
- Wetlands There is a significant vernal pool located in the vicinity of the off-ramp northeast of Bridge 5800 (Stillwater Ave NB) that should be avoided if possible.
- Stormwater The Project is located in an MS4 area; therefore, the Project falls under the Department's Stormwater Management Plan (SWMP).

3.5 <u>Disadvantaged Business Enterprise (DBE) Goal</u>

The Department currently has an annual DBE participation goal of 1.97% for the Federal Fiscal Years 2022 – 2024; this goal is subject to change prior to releasing the RFP. The Department encourages the use of DBE firms to accomplish that goal. The Design-Builder is required to meet all Civil Rights laws.

3.6 On-the-Job Training (OJT)

There is an established OJT requirement of 2,000 hours during construction for this Project. The Proposer is required to meet that goal if awarded the Project.

3.7 Changes in Key Personnel

The Department requires that Key Personnel and firms discussed in the SOI be retained throughout the solicitation and Contract period in the capacities proposed. If, during the procurement process or during the Contract period, the Design-Builder determines that extraordinary circumstances require a change to any Key Personnel identified in the SOI, the Design-Builder shall provide a thorough explanation of those extraordinary circumstances and an explanation of all actions taken to address



such circumstances, in writing, to the RFSOI coordinator. Refer to Section 5.2.2.1.2 for identification and descriptions of Key Personnel.

Examples of possible extraordinary circumstances include the death of a team member, bankruptcy, inability to perform, organizational conflict of interest, employee departure, or other such significant cause. Written requests shall include, at a minimum, the following information:

- The nature of the desired change,
- The reason for the desired change,
- A description of the actions taken to address or prevent the extraordinary circumstances,
- A statement explaining how the desired change will meet or exceed the required qualifications for the subject position/responsibility, and
- Revised and updated submission contents impacted by the desired change as described in section 5.2.

The Design-Builder must notify the Department of any change of Key Personnel within 24 hours of the Design-Builder's actual notice of the change or potential change. The Department reserves the right to refuse a change in Key Personnel at its sole discretion. Failure to notify the Department of the change or potential change, may result in the rejection of the Design-Builder's SOI or Proposal. Key Personnel changes shall not be made without prior approval from the Department.

3.8 Stipend

Each Design-Builder that is selected to submit a proposal who submits a responsive proposal, but is not awarded the Design-Build Contract, will receive a stipend of \$125,000. Acceptance of the stipend will transfer ownership of the proposal to the Department. The Design-Builder will have the option to refuse the stipend.

4. Procurement Information

4.1 General Information

The RFSOI and supporting documents will be found on the Department's Project website.



4.2 Schedule

The following is the proposed schedule for the Project. This schedule is subject to change as the Project progresses and the Request for Proposals (RFP) is developed.

MaineDOT Issues RFSOI	July 12, 2024
Deadline for Design-Builders to Submit Questions on RFSOI	July 19, 2024 at 3:00 PM EST
MaineDOT Issues Responses to Questions Received on the RFSOI	August 2, 2024
Deadline for Design-Builders to Submit SOI	August 23, 2024 at 3:00 PM EDT
MaineDOT Issues Notification of SOI Responsiveness to Design-Builders	August 30, 2024
Deadline for Design-Builders to Submit Cure for SOI Responsiveness (If Applicable)	September 4, 2024
MaineDOT Evaluates and Ranks SOIs and Notifies Design-Builders of Selection Results	September 13, 2024
MaineDOT Issues Draft RFP	September 18, 2024
Deadline for Design-Builders to submit Questions on the Draft RFP	October 2, 2024 at 3:00 PM EDT
MaineDOT Issues Responses to Draft RFP Questions	October 16, 2024
MaineDOT Issues Final RFP	October 30, 2024
Design-Builders Attend One-On-One Meetings with MaineDOT (If applicable)	One Meeting Per Team between November 4 and November 8, 2024
Deadline for Design-Builders to Submit ATC Proposals	November 20, 2024 at 3:00 PM EDT
MaineDOT Issues Responses to ATC Proposals	December 4, 2024
Deadline for Design-Builders to Submit Questions Final RFP	December 11, 2024 at 3:00 PM EDT
MaineDOT Issues Responses to Final RFP Questions	December 20, 2024
Deadline for Design-Builders to Submit Technical and Price Proposal Packages	January 15, 2025 at 3:00 PM EDT
MaineDOT Issues Notification of Technical Proposal Responsiveness to Design-Builders	February 5, 2025



Deadline for Design-Builders to Submit Cure for Technical Responsiveness (If Applicable)	February 12, 2025
Deadline for Design-Builders to Submit Proposal Guaranty Package	February 19, 2025 at 11:00 AM EDT
MaineDOT Opens Price Proposals	February 19, 2025 at 11:00 AM EDT
MaineDOT Awards Contract	February 2025
Design-Builder Begins Final Design & Construction	Spring 2025
Design-Builder Completes Final Design & Construction	October 31, 2029

4.3 Questions

Questions on the RFSOI shall be submitted via email to the RFSOI Coordinator listed in Section 2.

Questions must be received by the Department no later than the date and time shown in Section 4.2. A listing of all questions received, and the responses thereto will be posted on the Department's Project website no later than the date listed in Section 4.2.

5. Statement of Interest (SOI) Requirements

5.1 Submission Guidelines

A PDF of the SOI must be received by the RFSOI, via email, no later than the date and time shown in Section 4.2. The RFSOI Coordinator will provide confirmation of receipt of the files, which does not constitute a Responsiveness Review as outlined in Section 5.3. Any SOI, portion of an SOI, or unrequested SOI revision received by the RFSOI Coordinator after the date and time listed in Section 4.2 will not be accepted. For ease of identification, the email subject line with the attached SOI must be clearly marked as follows:

"Statement of Interest for Design-Build Contract – Bangor Bridge Replacements, MaineDOT WINs 026095.00 & 027176.00"

The SOI and email must include the name, address, phone number, and e-mail address of the key contact person, and other information as required by this Notice.

The Design-Builder desiring consideration for this project shall submit only one (1) SOI. Receipt of multiple SOIs from a Design-Builder will cause the Department rejection of all SOIs from the Legal Entity.



SOI's submitted in response to this RFSOI must be formatted to provide all information requested in Section 5, in the order requested, and in one single PDF file. In order to assure uniformity of the SOIs and facilitate the evaluation process, all SOIs shall meet the following requirements:

- The SOI shall be submitted on 8 ½ inch x 11 inch sheets with one (1) inch minimum margins (top, bottom, and both sides) and twelve (12) point font.
- The SOI shall contain no more than twenty-four (24) one-sided sheets, excluding cover letter and all appendices.
- No additional material, except as requested herein, may be attached or appended to this response.
- The SOI shall be signed by a duly authorized representative of the Design-Builder and addressed to the RFSOI Coordinator.

The Department will not accept SOIs by mail, facsimile, external hard drive, or other methods. Any SOI that fails to meet the deadline or delivery requirements will be rejected without opening, consideration, or evaluation.

5.2 Submission Contents

5.2.1 <u>Design-Builder Cover Letter</u>

Provide a cover letter, signed by all Major Participants. This letter shall include:

- Names and roles of all the Major Participants of the Design-Builder.
- A single point of contact for the Design-Builder with address, phone number, fax number, and email address where all communications from the Department will be directed.
- A statement declaring the Design-Builder's intent, if placed on the Design-Builder Selection list, to submit a Proposal and, if the Proposal is selected, to enter into a Contract with the Department to perform the work.
- An affirmative declaration that to the best of each Major Participant's knowledge and belief, the information supplied by said Major Participant is true and accurate.
- An affirmative declaration and acknowledgement that the Design-Builder is prohibited from receiving any advice or discussing any aspect related to the Project or the procurement of the Project with any person or entity with an organizational conflict of interest. The declaration and acknowledgement shall also include agreement that if an organizational conflict of interest exists or is discovered at any time, the Design-Builder shall make an immediate and full written disclosure to the Department that includes a description of the action the Design-Builder has taken or proposes to take to avoid or mitigate such conflicts. If an organizational



- conflict exists, the Department may at its sole discretion terminate the Design-Build Project or process at any point.
- A general authorization for the Department to confirm all information contained in the RFSOI.

5.2.2 SOI and Appendices

The Design-Builder shall provide the following information in the body of the SOI and the appendices.

5.2.2.1 <u>Design-Builder Organization and Key Personnel</u>

5.2.2.1.1 Organizational Chart(s)

Provide organizational chart(s) in Appendix B showing the structure of the organization with lines identifying Major Participants who are responsible for major functions to be performed and their reporting relationships in managing, designing, and building the Project (11 inch by 17 inch sheets are acceptable). The chart(s) must show the functional structure of the organization and must identify Key Personnel by name and position.

Indicate the anticipated location of each Key Personnel from which they will work. Identify the critical support elements and relationships including, but not limited to, project management, project administration, construction management, quality control/quality assurance, safety, environmental compliance, utility coordination, traffic management, and subcontractor administration.

For each organizational chart(s), provide a brief written description in the SOI of significant functional relationships among participants and how the proposed organization will function as an integrated Design-Builder.



5.2.2.1.2 Resumes of Key Personnel

Resumes of Key Personnel shall be provided in Appendix C and shall each be limited to two (2) one-sided sheets or one (1) two-sided sheet. If an individual fills more than one position, only one resume is required. Personnel who staff these key functions listed below shall be identified in the required organizational chart(s), as described in Section 5.2.2.1.1. Key Quality Assurance Personnel identified shall be independent of personnel and activities involved in the performance of design and construction. Descriptions of expected roles and titles to be included, but not limited to, are:

- Design-Builder Principal-in-Charge An individual who shall have the authority to represent, make decisions for, and oversee the performance of the Design-Builder.
- Project Manager An individual who shall be responsible for all aspects of the quality of construction, including labor, equipment, materials, incidentals, processes, construction methods, and quality control (QC) testing and inspection.
- Construction Quality Manager An individual who shall be responsible for all Acceptance activities, including Acceptance sampling and testing, inspection, rejection of non-conforming work, and the documentation of Acceptance activities. The Construction Quality Manager shall have access to executive management, as well as the Department, to report on the performance of the quality system.
- CQMP Manager An individual who shall manage the Construction Quality Management Plan (CQMP) and who shall report to the Design-Build management team. The individual shall have full authority and responsibility for assuring effective implementation and maintenance of a quality system (quality control and acceptance) and for instituting any and all actions necessary for the successful implementation of the CQMP. The individual is responsible for assuring the existence of information systems that measure the effectiveness of the quality program. The individual shall have access to executive management to report on the performance of the quality system.
- **Design Manager (Engineer of Record)** An individual who shall be a professional engineer licensed in the State of Maine



responsible for ensuring that the overall Project design is completed, and design criteria requirements are met. The Design Manager shall report to the Design-Build management team.

- Design Quality Assurance Manager An individual who shall be
 a professional engineer licensed in the State of Maine responsible
 for the overall management of the design QC/QA process. The
 Design QA Manager shall report to the Design-Build management
 team. The Design QA Manager shall have sufficient authority to
 affect change as necessary to assure quality of the design, and
 shall not be involved in scheduling, production or budget activities.
- Design Discipline Lead Engineer(s) An individual(s) who shall be a licensed professional engineer in his/her respective discipline and be responsible for managing the daily design production of their discipline and ensuring that design criteria requirements are met. The Design Discipline Lead Engineer(s) shall report to the Design Manager.
- Geotechnical Engineer An individual who shall be a professional engineer licensed in the State of Maine and have demonstrated experience in managing geotechnical design for multidisciplinary projects with similar scope and complexity as this Project, highway embankment design and construction, pavement design, and bridge projects of similar size and type.
- Traffic Engineer An individual who shall have demonstrated experience in maintenance of traffic and minimizing traffic disruption, including experience dealing with lane closures, intersections, rerouting traffic through approach embankment construction, construction vehicle ingress and egress, and implementing traffic management strategies emphasizing projects of similar size and type.
- Utility Coordinator An individual who shall have demonstrated experience in utility coordination and construction compliance on large, complex transportation projects. The Utility Coordinator must have experience in coordination with third parties involved with the project and effectively communicating with design engineers and construction staff regarding requirements of the associated utility agreements.



- Safety Manager An individual who shall have demonstrated experience in the establishment, management, and compliance of a comprehensive construction safety program involving all construction personnel including subcontractors and design professionals. This individual will be responsible for all record keeping pertaining to the safety program. The Safety Manager shall report to the Design-Build management team.
- Environmental Coordinator An individual who shall have demonstrated experience in environmental permitting, environmental design, and construction compliance on large, complex transportation projects in environmentally sensitive areas. The Environmental Coordinator must have experience in managing others in environmental activities, with highway engineering drawings and concepts, and in working cooperatively and effectively with design engineers and construction staff. Emphasize erosion and sediment control, and wetlands avoidance and minimization experience.
- Public Communications Professional An individual who shall
 work with the Department's Communications Representative to
 manage tasks such as community relations with municipal officials,
 First Responders, local residents and businesses, and the traveling
 public; drafting of press releases, and working with an ad agency, if
 required.

Include the following items on each resume:

- Relevant education, licensing, registration, certifications, and training;
- Years of experience performing similar work;
- Length of employment with current employer;
- Roles and responsibilities on any of the Projects listed in Section 5.2.2.2.



5.2.2.2 Experience and Past Performance of Design-Builder

Provide a written description in the SOI of experiences on no more than five (5) and no less than three (3) completed projects of similar size, scope, and complexity for each of the Design-Builder's Major Participants and other key subconsultant/subcontractor firms. Inclusion of photographs of projects described is encouraged. The descriptions shall include relevant information in the following areas:

- Bridges with designs that will result in low long-term maintenance and life-cycle costs in similar environments as the Project;
- Design of substructures and foundations adjacent to active roadways;
- Bridge demolition and removal, including lead-based paint abatement;
- Design and construction of interstate and local roadways;
- Utility coordination;
- Maintenance of traffic:
- Public relations;
- Environmental avoidance and minimization efforts, including compliance with hazardous and special wastes;
- Owner's Construction Engineer and Design Engineer for the referenced project, address, and current telephone number(s);
- Dates of design, construction, and/or warranty periods;
- Description of the work or services provided and percentage of the overall project actually performed;
- The bid amount and the final construction cost, and
- Description of the scheduled completion deadline and actual completion date.

The Department may elect to use the information provided above as a reference check.

5.2.2.3 Project Understanding and Management Approach

Provide a synopsis in the SOI demonstrating the Design-Builder's understanding of and/or approach to the following items. The SOI should emphasize how their described approach to this project has been based upon previous successful projects of similar size, scope and complexity.

- Scope of the Project;
- Probable impacts;
- Successfully delivering the Project by meeting or exceeding the project goals (refer to Section 3.1);



- Design and construction of long lasting, durable, low maintenance bridges;
- Integrating design and construction activities;
- Coordinating project activities with the Department;
- Implementing project management and controls, including schedule and budget;
- Implementing a quality management plan; and
- Implementing a partnering plan.

5.2.2.4 Appendices

Appendices to the SOI shall include and be limited to the following. No additional project or experience information is to be included outside of the body of the SOI.

Appendix A - Proposer's General Information Form (available on the project website)

Appendix B - Organization Chart(s) (Section 5.2.2.1.1)

Appendix C - Resumes of Key Personnel (Section 5.2.2.1.2)

Appendix D - Safety Records (Section 5.2.2.4.1)

Appendix E - Equal Opportunity Performance (Section 5.2.2.4.2)

Appendix F - Insurance and Bonding Requirements (Section 5.2.2.4.3)

Appendix G - Agreement defining the Design-Builder's business/legal structure (Section 5.2.2.4.4)

5.2.2.4.1 Safety Record

Provide a copy of the Major Participants' latest Experience Modification Rate (EMR) from the insurance carriers in Appendix D. If the EMR value for any Major Participant is greater than 1.25, please include the details of why the rating is high, and the actions the Major Participant is taking to lower that rating.

5.2.2.4.2 Equal Opportunity Performance

Each Major Participant is required to complete the Equal Employment Opportunity fillable form that is provided on the Project website. This form, and the associated supplemental information identified on the form, shall be attached in Appendix E of the SOI.



5.2.2.4.3 Insurance and Bonding Requirements

5.2.2.4.3.1 **Insurance**

The Design-Builder contracting with the Department must provide evidence of its ability to obtain Professional Liability Insurance covering errors and omissions in the amount of not less than \$1,000,000. Evidence shall be in the form of a Certificate of Insurance on an Acord Form or a letter from an insurer or a Maine Resident Agent for an insurer indicating ability to provide such insurance and attached in Appendix F. The insurer must be licensed to do business in the State of Maine. Project specific insurance is insurance covering only this project.

Commercial General Liability Insurance shall also be required in the amount of not less than \$1,000,000 per occurrence and \$2,000,000 in the Aggregate, and shall name the Department as an additional insured. Certificates of Insurance or letter from an insurer as noted above, shall be provided in Appendix F. Proof of other insurance (such as Worker Compensation, Automobile Liability, etc.) will be required in the RFP.

5.2.2.4.3.2 Bonding

The Design-Builder contracting with the Department must have bonding capacity of at least the bid amount for a single contract. The Design-Builder must provide evidence of its ability to be bonded for a single contract in the amount of at least \$40,000,000. Evidence of this single contract bonding capacity (Bid, Performance, and Payment Bonds) may be in the form of either a letter from the said Design-Builder's Surety Company indicating a single contract bonding capacity in excess of the required amount or a copy of a performance and payment bond issued within the past twelve months, in the amount of at least the required amount for any single contract of said entity. The Surety Company must be licensed to conduct business in the State of Maine, have filed the required financial documents with the State of Maine Bureau of Insurance, and have an A.M. Best rating of A - X (A minus X) or better. Evidence of the ability to provide the above insurance and bonding shall be attached in Appendix F.



5.2.2.4.4 Business/Legal Structure

The Design-Builder must include its proposed legal teaming arrangement such as: Prime/Subconsultant/Subcontractor, Joint Venture, Limited Partnership, or the like. A proposed agreement between the Major Participants must be submitted in Appendix G and must show the responsibility of each party and the Design-Builder as a whole.

5.3 Evaluation Process

The evaluation process will consist of two steps: a SOI responsiveness review and a SOI evaluation ranking.

The Responsiveness Review Committee will consist of Department personnel with expertise in the Project contractual requirements and equal opportunity performance requirements and/or goals.

The Evaluation Committee will consist of Department personnel with expertise in bridge design and construction, highway design and construction, and project management. The Evaluation Committee will be supported by staff or consultants who will review the submitted information and provide assistance to the Evaluation Committee as requested.

The identities of the Responsiveness Review and Evaluation Committee members are confidential.

The Evaluation Committee will establish a numeric score based on how well the information provided in the SOI meets the Evaluation Criteria described in 5.3.2. This scoring process will result in a ranked list of SOI submittals. This evaluation process is intended to comparatively rank the SOIs based on how well each Design-Builder demonstrates they will provide superior performance and quality for this specific project. The scoring process is not intended to rank general qualifications.

The Department anticipates selecting three (3) to five (5) of the highest ranking Design-Builders from the list and invite those selected teams to proceed to the RFP phase of the procurement process.

The Department reserves the right, in its sole discretion, to cancel this RFSOI, issue a new Request for Statement of Interest, reject any or all SOIs, seek or obtain data from any source that has the potential to improve the understanding and evaluation of the responses to the RFSOI, seek and receive clarifications to an SOI, and waive any deficiencies, irregularities, or technicalities in considering and evaluating the SOIs.



This RFSOI does not commit the Department to enter into a contract or proceed with the procurement of the Project. The Department assumes no obligations, responsibilities and liabilities, fiscal or otherwise, to reimburse all or part of the costs incurred by the parties responding to this RFSOI beyond the stipend identified in Section 3.8. All such costs shall be borne solely by each Design-Builder.

5.3.1 Responsiveness Criteria

SOIs will be reviewed by the Responsiveness Review Committee for two Pass/Fail Criteria as follows. If the Responsiveness Review Committee finds that there is missing information for any of the Criteria, the Design-Builder will be notified in writing via email and be given the opportunity to supply the missing information within two (2) business days. Design-Builders that fail to submit all of the required information for each Criterion within the required time frame will be rated "Non-Responsive", deemed "Not Selected", and will not be considered further.

5.3.1.1 <u>Ability to Enter into a Legally Binding Contractual Relationship</u> with MaineDOT

SOIs meeting the submission requirements of Sections 5.2.2.4.4 and Appendix G will be given a "Pass" rating and be deemed "Responsive". SOIs will be given a "Fail" rating if any required information is missing and be deemed "Non-Responsive".

5.3.1.2 Insurance Information and Bonding Capacity

SOIs meeting the submission requirements of Section 5.2.2.4.3.1, Section 5.2.2.4.3.2, and Appendix F will be given a "Pass" rating and be deemed "Responsive". SOIs will be given a Fail rating if any required information is missing and be deemed "Non-Responsive".



5.3.2 Evaluation Criteria

After a finding of "Responsive" on the two Pass/Fail Criteria per Section 5.3.1, the SOIs will be evaluated and ranked by the Evaluation Committee in each of the following categories:

Categor	Y	Maximum Points
5.2.2.1	Design-Builder Organization and Key Personnel	30
5.2.2.2	Experience and Past Performance of Design-Builder	40
5.2.2.3	Project Understanding and Management Approach	30
	Total =	100

Each category will be evaluated based on the respective criteria below resulting in a numerical score. Clear, concise, well thought out responses and a specific understanding of the project will be fundamental in scoring. The final ranking of the Design-Builders will be based on the total score received on the SOIs.

5.3.2.1 Design-Builder Organization and Key Personnel

Section 5.2.1, 5.2.2.1, and Appendices B and C will be evaluated and ranked according to Section 5.3.2 and the following criteria:

- How well the Design-Builder's qualifications, structure, and Key Personnel availability relates to the requirements of the Project;
- Effective utilization of personnel; level of management authority; and experience with projects of similar size, scope, schedule, budget, and complexity;
- Ability to integrate design, Right-of-Way, environmental avoidance and minimization, and construction activities; and
- Level of personnel experience and qualifications in relation to Project scope, schedule, and requirements.



5.3.2.2 Experience and Past Performance of Design-Builder

Section 5.2.2.2 and Appendix D will be evaluated and ranked according to Section 5.3.2 and the following criteria:

- How well the SOI communicates the Design-Builder's design, construction, and project management experience as it relates to the Project;
- Level of experience in design and construction with projects of similar size, scope, complexity, and budget;
- Level of experience in avoidance and minimization of Right-of-Way impacts;
- Level of experience in utility coordination;
- Level of experience in avoidance and minimization of environmental impacts;
- How well the SOI illustrates the Design-Builder's ability to complete the design and/or construction of past projects of similar size, scope, complexity, and budget with quality within the project budget and schedule requirements; and
- Current safety record.

5.3.2.3 Project Understanding and Management Approach

Section 5.2.2.3 will be evaluated and ranked according to Section 5.3.2 and the following criteria:

- How well the SOI demonstrates the Design-Builder's understanding of the goals, constraints, and requirements of the Project; and
- How well the SOI demonstrates the Design-Builder's approach to addressing various Project issues and Project constraints.
- How well the SOI outlines the Design-Builder's approach to performing and monitoring project management and controls, integrating design and construction activities, project communication and documentation, coordinating with the Department and other stakeholders, partnering, and fulfilling contractual requirements; and
- How well the SOI outlines the Design-Builder's approach to implementing and adhering to the Quality Control/Quality Assurance process.

6. Protest Procedures

This section sets forth the exclusive protest remedies available with respect to this RFSOI. By submitting an SOI, each Design-Builder expressly recognizes the limitation



on its rights to protest contained herein, expressly waives all other rights and remedies, and agrees that the decision on any protest, as provided herein, shall be final and conclusive.

Every Design-Builder who submits a SOI will be notified of their selection status via email. Any Design-Builder, who claims to be aggrieved by having its SOI rejected by the Department or by not having been selected to submit a Technical and Price Proposal, shall have seven (7) calendar days after receiving notification in which to submit a written protest to the Department's Protest Official (Chief Engineer) by letter or email. Any protest not set forth in writing within the time limits specified in these procedures is null and void and will not be considered.

The protestor shall have the burden of proving its protest by clear and convincing evidence. The Protest Official or his designee shall issue a written decision regarding any protest to the protesting Design-Builder within seven (7) calendar days after the filing of protest.

All protests shall include the following:

- The names and addresses of the Design-Builder's Major Participants;
- The Project name and Project number;
- A detailed statement of the nature of the protest and the grounds on which the protest is made which must include an alleged violation of a specific law or regulation; and
- All factual and legal documentation in sufficient detail to establish the merits of the protest.