

Product Acceptance Criteria can be found on MaineDOT's website under: Doing Business, Bid Opportunities, QPL Information, Submittals, and Recertifications.

MaineDOT ID:	ME-624	Product Name:	Rapid Set V/O Repair Mix	Manufacturer:	CTS Cement Manufacturing Corp.
Recertification Due:	12/10/2025	DataMine No(s):	RHCP-2016-01-055	Use:	Vertical/ Overhead
Type:	Polymer Modified	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-678	Product Name:	Rapid Set DOT Concrete Mix	Manufacturer:	CTS Cement Manufacturing Corp.
Recertification Due:	5/15/2030	DataMine No(s):	RHCP-2019-01-010	Use:	Horizontal
Type:	Polymer Modified	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-1723	Product Name:	DOT Rapid Repair	Manufacturer:	Dayton Superior Corporation
Recertification Due:	7/21/2027	DataMine No(s):	RHCP-2021-01-007	Use:	Horizontal
Type:	Polymer-Modified	Min. Appl. Temp. (F)	50		
MaineDOT ID:	ME-619	Product Name:	HD 50	Manufacturer:	Dayton Superior Corporation
Recertification Due:	11/13/2027	DataMine No(s):	RHCP-2019-01-003	Use:	Horizontal
Type:	Polymer Modified	Min. Appl. Temp. (F)	40		
MaineDOT ID:	ME-638	Product Name:	EucoRepair SCC Fast	Manufacturer:	Euclid Chemical Co.
Recertification Due:	9/16/2026	DataMine No(s):	RHCP-2017-01-014	Use:	Vertical/ Overhead
Type:	Polymer Modified	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-655	Product Name:	EucoRepair V100	Manufacturer:	Euclid Chemical Co.
Recertification Due:	9/16/2026	DataMine No(s):	RHCP-2019-01-002	Use:	Vertical/ Overhead
Type:	Cementitious	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-667	Product Name:	Versaspeed 100	Manufacturer:	Euclid Chemical Co.
Recertification Due:	9/16/2026	DataMine No(s):	RHCP-2017-01-013	Use:	Horizontal
Type:		Min. Appl. Temp. (F)			

Product Acceptance Criteria can be found on MaineDOT's website under: Doing Business, Bid Opportunities, QPL Information, Submittals, and Recertifications.

MaineDOT ID:	ME-651	Product Name:	ProSpec Premium Patch 200	Manufacturer:	H.B. Fuller Construction Products, Inc.
Recertification Due:	8/9/2029	DataMine No(s):	RHCP-2018-01-006	Use:	Horizontal
Type:	Polymer Modified	Min. Appl. Temp. (F)	20		
MaineDOT ID:	ME-677	Product Name:	HiCap FT	Manufacturer:	Kaufman Products, Inc.
Recertification Due:	12/10/2028	DataMine No(s):	RHCP-2018-01-003	Use:	Vertical/ Overhead
Type:	Cementitious	Min. Appl. Temp. (F)	35		
MaineDOT ID:	ME-669	Product Name:	Duracrete II VOFT	Manufacturer:	Kaufman Products, Inc.
Recertification Due:	10/2/2029	DataMine No(s):	RHCP-2018-01-002	Use:	Vertical/ Overhead
Type:	Cementitious	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-629	Product Name:	Planitop 18 ES	Manufacturer:	MAPEI Corp.
Recertification Due:	10/21/2026	DataMine No(s):	RHCP-2020-01-006	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-675	Product Name:	Planitop 18 TG	Manufacturer:	MAPEI Corp.
Recertification Due:	4/23/2029	DataMine No(s):	RHCP-2023-01-001	Use:	Horizontal
Type:	Polymer Modified	Min. Appl. Temp. (F)	32		
MaineDOT ID:	ME-673	Product Name:	Planitop X	Manufacturer:	MAPEI Corp.
Recertification Due:	4/23/2029	DataMine No(s):	RHCP-2020-01-007	Use:	Vertical/ Overhead
Type:	Polymer Modified	Min. Appl. Temp. (F)	55		
MaineDOT ID:	ME-1805	Product Name:	Planitop 18	Manufacturer:	MAPEI Corp.
Recertification Due:	10/31/2028	DataMine No(s):	RHCP-2023-01-002	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	32		
MaineDOT ID:	ME-668	Product Name:	Planitop XS	Manufacturer:	MAPEI Corp.
Recertification Due:	4/23/2029	DataMine No(s):	RHCP-2019-01-001	Use:	Vertical/ Overhead
Type:	Polymer Modified	Min. Appl. Temp. (F)	55		

ALL products added to our QPL require re-certification five years from the initial date of prequalification and every five years thereafter to remain on the QPL. Any product that is more than 45 days past the recertification due date may be removed from the QPL without notification.

Product Acceptance Criteria can be found on MaineDOT's website under: Doing Business, Bid Opportunities, QPL Information, Submittals, and Recertifications.

Page 2 of 5

MaineDOT ID:	ME-1849	Product Name:	Phoscrete Formula 3-HC	Manufacturer:	Phoscrete Corporation
Recertification Due:	2/14/2029	DataMine No(s):	RHCP-2023-01-012	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	All Temperature Use		
MaineDOT ID:	ME-2839	Product Name:	Phoscrete Formula 1-HC	Manufacturer:	Phoscrete Corporation
Recertification Due:	12/26/2029	DataMine No(s):	RHCP-2024-01-008	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	-5		
MaineDOT ID:	ME-648	Product Name:	SikaQuick VOH	Manufacturer:	Sika Corporation
Recertification Due:	9/16/2026	DataMine No(s):	RHCP-2019-01-016	Use:	Vertical/ Overhead
Type:	Cementitious	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-649	Product Name:	SikaEmaco 1060	Manufacturer:	Sika Corporation
Recertification Due:	1/27/2026	DataMine No(s):	RHCP-2017-01-003	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	40		
MaineDOT ID:	ME-664	Product Name:	SikaQuick 2500	Manufacturer:	Sika Corporation
Recertification Due:	8/27/2029	DataMine No(s):	RHCP-2016-01-011	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-653	Product Name:	Sikacrete 421 CI Rapid	Manufacturer:	Sika Corporation
Recertification Due:	6/25/2028	DataMine No(s):	RHCP-2024-01-007	Use:	Vertical/ Overhead
Type:	Polymer Modified	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-645	Product Name:	SilproRapid	Manufacturer:	SILPRO, LLC
Recertification Due:	11/13/2025	DataMine No(s):	RHCP-2019-01-004	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	50		
MaineDOT ID:	ME-646	Product Name:	SilproRepair VOH	Manufacturer:	SILPRO, LLC
Recertification Due:	11/13/2025	DataMine No(s):	RHCP-2019-01-005	Use:	Vertical/ Overhead
Type:	Cementitious	Min. Appl. Temp. (F)	50		

ALL products added to our QPL require re-certification five years from the initial date of prequalification and every five years thereafter to remain on the QPL. Any product that is more than 45 days past the recertification due date may be removed from the QPL without notification.

Product Acceptance Criteria can be found on MaineDOT's website under: Doing Business, Bid Opportunities, QPL Information, Submittals, and Recertifications.

Page 3 of 5

MaineDOT ID:	ME-633	Product Name:	RepCon 928	Manufacturer:	SpecChem, LLC
Recertification Due:	9/11/2028	DataMine No(s):	RHCP-2018-01-004	Use:	Horizontal
Type:	Polymer Modified	Min. Appl. Temp. (F)	55		
MaineDOT ID:	ME-672	Product Name:	RepCon V/O	Manufacturer:	SpecChem, LLC
Recertification Due:	5/28/2025	DataMine No(s):	RHCP-2018-01-005	Use:	Vertical/ Overhead
Type:	Polymer Modified	Min. Appl. Temp. (F)	45		
MaineDOT ID:	ME-630	Product Name:	Rapid Road Repair-CA	Manufacturer:	The QUIKRETE Companies
Recertification Due:	8/6/2025	DataMine No(s):	RHCP-2019-01-013	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	32		
MaineDOT ID:	ME-623	Product Name:	Comm. Grd. Fast Set Repair Mortar	Manufacturer:	The QUIKRETE Companies
Recertification Due:	8/6/2025	DataMine No(s):	RHCP-2019-01-012	Use:	Horizontal
Type:	Polymer Modified	Min. Appl. Temp. (F)	32		
MaineDOT ID:	ME-631	Product Name:	Comm. Grd. Fast Set DOT Mix Extended	Manufacturer:	The QUIKRETE Companies
Recertification Due:	8/6/2025	DataMine No(s):	RHCP-2017-01-011	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	32		
MaineDOT ID:	ME-658	Product Name:	Rapid Road Repair Ca Extended	Manufacturer:	The QUIKRETE Companies
Recertification Due:	4/7/2027	DataMine No(s):	RHCP-2019-01-015	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	32		
MaineDOT ID:	ME-659	Product Name:	Comm. Grd. Fast Set Concrete Mix	Manufacturer:	The QUIKRETE Companies
Recertification Due:	2/10/2030	DataMine No(s):	RHCP-2017-01-012	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	40		

ALL products added to our QPL require re-certification five years from the initial date of prequalification and every five years thereafter to remain on the QPL. Any product that is more than 45 days past the recertification due date may be removed from the QPL without notification.

Product Acceptance Criteria can be found on MaineDOT's website under: Doing Business, Bid Opportunities, QPL Information, Submittals, and Recertifications.

Page 4 of 5

MaineDOT ID:	ME-660	Product Name:	Comm. Grd. Fast Set DOT Mix w/ Fibers	Manufacturer:	The QUIKRETE Companies
Recertification Due:	2/10/2030	DataMine No(s):	RHCP-2017-01-008	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	40		
MaineDOT ID:	ME-665	Product Name:	Comm. Grd. Fast Set DOT Mix	Manufacturer:	The QUIKRETE Companies
Recertification Due:	6/8/2025	DataMine No(s):	RHCP-2017-01-011	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	40		
MaineDOT ID:	ME-654	Product Name:	Rapid Road Repair (Fibered)	Manufacturer:	The QUIKRETE Companies
Recertification Due:	9/24/2028	DataMine No(s):	RHCP-2018-01-009	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)	40		
MaineDOT ID:	ME-650	Product Name:	US Spec SC Concrete	Manufacturer:	US Mix
Recertification Due:	9/16/2026	DataMine No(s):	RHCP-2020-01-003	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)			
MaineDOT ID:	ME-652	Product Name:	Quickset	Manufacturer:	US Mix
Recertification Due:	9/16/2026	DataMine No(s):	RHCP-2020-01-002	Use:	Horizontal
Type:	Polymer Modified	Min. Appl. Temp. (F)			
MaineDOT ID:	ME-670	Product Name:	US Spec Transpatch Concrete	Manufacturer:	US Mix
Recertification Due:	6/3/2025	DataMine No(s):	RHCP-2017-01-001	Use:	Horizontal
Type:	Polymer Modified	Min. Appl. Temp. (F)	40		
MaineDOT ID:	ME-643	Product Name:	FasTrac 246	Manufacturer:	Western Material & Design
Recertification Due:	1/2/2030	DataMine No(s):	RHCP-2017-01-004	Use:	Horizontal
Type:	Cementitious	Min. Appl. Temp. (F)			

ALL products added to our QPL require re-certification five years from the initial date of prequalification and every five years thereafter to remain on the QPL. Any product that is more than 45 days past the recertification due date may be removed from the QPL without notification.

Product Acceptance Criteria can be found on MaineDOT's website under: Doing Business, Bid Opportunities, QPL Information, Submittals, and Recertifications.

ALL products added to our QPL require re-certification five years from the initial date of prequalification and every five years thereafter to remain on the QPL. Any product that is more than 45 days past the recertification due date may be removed from the QPL without notification.