

# MaineDOT Qualified Products Acceptance Criteria

## Rolled Erosion Control Products

### Overview

This acceptance criteria sets forth the requirements of Rolled Erosion Control Products, products on the Rolled Erosion Control Products (RECPs) QPL are required to be tested through AASHTO's Product Evaluation & Audit Solutions (formerly NTPEP). In addition, RECPs must remain current with NTPEP's policy regarding periodic retesting as required by the program. Please include the AASHTO DataMine testing number with submittal.

### Criteria

Engineering design of TRMs and other RECPs should follow either the manufacturer's design guide or the U.S. Department of Transportation, Federal Highway Administration publication "HEC-15, Design of Roadside Channels with Flexible Linings, Third Edition". (Online: <http://www.fhwa.dot.gov/engineering/hydraulics/pubs/05114/>)

All products must comply with:

MaineDOT Standard Specifications: Current Version and the MaineDOT Best Management Practices for Erosion and Sedimentation Control (2008)

AASHTO Product Evaluation & Audit Solutions (formerly NTPEP) has an Erosion Control Products User Guide on their website:

More details on ECPs can be found in the table below and at the Erosion Control Technology Council (ECTC) website: <http://www.ectc.org/>

Ultra Short-Term	Shear Stress
Type 1B – netless rolled erosion control blankets	≥ 1.0 lbs./ft <sup>2</sup> (48 Pa)
Type 1C – single net erosion control blankets	≥ 1.5 lbs./ft <sup>2</sup> (72 Pa)
Type 1D – double net erosion control blankets	≥ 1.75 lbs./ft <sup>2</sup> (84 Pa)
Short-Term	
Type 2B – netless rolled erosion control blankets	≥ 1.0 lbs./ft <sup>2</sup> (48 Pa)
Type 2C – single net erosion control blankets	≥ 1.5 lbs./ft <sup>2</sup> (72 Pa)
Type 2D – double net erosion control blankets	≥ 1.75 lbs./ft <sup>2</sup> (84 Pa)
Extended-Term	
Type 3B – erosion control blankets	≥ 2.0 lbs./ft <sup>2</sup> (96 Pa)
Long-Term	
Type 4 – erosion control blankets	≥ 2.25 lbs./ft <sup>2</sup> (108 Pa)

**PRODUCT CONFORMITY: At the discretion of MaineDOT, any shipment of product to a MaineDOT location may be tested, such as by infrared or gas chromatography, for compliance with the SDS and uniformity with the formulation of the approved product (where applicable).**

# MaineDOT Qualified Products Acceptance Criteria

## Rolled Erosion Control Products

*NOTE: MaineDOT may require a field evaluation before final acceptance and inclusion on the Qualified Products List (QPL).*

A vendor who wishes to have products preapproved for future use should contact MaineDOT's Product Evaluation Coordinator via email at [NewProducts.MaineDOT@maine.gov](mailto:NewProducts.MaineDOT@maine.gov) or by calling (207) 557-1788. More information can also be found on our website, including our electronic submittal and recertification forms.

### Submittals

Product Submittal Packets shall include the following information:

- [Electronic New Product Submittal](#) form
- Current Technical Data Sheet
- Current Safety Data Sheet (SDS)
- Third Party, Independent Test Results OR AASTHO Product Evaluation & Audit Solutions (formerly NTPEP) testing ID for those products requiring this testing

**Incomplete submittals will not be evaluated for inclusion on MaineDOT's Product Lists.**

All reports shall be issued and signed by an authorized laboratory representative. The report shall include date of testing, product name, and the physical and/or chemical requirements stated herein.

### Product Changes

Any change in a product, such as formulation, shall require re-testing (through AASTHO Product Evaluation & Audit Solutions (formerly NTPEP) if required) or independent, third-party lab. Manufacturers shall notify MaineDOT of products changes and resubmit as a new product for re-evaluation, failure to do so may result in removal of product from MaineDOT's QPL.

Manufacturers shall submit, for re-evaluation, an updated independent analytical laboratory report (or AASTHO Product Evaluation & Audit Solutions (formerly NTPEP) testing ID) prior to approval or purchase by MaineDOT.

### Recertifications

MaineDOT requires re-certification by all manufacturers every five years (except for electrodes used for field welding which are recertified every year) to ensure that product names and formulations have remained the same since the product was originally placed on this list and that products are still relevant and in production. Where applicable, this shall include the most recent AASTHO Product Evaluation & Audit Solutions (formerly NTPEP) testing ID. Additionally, AASTHO Product Evaluation & Audit Solutions (formerly NTPEP) provides for retesting products.

# MaineDOT Qualified Products Acceptance Criteria

## Rolled Erosion Control Products

---

A lapse of AASTHO Product Evaluation & Audit Solutions (formerly NTPEP) testing/audit schedule as set forth in the associated workplan shall result in disqualification of the product.

Manufacturers of any products requiring MASH testing must contact MaineDOT Product Evaluation Program of any changes to their products. Manufacturers are responsible for tracking their recertification dates, reminders will not be sent. Failure to recertify products may result in removal from the QPL. Recertifications can be completed using the [Electronic Certificate of Compliance](#) found on our website.

### Other Information

The Department continues to evaluate its Acceptance Criteria and reserves the right to revise the criteria and/or withdraw product qualification at any time for any reason without notice.

Furthermore, the ability of a product to meet these requirements does not necessarily guarantee addition to the Qualified Products List. Reminder that, products once placed on the Qualified Products List are to be considered prequalified for use only, meaning that they have undergone preliminary review for compliance with MaineDOT, and AASHTO specifications. As with all products, final approval rests with the Designer, Project Manager, Supplier and/or Resident to determine if a product best suits the need of a particular project.

If you are experiencing difficulties reading or printing this page, or have questions regarding the Qualified Products List website, please contact the Product Evaluation Program Coordinator at (207) 557-1788 or by email at: [NewProducts.MaineDOT@maine.gov](mailto:NewProducts.MaineDOT@maine.gov)