

MAINE FIRE PROTECTION SERVICES COMMISSION GRANT PROGRAM 2025 BASIC SPECIFICATIONS FOR LIVE FIRE TRAINING FACILITIES



CONEX BOX

- The proposed training facility is 3,600-square-foot
- Approximate overall dimensions of training ground is 88' by 56'
 - Training facility is approximately 56' by 24'.
 - Additional 4' concrete pad around all sides of the training facility
 - An additional 12' section of asphalt extended past the 4' concrete pad
- 2-story tall
- Has three (3) burn rooms: two on first floor; one on second floor
- Has interior and exterior stairs
- Full size forcible entry door
- Multiple vertical ventilation training props
- Contains interior electrical outlets, interior and exterior lighting



FIXED STEEL

- The proposed training facility is approximately 1,850-square-foot
- Approximate overall dimensions of training ground is 82' by 54'
 - Training facility is approximately 50' by 22'.
 - Additional 4' concrete pad around all sides of the training facility
 - An additional 12' section of asphalt extended past the 4' concrete pad
- 2-story tall
- Has two (2) burn rooms: One larger burn annex on first floor; one on second floor
- Has interior and exterior stairs
- Contains 4' by 4' and 4' by 8' vertical ventilation training props
- Contains interior electrical outlets, interior and exterior lighting