

2015 Paramedic Psychomotor Competency Portfolio (PPCP)

### **COPYRIGHT © 2015**

## NATIONAL REGISTRY OF EMERGENCY MEDICAL TECHNICIANS, INC.

6610 Busch Boulevard P.O. Box 29233 Columbus, OH 43229-0233 (614)888-4484

http://www.nremt.org

#### All Rights Reserved.

#### **COPYRIGHT WARNING:**

This manual is protected by Copyright laws of the United States of America. Only non-commercial reproduction of this material for educational purposes or the advancement of medical science is permitted. No part of this manual may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any other means whatsoever. Violators will be subject to prosecution and other actions.

ISBN: 978-0-9962885-1-4



## National Registry of Emergency Medical Technicians® Paramedic Psychomotor Competency Portfolio Manual

## TABLE OF CONTENTS

Introduction	Page 1
Laboratory Phase: Skills Lab	6
Laboratory Phase: Skills Lab	10
Clinical Phase	11
Clinical Setting	12
Setting Up Clinical Site	13
Preceptor Preparation, Training, and Expectations	14
Evaluation Instruments	14
Field Phase: Optional Field Experience	15
Field Phase: Capstone Field Internship Evaluation	15
Psychomotor Competency	17
References	22
Flow Chart For Using NREMT PPCP Pilot Forms 2015-2016	Appendix A
Pass/Fail Criteria And Average Minimum/Maximum	Appendix B
Skills Lab Skill Sheets: Table of Contents	Appendix C
How To Use The Formative Skills Lab Instrument	Appendix D
Introduction	Appendix D
Introduction Skill Performance	1 1
Introduction Skill Performance Skill Lab Instruments	1 1 2
Introduction Skill Performance Skill Lab Instruments Student Evaluation	1 1 2 3
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale	1 1 2 3 4
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills	1 1 2 3 4 5
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale	1 1 2 3 4
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills	1 1 2 3 4 5
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios	1 1 2 3 4 5 6
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios Introduction	1 1 2 3 4 5 6 Appendix E Appendix F
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios Introduction Scenario Development	1 1 2 3 4 5 6 Appendix E
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios  Introduction Scenario Development Minimum Equipment, Set-up, Background, and Moulage Information (Yellow	1 1 2 3 4 5 6 Appendix E Appendix F
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios  Introduction Scenario Development Minimum Equipment, Set-up, Background, and Moulage Information (Yellow Outline)	1 1 2 3 4 5 6 Appendix E Appendix F 1 2
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios  Introduction Scenario Development Minimum Equipment, Set-up, Background, and Moulage Information (Yellow Outline) Dispatch Information (Green Outline)	1 1 2 3 4 5 6 Appendix E Appendix F 1 2
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios  Introduction Scenario Development Minimum Equipment, Set-up, Background, and Moulage Information (Yellow Outline) Dispatch Information (Green Outline) Scene Survey Information (Red Outline)	1 1 2 3 4 5 6 Appendix E Appendix F 1 2
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios  Introduction Scenario Development Minimum Equipment, Set-up, Background, and Moulage Information (Yellow Outline) Dispatch Information (Green Outline) Scene Survey Information (Red Outline) Primary Assessment, Past Medical History, and Examination Findings (Blue	1 1 2 3 4 5 6 Appendix E Appendix F 1 2
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios  Introduction Scenario Development Minimum Equipment, Set-up, Background, and Moulage Information (Yellow Outline) Dispatch Information (Green Outline) Scene Survey Information (Red Outline) Primary Assessment, Past Medical History, and Examination Findings (Blue Outline)	1 1 2 3 4 5 6 Appendix E Appendix F 1 2 2 3 4
Introduction Skill Performance Skill Lab Instruments Student Evaluation Rating Scale Summative Evaluation of Skills References  NREMT Sample Abdominal Pain Scenario  How to Create Psychomotor Scenarios  Introduction Scenario Development Minimum Equipment, Set-up, Background, and Moulage Information (Yellow Outline) Dispatch Information (Green Outline) Scene Survey Information (Red Outline) Primary Assessment, Past Medical History, and Examination Findings (Blue	1 1 2 3 4 5 6 Appendix E Appendix F 1 2

## TABLE OF CONTENTS

Mandatory Actions, Potentially Harmful/Dangerous Actions (Pink Filled)	6
Scenario Validation	6
References	7
NREMT Scenario Lab Evaluation	Appendix G
Team Member	1
Team Leader	3
How to Use Scenario Lab Instruments	Appendix H
Introduction	1
Scenario Performance	1
Scenario Lab Instruments	2
Evaluation	3
Rating Scales	4
Phase 1 Scenario-Based Psychomotor Examinations	6
Clinical Shift Evaluation Worksheet	Appendix I
How to Use the Clinical Evaluation Worksheet	Appendix J
Introduction	1
Skill Performance	1
Preceptor Preparation, Training, and Expectations	2
Student Self-Evaluation	3
Preceptor Evaluation	7
References	8
Capstone Field Internship Evaluation Worksheet	Appendix K
How to Use the Capstone Field Internship Shift Evaluation Worksheet	Appendix L
Introduction	1
Team Leader Performance	1
Preceptor Preparation, Training, and Expectations	2
Student Self-Evaluation	3
Preceptor Evaluation	6
Definitions	Appendix M



# National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

#### Introduction

The National Registry of Emergency Medical Technicians (NREMT) developed this best practice package with step-by-step directions for the implementation of the Paramedic Psychomotor Competency Portfolio component of Paramedic education. Accreditation standards require that Paramedic students have access to adequate numbers of patients, proportionally distributed by illness, injury, sex, age and common problems encountered in the delivery of emergency care appropriate to the Paramedic profession. The NREMT developed this portfolio of vital skills that each Paramedic student must demonstrate competency in order to qualify for the NREMT Paramedic Certification examination. Each student's portfolio is tracked by the program throughout the formative and summative phases of education in the laboratory, clinical, and field settings. The completed portfolio becomes a part of the student's permanent educational file and is a prerequisite to seeking NREMT Paramedic Certification. The National Registry of EMT's Paramedic Psychomotor Competency Portfolio Manual (Manual) is designed to provide the reader with a description of what is needed to develop the competency portfolio and prepare Paramedic students for national EMS certification.

Psychomotor skills are an important component of safe and effective out-of-hospital care. Delivery of care, at its most fundamental level, is when and where the importance of EMS is demonstrated to the public. Compassionate care using the complete affective skill set can result in a positive image of EMS and lead to medical and public support for the profession. The Laboratory Phase includes the Skills Lab and Scenario Lab components. Psychomotor education begins in the Skills Lab component, where psychomotor learning takes place. The Skills Lab component is the setting for educational imprinting, cognitive integration, frequent drilling and autonomic development of psychomotor skills. The Scenario Lab component provides students

 $\ensuremath{\mathbb{O}}$  2015 National Registry of Emergency Medical Technicians, Inc., Columbus, OH

a contextual opportunity to demonstrate what they have learned in a simulated environment based upon the psychomotor skills established in the Skills Lab. Once students have demonstrated skill competence in the simulated environment, they progress to assessing and treating real patients in the Clinical Phase with adequate supervision.

For many students, the Clinical Phase provides the first opportunity to interact with a sick or injured patient at the Paramedic level. The Clinical Phase in a student's education includes "planned, scheduled, educational student experience with patient contact activities in settings, such as hospitals, clinics, free-standing emergency centers, and may include Field Experience" (Committee on Accreditation of Educational Programs for the Emergency Medical Services Professions [CoAEMSP], 2014, p. 9).

The Field Phase includes the optional Field Experience and mandatory Capstone Field Internship components. The Field Experience component is the optional, formative time that may include "planned, scheduled, educational student time spent on an EMS unit, which may include observation and skill development...and does not contribute to the CoAEMSP definition of field internship" (CoAEMSP, 2014, p.9). The Field Experience component is where the student builds his or her skills, learns scene choreography to include taking over more and more of the call, how to approach the patient and patient management. This progressive process is best taught in the field on an EMS unit and culminates in Team Leadership. Near the end of the Field Experience component, the student should be functioning at or near to the Team Leadership role. The key point is that a specified number of Team Leads must be accomplished in the Capstone Field Internship component independent of what the student accomplished in Field Experience component.

The primary purpose of the Capstone Field Internship component is for the student to demonstrate an acceptable ability to manage all aspects of an EMS call and make appropriate Paramedic-level decisions in order to provide appropriate patient care. The CoAEMSP definition of the Capstone Field Internship component includes

planned, scheduled, educational student time on an advanced life support (ALS) unit responsible for responding to critical and emergent patients who access the emergency medical system to develop and evaluate team leading skills. The primary purpose of field internship is a capstone experience managing the Paramedic level decision-making associated with prehospital patients (2014, p.9).

The Capstone Field Internship component is where Paramedics hone their craft, establish competence and confidence in patient care delivery and oversee the integration of additional EMS Team Members. Initial instruction, exact demonstration, repetitive practice with specific feedback, formative and summative evaluations lead to psychomotor competency (Ericsson, Krampe, & Tesch-Romer, 1993).

This psychomotor competency model package, designed to provide a framework and evaluation system to document psychomotor competency, augments and enhances Paramedic education programs. Programs that correctly use this competency package and adhere to its standards can attest to the psychomotor competencies of students who are candidates for National EMS Certification by the NREMT. Figure 1 illustrates the relationship between these three phases of formative and summative psychomotor education. Educational programs, based on their resources and needs of their communities of interest, may choose not to overlap these three phases of psychomotor education.




Figure 1

This Manual provides examples of how to implement these tools into Paramedic education and provide standards that comprise the current research regarding the acquisition of psychomotor competency. Laboratory, Clinical, and Field Phases of Paramedic education can be conducted in different ways, and this package is not designed to be prescriptive as to how to deliver that education. It is a compilation of best practices in education, measurement, and documentation of psychomotor competency. This Manual does not prescribe the use of these instruments but merely provides best practice examples. This package should also help improve inter-rater reliability by attaching minimum standards and helping to standardize the evaluation of skill performances. It is the goal of this package to provide Paramedic education programs with instruments and methods to facilitate consistent recording of student performances and instructions to the evaluator focused at improving inter-rater reliability. The use of this package serves to document psychomotor competency that is a prerequisent to national EMS certification for Paramedics issued by the NREMT. When a program uses this package as part of the

documentation of psychomotor competency, it is essential that the Program Director understands the documentation and performance requirements of the NREMT.

The following sections of this document contain descriptions of the Laboratory Phase (Skills and Scenario Labs), Clinical Experience Phase, Field Phase (Capstone Field Internship and optional Field Experience) and an essay on Psychomotor Competency. At the end of this Manual are appendices that contain the individual instructions, evaluation instruments and documents that can be used to complete an individual student portfolio. The "Flow Chart for Using NREMT PPCP Pilot Forms 2015-2016" document (Appendix A) illustrates the forms to be used as students progress from the Skills and Scenario Lab components of the Laboratory Phase to the Clinical Experience Phase and the optional Field Experience and mandatory Capstone Field Intership components of the Field Phase. The "Pass/Fail Criteria and Average Minimum/Maximum" document (Appendix B) lists the skills that must be accomplished to meet the NREMT performance requirements for a student's individual portfolio in order to qualify for national EMS certification. The NREMT analyzed data from programs that participated in the pilot study, which are presented in the last two columns of this document. These numbers represent the average of the minimum number of times each skill was performed and the average of the maximum number of times each skill was performed. Educational programs and their communities of interest can use these numbers as a guide when designing their portfolio requirements. The most current version of this document can be found at https://www.nremt.org/nremt/EMTServices/ppcp\_info.asp.

 $\ensuremath{\mathbb{O}}$  2015 National Registry of Emergency Medical Technicians, Inc., Columbus, OH

#### **Laboratory Phase: Skills Lab**

The Skills Lab begins with the use of formative assessments and progresses to use of summative instruments for all phases of Paramedic education. The psychomotor domain is comprised of two subsets, the psycho domain representing procedural knowledge, and the motor domain or using muscles (and other senses) to actually do or accomplish the skill. Failure to combine these two domains leads to failure to develop appropriate psychomotor competency. Educational scientists indicate learning of psychomotor skills follows patterns of skill and knowledge acquisition. The first phase is a requirement to know what to do. This means the student must know (psycho/procedural knowledge) the steps that together compile delivery of the skill (task list) (Anderson & Krathwohl, 2001). After the knowledge of how to do a skill has been acquired, the instructor must adequately demonstrate the skill to his or her students. Complete and proper demonstration of skills by the instructor is essential as students will *imprint* the demonstration into his or her mind and learn to mimic the actions seen in the demonstration. Failure to accurately demonstrate a skill can cause life-long use of bad habits, short cuts or improper technique. Following successful demonstration, the new learner must practice the skill. Practice requires frequent, accurate feedback by the educator. Close supervision and feedback necessitates a proper student-to-instructor ratio during this phase of skill acquisition. Previous studies have suggested that an adequate learning environment for psychomotor skill should not exceed 4 to 8 students per faculty member (Dubrowski & MacRae, 2006; Snider, Seffinger, Ferrill, & Gish, 2012).

When students are practicing in the formative phase of education, they are forming habits, knowledge and skills that they will use throughout their EMS careers. The primary concern about formative evaluation is that it puts the power and control of learning into the

hands of the student. A student who does not learn psychomotor precision during the formative phase of his or her development will fail during delivery of that skill.

Competency of psychomotor skills is not possessed after one successful demonstration of that particular skill. Competency requires repeated student skill demonstrations (practice) until the demonstration of that skill can be automatically delivered during stressful times, in unfamiliar places and to patients who are severely ill or injured. Autonomic delivery (automation) of a skill is maintained when the EMS professional can perform the skill without thinking about the steps. This frees-up working memory (Mayer, 2011) to continue the assessment, give directions to Team Members, and communicate effectively with the patient and others on the scene. Once competency in a skill has been achieved, an EMS professional can deliver that skill without thinking about the steps and adapt to differing situations.

Throughout Paramedic education, as students increase in knowledge and skills, they should be placed in increasingly stressful situations where skills must be performed. One of the first is to accomplish a skill in front of an instructor or classmates. Repetition of the vast array of psychomotor skills in a simulated environment is necessary to naturalize the skills and perform them without thinking about the steps. Repetition is time consuming and therefore expensive. Failure to incorporate enough repetition in early learning of new skills results in reduced skill retention and the inability of the student to spontaneously demonstrate that skill in either a testing environment or during actual patient care. Often, instructors do not have time to provide feedback individually to every student every time he or she practices a skill. Groups of students can use formative instruments that include detailed steps outlining entry-level competency during practice. Students evaluating other students and providing feedback can be useful once everyone understands the expected standard. A student whose performance is being compared

to the formative instrument can be judged, and immediate feedback can be provided. Students observing another student's performance can frequently learn missed steps, varying or improper techniques and provide valuable feedback to peers (Weidner & Popp, 2007).

The Skills Lab instruments in the competency package represent a range of importance in skill delivery. Not every skill is used as often as others. Not every skill is equally complicated and equally important to the patient's outcome. Not every skill, if performed improperly, can cause the same potential for harm. Therefore, some psychomotor skills are more essential to acquire than others, but all interventions carry some risk. It is not sensible to frequently practice an easy-to-learn skill that has little bearing on the eventual outcome of critical patient care. However, it is sensible to practice the most important and higher risk skills with greater frequency. It is imperative that the educational program has documentation in the student file that show a student can deliver particular skills competently. The package allows some skills, even if they are difficult or necessary to be accomplished, to be measured by peers because these skills are infrequently used as part of out-of-hospital care. Instructions for each individual skill will further explain the measurement and documentation requirements. Finally, it is unethical for some skills to be practiced on human beings in the Clinical Experience Phase of Paramedic education without competency first being validated by program faculty. The instructor-validated skills are identified, and instructions regarding their measurement and documentation are identified in Appendix B.

Communities of interest should be involved in establishment and reinforcement of student expectations. Ethics and local culture drive those communities of interest. Paramedic education programs interface with the communities of interest. Entry-level competency is not mistake-free. Students who are entry-level competent must be able to demonstrate and

accomplish most of the steps in a summative evaluation using the Skills Lab instrument. Each of the Skills Lab evaluation instruments lists the minimum number of points that a student must achieve in order to be successful. If the community has a high standard of excellence, the program must perform at that standard in order to produce acceptable entry-level providers. The educational program does not usually control the level of excellence in the local EMS culture. If the communities of interest do not think the assigned minimum number of points is appropriate, they can change the threshold. Justification for any change to the standard should be documented. Likewise, previous research has demonstrated that faculty members may not effectively accomplish every measurement in a laboratory setting where the ratio is greater than four to eight students per instructor (Dubrowski & MacRae, 2006; Snider et al., 2012).

Teamwork, responsible students who help and evaluate peers, and administrative support are needed to permit faculty adequate time to focus on the most important aspects of psychomotor acquisition and competency. Standards of excellence are necessary to help assure continuity in field delivered critical care.

Appendix C of the Manual includes sample individual Skills Lab evaluation instruments that can be utilized to evaluate student performance. The NREMT does not require use, but provides them as best practice instruments that have been developed for use by education programs if they choose. These evaluations can be documented on paper, electronic format, or with commercially available evaluation instruments as the needs and resources of the education program dictate. Appendix D, "How to Use Skills Lab Formative Evaluation Instrument," which contains detailed instructions on how to utilize the Skills Lab evaluation instruments to improve evaluator inter-rater reliability.

#### **Laboratory Phase: Scenario Lab**

The Scenario Lab is an opportunity for the students to showcase what they have learned in a simulated environment and are based upon the foundations established in the Skills Lab. Scenarios should be introduced to the students at appropriate times throughout the curriculum and with increasing complexity. This competency package includes Scenario Lab instruments for both Team Leaders and Team Members. These Scenario Lab instruments should be used to critique student performances in order to provide guidance for improvement and/or to confirm competency.

The use of scenarios to demonstrate psychomotor skills as a part of patient care requires that the student "put it all together" or *synthesize information*. Implied within synthesis is the concept of critical thinking. Patient care requires critical thinking and delivery of psychomotor skills. Synthesis occurs after formative learning has been obtained and is measured by summative evaluations. Summative evaluation often occurs in two phases, one as a part of education and the other as part of certification such as a course final practical exam or the NREMT psychomotor certification exam. During Paramedic education, summative evaluation occurs after formative education has been measured and documented. Summative measurement instruments can only be developed when formative instruments, standards, and education are known. Errors identified during summative evaluation can be traced back to particular misunderstandings, omissions or failures to meet formative education standards.

Paramedic education requires critical thinking skills. Summative evaluations help to identify the presence or absence of critical thinking skills. Summative evaluation requires a simulation scenario, an actual patient or the field delivery of patient care. Summative evaluation takes place during the Laboratory, Clinical and Capstone Field Internship Phases of Paramedic

education and requires repetitive measurement to document competency. Paramedic students are not competent after one successful summative demonstration. Scenarios, as a part of Paramedic education, are critical in helping to ensure that the student can put it all together. A student's competency package should include formative and summative Scenario Lab evaluations for pediatric, adult, and geriatric patients covering the following Scenario Topic Areas: Respiratory Distress/Failure, Chest Pain, Cardiac Rhythm Disturbance, Stroke, Overdose, Abdominal Pain, Allergic Reaction/Anaphylaxis, Diabetic Emergency, Psychiatric Condition, Seizure, OB/GYN, Blunt Trauma, Penetrating Trauma, Burns, and Hemorrhage. A sample scenario and guidelines for developing additional scenarios are included in Appendices E and F. These evaluations require the Program Director to develop multiple scenarios for these evaluations and/or to purchase appropriate summative scenarios from a vendor. Appendices G and H respectively contain the Scenario Lab evaluation instruments and "How to Use Scenario Lab Evaluation Instrument," which helps to maximize inter-rater reliability. Summative laboratory evaluations of scenarios should be successfully accomplished before a student completes the corresponding topical section of Paramedic education.

#### **Clinical Phase**

The next phase of Paramedic education requires the student to move from the laboratory and simulation environment (skill and scenario) to interaction with real patients in the clinical setting. Many variables influence skill delivery in the clinical setting. The added stress of movement out of the laboratory setting to real patients has an effect on student performance.

Regardless of the student's stress level or the patient's illness/injury, the psychomotor delivery of a patient intervention is essential. The patient's age, the urgency of delivery of the skill, the

patient's level of consciousness and the affect of the patient can place added stress on the Paramedic student who is about to perform the intervention.

Preceptors or instructors are present during clinical rotations and should help minimize students errors by instructing them in the proper techniques, providing feedback and evaluating their performance. Commonly, the preceptor is on duty as an employee of the healthcare institution. Patient volumes make instruction and evaluation of students difficult for preceptors.

#### **Clinical Setting:**

Clinical Phase evaluations usually take place in a variety of settings. They should include the Operating Room, Recovery Room, Intensive Care Unit, Coronary Care Unit, Labor and Delivery, Pediatrics, and Emergency Department. Non-traditional environments may also be useful in exposing students to populations commonly seen by EMS personnel but difficult to gain access to in traditional hospitals. These include pediatric clinics, day care centers, detoxification units, social service shelters (domestic abuse, homeless etc...), psychiatric clinics, crisis intervention units, specialty medical clinics, free-standing day surgery centers, urgent care clinics and other outpatient health care venues.

Patient interaction opportunities of individual Paramedic programs may vary. The important point of Paramedic education is that students have ample opportunity to interact with a variety of patients who are experiencing a range of illnesses and injuries throughout the various age groups. The Paramedic Psychomotor Competency Package has identified Team Member Clinical Objective expectations. All of these expectations are not required to be accomplished in a major hospital. Some performances can be accomplished in physician offices, nursing homes, and specialty hospitals and clinics. Regardless of the location in which the student encounters

the patient, mere observation of patient care provided by other allied healthcare professionals has limited educational value for the student.

#### **Setting up Clinical Sites**

Prior to sending students to a clinical site, a formal clinical affiliation agreement or contract must be in place. Affiliation agreements should include a description of what the students can do at the site and the responsibilities of the preceptors. The program must ensure that preceptors are adequately oriented or trained to supervise and coach students. Topics should include purposes of the rotation, evaluation criteria and tracking tools, and contact information for the educational program. Clinical sites should have emergency contact information for direct access to the Program Director and Clinical Coordinator at all times.

Students must have direct interaction with patients and perform skills that he/she will need to perform in the out-of-hospital setting as a Paramedic. These skills should be performed under the direct supervision of a trained preceptor. Performance must be evaluated, and documentation must be obtained in order to have validity. Although useful at times, students should not be assigned to hospital rotations simply to watch patient care.

During clinical rotations, the student is responsible for finding appropriate patients to meet the required number of patient encounters to help assure psychomotor competency. The Paramedic education program must develop agreements with resources that have enough patient care volume to assure the student can fulfill this responsibility.

The length of time necessary to complete the required clinical patient exposures and measurement is not important. The important part of clinical patient care education is that there

are sufficient patient contacts with a broad array of patients and conditions that adds to the validity of cognitive and psychomotor competency of the student.

#### **Preceptor Preparation, Training, and Expectations**

Preceptors have varying degrees of interest in student education. Therefore, requirements placed upon preceptors by Paramedic education programs must be efficient and effective. The goal of the clinical educational experience should be to ensure that each student interacts with patients and provides care while under the direct observation of a preceptor or instructor in a controlled clinical environment. In order for the student to benefit from this interaction, the preceptor must allow the student to conduct a patient history and physical examination followed by a discussion regarding the patient's diagnosis and field care plan. If the patient needs a therapeutic intervention, the preceptor also needs to evaluate and document the student's performance as compared to the accepted standard. The interaction between the student, patient and preceptor is dynamic, and the affective skills of the student also need to be evaluated by the preceptor. The final step is for the student and preceptor to complete a standardized evaluation of the student performance and for the student to document the patient contact for evaluation by the Paramedic education program.

#### **Evaluation Instruments**

Evaluation instruments and documentation of student performance must be brief, easy to understand and effective in measurement of performance. Appendix I is the "Clinical Shift Evaluation Worksheet." To improve inter-rater reliability, "How to Use Clinical Evaluation Instrument" (Appendix J) describes the correct use of the evaluation instrument and must be provided to preceptors prior to evaluating the student as a Team Member. These evaluation instruments must be tied to previously learned skills so that standards learned in the Scenario

Labs are carried forward to live patients in a clinical setting. Performance standards that were learned in the formative phases must be adhered to during clinical evaluations and throughout hospital clinical rotations.

Educational Programs need to develop a system for returning completed instruments to the program. This system should employ methods to prevent alteration of the evaluation by the student and/or discarding of the evaluation instrument by the student. Systems that allow students to alter preceptor-completed evaluations and/or make it possible for students to throw away unsuccessful patient evaluations are not valid.

### Field Phase: Optional Field Experience

Some programs may allow for field time to occur where the student acts as a Team Member on an EMS call during the Field Phase. Field Phase evaluation of field performance assesses a student as a Team Member and is isolated to evaluation of individual skill delivery or a portion of patient care that is delivered. The student is not assuming the Team Leader role but integrating with other Team Members. When evaluating the student's performance as a Team Member, only the portion of care completed by the student is evaluated. The Team Member role contains an affective component and evaluates the student's cognitive understanding of complete patient care that Paramedics are expected to deliver.

#### Field Phase: Capstone Field Internship

The final phase of Paramedic education is the Capstone Field Internship. The Capstone Field Internship is the summative evaluation of Paramedic education where the student has all of the cognitive and psychomotor skills needed to act and serve as a Team Leader while delivering patient care. The Team Leader responsibilities are delegated by direct observation and under the responsibility of an approved and trained preceptor who is appropriately licensed and

credentialed to work in an approved EMS system. This evaluation of the student's ability to perform as a competent entry-level Paramedic is the last opportunity to identify areas that need remediation prior to the student becoming eligible for Paramedic certification. The ideal scenario would be that potential employers provide an appropriate orientation and evaluation process prior to allowing the new Paramedic to perform alone as the Team Leader. However, this competency package recognizes that there are EMS systems that will immediately place the newly state licensed Paramedics in an out-of-hospital situation with an EMT partner upon successful completion of NREMT certification. Therefore, it is imperative that evaluators provide a fair and objective evaluation of each student recognizing that they are expected to perform as an entry-level Paramedic.

The Capstone Field Internship should document a student's progression to a competent entry-level Paramedic. There is evidence to suggest that decreasing the number of preceptors improves the validity of the field internship evaluation and decrease the overall time to achieve competency. This allows the preceptor to assess a student's initial performance and for both student and preceptor to become comfortable with each other. As the Capstone Field Internship progresses, the student would ideally progress to at least minimal entry-level competency which would be documented by the preceptor. Although programs may not have the option to pair a student with a single preceptor, utilizing numerous preceptors for one student internship can complicate trust, expectations, and continuity for both student and preceptor, particularly with a student who is not exhibiting confidence or who is experiencing any difficulty in the progression from performing as a student to performing consistently as an entry-level Paramedic.

The Team Leader position is when students demonstrate that they are fully capable of organizing and directing patient care on an EMS call. Depending on the number of ALS EMS

personnel present, the Team Leader should direct all Team Members, lead all patient care decisions, and provide patient care as needed to ensure timely patient treatment. The educational program should establish a minimum number of hours, competencies, and team leads that the student should achieve in order to be considered as successfully performing as a competent entry-level Paramedic. These goals should reflect the depth and breadth of the Paramedic profession. The Capstone Field Internship has the unique capacity to assess a student's competence in all three learning domains performing as they will in the profession. The Capstone Field Internship evaluation instrument, "Capstone Field Internship Shift Evaluation Worksheet," (Appendix K) provides a concise form to document the student's Team Leader ability during patient contacts. "How to Use Capstone Field Internship Shift Evaluation Instrument" (Appendix L) provides instructions to help the preceptor improve inter-rater reliability when evaluating and documenting the patient contact.

### **Psychomotor Competency**

Competency is the extent to which an individual can handle the various situations that arise in the area of practice. The clinician who is competent, regardless of the complexity of the call, performs within the standard of care. The clinician who is incompetent needs partners to assist, direct or even perform an action when the performance approaches an unacceptable level. Perfection in a clinical occupation such as paramedicine will not be demonstrated on every call or every day throughout an individual's career. There are too many variables in patient presentations, ages, illnesses, injuries and idiosyncratic responses to expect the ideal outcome on every call. Because of these variables, continuous education must be a part of continued competency.

The primary problem for educators and even those who certify and license is, "When has the student reached a level of competency that is comprehensive enough to be able to safely and effectively practice?" This is a research question, and its answer is contained within psychometrics and judgment. This competency package requires that some of the variables that ensure competency be acquired by the student. First is the requirement that an adequate sample of skills and patient presentations be obtained as part of Paramedic education. In order to meet the requirements of this package, a student must be evaluated while in contact with simulated patients who have many types of injuries and illnesses.

The sample size of patient interactions is further required in a hospital or clinic where students must interface with patients having all types of illnesses and injuries in varying age groups. Because patients congregate at hospitals and clinics, it may be the best environment for students to efficiently interact with them. Medical education is important to the American public and therefore most patients understand the value of allowing students to interact with them and perform some invasive intervention such as establishing an IV. The Paramedic education program must ensure that their students have an appropriate opportunity to see adequate numbers of patients with varying illnesses and injuries throughout the educational experience. These adequate numbers of patients provide the first needed step towards competency: sample size.

The second step of ensuring competency is evaluation. Allowing students to matriculate through the educational processes without evaluation provides no assurance that competency has been obtained. Allowing students adequate time to practice skills in the laboratory without any final measurement of skill acquisition does not validate competency. Scheduling students in the Clinical Experience or Field Phases without tracking the types of patients they encounter does not ensure an adequate sample of patient contacts or validate competency. Failure to evaluate

students during their interaction with the patient does not ensure competency. Evaluations can be specific to a psychomotor skill, such as, "Can the student start an IV or not?" This type of tracking is important because it provides documentation of the sample. However, it is not only enough to know that the IV delivered fluids into the intravascular space, but also that it was performed within the context of proper patient care.

In EMS, we initiate patient care; we do not follow a doctor's written orders. Therefore, there are many components of student performance of starting an IV in the Clinical Evaluation Phase that should also be evaluated in order to enrich the educational experience. Questions such as, "Why did this patient need an IV? Did the student select the proper equipment and fluids? Was the procedure as aseptic as possible? How did the student interact with the patient?" should also be answered and documented. Practicing skills and interacting with patients without evaluation and documentation does not lead to competency validation. Sending students to the hospital or field to see how patient care is delivered does not lead to student competency. The student must perform assessments, interviews, skill interventions and be evaluated on his or her performance for feedback purposes and to document competency. Remember, competency cannot be obtained without documented evaluation.

When one considers all of the skills of a Paramedic and all of the types of patient interactions that should occur, it becomes complicated to determine how much education and exposure is adequate. This requires the application of a third step in psychomotor competency: extrapolation. A student cannot interact with patients who are suffering every known disease to mankind. A student cannot be required to remain in the Clinical Experience or Field Phases until every skill is performed on a live patient. Opportunities are not controlled by the student. Patient volume and who happens to get sick while students are completing their field internship

affect these opportunities. What can be ensured is that the student's Clinical Experience and Field Phases were comprised of a large enough sample of varying patients and that the interactions were measured and documented.

Only when the student's Clinical Experience and Field Phase evaluations have been documented can the results are extrapolated to make a reasonable judgment of competency. Students in Paramedic education must have a large enough sample that includes measurement in order to extrapolate that the student has reached entry-level competency to safely and effectively practice. Lastly, education and competency are essential. It centers on validity and trust. Validity is difficult to control in psychomotor competency. For example, two judges can see the same performance and mark (score) the performance in different ways. The scoring can be dramatically different or vary slightly depending on the judge's bias, observational attention and current knowledge of the standard. When there are significant differences in judging the same performance, there is a lack of inter-rater reliability. This competency package establishes acceptable and uniform standards and explains those standards to the judges (faculty member or preceptor) in an instructional essay. Competency that has standards can be taught, evaluated and documented. Performance without standards cannot be taught. The evaluation process is subjective without instruments that document performance and by not having those documents, it is unacceptable for the purposes of accreditation and certification. Appendix B of the Manual contains the performance standards and numbers of performances that must be accomplished to meet the NREMT Paramedic Psychomotor Competency Portfolio requirements for NREMT certification

Licensure and certification are designed to protect the public. Currently in EMS we require applicants for certification to demonstrate psychomotor competency as part of the

process. This demonstration contains components of psychomotor competency validation.

Candidates who are competent when testing should successfully demonstrate that competency in front of judges in a simulated environment. Pass rates on performance examinations should be high because candidates should not attempt the examination without having demonstrated psychomotor competency as part of successfully completing the educational process.

Performance examinations for certification are only able to evaluate a small sample of the entire psychomotor domain necessary for the occupation. The NREMT requires a summative psychomotor performance examination as part of national EMS certification. This psychomotor examination provides an outside validation of competency over a representative sample of skills. This outside validation, coupled with the portfolio during the educational process, form the entire basis for judging psychomotor competence. Strengthening psychomotor education is good for the student, the educational program, the accreditation body, the certification and licensure body, the EMS system and most importantly, the public. Competent psychomotor and affective skills are the cornerstone of quality EMS care and are essential for helping to ensure a high level of professional knowledge, skills and behaviors of Paramedics.

#### References

- Committee on Accreditation of Educational Programs for the Emergency Medical Services Professions.

  (2014). Standard Revision Updates. Retrieved from http://coaemsp.org/Standards\_Revisions.htm
- Dubrowski, A. & MacRae, H. (2006). Randomised, controlled study investigating the optimal instructor: student ratios for teaching suturing skills. *Medical Education*, 40, 59-63. doi:10.1111/j.1365-2929.2005.02347.x
- Ericsson, K., Krampe, R., & Tesch-Romer, C. (1993). The role of deliberate practice in the acquisition of expert performance. *Psychological Review*, *100*(3), 363-406.
- Snider, K.T., Seffinger, M.A., Ferrill, H. P., & Gish, E.E. (2012) Trainer-to-student ratios for teaching psychomotor skills in health care fields, as applied to osteopathic manipulative medicine. *Journal of the American Osteopathic Association*, 112 (4), 182-187. Retrieved from http://www.jaoa.osteopathic.org/content/112/4/182.abstract
- Mayer, R. (2011). Applying the science of learning. Boston, MA: Pearson Education, Inc.
- Weidner, T. G. & Popp, J. K. (2007). Peer-assisted learning and orthopaedic evaluation of psychomotor skills. *Journal of Athletic Training*, 42(1), 113-119.



### Appendix A

## National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

### FLOW CHART FOR USING NREMT PPCP PILOT FORMS 2015 – 2016

#### **Skills Lab Forms**

Document all performances using Skills Lab Forms. Please see "NREMT Psychomotor Paramedic Competency Portfolio: Pass/Fail Criteria and Average Minimum/Maximum" for the list of recommended skills to be performed, minimum score needed, and the average number of student skills attempts documented. Forms can be completed by the instructor or peers. However, all forms listed with an \* must have at least one successful instructor-evaluated and documented performance before starting the related Scenario Lab.

As soon as the student demonstrates acceptable performance in any skill identified by an \* and is checked-off by an instructor, he/she needs to move on to practice those skills in the context of related scenarios.



#### **Scenario Lab Forms**

Document successful performances in the following provider roles and patient types (as applicable) using each of the following Scenario Topic Areas:

#### Team Leader

- o 4 successful adult patient leads
- 3 successful pediatric patient leads
- o 3 successful geriatric patient leads

#### **Team Member**

 10 successful team member evaluations

Scenario Topic Areas			
<ul><li>Respiratory Distress/Failure</li></ul>	<ul><li>Psychiatric Condition</li></ul>		
■ Chest Pain	■ Seizure		
<ul> <li>Cardiac (Rhythm Disturbance including</li> </ul>	■ OB/GYN		
Cardiac Arrest			
<ul><li>Stroke</li></ul>	■ Blunt Trauma		
<ul><li>Overdose</li></ul>	<ul><li>Penetrating Trauma</li></ul>		
<ul> <li>Abdominal Pain</li> </ul>	<ul><li>Burns</li></ul>		
<ul> <li>Allergic Reaction/Anaphylaxis</li> </ul>	<ul><li>Hemorrhage</li></ul>		
<ul> <li>Diabetic Emergencies</li> </ul>			

As soon as the student demonstrates acceptable performance in any Scenario Lab topic area, he/she is permitted to move on to the related clinical area



#### **Clinical Evaluation Forms**

Clinical Shift Evaluation Worksheet must be completed by the Clinical Preceptor(s) for each clinical rotation.



#### **Capstone Field Internship Evaluation Form**

Field Shift Evaluation Worksheet must be completed by the Field Preceptor(s) for each field rotation.

Students must complete 18 out of the last 20 patient contacts successfully on an ALS unit responsible for responding to critical and emergent patients who access the emergency medical system (successful is defined as a score of "2" in Team Leadership category of *Capstone Field Internship Evaluation Worksheet*).

This page is intentionally blank.



## $Appendix\ B$

## National Registry of Emergency Medical Technicians® Paramedic Psychomotor Competency Portfolio Manual

## PASS/FAIL CRITERIA AND AVERAGE MINIMUM/MAXIMUM

LABORATORY PHASE: SKILLS LAB SKILL SHEETS	MINIMUM AVERAGE**		AGE**
NOTE: All forms listed with * must have at least one successful instructor	POINTS	MIN	MAX
documented performance before starting the related Scenario Lab.	REQUIRED	141114	IVIAA
History Taking and Physical Examination			
*Obtain a Patient History from an Alert and Oriented Patient	86	2	8
*Comprehensive Normal Adult Physical Assessment Techniques	160	2	7
*Comprehensive Normal Pediatric Physical Assessment Techniques	136/146	2	7
Airway, Oxygenation and Ventilation			
*Direct Orotracheal Intubation Adult	50	2	23
*Direct Orotracheal Intubation Pediatric	40	3	14
Nasotracheal Intubation Adult	42	2	10
Supraglottic Airway Device Adult (Combitube, LMA, King, Cobra, etc.)	38	2	17
*Needle Cricothyrotomy (Percutaneous Translaryngeal Ventilation)	34	2	11
CPAP and PEEP	64	1	6
Trauma			
*Trauma Adult Physical Assessment	116	2	8
Trauma Endotracheal Intubation Adult	40	2	10
*Pleural Decompression (Needle Thoracostomy)	30	2	10
Basic Skills Lab overseen by instructor as students check off each other			
in:			
<ul><li>Spinal Immobilization Adult (Supine Patient)</li></ul>	34	1	10
<ul><li>Spinal Immobilization Adult (Seated Patient)</li></ul>	36	1	11
<ul><li>Joint Splinting</li></ul>	24	2	10
<ul><li>Long Bone Splinting</li></ul>	26	2	10
<ul><li>Traction Splinting</li></ul>	30	1	7
<ul><li>Hemorrhage Control</li></ul>	24	1	10
Medical			
*Medical and Cardiac Physical Assessment	130	2	17
*Intravenous Therapy	76	3	22
*Intravenous Bolus Medication Administration	36	2	17
*Intravenous Piggyback Infusion	84	2	8
*Intraosseous Infusion	62	2	14
*Intramuscular and Subcutaneous Medication Administration	44	2	17
Intranasal Medication Administration	44	2	11
Inhaled Medication Administration	38	2	9
Glucometer	32	2	6

<sup>\*\*</sup> Average minimum and maximum number of attempts from pilot data

## PASS/FAIL CRITERIA AND AVERAGE MINIMUM/MAXIMUM

	MINIMUM	AVERAGE**	
Cardiac	POINTS REQUIRED	MIN	MAX
12-lead ECG	30	2	8
*Synchronized Cardioversion	34	2	11
*Defibrillation (Unwitnessed Arrest)	36	2	12
*Transcutaneous Pacing	34	2	10

CPR Skills Lab equivalent to AHA BLS for Healthcare Providers overseen by instructor as students check off each other:

- 1 & 2 Rescuer CPR for Adults, Children and Infants
- Bag-Mask Technique and Rescue Breathing for Adults and Children
- Automated External Defibrillator
- Relief of Choking in Infants and Victims 1 Year of Age and Older

Obstetrics				
Normal Delivery with Newborn Care 70 3 1				
*Abnormal Delivery with Newborn Care	74	2	7	
LABORATORY PHASE: SCENARIO LAB				
Team Member	9	2	19	
Team Leader	11	2	16	

#### **CLINICAL AND FIELD PHASE**

Clinical Experience Shift Evaluation Worksheet

Capstone Field Internship Evaluation Worksheet – Students must complete 18 out of the last 20 patient contacts successfully on an ALS unit responsible for responding to critical and emergent patients who access the emergency medical system (successful is defined as a score of "2" in Team Leadership category of Capstone Field Internship Evaluation Worksheet).

**NOTE:** Failure must be noted for any skill where the examiner has checked one of the "Critical Criteria" statements and documented the performance as required.

<sup>\*\*</sup> Average minimum and maximum number of attempts from pilot data



## $\begin{tabular}{ll} Appendix \ C \\ {\bf National \ Registry \ of \ Emergency \ Medical \ Technicians}^{\otimes} \\ \end{tabular}$ Paramedic Psychomotor Competency Portfolio Manual

## SKILLS LAB SKILL SHEETS: TABLE OF CONTENTS

History Taking and Physical Examinations	Page
Obtain a Patient History from an Alert and Oriented Patient	1
Comprehensive Normal Adult Physical Assessment Techniques	5
Comprehensive Normal Pediatric Physical Assessment Techniques	9
Alteria Organization and NV allegation	
Airway, Oxygenation, and Ventilation	10
Direct Orotracheal Intubation Adult	13
Direct Orotracheal Intubation Pediatric	15
Nasotracheal Intubation Adult	17
Supraglottic Airway Device Adult (Combitube, LMA, King, Cobra, etc.)	19
Needle Cricothyrotomy (Percutaneous Translaryngeal Ventilation)	21
CPAP and PEEP	23
Trauma	
Trauma Adult Physical Assessment	25
Trauma Endotracheal Intubation Adult	29
Pleural Decompression (Needle Thoracostomy)	31
Basic Skills Lab overseen by instructor as students check off each other in:	
Spinal Immobilization Adult (Supine Patient)	33
Spinal Immobilization Adult (Seated Patient)	35
Joint Splinting	37
Long Bone Splinting	39
Traction Splinting	41
Hemorrhage Control	43
Medical	
Medical and Cardiac Physical Assessment	45
Intravenous Therapy	49
Intravenous Bolus Medication Administration	51
Intravenous Piggyback Infusion	53
Intraosseous Infusion	57
Intramuscular and Subcutaneous Medication Administration	59
Intranasal Medication Administration	61
Inhaled Medication Administration	63
Glucometer	65
Cardiac	
12-lead ECG	67
Synchronized Cardioversion	69
Defibrillation (Unwitnessed Arrest)	71
Transcutaneous Pacing	73
-	
Obstetrics Normal Delivery with Newhorn Core	75
Normal Delivery with Newborn Care	75 77
Abnormal Delivery with Newborn Care	77

This page is intentionally blank.



## National Registry of Emergency Medical Technicians® Emergency Medical Technician Psychomotor Examination

## OBTAIN A PATIENT HISTORY FROM AN ALERT AND ORIENTED PATIENT SKILLS LAB

Student Na	me:	Date:	
Instructor E	Evaluator:	Student Evaluator:	
		Signature Signature	ire
		SCORING	
N/A	Not applical	ple for this patient	
0	Unsuccessfu	al; required critical or excessive prompting; inconsistent; not yet con	mpetent
1	Not yet com	petent, marginal or inconsistent, this includes partial attempts	
2	Successful;	competent; no prompting necessary	
	<b>a.</b>		
Actual Tim			SCORE
Demograph			
Age		1/. 1 . 1 . 1	
	gnt – estimate	ed/translated to kg	
Sex			
	nic origin		
Sou	rce of referral		
		ed EMS?"	
Sou		al information	
		ling you the information?	
Reli	ability		
	•	lieve the patient?	
	-	patient have appropriate decision-making capacity to consent for	
	care?		
		ent oriented appropriately?	
Chief comp			
	ny did you cal		
		pisode/complaint	
History of	the present il	lness	
Ons			
		d this begin?"	
	"Was it su	dden or gradual?"	
Prov	vocation		
		ought this on?"	
	"Is there a	nything that makes it better or worse?"	
Qua			
		ald you describe your pain or symptoms?"	
	"Has there	e been any change in your pain or symptoms since it began?"	
Reg	ion/Radiation		
		point and show me where your pain or symptoms are located?"	
	"Does the	pain move or radiate anywhere else?"	
Seve	erity		
		ald you rate your level of discomfort right now on a $0 - 10$ scale?"	
	"Using the	e same scale, how bad was your discomfort when this first began?"	
Tim			
	"When die	d your pain or symptoms begin?"	
	"Is it cons	tant or how does it change over time?"	

Setting	
Is there anything unique to place or events with this episode?	
Treatments	
"Have you taken anything to treat this problem?"	
Pertinent negatives	
Notes any signs or symptoms not present	
Converges	
Moves history from broad to focused to field impression	
Past medical history	
General health status	
What does the patient say about his/her health?	
Current medications "What are a grilled medications do you commutate take?"	
"What prescribed medications do you currently take?"  "What over-the-counter medications or home remedies do you currently take?"	
"When did you take you last dose of medications?"	
"Do you take all your medications as directed?"	
Adult illnesses	
"What other similar episodes were present?"	
"Is this an acute or chronic illness?"	
"What medical care do you currently receive for this illness?"	
"What medical care do you currently receive for other illnesses?"	
Allergies	
"Do you have any allergies to any medications, foods or other things?"	
Operations	
"What previous surgeries have you had?"	
Environmental	
Patient nutritional status	
"Do you have any habitual activities, such as drugs, alcohol or tobacco use?"	
Family history	
Questions patient about pertinent family medical history	
Psychological history	
Asks appropriate related history questions based upon patient presentation	
Verbal report	
Completes succinct report  Identifies pertinent findings	
Identifies pertinent manigs  Identifies pertinent negatives	
Organization	
Organizes report in logical sequence	
Affective	
Makes the patient feel comfortable	
Uses good eye contact	
Establishes and maintains proper distance	
Uses techniques that show interest in the patient	
Professional appearance	
Takes notes of findings during history	
Preferably uses open-ended questions	
Follows patient lead to converge questions	

Uses reflection to gain patient confidence	
Shows empathy in a professional manner	
Actual Time Ended:	
TOTAL	/112
Critical Criteria	
Failure to take or verbalize appropriate PPE precautions	
Failure to complete an appropriate history	
Failure to obtain vital information necessary for the proper assessment, management and	
diagnosis of the patient's condition	
Failure to receive a total score of 86 or greater	
Comments:	
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her per	
and document his/her response to the following question:)	
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful	

This page is intentionally blank.



### COMPREHENSIVE NORMAL ADULT PHYSICAL ASSESSMENT TECHNIQUES SKILLS **LAB**

Student Name: Date			
Instructor 1	Evaluator: Student Evaluator:	Signature	
<b>NOTE:</b> The student is to perform a comprehensive physical examination (well physical examination) on a patient who has no complaint or distress.		on (well physical	
SCORING			
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or excessive prompting; inconsist	tent; not yet competent	
1	Not yet competent, marginal or inconsistent, this includes partial	Lattempts	

Successful; competent; no prompting necessary

Actual Time Started:	SCORE
Initial general impression	
Appearance	
Speaks when approached	
Facial expression	
Skin color	
Eye contact	
Weight - estimated/translated to kg	
Work of breathing	
Posture, ease of movement	
Odors of body or breath	
Dress, hygiene, grooming	
Level of consciousness/mental status	
Speech	
Quantity	
Rate	
Volume	
Articulation of words	
Fluency	
Mood	
Orientation	
Time	
Place	
Person	
Memory	
Recent	
Long term	

Assesses baseline vital signs	
Vital signs	
Blood pressure	
Pulses – radial, carotid	<u>I</u>
Pulse rate	
Pulse amplification	
Respirations	
Respiratory rate	
Tidal volume	
Temperature – oral, tympanic, rectal	
$SpO_2$	
Secondary physical examination	
Skin	
Colors – flushed, jaundiced, pallor, cyanotic	
Moisture – dryness, sweating, oiliness	
Temperature – hot or cool to touch	
Turgor	
Lesions – types, location, arrangement	
Nails – condition, cleanliness, growth	
Head and neck	
Hair	
Scalp	
Skull	
Face	
Eyes	
Acuity – vision is clear and free of disturbance	
Appearance – color, iris clear	
Pupils – size, reaction to light	
Extraocular movements – up, down, both sides	
Ears	
External ear	
Ear canal – drainage, clear	
Hearing – present/absent	
Nose	
Deformity	
Air movement	
Mouth	1
Opens willingly	
Jaw tension	
Mucosal color	
Moisture	
Upper airway patent	
Neck	1
Trachea – midline	
Jugular veins – appearance with patient position	

Chest	-
Chest wall movement – expansion	
Skin color – closed wounds	
Integrity	
Open wounds	
Rib stability	
Presence/absence of pain	
Lower Airway	
Auscultation – anterior and posterior	-
Normal sounds and location	-
Tracheal	
Bronchial	
Bronchovesicular	
Vesicular	
Heart and blood vessels	
Heart Heart	
Apical pulse Sounds	
$S_1$	
S <sub>2</sub>	
Arterial pulses	
Locate with each body area examined	
Abdomen	
Color – closed wounds	
Open wounds	
Size, symmetry, shape	
Scars	
Distention	
Auscultation	
Palpation – quadrants, masses, tenderness, rigidity	
Back	
Color – closed wounds	
Open wounds	
Size, symmetry, shape	
Scars	
Palpation – tenderness, rigidity, masses	
Pelvis	
Stability	
Male genitalia – inquires about:	
Wounds, rashes, external lesions	
Drainage	
Female genitalia (non-pregnant) – inquires about:	
Wounds, rashes, external lesions	
Drainage	
Asks about bleeding or discharge	

Musculoskeletal	
Legs and feet	
Symmetry	
Range of motion	
Deformity	
Skin	
Color	
Closed wounds	
Open wounds	
Pulses	
Femoral	
Popliteal	
Dorsalis pedis	
Arms and hands	
Symmetry	
Range of motion	
Deformity	
Skin	
Color	
Closed wounds	
Open wounds	
Pulses	
Brachial	
Radial	
Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner, i.e. uses	
appropriate name, explains procedures, maintains modesty	
Actual Time Ended:	
TOTAL	/208
	,200
Critical Criteria	
Failure to take or verbalize appropriate PPE precautions	
Failure to adequately assess airway, breathing or circulation	
Performs assessment in a disorganized manner	
Failure to assess the patient as a competent EMT	
<ul> <li>Exhibits unacceptable affect with patient or other personnel</li> <li>Performs assessment inappropriately resulting in potential injury to the patient</li> </ul>	
Failure to receive a total score of 160 or greater	
Partitle to receive a total score of 100 of greater	
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her per	rformance
and document his/her response to the following question:)	
2 description	
Were you successful or unsuccessful in this skill?   Successful	
☐ Unsuccessful	



# COMPREHENSIVE NORMAL PEDIATRIC PHYSICAL ASSESSMENT TECHNIQUES SKILLS LAB

Stude	nt Name:	Date:	
Instructor Evaluator: Si		Student Evaluator:	
Signature Stadent Evaluation.			
NOT	1	rm a comprehensive physical examination (well physical	
		ller or school-aged child who has no complaint or distress.	
	*Choose appropriate	age level	
		SCORING	
N/A	Not applicable for this patient		
0	Unsuccessful; required critical	or excessive prompting; inconsistent; not yet competent	
1		r inconsistent, this includes partial attempts	
2	Successful; competent; no pror		
	al Time Started:		<b>SCORE</b>
Initia	l general impression		
	Appearance		
	Facial expression		
	Skin color		
	Work of breathing		
	Odors of body or breath		
	*If toddler or school-ag	ged child:	
	Activity level		
	Speaks when ad	ldressed	
	*If school-aged child:		
	Eye contact		
	Mood		
Orientation			
	Time		
	Place		
	Person		
	Memory		
	Recent		
•	Long ter	m	
Asses	ses baseline vital signs		
	Vital signs		
	Blood pressure	1	
	Pulses – brachial, radia	al, carotid	
	Pulse rate		
	Pulse amplifica	ition	
	Respirations		
	Respiratory rate	<del>2</del>	
	Tidal volume		
	Temperature – oral, ty	mpanic, rectai	

 $SpO_2$ 

Secondary physical examination	
Somatic growth	
Length	
Weight	
Head circumference	
Skin	
Colors – flushed, jaundiced, pallor, cyanotic	
Moisture – dryness, sweating, oiliness	
Temperature – hot or cool to touch	
Turgor	
Lesions – types, location, arrangement	
Nails – condition, cleanliness, growth	
Head and neck	•
Hair	
Scalp	
Skull	
Face	
Eyes	
Acuity – vision is clear and free of disturbance	
Appearance – color, iris clear	
Pupils – size, reaction to light	
Extraocular movements – up, down, both sides	
Ears	
External ear	
Ear canal – drainage, clear	
Hearing – present/absent	
Nose	
Deformity	
Air movement	
Mouth	<b>,</b>
Opens willingly	
Jaw tension	
Mucosal color	
Moisture	
Upper airway patent	
Neck	<del></del>
Trachea – midline	
Jugular veins – appearance with patient position	
Chest	<del></del>
Chest wall movement – expansion	
Skin color – closed wounds	
Integrity	<del></del>
Open wounds	
Rib stability	
Presence/absence of pain	

Lower airway	
Auscultation – anterior and posterior	
Normal sounds and location	
Tracheal	
Bronchial	
Bronchovesicular	
Vesicular	
Heart and blood vessels	
Heart	
Apical pulse	
Sounds	
$S_1$	
$S_2$	
Arterial pulses	
Locate with each body area examined	
Abdomen	
Color – closed wounds	
Open wounds	
Size, symmetry, shape	
Scars	
Distention	
Auscultation	
Palpation – quadrants, masses, tenderness, rigidity	
Back	
Color – closed wounds	
Open wounds	
Size, symmetry, shape	
Scars	
Palpation – tenderness, rigidity, masses	
Pelvis	1
Stability	
Male genitalia – inspects for:	l
Wounds, rashes, external lesions, drainage	
Female genitalia – inspects for:	l
Wounds, rashes, external lesions, drainage	
Musculoskeletal	
Legs and feet	
Symmetry	
Range of motion	
Deformity	
Skin	
Color	
Closed wounds	
Open wounds	
1	
Pulses	
Femoral	
Popliteal  Denselie medie	
Dorsalis pedis	

Arms and hands		
Symmetry		
Range of motion		
Deformity		
Skin		
Color		
Closed wounds		
Open wounds		
Pulses		
Brachial		
Radial		
Affective		
Accepts evaluation and criticism professionally		
Shows willingness to learn		
Interacts with simulated patient and other personnel in professional manner, i.e. uses		
appropriate name, explains procedures, maintains modesty		
Actual Time Ended:		
TOTAL	/180/194	
Critical Criteria		
Failure to take or verbalize appropriate PPE precautions Failure to adequately assess airway, breathing or circulation Performs assessment in a disorganized manner Failure to assess the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Performs assessment inappropriately resulting in potential injury to the patient Failure to receive a total score of 136 (toddler)/146 (school-aged) or greater  Comments:		
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)		
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful		



DIRECT OROTRACHEAL INTUBATION ADULT SKILLS LAB			
Student Name: Date:			
Instructor E		Student Evaluator:	
	Signature		ignature
		SCORING	
N/A	Not applicable for this patient		
0		excessive prompting; inconsistent; not yet	competent
1		consistent, this includes partial attempts	
2	Successful; competent; no prompt	ing necessary	
Actual Tin			SCORE
	ecks, assembles equipment		
	M with mask and reservoir		
Oxy			
	way adjuncts		
	tion unit with appropriate catheters		
	yngoscope and blades		
	tube and stylette		
	nography/capnometry		
Prepares p			
	es appropriate PPE precautions nually opens airway		
	rts adjunct (oropharyngeal or nasop	shoryngaal airway)	
	<u> </u>	• • •	trica
Ventilates patient at a rate of $10 - 12$ /minute and sufficient volume to make chest rise  Attaches pulse oximeter and evaluates SpO <sub>2</sub> reading			. 1180
Preoxygenates patient			
Performs i	1		
	itions head properly		
	erts laryngoscope blade and displace	es tongue	
	vates mandible with laryngoscope	is tongue	
	erts ET tube and advances to proper	denth	
	ates cuff to proper pressure and imn	1	
	1 1 1	tube placement by auscultation bilaterally	over
	gs and over epigastrium	ı J	
Ver	ifies proper tube placement by second	ndary confirmation such as capnography,	
	nometry, EDD or colorimetric device		
Ass	esses for hypoxia during intubation	attempt	
Seci	ures ET tube		
Ven	tilates patient at proper rate and vol	ume while observing capnography/capno	metry
	pulse oximeter		
<b>Suctions se</b>	ecretions from tube		
	ognizes need to suction		
	ntifies/selects flexible suction cathet		
Inse	erts catheter into ET tube while leave	ing catheter port open	

At proper insertion depth, covers catheter port and applies suction while withdrawing

Ventilates/directs ventilation of patient as catheter is flushed with sterile water

catheter

Reaffirms proper tube placement	
Ventilates patient at proper rate and volume while observing capnography/capnometry	
and pulse oximeter	
Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
TOTAL	/66
Critical Criteria Failure to initiate ventilations within 30 seconds after taking PPE precautions or interrupts	
ventilations when SpO <sub>2</sub> is less than 90% at any time  Failure to take or verbalize appropriate PPE precautions	
Suctions the patient for more than 10 seconds	
Failure to preoxygenate patient prior to intubation If used, stylette extends beyond end of ET tube	
Failure to disconnect syringe <b>immediately</b> after inflating cuff of ET tube	
Uses teeth as a fulcrum	
Failure to assure proper tube placement by auscultation bilaterally <b>and</b> over the epigastriun	า
Failure to voice and ultimately provide high oxygen concentration [at least 85%]	1
Failure to ventilate the patient at a rate of at least 10/minute and no more than 12/minute	
Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]	
Insertion or use of any adjunct in a manner dangerous to the patient	
• •	
<ul> <li>Does not suction the patient in a timely manner</li> <li>Exhibits unacceptable affect with patient or other personnel</li> </ul>	
Failure to demonstrate the ability to manage the patient as a minimally competent EMT	
Uses or orders a dangerous or inappropriate intervention	
Failure to receive a total score of 50 or greater	
Tanaie to receive a total score of 50 of greater	
Comments:	
	C
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her per and document his/her response to the following question:)	iormance
Were you successful or unsuccessful in this skill? ☐ Successful	
Unsuccessful	



### DIRECT OROTRACHEAL INTUBATION PEDIATRIC SKILLS LAB

Student Na	me: D	ate:
Instructor	Evaluator: Student Evaluat	tor:
	Signature	Signature
SCORING		
N/A	Not applicable for this patient	
0	Unsuccessful; required critical or excessive prompting; inconsistent; not yet competent	
1	1 Not yet competent, marginal or inconsistent, this includes partial attempts	
2	2 Successful; competent; no prompting necessary	

Actual Time Started:	SCORE
Selects, checks, assembles equipment	
BVM with mask and reservoir	
Oxygen	
Airway adjuncts	
Suction unit with appropriate catheters	
Laryngoscope and blades	
ET tubes and stylette	
Capnography/capnometry	
Prepares patient	
Takes appropriate PPE precautions	
Manually opens airway	
Inserts adjunct (oropharyngeal or nasopharyngeal airway)	
Ventilates patient at a rate of 12 – 20/minute and sufficient volume to make chest rise	
Attaches pulse oximeter and notes SpO <sub>2</sub>	
Preoxygenates patient	
Performs intubation	
Places patient in neutral or sniffing position by padding between scapulae to elevate	
shoulders and torso <b>as needed</b>	
Inserts laryngoscope blade and displaces tongue	
Elevates mandible with laryngoscope	
Inserts ET tube and advances to proper depth	
Inflates cuff to proper pressure and <b>immediately</b> removes syringe (only if cuffed tube	
is used)	
Ventilates patient and confirms proper tube placement by auscultation bilaterally over	
lungs and over epigastrium	
Verifies proper tube placement by secondary confirmation such as capnography,	
capnometry, EDD or colorimetric device	
Assesses for hypoxia during intubation attempt	
Secures ET tube	
Ventilates patient at proper rate and volume while observing capnography/capnometry	
and pulse oximeter	

Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
Actual Time Ended.	
TOTAL	/52
Critical Criteria  Failure to initiate ventilations within 30 seconds after taking PPE precautions or interrupts ventilations when SpO <sub>2</sub> is less than 90% at any time  Failure to take or verbalize appropriate PPE precautions  If used, suctions the patient for more than 10 seconds  If used, stylette extends beyond end of ET tube  Failure to preoxygenate patient prior to intubation  Failure to disconnect syringe immediately after inflating cuff of ET tube (only if cuffed tube is used)  Uses teeth or gums as a fulcrum  Failure to assure proper tube placement by auscultation bilaterally and over the epigastrium  Failure to voice and ultimately provide high oxygen concentration [at least 85%]  Failure to ventilate the patient at a rate of at least 12/minute and no more than 20/minute  Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]  Insertion or use of any adjunct in a manner dangerous to the patient  Attempts to use any equipment not appropriate for the pediatric patient  Failure to demonstrate the ability to manage the patient as a minimally competent EMT  Exhibits unacceptable affect with patient or other personnel  Uses or orders a dangerous or inappropriate intervention  Failure to receive a total score of 40 or greater	732
Comments:	
Comments.	
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performand document his/her response to the following question:)	mance
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful	



### NASOTRACHEAL INTUBATION ADULT SKILLS LAB

Student Na	ame:		Date:		
Instructor 1	Evaluator:		Student Evaluator:		
		Signature		Signature	
		SCORI	NG		
N/A	Not applicable for	this patient			
0	Unsuccessful; requ	nired critical or excessive	ve prompting; incons	sistent; not yet comp	etent
1	Not yet competent	, marginal or inconsiste	nt, this includes part	ial attempts	
2		tent; no prompting nece			
	me Started:	•			SCORE
•	ecks, assembles equ				
	M with mask and re	servoir			
	ygen				1
	way adjuncts	ani ata aath atana			1
	ction unit with appro	priate catheters			
	tubes	logging vygtor golyblo i	ally magal ammay)		1
	pnography/capnomet	docaine, water soluble j	eny, nasai spray)		
	<u> </u>	ГУ			
Prepares j	kes appropriate PPE	araquitions			
	** *	rmine largest and least of	leviated or obstructe	d nostril	+
	erts adjunct (nasopha		levialed of obstructe	u nosun	+
		ons at a rate of $10-12/1$	minute and sufficient	t volume to make	
	est rise		innute and sufficient	t volume to make	
	aches pulse oximeter	and notes SnO <sub>2</sub>			+
	eoxygenates patient	and notes spo <sub>2</sub>			
	scultates breath soun	de			+
	intubation	us			
	bricates tube and pre-	nares nostril			
	sitions head properly				+
		ected nostril and guides	it along the sentum		
		of ET tube is positione		vocal cords	
		e tube, hears audible br			
tub	•		r		
		a deep breath while pas	sing ET tube through	h vocal cords	
		ressure and immediately			
		ons and confirms proper		auscultation	
bila	aterally over lungs ar	d over epigastrium; obs	serves for misting in	tube; listens for	
aud	lible breath sounds fr	om proximal end of ET	tube; and assures th	at patient is	
	nonic				
		cement by secondary co	onfirmation such as c	capnography,	
	onometry, EDD or co	lorimetric device			
	cures ET tube				
	<u>-</u>	ons patient at proper rate	e and volume while	observing	
cap	onography/capnometr	y and pulse oximeter			

Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
mom. 7	/ <del>~</del> .
TOTAL L	/54
Critical Criteria  Interrupts ventilations at any time when SpO <sub>2</sub> is less than 90%  Failure to take or verbalize appropriate PPE precautions  If used, suctions the patient for more than 10 seconds  Failure to disconnect syringe immediately after inflating cuff of ET tube  Failure to assure proper tube placement by auscultation bilaterally and over the epigastrium  Failure to voice and ultimately provide high oxygen concentration [at least 85%]  Failure to ventilate the patient at a rate of at least 10/minute and no more than 12/minute  Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]  Insertion or use of any adjunct in a manner dangerous to the patient  Failure to demonstrate the ability to manage the patient as a minimally competent EMT  Exhibits unacceptable affect with patient or other personnel  Uses or orders a dangerous or inappropriate intervention  Failure to receive a total score of 42 or greater  Comments:  Comments:	
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her per and document his/her response to the following question:)	formance
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful	



# National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

#### SUPRAGLOTTIC AIRWAY DEVICE ADULT SKILLS LAB

	SCI MIGLOTTIC MIKWITT	DE VICE ADOLI SIMLES I	
Student Na	me:	Date:	
Instructor E	Evaluator:Signature	_ Student Evaluator:	
	Signature		Signature
	SCC	ORING	
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or excess	ssive prompting; inconsistent;	not yet competent
1	Not yet competent, marginal or inconsi	stent, this includes partial atter	mpts
2	Successful; competent; no prompting n	ecessary	
Actual Tim	no Startad.		SCORE
	ecks, assembles equipment		SCORE
	M with mask and reservoir		
Oxy			
*	way adjuncts		
	tion unit with appropriate catheters		
	raglottic airway device		
	nography/capnometry		
Prepares p	<u> </u>		•
	es appropriate PPE precautions		
Mar	nually opens airway		
Inse	erts adjunct (oropharyngeal or nasophary	ngeal airway)	
Ven	tilates patient at a rate of $10 - 12$ /minute	and sufficient volume to make	e chest rise
Atta	aches pulse oximeter and notes SpO <sub>2</sub>		
Pred	oxygenates patient		
	nsertion of supraglottic airway device		_
	ricates distal tip of the device		
	itions head properly		
	forms a tongue-jaw lift		
	erts device to proper depth		
	ures device in patient (inflates cuffs with	proper volumes and immediat	tely removes
	nge or secures strap)		
	itilates patient and confirms proper ventil		er insertion
	th) by auscultation bilaterally over lungs		1.1
	usts ventilation as necessary (ventilates t		ghtly
	ndraws tube until ventilation is optimized	·	1
	ifies proper tube placement by secondary	confirmation such as capnogi	capny,
	nometry, EDD or colorimetric device		
	ures device	while chapming compounts.	/aannamateri
ven	tilates patient at proper rate and volume	withe observing caphography/	сариониенту

and pulse oximeter

Affective		
Accepts evaluation and criticism profession	onally	
Shows willingness to learn		
Interacts with simulated patient and other	personnel in professional manner	
Actual Time Ended:		
	TOTAL	/50
Critical Criteria	and after taking DDE anagontions on interments	
ventilations when SpO <sub>2</sub> is less than 90% at	onds after taking PPE precautions or interrupts	
Failure to take or verbalize appropriate PPE	<u> </u>	
If used, suctions the patient for more than 10	•	
Failure to preoxygenate the patient prior to i	nsertion of the supraglottic airway device	
Failure to disconnect syringe <b>immediately</b> a	after inflating any cuff	
Failure to properly secure device in patient (		)
Failure to assure proper tube placement by a	nuscultation bilaterally and over the epigastrium	1
Failure to voice and ultimately provide high		
Failure to ventilate the patient at a rate of at		
Failure to provide adequate volumes per bre		
Insertion or use of any adjunct in a manner of		
<ul><li>Exhibits unacceptable affect with patient or</li><li>Failure to demonstrate the ability to manage</li></ul>	-	
Uses or orders a dangerous or inappropriate	* * *	
Failure to receive a total score of 38 or great		
	•	
Comments:		
STUDENT SELF-EVALUATION (The examinand docume	ner is to ask the student to reflect on his/her perfent his/her response to the following question:)	Formance
Were you successful or unsuccessful in this skill	? □ Successful □ Unsuccessful	



# NEEDLE CRICOTHYROTOMY (PERCUTANEOUS TRANSLARYNGEAL VENTILATION) SKILLS LAB

Student Na	me:	Date:	
	Evaluator:	Student Evaluator:	<del></del> .
msu uctor L	Signature	Student Evaluator.	Signature
		SCORING	
N/A	Not applicable for this patient		
0	Unsuccessful; required critical of	or excessive prompting; inconsistent; n	ot yet competent
1	Not yet competent, marginal or	inconsistent, this includes partial atten	npts
2	Successful; competent; no prom		
<b>Actual Tin</b>	ne Started:		SCORE
Selects, che	ecks, assembles equipment		
	gen source capable of 50 psi		
Oxy	gen tubing		
Maı	nual jet ventilator device (Y-conne	ector or push button device)	
Bag	y-valve-mask device		
Lar	ge bore IV catheter		
	- 20 mL syringe		
3.0	mm ET adapter		
Prepares p	oatient		
	es or verbalizes appropriate PPE p	precautions	
Plac	ces the patient supine and hyperex	tends the head/neck (neutral position i	f cervical
spin	ne injury is suspected), manages th	ne patient's airway with basic maneuve	ers and
supj	plemental oxygen		
Palp	pates neck locating the cricothyroi	d membrane (between the thyroid and	cricoid
cart	ilages)		
	needle cricothyrotomy		
	anse the insertion site with approp		
		igh cricothyroid membrane at midline	directing
	45° angle caudally		
	pirates syringe to confirm proper p		
	vances catheter while stabilizing n		
	noves needle and immediately dis		
		s ventilation (1 second for inflation, 2	
		nually triggered ventilation device, BV	VM)
	ures catheter		
		ngs to assess adequacy of ventilation	
	_	g for possible complications (subcutan	
emr	shysema hemorrhage hypoventils	ation equipment failure catheter kink	false

placement)

Affective		
Accepts evaluation and criticism professionally		
Shows willingness to learn		
Interacts with simulated patient and other personnel in professional manner		
Actual Time Ended:		
TOTAL	/44	
	,	
Critical Criteria Failure to take or verbalize appropriate PPE precautions		
Recaps contaminated needle or failure to dispose of syringe and needle in proper container		
Inability to assemble necessary equipment to perform procedure		
Failure to correctly locate the cricothyroid membrane		
Failure to properly cleanse site prior to needle insertion		
Incorrect insertion technique (directing the needle in a cephalad direction)		
Failure to assess adequacy of ventilation and for possible complications		
Failure to receive a total score of 34 or greater		
	1	
Comments:		
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)		
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful		



# National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

### CPAP AND PEEP SKILLS LAB FORM

Stude	nt Name:	Date:	
Instru	ctor Evaluator:	Student Evaluator:	
	Signature		Signature
SCORING			
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or exc	cessive prompting; inconsistent; n	not yet competent
1	Not yet competent, marginal or incompetent incompetent, marginal or incompetent incompeten	nsistent, this includes partial atten	npts
2	Successful; competent; no prompting	g necessary	
_	Buccessiui, competent, no prompting	5 necessary	

Actual Time Started:	SCORE
Prepares patient	
Takes or verbalizes appropriate PPE precautions	
Assures adequate blood pressure	
Positions patient in a position that will optimize ease of ventilation (high Fowler's)	
Assesses patient to identify indications for CPAP:	
Congestive heart failure	
Pulmonary edema	
Asthma	
Pneumonia	
COPD	
Assesses patient to identify contraindications for CPAP:	
Unconscious, unresponsive, inability to protect airway or inability to speak	
Inability to sit up	
Respiratory arrest or agonal respirations	
Nausea/vomiting	
Hypotension (systolic blood pressure < 90 mmHg)	
Suspected pneumothorax	
Cardiogenic shock	
Penetrating chest trauma	
Facial anomalies/trauma/burns	
Closed head injury	
Active upper GI bleeding or history of recent gastric surgery	
Selects, checks, assembles equipment	
Assembles mask and tubing according to manufacturer instructions	
Coaches patient how to breathe through mask	
Connects CPAP unit to suitable O <sub>2</sub> supply and attaches breathing circuit to device (not	
using oxygen regulator or flow meter)	
Turns on power/oxygen	
Sets device parameters:	
Turns the rate (frequency) dial to $8 - 12$ per minute (based on local protocols)	
Turns the oxygen concentration dial to the lowest setting (28 – 29% oxygen)	
Titrates oxygen concentration to achieve an SpO <sub>2</sub> > 94%	
Sets tidal volume to 10 – 12 mL/kg (based on local protocols)	
Sets pressure relief valve at $\pm$ 4 cm/H <sub>2</sub> O (based on local protocols)	
Occludes tubing to test for peak pressure required to activate pressure relief	
valve and adjusts as necessary	

Performs procedure	
Places mask over mouth and nose (leaves EtCO <sub>2</sub> nasal cannula in place)	
Titrates CPAP pressure (based on local protocols/device dependent):	
Max 5 cm H <sub>2</sub> O for bronchospasm	
Max 10 cm H <sub>2</sub> O for CHF, pulmonary edema and pneumonia	
Max 5 cm H <sub>2</sub> O for pediatric patients	
Coaches patient to breathe normally and adjust to air pressure	
Frequently reassesses patient for desired effects:	
Decreased ventilatory distress	
$SpO_2 > 94\%$	
Decreased adventitious lungs sounds	
Absence of complications (barotrauma and pneumothorax)	
Records settings/readings and documents appropriately	
Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
TOTAL	/0.4
TOTAL	/84
<ul> <li>Failure to identify 2 potential complications</li> <li>Failure to frequently reassess the patient after application of the CPAP device</li> <li>Failure to ensure that the patient understands the procedure</li> <li>Failure to set the proper parameters for the device (pressure relief, tidal volume, oxygen concentration, rate, etc.)</li> <li>Failure to test the pressure relief valve prior to application</li> <li>Exhibits unacceptable affect with patient or other personnel</li> <li>Failure to receive a total score of 64 or greater</li> </ul>	
Comments:	
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performed and document his/her response to the following question:)  Were you successful or unsuccessful in this skill? □ Successful □ Unsuccessful	ormance



### TRAUMA ADULT PHYSICAL ASSESSMENT SKILLS LAB

Student Na	me: Date:	
Instructor E	Evaluator: Student Evaluator:	
	Signature Signature	
	SCORING	
N/A	Not applicable for this patient	
0	Unsuccessful; required critical or excessive prompting; inconsistent; not yet compe	tent
1	Not yet competent, marginal or inconsistent, this includes partial attempts	
2	Successful; competent; no prompting necessary	
<b>Actual Tin</b>	ne Started:	SCORE
Scene size-	up	
Safe	ety	
	Takes appropriate PPE precautions – gloves, gown, goggles, vest, helmet	
	Hazards – chemical, thermal, atmospheric, electrical, weapons	
	Environment – bystanders, hostile, ambient temperature, adequate space,	
	day/night	
Nur	nber of patients and location	
Add	litional resources – Hazmat, heavy rescue, power company, bystanders, historians,	
	nedical	
	ermines mechanism of injury – height of fall, intrusion, ejection, vehicle telemetry	
data		
	essment and management	
	ins spinal precautions if indicated	
Priı	mary survey/resuscitation	
	General impression – patient appearance	
	Estimates age, gender and weight of patient	
	Manages any gross visible hemorrhage – direct pressure, tourniquet	
	Level of responsiveness	
	Awake and oriented	
	Response to verbal stimuli	
	Opens eyes	
	Follows simple commands	
	Response to painful stimuli	
	Acknowledges presence of stimuli	
	Responds to irritation stimuli	
	Unresponsive	
	Airway	
	Assesses airway – position, obstructions	
	Manages airway as appropriate – suction, adjunct, modified jaw thrust	
	Breathing	
	Exposes the chest and inspects for injuries	
	Palpates for instability that impairs breathing – sternum and ribs	
	Auscultates lung sounds – presence, clarity, abnormal sounds	
	Notes minute volume – rate, tidal volume and equal chest rise and fall	
	Manages any injury compromising ventilations	
	Administers oxygen or ventilates with appropriate device – BVM, NRB	

Circulation	
Pulse	
Presence, rate, quality	
Skin	
Color, moisture, temperature	
Capillary refill	
Removes patient's clothing	
Performs a rapid, full-body sweep for major hemorrhage or other life-	
threatening injuries	
Controls major hemorrhage when found	
Manages life-threatening injuries if necessary	
Disability	
GCS – calculates score	
Pupils – size, equality, reactivity to light	
Transport decision	ı
Critical – begins immediate packaging for transport	
Non-critical – continued assessment on scene	
Vital signs	
Blood pressure	
Pulse	
Respirations	
$\mathrm{SpO}_2$	
Pain – if appropriate	
Secondary assessment	
Obtains an oral history – pertinent to situation	
History of the present illness/injury	II.
SAMPLE – signs/symptoms; allergies; medications; past medical	
history; last meal; events leading up to injury	
OPQRST – onset; provocation; quality; region/radiation; severity;	
timing	
Head and Neck	
Immobilization as necessary	
Interviews for pain, inspects and palpates	
Scalp/skull	
Facial bones	
Jaw	
Eyes – PERLA	
Mouth	
Ears	
Nose	
Neck	
Trachea	
Jugular vein status	
Cervical spine processes	
Manages wounds or splints/supports fractures	
Chest	
Inspects	
Palpates	
Auscultates – credit awarded if already performed in Primary survey	

Manages any wound not previously treated	
Abdomen and pelvis	
Inspects	
Assesses pelvic stability	
Manages any wound not previously treated	
Lower extremities	
Inspects and palpates	
Assess distal function – pulse, motor, sensory, perfusion	
Manages wounds or splints/supports fractures	
Upper extremities	
Inspects and palpates	
Assesses distal function – pulse, motor, sensory, perfusion	
Manages wounds or splints/supports fractures	
Posterior thorax, lumbar and buttocks	
Inspects and palpates posterior thorax	
Inspects and palpates lumbar and buttocks	
Transportation decision	
Verbalizes destination decision	
Other assessments and interventions	
Utilizes proper diagnostic tools at the appropriate time – ECG, glucometer,	
capnography	
Performs appropriate treatment at the correct time – IVs, splinting, bandaging	
Affective	
Explains verbally the use of team members appropriately	
Accepts evaluation and criticism professionally	
Shows willingness to learn  Interests with simulated nations and other personnel in professional manner	
Interacts with simulated patient and other personnel in professional manner  Actual Time Ended:	
Actual Time Ended:	
TOTAL	/152
Critical Criteria	
<ul><li>Failure to recognize life-threatening injuries</li><li>Failure to take or verbalize appropriate PPE precautions</li></ul>	
11 1	
Failure to provide spinal precautions according to scenario	
Failure to assess or appropriately manage problems associated with airway, breathing,	
hemorrhage or shock	
Failure to perform primary survey/management prior to secondary assessment/management	,
Failure to attempt to determine the mechanism of injury	
Failure to assess, manage and package a critical patient within 10 minutes	
Failure to manage the patient as a competent EMT	
Exhibits unacceptable affect with patient or other personnel	
Uses or orders a dangerous or inappropriate intervention	
Failure to receive a total score of 116 or greater	
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her perf	formance
and document his/her response to the following question:)	
Were you successful or unsuccessful in this skill?   Successful	
☐ Unsuccessful	

This page is intentionally blank.



	TRAUMA ENDOTRACHEAL INTU	BATION ADULT SKILLS LAB	
Student Na	ne:	Date:	
Instructor E		Student Evaluator:	
	Signature	Signature	
	SCORIN	NG	
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or excessive		etent
1	Not yet competent, marginal or inconsisten		
2	Successful; competent; no prompting neces	ssary	
Actual Tim	ne Started:		SCORE
Selects, che	ecks, assembles equipment		
BVI	M with mask and reservoir		
Oxy	gen		
	vay adjuncts		
	tion unit with appropriate catheters		
	ngoscope and blades		
	tube and stylette		
	nography/capnometry		
Prepares p			
	es appropriate PPE precautions		
	nually maintains in-line immobilization and o	opens airway using jaw thrust	
	euver	1 ::	
	rts adjunct (oropharyngeal or nasopharyngea tilates patient at a rate of 10 – 12/minute and		_
	ches pulse oximeter and evaluates $SpO_2$ read		-
	expressions oximeter and evaluates $SpO_2$ readoxygenates patient	mig	
Performs in	1		
	ntains head in neutral, in-line position		
	rts laryngoscope blade and displaces tongue		
	vates mandible with laryngoscope		
	rts ET tube and advances to proper depth		
	ates cuff to proper pressure and immediately	removes syringe	
Ven	tilates patient and confirms proper tube place	ement by auscultation bilaterally over	
	s and over epigastrium		
	fies proper tube placement by secondary cor	nfirmation such as capnography,	
	nometry, EDD or colorimetric device		
	esses for hypoxia during intubation attempt		
	ures ET tube		_
	tilates patient at proper rate and volume while	le observing capnography/capnometry	
	pulse oximeter		
Affective	onto evaluation and opiticions profession = 11-		
	epts evaluation and criticism professionally		+
	ws willingness to learn racts with simulated patient and other person	nal in professional manner	+
Actual Tim		mei in professional mannet	_1
Alcuai IIII	Linucu.		
		TOTAL	/52

Critical Criteria
Failure to initiate ventilations within 30 seconds after taking PPE precautions or interrupts
ventilations when SpO <sub>2</sub> is less than 90% at any time
Failure to take or verbalize appropriate PPE precautions
If used, suctions the patient for more than 10 seconds
Failure to preoxygenate patient prior to intubation
If used, stylette extends beyond end of ET tube
Failure to disconnect syringe <b>immediately</b> after inflating cuff of ET tube
Uses teeth as a fulcrum
Failure to assure proper tube placement by auscultation bilaterally <b>and</b> over the epigastrium
Failure to voice and ultimately provide high oxygen concentration [at least 85%]
Failure to ventilate the patient at a rate of at least 10/minute and no more than 12/minute
Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
Insertion or use of any adjunct in a manner dangerous to the patient
Failure to assure that the head is in a neutral, in-line position throughout
Uses or orders a dangerous or inappropriate intervention
Failure to demonstrate the ability to manage the patient as a minimally competent EMT
Exhibits unacceptable affect with patient or other personnel
Failure to receive a total score of 40 or greater
Comments:
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



### PLEURAL DECOMPRESSION (NEEDLE THORACOSTOMY) SKILLS LAB

Student Nar	ne:	Date:	
Instructor Evaluator: Student Evaluator:			
Signature Signature			
		SCORING	
N/A	Not applic	eable for this patient	
0		sful; required critical or excessive prompting; inconsistent; not yet compe	etent
1	Not yet co.	empetent, marginal or inconsistent, this includes partial attempts	
2		l; competent; no prompting necessary	
<b>Actual Tim</b>	e Started:		SCORE
Manages the	e patient's a	airway with basic maneuvers and supplemental oxygen; intubates as	
necessary			
Appropriate	ly recognize	es signs of tension pneumothorax	
		bles equipment	
14 –	16 ga. X 2	inch over-the-needle catheter (adult) or	
		$\frac{1}{2}$ – 2 inch over-the-needle catheter (pediatric)	
10 n	nL syringe		
4x4s	S		
Anti	septic solut	ion	
Таре	9		
Prepares pa			
		izes appropriate PPE precautions	
		est locating the second or third intercostal space on the midclavicular	
line	(the second	rib joins the sternum at the angle of Louis, the second intercostal	
		between 2 <sup>nd</sup> & 3 <sup>rd</sup> ribs while the third intercostal space is between 3 <sup>rd</sup>	
	<sup>h</sup> ribs)		
	-	es the insertion site with appropriate solution	
Performs n			
		site of insertion and directs the needle over the top of the rib on the	
	clavicular li		
		sh of air or watches for plunger in syringe to withdraw and aspirates air	
		e/syringe leaving only the catheter in place	
		needle in proper container	
		atheter hub with 4x4s and tape	
		quacy of ventilation, lung sounds, blood pressure and pulse for	
	rovement in	patient condition	
Affective	4 1 4	in and midistrum on Considerable	
	_	cion and criticism professionally	
	ws willingno		
		mulated patient and other personnel in professional manner	<u> </u>
<b>Actual Tim</b>	E LIUCU: _	<del></del>	
		TOTAL	/38

Critical Criteria
Failure to take or verbalize appropriate PPE precautions
Failure to dispose of the needle in proper container
Failure to correctly locate the site for insertion
Failure to properly cleanse site prior to needle insertion
Incorrect procedure relating to needle insertion (inserting below the rib, incorrect anatomical
location, etc.)
Failure to assess the need for needle decompression (diminished or absent breath sounds, signs of
hemodynamic compromise, etc.)
Failure to reassess patient condition following procedure
Failure to receive a total score of 30 or greater
Comments:
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



### SPINAL IMMOBILIZATION ADULT (SUPINE PATIENT) SKILLS LAB

Student Nar	ne:		Date:		
Instructor E			Student Evaluator:		
msu uctor E	valuator.	Signature	Student Evaluator.	Signature	
		SCOR	ING		
N/A	Not applicable for				
0	Unsuccessful; requ	uired critical or excess	ive prompting; incon	sistent; not yet compe	etent
1		, marginal or inconsist			
2	Successful; compe	etent; no prompting neo	cessary		
Actual Tim	e Started:				SCORE
	cks, assembles equ	 inment			SCORE
		ion device with straps			
	vical collar	ion device with straps			
		mercial or improvised	)		
	ling material	mercial of improvised	/		
Immobilize					
		ropriate PPE precautio	ns		
	1.1	e/maintain head in the		ion	
		ntain manual stabilizat			
Assı	res that patient is a	reliable historian (sen	sorium not currently	altered by drugs or	
alcol	hol; no recent loss o	of consciousness)	·		
Asse	esses motor, sensory	and circulatory funct	ions in each extremit	y	
App	lies appropriately si	zed extrication collar			
Posi	tions the immobiliz	ation device appropria	tely		
		e patient onto the devi	ce without compromi	ising the integrity of	
	spine	s between the torso an	d the device as neces	Corv	
	ires the patient's tor		d the device as neces	58a1 y	
		nd the patient's head a	ne necessary		
		's head to the device	is necessary		
	ires the patient's leg				
	res the patient's arr				
	1	ory and circulatory fun	ction in each extremi	itv	
Affective		<u></u>			
	epts evaluation and	criticism professionall	V		
	ws willingness to le		•		
		patient and other pers	onnel in professional	l manner	
<b>Actual Tim</b>			•		<b>L</b>
				TOTAL	/44

© 2015 National Registry of Emergency Medical Technicians, Inc., Columbus, OH All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.

Critical Criteria	
Did not immediately direct or take manual stabilization of the head	
Did not properly apply appropriately sized cervical collar before ordering release of manual	
stabilization	
Released or ordered release of manual stabilization before it was maintained mechanically	
Manipulated or moved the patient excessively causing potential for spinal compromise	
Head immobilized to the device <b>before</b> patient's torso sufficiently secured to the device	
Patient moves excessively up, down, left or right on the device	
Head immobilization allows for excessive movement	
Upon completion of immobilization, head is not in a neutral, in-line position	
Did not reassess motor, sensory and circulatory functions in each extremity after securing the patie	nt
to the device	
Failure to receive a total score of 34 or greater	
Comments:	
Comments:	
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)	e
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful	



### SPINAL IMMOBILIZATION ADULT (SEATED PATIENT) SKILLS LAB

Student Nar	me:		Date:		
Instructor E	valuator:		Student Evaluator:		
mstructor L	variation.	Signature	Student Evaluator.	Signature	
		SCOR	RING		
N/A	Not applicable				
0	Unsuccessful; r	equired critical or excess	ive prompting; incon	sistent; not yet compe	etent
1		ent, marginal or inconsist			
2		npetent; no prompting ne		•	
<b>Actual Tim</b>	e Started:				SCORE
	ecks, assembles o				
		ization device with straps			
	vical collar				
	ding material				
Immobilize	_				
		appropriate PPE precaution			
		lace/maintain head in the	· · · · · · · · · · · · · · · · · · ·	ion	
		naintain manual stabilizat			
	-	s a reliable historian (sen	sorium not currently	altered by drugs or	
	· · · · · · · · · · · · · · · · · · ·	ss of consciousness)			
		ory and circulatory funct	ions in each extremit	У	
		y sized extrication collar			
		ilization device appropria	tely		
		the patient's torso			
		ion and adjusts as necessa	•		
		ehind the patient's head a	as necessary		
		head to the device			
		res adequate immobilizat			
		nsory and circulatory fun		nity	
		ent onto a long backboard			
	eases/loosens leg				
		e long backboard			
	ssesses motor, se	nsory and circulatory fun	ction in each extremi	ity	
Affective					
	-	nd criticism professionall	У		
	ws willingness to				
		ted patient and other pers	sonnel in professional	l manner	
<b>Actual Tim</b>	e Ended:				
				TOTAL	/46

© 2015 National Registry of Emergency Medical Technicians, Inc., Columbus, OH All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.

Critical Criteria
Did not immediately direct or take manual stabilization of the head
Did not properly apply appropriately sized cervical collar before ordering release of manual
stabilization
Released or ordered release of manual stabilization before it was maintained mechanically
Manipulated or moved the patient excessively causing potential for spinal compromise
Head immobilized to the device <b>before</b> device sufficiently secured to torso
Device moves excessively up, down, left or right on the patient's torso
Head immobilization allows for excessive movement
Torso fixation inhibits chest rise, resulting in respiratory compromise
Upon completion of immobilization, head is not in a neutral, in-line position
Did not reassess motor, sensory and circulatory functions in each extremity after securing the patient
to the device and to the long backboard
Failure to receive a total score of 36 or greater
Comments:
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



#### JOINT SPLINTING SKILLS LAB

Student Na	me:		Date:		
Instructor E	Evaluator:		Student Evaluator:		
	Evaluator:Signature		Sign Sign Sign Sign Sign Sign Sign Sign	nature	_
		SCC	ORING		
N/A	Not applicable for this patie				
0			ssive prompting; inconsistent; not yet	competent	
1			istent, this includes partial attempts		
2	Successful; competent; no	prompting r	necessary		
Actual Tim	ne Started:			SCOR	E
Selects, che	ecks, assembles equipment			1	
Cra					
Roll	ler gauze				
	nting material				
Pad	ding material				
Splints joir					
	es or verbalizes appropriate I				
	ects application of manual sta				
			ections in the injured extremity		
	ects appropriate splinting mat				
	nobilizes the site of the injury		as necessary		
	nobilizes the bone above the				
	nobilizes the bone below the	<u> </u>			
	ures the entire injured extrem		unations in the injured systemity		
Affective	ssesses motor, sensory and c	irculatory it	unctions in the injured extremity		
	epts evaluation and criticism	profession	ally		
	ws willingness to learn	profession	uny		
		and other pe	ersonnel in professional manner		
Actual Tin	1	r -	F	L	
			TO	<b>ΓAL</b> /3	32
Critical Cr	riteria				
	ot immediately stabilize the e	xtremity ma	anually		
	y moves the injured extremit	•	,		
Did no	ot immobilize the bones abov	e and belov	v the injury site		
Did no	ot reassess motor, sensory and	d circulator	y functions in the injured extremity be	fore and after	•
splinti	_				
	· ·	• •	on completion of immobilization		
Failure	e to receive a total score of 24	4 or greater			
				_	
STUDENT			r is to ask the student to reflect on his/h t his/her response to the following ques	-	e
Were you s	uccessful or unsuccessful in	this skill?	☐ Successful☐ Unsuccessful		

This page is intentionally blank.



### LONG BONE SPLINTING SKILLS LAB

Student Nar	ne: Date:	
Instructor E	valuator: Student Evaluator:	
Signature Signature		
	SCORING	
N/A	Not applicable for this patient	
0	Unsuccessful; required critical or excessive prompting; inconsistent; not yet compe	tent
1	Not yet competent, marginal or inconsistent, this includes partial attempts	
2	Successful; competent; no prompting necessary	
Actual Tim	ne Started:	SCORE
	ecks, assembles equipment	500112
Crav		
Roll	er gauze	
Spli	nting material	
Pado	ding material	
Splints long	g bone	
Take	es or verbalizes appropriate PPE precautions	
	ects application of manual stabilization of the injury	
Asse	esses motor, sensory and circulatory functions in the injured extremity	
Mea	sures the splint	
	lies the splint and pads as necessary	
Imm	nobilizes the joint above the injury site	
	nobilizes the joint below the injury site	
	ares the entire injured extremity	
	nobilizes the hand/foot in the position of function	
	ssesses motor, sensory and circulatory functions in the injured extremity	
Affective		
	epts evaluation and criticism professionally	
	ws willingness to learn	
	racts with simulated patient and other personnel in professional manner	
<b>Actual Tim</b>	e Ended:	
	TOTAL	/34
Critical Cr	iteria	
Did no	t immediately stabilize the extremity manually	
	y moves the injured extremity	
	t immobilize the joint above and the joint below the injury site	
	t immobilize the hand or foot in a position of function	
	t reassess motor, sensory and circulatory functions in the injured extremity before a	nd after
splintii	- <del></del>	
	t secure the entire injured extremity upon completion of immobilization	
Failure	e to receive a total score of 26 or greater	

Comments:
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



### TRACTION SPLINTING SKILLS LAB

Student Na	me: Date:		
Instructor Evaluator: Student Evaluator:			
	Signature Signature		
	SCORING		
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or excessive prompting; inconsistent; not yet compe	etent	
1	Not yet competent, marginal or inconsistent, this includes partial attempts		
2	Successful; competent; no prompting necessary		
Actual Tim	o Stantada	SCORE	
	ecks, assembles equipment	SCORE	
	etion splint with all associated equipment (ankle hitch, straps, etc.)		
	ding material		
Splints fem			
_	es or verbalizes appropriate PPE precautions		
	cts application of manual stabilization of the injured leg (not necessary when		
	g a unipolar device [Sagar <sup>®</sup> or similar] that is immediately available)		
	cts application of manual traction (not necessary when using a unipolar device,		
	must be applied before elevating the leg if the leg is elevated at all)		
Asse	esses motor, sensory and distal circulation in the injured extremity		
Prep	pares/adjusts the splint to proper length		
Posi	tions the splint at the injured leg		
App	lies proximal securing device (e.g., ischial strap)		
	lies distal securing device (e.g., ankle hitch)		
	lies appropriate mechanical traction		
	tions/secures support straps		
	evaluates proximal/distal securing devices		
	ssesses motor, sensory and circulatory functions in the injured extremity		
	ares patient to the long backboard to immobilize the hip		
	ares the traction splint/legs to the long backboard to prevent movement of the		
splii	nt		
Affective			
	epts evaluation and criticism professionally		
	ws willingness to learn		
Actual Tim	racts with simulated patient and other personnel in professional manner		
Actual IIII	e Ended:		
	TOTAL	/38	
Critical Cr	itoria		
	f traction at any point after it is assumed or applies inadequate traction		
	to apply manual traction before elevating the leg		
	t reassess motor, sensory and circulatory functions in the injured extremity <b>after</b> spl	inting	
	ot is excessively rotated or extended after splinting	J	
	mmobilization failed to support the femur or prevent rotation of the injured leg		
Failure to receive a total score of 30 or greater			

Comments:
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance
and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful
□ Unsuccessful



### HEMORRHAGE CONTROL SKILLS LAB

Student Nar	me:	Date:			
Instructor E	valuator:	Student Evaluator:			
	Signature	Signature			
	SC	CORING			
N/A	Not applicable for this patient				
0	Unsuccessful; required critical or exc	cessive prompting; inconsistent; not yet comp	etent		
1	Not yet competent, marginal or incompetent	nsistent, this includes partial attempts			
2					
	Actual Time Started:				
	cks, assembles equipment				
Field	d dressings (various sizes)				
Klin	g <sup>®</sup> , Kerlix <sup>®</sup> , etc.				
	dages (various sizes)				
Tou	rniquet (commercial or improvised)				
Controls he					
Take	es or verbalizes appropriate PPE preca	utions			
App	lies direct pressure to the wound				
Band	dages the wound				
App	lies tourniquet				
Prop	perly positions the patient				
Adn	ninisters high concentration oxygen				
	ates steps to prevent heat loss from the				
	cates the need for immediate transport	ation			
Affective					
	epts evaluation and criticism profession	onally			
	ws willingness to learn				
Interacts with simulated patient and other personnel in professional manner					
Actual Time Ended:					
		TOTAL	/30		
		101712	750		
Critical Cr					
	to take or verbalize appropriate PPE to take or verbalize appropriate appropriate PPE to take or verbalize appropriate appropriate PPE to take or verbalize appropriate appropri				
	t administer high concentration oxyge t control hemorrhage using correct pro				
	t indicate the need for immediate trans	•			
	to receive a total score of 24 or greate	-			
Panule to receive a total score of 24 of greater					
STUDENT		er is to ask the student to reflect on his/her pent his/her response to the following question:			
Were you su	Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful				

This page is intentionally blank.



### MEDICAL AND CARDIAC PHYSICAL ASSESSMENT SKILLS LAB

	MIEDICAL AND CA	ANDIAC FILISICAL ASSESSMENT SKILLS LAB			
Student Name: Date:					
Instructor Evaluator:		Student Evaluator:			
Signature		nature Signature			
		SCORING			
N/A	Not applicable for this	patient			
0		critical or excessive prompting; inconsistent; not yet comp	petent		
1		ginal or inconsistent, this includes partial attempts			
2	Successful; competent;	no prompting necessary			
Actual Tim	e Started:		SCORE		
Scene size-	_				
Safe	•				
		E precautions – gloves, gown, goggles, vest, helmet			
		thermal, atmospheric, electrical, weapons			
		nders, hostile, ambient temperature, adequate space,			
		ne to sudden behavior change			
Nun	ber of patients and locat				
		scene – medication bottles, chemical containers,			
	syringes, illicit drug j				
		nat, heavy rescue, law enforcement, bystanders, historians,			
	nedical	C 11			
	re of illness – determine				
	essment and manageme				
•	ins spinal precautions if				
Prin	nary survey/resuscitation	on en			
	General impression		_		
		rance – posture, position, obvious distress, incontinence,			
vomiting, odors, pain					
		, gender and weight of patient			
		gross visible hemorrhage – direct pressure, tourniquet			
	Level of response				
		e and oriented			
	Respo	nse to verbal stimuli			
		Opens eyes			
	D	Follows simple commands			
	Respo	nds to painful stimuli			
		Acknowledges presence of stimuli			
	TT	Responds to irritation stimuli			
	Unresponsive				
	Airway	on modition abotestions			
	Assesses airw	ray – position, obstructions	i		

Manages airway as appropriate – suction, adjunct, modified jaw thrust

Notes minute volume – rate, tidal volume and equal chest rise and fall

Auscultates lung sounds – presence, clarity, abnormal sounds

Exposes the chest and inspects for injuries

**Breathing** 

Manages any injury compromising ventilations Administers oxygen or ventilates with appropriate device – BVM, NRB  Circulation Pulse  Presence, rate, quality Skin  Color, moisture, temperature Turgor, edema Capillary refill Disability  GCS – calculates score Pupils – size, equality, reactivity to light Chief complaint Determines chief complaint Transport decision Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Circulation Pulse  Presence, rate, quality  Skin  Color, moisture, temperature  Turgor, edema Capillary refill  Disability  GCS – calculates score Pupils – size, equality, reactivity to light  Chief complaint  Transport decision  Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Puse Presence, rate, quality  Skin  Color, moisture, temperature Turgor, edema Capillary refill  Disability  GCS – calculates score Pupils – size, equality, reactivity to light Chief complaint Determines chief complaint  Transport decision  Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Presence, rate, quality  Skin  Color, moisture, temperature  Turgor, edema Capillary refill  Disability  GCS – calculates score Pupils – size, equality, reactivity to light Chief complaint  Determines chief complaint  Transport decision  Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Skin  Color, moisture, temperature  Turgor, edema Capillary refill  Disability  GCS – calculates score Pupils – size, equality, reactivity to light Chief complaint Determines chief complaint Transport decision Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Color, moisture, temperature  Turgor, edema Capillary refill  Disability  GCS – calculates score Pupils – size, equality, reactivity to light Chief complaint Determines chief complaint  Transport decision Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO2 Pain – if appropriate
Turgor, edema Capillary refill  Disability  GCS – calculates score Pupils – size, equality, reactivity to light Chief complaint Determines chief complaint  Transport decision Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Capillary refill  Disability  GCS – calculates score  Pupils – size, equality, reactivity to light  Chief complaint  Determines chief complaint  Transport decision  Critical – begins immediate packaging for transport or resuscitation  Non-critical – continued assessment on scene  Vital signs  Blood pressure  Pulse  Respirations  SpO <sub>2</sub> Pain – if appropriate
Disability  GCS – calculates score Pupils – size, equality, reactivity to light Chief complaint  Determines chief complaint  Transport decision  Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
GCS – calculates score Pupils – size, equality, reactivity to light Chief complaint  Determines chief complaint  Transport decision  Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Pupils – size, equality, reactivity to light Chief complaint  Determines chief complaint  Transport decision  Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Chief complaint  Determines chief complaint  Transport decision  Critical – begins immediate packaging for transport or resuscitation  Non-critical – continued assessment on scene  Vital signs  Blood pressure  Pulse  Respirations  SpO <sub>2</sub> Pain – if appropriate
Determines chief complaint Transport decision  Critical – begins immediate packaging for transport or resuscitation Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Transport decision  Critical – begins immediate packaging for transport or resuscitation  Non-critical – continued assessment on scene  Vital signs  Blood pressure  Pulse  Respirations  SpO <sub>2</sub> Pain – if appropriate
Critical – begins immediate packaging for transport or resuscitation  Non-critical – continued assessment on scene  Vital signs  Blood pressure  Pulse  Respirations  SpO <sub>2</sub> Pain – if appropriate
Non-critical – continued assessment on scene  Vital signs  Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Wital signs  Blood pressure  Pulse  Respirations  SpO <sub>2</sub> Pain – if appropriate
Blood pressure Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Pulse Respirations SpO <sub>2</sub> Pain – if appropriate
Respirations SpO <sub>2</sub> Pain – if appropriate
SpO <sub>2</sub> Pain – if appropriate
Pain – if appropriate
<b>Secondary assessment</b> – performs secondary physical examination and assesses affected body
part(s) or system(s)
Obtains an oral history – pertinent to situation
History of the present illness
SAMPLE – signs/symptoms; allergies; medications; past medical
history; last meal; events leading up to injury
OPQRST – onset; provocation; quality; region/radiation; severity;
timing
Head and Neck
Immobilization as necessary
Interviews for pain, recent trauma, events
Inspects and palpates
Scalp/skull
Facial bones
Facial muscles – symmetry
Jaw
Eyes – PERLA, pupil size, ocular movements, visual acuity, position of
eyes
Mouth – assess tongue, says "Ah," color of palate
Ears – aligns to open canal, discharge
Nose – discharge, obstruction, nasal flaring
Neck – lumps, hard nodules
Trachea – checks for stoma
Jugular vein status
Cervical spine processes

Chest and cardiovascular	
Interviews patient – pain, history, current medications	
Inspects – rate, rhythm, depth, symmetry, effort of breathing, color,	
scars, lumps	
Palpates – tenderness, lumps	
Auscultates – vesicular, bronchial, bronchovesicular breath sounds in	
proper locations anteriorly and posteriorly, notes adventitious breath	
sounds	
Percussion – symmetry of sounds	
Oxygenation/ventilation – adjusts oxygen flow, changes adjunct	
accordingly, administers appropriate respiratory medications	
Auscultates heart sounds $-S_1$ , $S_2$	
Cardiac management – monitor/12-lead ECG, medications	
Abdomen and pelvis	
Interviews patient – location, type of pain, duration, events leading up	
to current complaint, food or products ingested	
Inspects – scars, distention, pulsations, color, including flanks and	
posterior	
Auscultation – bowel sounds	
Palpation – guarding, tenderness with cough or increasing pressure,	
pulsations, rigidity	
Assesses pelvic stability	
Extremities	
Interviews patient – location, type of pain, duration, events	
Arms – pulses, edema, capillary refill, grip strength, drift	
Legs – pulses, edema, pressure sores, extension/contraction of legs/feet	
Manages wounds or splints/supports fractures	
Mental status examination	
Appearance – dress, eye contact, posture, depression, violence, facial	
grimaces, actions, mannerisms	
Speech – spontaneous, slow/fast, volume, clarity, appropriate	
Mood – depressed, euphoric, manic, anxious, angry, agitated, fearful,	
guilty	
Thoughts – racing, hallucinations, delusions, suicidal, unconnected,	
disturbed, homicidal	
Neurological	
Interviews patient – pain, paralysis; location, duration, events leading	
up to, changes over time, past medical history, medications	
Stroke scale – facial droop, arm drift, abnormal speech	
Motor system – posturing, involuntary movements, strength,	
coordination, flaccid, seizures, gait	
Transportation decision	
Verbalizes destination decision	
Other assessments and interventions	
Utilizes proper diagnostic tools at the appropriate time – ECG, glucometer,	
capnography	
Performs appropriate treatment at the correct time – IVs, oxygenation/ventilation,	·
medication administration	

Affective	
Explains verbally the use of team members appropriately	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
TOTAL	/172
Critical Criteria	
Failure to recognize life-threatening injuries	
Failure to take or verbalize appropriate PPE precautions	
Failure to provide spinal precautions according to scenario	
Failure to assess or appropriately manage problems associated with airway, breathing, card	iac
rhythm, hemorrhage or shock	
Failure to perform primary survey/management prior to secondary assessment/management	ţ
Failure to attempt to determine the mechanism of injury	
Failure to properly assess, manage and package a critical patient within 10 minutes	
Failure to manage the patient as a competent EMT	
Exhibits unacceptable affect with patient or other personnel	
Uses or orders a dangerous or inappropriate intervention	
Failure to receive a total score of 130 or greater	
Comments:	
Comments.	
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her per and document his/her response to the following question:)	formance
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful	



### National Registry of Emergency Medical Technicians® Paramedic Psychomotor Competency Portfolio Manual

### INTRAVENOUS THERAPY SKILLS LAB

Student Na	me: Date:				
Instructor E	valuator: Student Evaluator:				
Signature		Signature			
	SCORING				
N/A	Not applicable for this patient				
0	Unsuccessful; required critical or excessive prompting; inconsistent; not ye	et competent			
1	Not yet competent, marginal or inconsistent, this includes partial attempts	•			
2	Successful; competent; no prompting necessary				
Actual Tim	ne Started:	SCORE			
Clearly exp	lains procedure to patient				
	cks, assembles equipment				
	olution				
Adn	ninistration set				
Catl	neter				
Sha	ps container				
Uni	versal start kit (antiseptic swabs, gauze pads, venous tourniquet, occlusive				
band	lage, antibiotic gel, syringe, etc.)				
Spikes bag					
Che	cks solution for:				
	Proper solution				
	Clarity or particulate matter				
	Expiration date				
	Protective covers on tail ports				
Che	cks administration set for:				
	Drip rating				
	Tangled tubing				
	Protective covers on both ends				
	Flow clamp up almost to drip chamber and closed				
	noves protective cover on drip chamber while maintaining sterility				
	noves protective cover on IV bag tail port while maintaining sterility				
	rts IV tubing spike into IV solution bag tail port by twisting and pushing unt	il			
	r seal is punctured while maintaining sterility				
	ns IV bag upright				
	eezes drip chamber and fills half-way				
	ns on flow and bleeds line of all air while maintaining sterility				
	ts flow off after assuring that all large air bubbles have been purged				
	enipuncture				
	rs sufficient tape to secure IV				
	ns antiseptic swabs, gauze pads, occlusive dressing				
	es appropriate PPE precautions				
	tifies appropriate potential site for cannulation				
	lies tourniquet properly				
	ates and identifies suitable vein				
	anses site, starting from the center and moving outward in a circular motion				
Ken	noves IV needle and catheter from package and while maintaining sterility				

Inspects for burrs	
Loosens catheter hub with twisting motion	
Stabilizes the vein and extremity by grasping and stretching skin while maintaining	
sterility	
Warns patient to expect to feel the needle stick	
Inserts stylette with bevel up at appropriate angle (35 – 45°) while maintaining	
sterility	
Feels "pop" as stylette enters vein and observes dark, red blood in flash chamber	
Lowers stylette and inserts an additional $1/8 - 1/4$ "	
Stabilizes stylette and slides catheter off of stylette until hub touches skin	
Palpates skin just distal to tip of catheter and applies pressure to occlude vein	
Removes stylette and immediately disposes in sharps container	
Attaches syringe and draws venous blood sample if ordered while maintaining sterility	
Removes protective cap from IV tubing and attaches to hub of catheter while	
maintaining sterility	
Releases tourniquet	
Opens flow clamp and runs for a brief period to assure a patent line	
Secures catheter and IV tubing to patient	
Adjusts flow rate as appropriate	
Assesses site for signs of infiltration, irritation	
Assesses patient for therapeutic response or signs of untoward reactions	
Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
Actual Time Ended:	/100
Actual Time Ended: TOTAL	/100
Actual Time Ended:  TOTAL   Critical Criteria	/100
Actual Time Ended:  TOTAL  Critical Criteria Failure to take or verbalize appropriate PPE precautions	/100
Actual Time Ended:  TOTAL  Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use	/100
Actual Time Ended:  TOTAL  Critical Criteria Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation	
Actual Time Ended:  TOTAL  Critical Criteria Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca	
Actual Time Ended:  TOTAL  Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism	
Actual Time Ended:  TOTAL  Critical Criteria Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT	
Actual Time Ended:  TOTAL  Critical Criteria Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel	
Actual Time Ended:  TOTAL  Critical Criteria  Failure to take or verbalize appropriate PPE precautions  Failure to dispose of blood-contaminated sharps immediately at the point of use  Contaminates equipment or site without appropriately correcting situation  Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism  Failure to manage the patient as a competent EMT  Exhibits unacceptable affect with patient or other personnel  Uses or orders a dangerous or inappropriate intervention	
Actual Time Ended:  TOTAL  Critical Criteria Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel	
Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater	
Actual Time Ended:  TOTAL  Critical Criteria  Failure to take or verbalize appropriate PPE precautions  Failure to dispose of blood-contaminated sharps immediately at the point of use  Contaminates equipment or site without appropriately correcting situation  Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism  Failure to manage the patient as a competent EMT  Exhibits unacceptable affect with patient or other personnel  Uses or orders a dangerous or inappropriate intervention	
Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater	
Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater	
Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater	
Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater	
Actual Time Ended:  TOTAL  Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater  Comments:	theter
Actual Time Ended:  TOTAL  Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater  Comments:  STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her personnel)	theter
Actual Time Ended:  TOTAL  Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater  Comments:	theter
Actual Time Ended:	theter
Actual Time Ended:  TOTAL  Critical Criteria  Failure to take or verbalize appropriate PPE precautions Failure to dispose of blood-contaminated sharps immediately at the point of use Contaminates equipment or site without appropriately correcting situation Performs any improper technique resulting in the potential for uncontrolled hemorrhage, ca shear or air embolism Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 76 or greater  Comments:  STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her personnel)	theter



#### INTRAVENOUS BOLUS MEDICATION ADMINISTRATION SKILLS LAB

INTRAVENOUS BOLUS MEDICATION ADMINISTRATION SKILLS LAD				
Student Name: Date:				
Instructor Evaluator:		Student Evaluator:		
Signature		Signature Signature		
		SCORING		
N/A	Not applicable	e for this patient		
0	Unsuccessful;	; required critical or excessive prompting; inconsistent; not yet comp	etent	
1	Not yet compo	etent, marginal or inconsistent, this includes partial attempts		
2	Successful; co	ompetent; no prompting necessary		
<b>Actual Tim</b>			SCORE	
	lains procedure			
	cks, assembles	s equipment		
	nedication			
	ps container			
	ohol swabs			
	s medication		T	
	firms medication			
Asks patient for known allergies				
Explains procedure to patient				
Selects correct medication by identifying:				
Right patient				
Right medication				
		ge/concentration		
Right time				
Right route				
		d syringe correctly and dispels air		
Takes or verbalizes appropriate PPE precautions				
		ases most proximal injection site (Y-port or hub)		
	onfirms medica	ution		
	os IV flow			
		t dose at proper push rate		
Disposes/verbalizes proper disposal of syringe and other material in proper container				
Turns IV on and adjusts drip rate to TKO/KVO				
	palizes need to	observe patient for desired effect and adverse side effects		
Affective				
	_	and criticism professionally		
	ws willingness			
		lated patient and other personnel in professional manner		
<b>Actual Tim</b>	e Ended:			
		TOTAL	/48	

© 2015 National Registry of Emergency Medical Technicians, Inc., Columbus, OH All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.

Critical Criteria
Failure to take or verbalize appropriate PPE precautions
Contaminates equipment or site without appropriately correcting situation
Failure to adequately dispel air resulting in the potential for air embolism
Injects improper medication or dosage (wrong medication, incorrect amount, administers at an
inappropriate rate)
Recaps needle or failure to dispose/verbalize disposal of syringe and other material in proper
container
Failure to turn on IV after administering medication
Failure to manage the patient as a competent EMT
Exhibits unacceptable affect with patient or other personnel
Uses or orders a dangerous or inappropriate intervention
Failure to receive a total score of 36 or greater
Comments:
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



#### INTRAVENOUS PIGGYBACK INFUSION SKILLS LAB

	INII	(A VENOUS PIGG	BACK INFUSION SKILI	LS LAB	
Student Name:		Date:			
Instructor Evaluator: Signature			Student Evaluator:		
		Signature		Signature	
		S	CORING		
N/A	Not applicable	for this patient			
0			acessive prompting; inconsist		
1	Not yet competent, marginal or inconsistent, this includes partial attempts				
2	Successful; con	mpetent; no promptin	ng necessary		
Actual Tim				SCORE	
	lains procedure				
		IV line is established	<u>l</u>		
,	cks, assembles	equipment			
	ication				
	olution				
	ninistration set				
		s set is not available)			
	ps container				
	ohol swabs				
Таре					
	ication label				
		lary IV solution and	l spikes bag		
	firms medication				
	s patient for kno				
	ains procedure				
Selec		cation by identifying	:		
	Right patient				
	Right medica				
Right dosage/concentration					
	Right time				
Right route Check medication for:					
Clied	Clarity	<u>'1.</u>			
	Expiration da	ate			
Asse			l dispels air while maintainin	og sterility	
Assembles prefilled syringe correctly and dispels air while maintaining sterility  Checks IV solution for:					
Circ	Proper soluti				
		rticulate matter			
	Expiration da				
	Protective covers on tail ports				
Chec	cks administration	*		I	
	Drip rating	~~~			
	Tangled tubi	 ทg			
		overs on both ends			

Flow clamp up almost to drip chamber and closed

Demonstration and the NV learner Port of the	
Removes protective cover on secondary IV bag medication port and cleanses while	
maintaining sterility	
Reconfirms medication	
Injects medication into secondary IV bag while maintaining sterility	
Disposes/verbalizes proper disposal of syringe in proper container	
Gently agitates secondary bag to mix medication	
Removes protective cover on drip chamber while maintaining sterility	
Removes protective cover on secondary IV bag tail port while maintaining sterility	
Inserts IV tubing spike into secondary IV bag tail port by twisting and pushing until	
inner seal is punctured while maintaining sterility	
Turns secondary IV solution bag upright	
Squeezes drip chamber and fills half-way	
Turns on flow of secondary line and bleeds line of all air while maintaining sterility	
with minimal loss of fluid	
Shuts flow off after assuring that all large air bubbles have been purged from	
secondary line	
Infuses medication	
Attaches needle to adapter end of secondary line administration set while maintaining	
sterility (if needleless set is not available)	
Takes or verbalizes appropriate PPE precautions	
Reconfirms medication	
Identifies and cleanses most proximal injection site of primary line (Y-port or hub if	
needleless set is not available)	
Inserts needle into port of primary line while maintaining sterility	
Turns on flow, calculates and adjusts flow rate of secondary line as necessary	
Stops flow of primary line	
Securely tapes needle to injection port of secondary line while maintaining sterility (if	
needleless set is not available)	
Checks and adjusts flow rate of secondary line	
Labels medication fluid bag (date, time, medication, concentration, dosage, initials)	
Verbalizes need to observe patient for desired effect and adverse side effects	
Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
TOTAL	/110

Critical Criteria	
Failure to take or verbalize appropriate PPE pr	recautions
Failure to dispose of any blood-contaminated	sharp <b>immediately at the point of use</b>
Contaminates equipment or site without appro	priately correcting situation
Injects improper medication or dosage (wrong	medication, incorrect amount, administers at an
inappropriate rate)	
	the potential for air embolism (failure to flush tubing
of secondary line, etc.)	, in the second of the second
•	lisposal of syringe and other material in proper
container	insposar of syringe and other material in proper
Failure to manage the patient as a competent E	FMT
Exhibits unacceptable affect with patient or of	
Uses or orders a dangerous or inappropriate in	
Failure to receive a total score of 84 or greater	
Comments:	
Comments:	
<u> </u>	
•	r is to ask the student to reflect on his/her performance this/her response to the following question:)
Were you successful or unsuccessful in this skill?	☐ Successful

This page is intentionally blank.



	INTRAOSSEOUS INFUSIO	ON SKILLS LAB	
Student Na	ame:	Date:	
Instructor 1	Evaluator: Stud	dent Evaluator:	
11150100001	Signature		nature
	SCORING		
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or excessive pro-	compting; inconsistent; not yet	competent
1	Not yet competent, marginal or inconsistent, the	his includes partial attempts	
2	Successful; competent; no prompting necessar	ry	
-	me Started:		SCORE
	plains procedure to patient		
	hecks, assembles equipment		
	lution		
	lministration set		
	needle and insertion device		
	arps container		
	ntiseptic swabs, gauze pads, bulky dressing, syring	ge, etc.	
Spikes bag			
Che	necks solution for:		<u> </u>
	Proper solution		
	Clarity or particulate matter		
	Expiration date		
Cl	Protective covers on tail ports		
Che	necks administration set for:		1
	Tangled tubing Protective covers on both ends		
		alacad	
Por	Flow clamp up almost to drip chamber and comoves protective cover on drip chamber while m		
	emoves protective cover on solution bag tail port		
	serts IV tubing spike into solution bag tail port by	<u> </u>	or
	al is punctured while maintaining sterility	twisting and pushing until him	
	urns solution bag upright		
	ueezes drip chamber and fills half-way		
	urns on by sliding flow clamp and bleeds line of all	ll air while maintaining sterilit	v
	tuts flow off after assuring that all large air bubble		<i>J</i>
5110	and 110 ii off after appearing that all large all babble	os mare ocem pargea	

Performs intraosseous puncture	
Tears sufficient tape to secure IO	
Opens antiseptic swabs, gauze pads	
Takes appropriate PPE precautions	
Identifies appropriate anatomical site for IO puncture	
Cleanses site, starting from the center and moving outward in a circular motion	
Prepares IO needle and insertion device while maintaining sterility	
Inspects for burrs	
Stabilizes the site in a safe manner (if using the tibia, <b>does not</b> hold the leg in palm of	
hand and perform IO puncture directly above hand)	

Inserts needle at proper angle and direction (away from joint, epipheseal plate, etc.)	
Recognizes that needle has entered intermedullary canal (feels "pop" or notices less	
resistance)	
Removes stylette and immediately disposes in proper container	
Attaches administration set to IO needle	
Slowly injects solution while observing for signs of infiltration or aspirates to verify	
proper needle placement	
Adjusts flow rate as appropriate	
Secures needle and supports with bulky dressing	
Assesses patient for therapeutic response or signs of untoward reactions	
Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
	10.0
TOTAL	/80
Critical Criteria	
Failure to take or verbalize appropriate PPE precautions	
Failure to dispose of blood-contaminated sharps <b>immediately at the point of use</b>	
Contaminates equipment or site without appropriately correcting situation	
Performs any improper technique resulting in the potential for air embolism	
Failure to assure correct needle placement	
Performs IO puncture in an unacceptable or unsafe manner (improper site, incorrect needle	angle,
holds leg in palm and performs IO puncture directly above hand, etc.)	
Failure to manage the patient as a competent EMT	
Exhibits unacceptable affect with patient or other personnel	
Uses or orders a dangerous or inappropriate intervention	
Failure to receive a total score of 62 or greater	
Panule to receive a total score of 02 of greater	
Comments:	
Comments:	
	•
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her per	ormance
and document his/her response to the following question:)	
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful	



## INTRAMUSCULAR AND SUBCUTANEOUS MEDICATION ADMINISTRATION SKILLS LAB

	SKII	LLS LAD	
Student Na	me:	Date:	
Instructor E	Evaluator:	Student Evaluator:	
	Signature		Signature
	SCO	ORING	
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or exce	essive prompting; inconsistent;	not yet competent
1	Not yet competent, marginal or incons	sistent, this includes partial atte	empts
2	Successful; competent; no prompting	necessary	
<b>Actual Tin</b>			SCORE
Asks patien	nt for known allergies		
	plains procedure to patient		
	ecks, assembles equipment		
	dication		
App	propriate syringe and needle(s)		
Sha	rps container		
	ohol swabs		
	nesive bandage or sterile gauze dressing	and tape	
	rs medication		
Sele	ects correct medication by identifying:		
	Right patient		
	Right medication		
	Right dosage/concentration		
	Right time		
	Right route		
Also	o checks medication for:		
	Clarity		
	Expiration date		
	embles syringe and needle		
	ws appropriate amount of medication in	nto syringe and dispels air whil	e
	ntaining sterility		
	onfirms medication		
	es or verbalizes appropriate PPE precau		
	ntifies and cleanses appropriate injection		
	ches/stretches skin, warns patient and in	serts needle at proper angle wh	nile
	ntaining sterility		11
	pirates syringe while observing for blood		edication
Adr	ninisters correct dose at proper push rate	e	

Removes needle and disposes/verbalizes proper disposal of syringe and needle in

Verbalizes need to observe patient for desired effect and adverse side effects

proper container

Covers puncture site

Applies direct pressure to site

Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
TOTAL	/58
	, 00
Critical Criteria	
Failure to take or verbalize appropriate PPE precautions	
<ul><li>Failure to identify acceptable injection site</li><li>Contaminates equipment or site without appropriately correcting situation</li></ul>	
Failure to adequately dispel air resulting in the potential for air embolism	
Failure to adequately disper an resulting in the potential for an embolism Failure to aspirate for blood prior to injecting IM medication	
Injects improper medication or dosage (wrong medication, incorrect amount, administers at	t an
inappropriate rate)	
Recaps needle or failure to dispose/verbalize disposal of syringe and needle in proper conta	iner
Failure to observe the patient for desired effect and adverse side effects after administering	
medication	
Failure to manage the patient as a competent EMT	
Exhibits unacceptable affect with patient or other personnel	
Uses or orders a dangerous or inappropriate intervention	
Failure to receive a total score of 44 or greater	
Comments:	
Comments:	
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her per	formance
and document his/her response to the following question:)	101111111100
and decement morner response to the ronowing question.	
Were you successful or unsuccessful in this skill? ☐ Successful	
☐ Unsuccessful	



#### INTRANASAL MEDICATION ADMINISTRATION SKILLS LAB

	INTRANASAL MEDICATION ADMINISTRATION SKILLS	LAD
Student Name: Date:		
Instructor Evaluator: Student Evaluator:		
Signature Signature		ignature
	SCORING	
N/A	Not applicable for this patient	
0	Unsuccessful; required critical or excessive prompting; inconsistent; not yet	competent
1	Not yet competent, marginal or inconsistent, this includes partial attempts	
2	Successful; competent; no prompting necessary	
Actual Tin		SCORE
Assures tha	at patient is being ventilated adequately if necessary	
Asks patien	nt for known allergies	
	plains procedure to patient	
Selects, che	ecks, assembles equipment	
	dication	
App	propriate syringe, needle, mucosal atomizer device (MAD®)	
Shar	arps container	
Alco	cohol swabs	
Ster	rile gauze	
Administer	rs medication	
Sele	ects correct medication by identifying:	
	Right patient	
	Right medication	
	Right dosage/concentration	
	Right time	
	Right route	
Also	o checks medication for:	
	Clarity	
	Expiration date	
	sembles syringe and needle while maintaining sterility	
	anses rubber stopper, draws appropriate amount of medication into syringe an	ıd
	pels air while maintaining sterility	
	affirms medication	
	poses of needle in proper container and attaches mucosal atomizer device	
	tes or verbalizes appropriate PPE precautions	
	ps ventilation of patient if necessary and removes any mask	
	pects nostrils to determine largest and least deviated or obstructed nostril	
	erts mucosal atomizer device into nostril and briskly depresses the syringe plu	
Disp	poses/verbalizes proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal of syringe and mucosal atomizer device in proper disposal	roper
conf	tainer	

Verbalizes need to observe patient for desired effect and adverse side effects

Resumes ventilation of the patient if necessary

Affective		
Accepts evaluation and criticism professionally		
Shows willingness to learn		
Interacts with simulated patient and other personnel in professional manner		
Actual Time Ended:		
TOTAL	/58	
	, , ,	
Critical Criteria		
Failure to take or verbalize appropriate PPE precautions		
<ul> <li>Contaminates equipment without appropriately correcting situation</li> <li>Injects improper medication or dosage (wrong medication, incorrect amount, administers a</li> </ul>	t an	
inappropriate rate)	t an	
Recaps needle or failure to dispose/verbalize disposal of needle, syringe and mucosal atom	izer	
device in proper container		
Failure to observe the patient for desired effect and adverse side effects after administering		
medication		
Failure to manage the patient as a competent EMT		
Exhibits unacceptable affect with patient or other personnel		
Uses or orders a dangerous or inappropriate intervention		
Failure to receive a total score of 44 or greater		
Comments:		
Comments.		
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performan and document his/her response to the following question:)		
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful		



#### INHALED MEDICATION ADMINISTRATION SKILLS LAB

Student Nar	ne:	Date:	
Instructor E	valuator:	Student Evaluator:	
mondotto L	Signature	Signature	
	SCORI	NG	
N/A	Not applicable for this patient		
0		re prompting; inconsistent; not yet competent	t
1	Not yet competent, marginal or inconsiste		
2	Successful; competent; no prompting nece		
Actual Tim	e Started:	SC	CORE
Assures that	patient is being ventilated adequately		
	t for known allergies		
Clearly exp	lains procedure to patient		
	cks, assembles equipment		
	ication		
Neb	ulizer unit (medication cup, mouthpiece/ma	sk, extension tube, etc.)	
	gen supply tubing		
Administer	s medication		
Sele	cts correct medication by identifying:		
	Right patient		
	Right medication		
	Right dosage/concentration		
	Right time		
	Right route		
Also	checks medication for:		
	Clarity		
	Expiration date		
Plac	es medication into nebulizer unit		
Reaf	firms medication		
Atta	ches mouthpiece/mask and extension tube t	to the nebulizer unit	
	ches oxygen supply tubing to nebulizer uni	t and turns on oxygen until tube/mask	
	led with mist of medication		
	es or verbalizes appropriate PPE precaution		
	oves oxygen mask and directs patient to fir		
	ches patient how to breathe correctly to inh	ale all medication	
	imes oxygen administration		
	palizes need to observe patient for desired e	ffect and adverse side effects	
Affective			
	epts evaluation and criticism professionally		
	ws willingness to learn		
	racts with simulated patient and other perso	nnei in professional manner	
<b>Actual Tim</b>	e Ended:		
		TOTAL	/50

Critical Criteria
Failure to take or verbalize appropriate PPE precautions
Administers improper medication or dosage (wrong medication, incorrect amount, administers at an
inappropriate rate)
Failure to coach patient to breathe correctly to inhale all medication
Failure to observe the patient for desired effect and adverse side effects after administering
medication
Failure to manage the patient as a competent EMT
Exhibits unacceptable affect with patient or other personnel
Uses or orders a dangerous or inappropriate intervention
Failure to receive a total score of 38 or greater
Comments:
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



### GLUCOMETER SKILLS LAB

	GEO COMETER SKILLS END		
Student Nar	me: Date:		
Instructor E	valuator: Student Evaluator:		
	valuator: Student Evaluator:	Signature	
	SCORING		
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or excessive prompting; inconsistent;		etent
1	Not yet competent, marginal or inconsistent, this includes partial atte	mpts	
2	Successful; competent; no prompting necessary		
<b>Actual Tim</b>	ne Started:	!	SCORE
	e need for obtaining a blood glucose level		
	e normal parameters for blood glucose level		
	ontraindications		
Identifies po	otential complications:		
	neous reading		
	exposure		
	lains procedure to patient		
<u>-</u>	cks, assembles equipment		
Gluc	cometer		
Test	strip		
Nee	dle or spring-loaded puncture device		
Alco	ohol swabs		
Checks blo	od glucose level		
Take	es or verbalizes appropriate PPE precautions		
Turr	ns on glucometer and inserts test strip		
Prep	s fingertip with alcohol prep		
Land	ces the prepped site with needle/lancet device, drawing capillary blood		
	poses/verbalizes disposal of needle/lancet in appropriate container		
Exp	resses blood sample and transfers it to the test strip		
	lies pressure and dresses fingertip wound		
	ords reading from glucometer and documents appropriately		
Affective			
	epts evaluation and criticism professionally		
	ws willingness to learn		
	racts with simulated patient and other personnel in professional manne	r	
<b>Actual Tim</b>	e Ended:		<b>-</b>
		ТОТАТ	///2

Critical Criteria
Failure to take or verbalize appropriate PPE precautions
Failure to dispose of blood contaminated sharps immediately at the point of use
Contaminates equipment or site without appropriately correcting situation
Failure to identify 2 indications
Failure to identify 2 potential complications
Failure to identify normal blood glucose parameters
Failure to obtain a viable capillary blood sample on first attempt
Exhibits unacceptable affect with patient or other personnel
Failure to receive a total score of 32 or greater
Comments:
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



#### 12-LEAD ECG SKILLS LAB

Student Nar	me: Date:	
Instructor F	Evaluator: Student Evaluator:	
mstractor L		ature
	SCORING	
N/A	Not applicable for this patient	
0	Unsuccessful; required critical or excessive prompting; inconsistent; not yet consistent	ompetent
1	Not yet competent, marginal or inconsistent, this includes partial attempts	
2	Successful; competent; no prompting necessary	
Actual Tim	no Startad.	SCORE
	ecks, assembles equipment	BCORE
•	plains procedure to patient	
	pares the patient (shaving and cleansing as needed)	
	ces limb leads on the limbs	
	ces precordial leads at their appropriate locations:	
1 140	V1 – attaches positive electrode to the right of the sternum at the 4th	
	intercostal space	
	V2 – attaches positive electrode to the left of the sternum at the 4th intercos	tal
	space	
	V4 – attaches positive electrode at the midclavicular line at 5th intercostal	
	space	
	V3 – attaches positive electrode at the line midway between V2 & V4	
	V5 – attaches positive electrode at the anterior axillary line at the same leve	l as
	V4	
	V6 – attaches positive electrode to the midaxillary line at the same levels V4	4
	ures the patient is sitting or lying still, breathing normally and not talking	
Turr	ns on ECG machine	
	ures all leads are still connected and no error message displayed	
	ains 12-lead ECG recording	
	mines tracing for acceptable quality	
	rprets 12-lead ECG to local standard and reports findings as needed	
	ces repeating 12-lead ECG every $5 - 10$ minutes in high risk patients and post-	
	tment	
Affective		
	eepts evaluation and criticism professionally	
	ows willingness to learn	
	racts with simulated patient and other personnel in professional manner	
<b>Actual Tim</b>	ne Ended:	
	TOT	<b>CAL</b> /38
Critical Cr	ritoria	
	e to properly attach leads to patient	
	e to obtain a legible 12-lead ECG recording	
	e to correctly interpret 12-lead ECG recording	
	e to receive a total score of 30 or greater	

Comments:
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



### SYNCHRONIZED CARDIOVERSION SKILLS LAB

Student Nar	ne:	Date:	
Instructor E	valuator:	Student Evaluator:	
		Signature Signature	
NOTE:	A p	roperly trained person must be present to supervise the practice of th	is skill.
		SCORING	
N/A		cable for this patient	
0		ssful; required critical or excessive prompting; inconsistent; not yet compe	etent
1		ompetent, marginal or inconsistent, this includes partial attempts	
2	Successfu	al; competent; no prompting necessary	
<b>Actual Tim</b>	e Started	t	SCORE
		nbles equipment	
		rillator with defibrillation pads	
		sedate patient (if necessary)	
<u>-</u>	<u> </u>	ppropriate administration device	
Performs sy	ynchroniz	ed cardioversion	
		ate oxygenation and patent IV established	
		tifies arrhythmia and condition that requires synchronized cardioversion	
		lizes appropriate PPE precautions	
		nt condition to include pulse and BP	
Asks	s patient or	r determines known allergies	
Cons	siders appı	ropriate medication to sedate patient	
Atta	ches defib	rillation pads	
Assu	ires safe ei	nvironment – evaluates the risk of sparks, combustibles, oxygen-	
	ched atmos		
		ter to appropriate energy setting	
		hronizer mode	
		on ECG screen and adjusts amplitude until machine appropriately reads	
	s complexe		
		l clear" and visually ensures that all individuals are clear of the patient	
	vers shock		
	ssesses rhy		
		ient condition to include pulse and BP	
	oalizes nee	d to observe patient for desired effect and adverse side effects	
Affective			
	_	ation and criticism professionally	
		ness to learn	
		simulated patient and other personnel in professional manner	
<b>Actual Tim</b>	e Ended:		
		TOTAL	/44

Critical Criteria
Failure to take or verbalize appropriate PPE precautions
Failure to assess the patient's hemodynamic status <b>before and after</b> delivering the shock
Failure to verify rhythm before delivering a shock
Failure to ensure the safety of self and others (verbalizes "All clear" and observes)
Failure to ensure a safe environment <b>before</b> delivering a shock (sparks, combustibles, oxygen-
enriched atmosphere)
Failure to resume oxygen therapy at the proper time
Inability to deliver a synchronized shock (does not use machine properly)
Failure to set the appropriate energy level <b>before</b> engaging the synchronized mode of operation
Failure to demonstrate acceptable shock sequence
Failure to observe the patient for desired effect and adverse side effects after delivering a shock
Failure to manage the patient as a competent EMT
Exhibits unacceptable affect with patient or other personnel
Uses or orders a dangerous or inappropriate intervention
Failure to receive a total score of 34 or greater
Comments:
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



### DEFIBRILLATION (UNWITNESSED ARREST) SKILLS LAB

Student N	ame:	Date:		
Instructor	Evaluator:	Student Evaluator		
mstractor	S S	Student Evaluator:	Signature	
NOTE:	A properly trained p	erson must be present to supervise the prac	ctice of this skill.	
		SCORING		
N/A	Not applicable for this	patient		
0	Unsuccessful; require	d critical or excessive prompting; inconsiste	ent; not yet compe	etent
1		arginal or inconsistent, this includes partial		
2	Successful; competen	; no prompting necessary		
<b>Actual Ti</b>	me Started:	_		SCORE
Selects, cl	necks, assembles equipm	nent		
	onitor/defibrillator with o			
Ox	ygen with appropriate ac	Iministration device		
Performs	defibrillation			
Ta	kes or verbalizes approp	riate PPE precautions		
De	termines the scene/situat	ion is safe		
At	tempts to question bystar	ders about arrest events		
Ch	ecks responsiveness			
	quests additional assistar			
As	sesses patient for signs o	f breathing [observes the patient and determ	nines the	
ab	sence of breathing or abn	ormal breathing (gasping or agonal respirat	tions)]	1
Ch	ecks carotid pulse (no m	ore than 10 seconds)		
Im	mediately begins chest c	ompressions		
	Adequate depth and	rate		1
		n-to-ventilation ratio		1
	Allows the chest to	recoil completely		1
	Adequate volumes f	or each breath		1
	Minimal interruptio	ns of less than 10 seconds throughout		
At	taches defibrillator			
As	sures safe environment -	evaluates the risk of sparks, combustibles,	oxygen-	i
	riched atmosphere			1
	ops CPR and observes rh	•		1
		visually ensures that all individuals are clea	r of the patient	
	elivers shock			
	mediately resumes chest	compressions		
Affective				
	cepts evaluation and crit	icism professionally		
	ows willingness to learn			
		ient and other personnel in professional ma	nner	1
<b>Actual Ti</b>	me Ended:	-	ı	
			TOTAL	/48

Critical Criteria
Failure to initiate CPR without delay
Interrupts CPR for more than 10 seconds
Failure to take or verbalize appropriate PPE precautions
Failure to deliver shock in a timely manner
Failure to demonstrate acceptable high quality adult CPR
Failure to operate the defibrillator properly
Failure to correctly attach the defibrillator to the patient
Failure to verify rhythm before delivering a shock
Failure to demonstrate acceptable shock sequence
Failure to assure that all individuals were clear of patient during rhythm interpretation <b>and</b> before
delivering shock (verbalizes "All clear" and observes)
Failure to ensure a safe environment <b>before</b> delivering shock (sparks, combustibles, oxygen-enriched
atmosphere)
Failure to immediately resume chest compressions after shock delivered
Failure to resume ventilation with oxygen at the proper time
Failure to demonstrate the ability to manage the patient as a minimally competent EMT
Exhibits unacceptable affect with patient or other personnel
Uses or orders a dangerous or inappropriate intervention
Failure to receive a total score of 36 or greater
Comments:
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful



### TRANSCUTANEOUS PACING SKILLS LAB

Student Nar	ne:	Date:	
Instructor E	valuator:	Student Evaluator:	
	Signatur	re Signature	
NOTE:	A properly trained <b>j</b>	person must be present to supervise the practice of th	is skill.
		SCORING	
N/A	Not applicable for this pati	ient	
0	Unsuccessful; required crit	tical or excessive prompting; inconsistent; not yet compe	tent
1	Not yet competent, margin	nal or inconsistent, this includes partial attempts	
2	Successful; competent; no	prompting necessary	
Actual Tim			SCORE
	cks, assembles equipment		
	itor/defibrillator with pacin	0.1	
	ication to reduce pain or sec		
	gen with appropriate admin		
	res adequate oxygenation a	and patent IV established	
	anscutaneous pacing		
	•	tion that requires transcutaneous pacing	
Take	es or verbalizes appropriate	PPE precautions	
Asse	sses patient condition to inc	clude pulse and BP	
Adn	inisters appropriate oxygen	n therapy	
Atta	ches pacing pads		
Assı	res safe environment – eval	luates the risk of sparks, combustibles, oxygen-	
enric	ched atmosphere		
Acti	vates pacemaker function of	f device	
Note	s marker on ECG screen an	nd adjusts amplitude until machine appropriately reads	
	complexes		
Sets	appropriate pacer rate		
Sets	current to be delivered to the	ne minimum setting	
Grac	lually increase delivered cur	rrent until capture is achieved (observes pacer spikes	
follo	wed by wide QRS complex	xes at tall "T" waves)	
Reas	sesses patient condition to i	include pulse and BP	
Asks	s patient or determines know	wn allergies (if considering medication administration)	
Adn	inisters appropriate medica	ation to reduce pain or sedate patient (if necessary)	
Verl	alizes need to continuously	monitor the patient's condition	
Affective			
Acce	epts evaluation and criticism	n professionally	
	vs willingness to learn		
Inter	acts with simulated patient	and other personnel in professional manner	
<b>Actual Tim</b>	e Ended:		
		TOTAL	/44

© 2015 National Registry of Emergency Medical Technicians, Inc., Columbus, OH All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.

Critical Criteria	
Failure to take or verbalize appropriate PPE precautions	
Failure to assess the patient's hemodynamic status before and after administering	
transcutaneous pacing	
Failure to document rhythm before administering transcutaneous pacing	
Failure to ensure the safety of self and others	
Failure to ensure a safe environment <b>before</b> pacing initiated (sparks, combustibles, oxygen-enriched	
atmosphere)	
Inability to deliver transcutaneous pacing (does not use machine properly)	
Failure to demonstrate acceptable electrical capture	
Failure to observe the patient for desired effect and adverse side effects	
Failure to manage the patient as a competent EMT	
Exhibits unacceptable affect with patient or other personnel	
Uses or orders a dangerous or inappropriate intervention	
Failure to receive a total score of 34 or greater	
Famule to receive a total score of 54 of greater	
Comments:	$\neg$
Comments:	_
	_
	_
	-
	$\dashv$
	$\dashv$
	4
	_
	٦
	-
	-
	_
	_
	_
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)	
Were you successful or unsuccessful in this skill?	



### NORMAL DELIVERY WITH NEWBORN CARE SKILLS LAB

Student Na	me:	Date:	
Instructor E	valuator: Stu	udent Evaluator:	
	Signature	Signatu	re
	SCORING	T T	
N/A	Not applicable for this patient		
0	Unsuccessful; required critical or excessive p	prompting; inconsistent; not yet cor	npetent
1	Not yet competent, marginal or inconsistent,	this includes partial attempts	
2	Successful; competent; no prompting necessary		
	, , , , , ,		
<b>Actual Tim</b>	e Started:		SCORE
	priate PPE precautions		
	istory relevant to the pregnancy		<b>-</b>
	mated date of confinement		
Free	uency of contractions		
	ation of contractions		
Inte	nsity of contractions		
Rup	ture of amniotic sac (time and presence of med	conium)	
	ious pregnancies and deliveries (complication		
	existing medical conditions (HTN, DM, seizur	•	
	lications taken prior to labor	,	
	atal care (identified abnormalities with pregna	ancy)	
	inal bleeding		
	ominal pain		
Assessmen	•		
Vita	l signs (BP, P, R, Temperature)		
	lence of imminent delivery (crowning, contrac	ctions, urge to push, urge to	
	cate)		
Prepares fo	or delivery		
	ares appropriate delivery area		
	noves patient's clothing		
Ope	ns and prepares obstetric kit		
	es clean pad under patient		
Prep	ares bulb syringe, cord clamps, towels, newbo	orn blanket	
Delivers ne			
Dur	ng contractions, urges patient to push		
Deli	vers and supports the emerging fetal head		
Che	cks for nuchal cord		
Mar	ages nuchal cord if present		
	esses for and notes the presence of meconium		
Deli	vers the shoulders		
Deli	vers the remainder of the body		
	es newborn on mother's abdomen or level wit	h mother's uterus	
Note	es the time of birth		
Con	trols hemorrhage as necessary		
	ssesses mother's vital signs		

Newborn care (Birth – 30 seconds postpartum):	
If newborn is distressed, clears airway as necessary	
Warms and dries newborn	
Wraps newborn in blanket or towels to prevent hypothermia	
Newborn care (30 – 60 seconds postpartum):	
If heart rate is less than 100, gasping or apneic:	
Provides PPV	
Monitors SpO <sub>2</sub> in neonate	
Clamps and cuts umbilical cord	
Places on mother's chest to retain warmth	
Determines 1 minute APGAR score	
Newborn care (after 1 minute postpartum):	
If heart rate is less than 100:	
Takes ventilation corrective steps and continues PPV	
If heart rate is less than 60:	
Considers intubation	
Begins chest compressions	
If heart rate remains less than 60 after chest compressions and PPV:	
Administers epinephrine IO	
Determines 5 minute APGAR score	
Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
TOTAL	/92
	192
Critical Critaria	192
Critical Criteria  Failure to take or verbalize appropriate PPE precautions	192
Failure to take or verbalize appropriate PPE precautions	192
<ul><li>Failure to take or verbalize appropriate PPE precautions</li><li>Failure to identify or manage a nuchal cord</li></ul>	792
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous)</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> <li>Failure to provide appropriate newborn care</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> <li>Failure to provide appropriate newborn care</li> <li>Failure to manage the patient as a competent EMT</li> <li>Exhibits unacceptable affect with patient or other personnel</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> <li>Failure to provide appropriate newborn care</li> <li>Failure to manage the patient as a competent EMT</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> <li>Failure to provide appropriate newborn care</li> <li>Failure to manage the patient as a competent EMT</li> <li>Exhibits unacceptable affect with patient or other personnel</li> <li>Uses or orders a dangerous or inappropriate intervention</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> <li>Failure to provide appropriate newborn care</li> <li>Failure to manage the patient as a competent EMT</li> <li>Exhibits unacceptable affect with patient or other personnel</li> <li>Uses or orders a dangerous or inappropriate intervention</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> <li>Failure to provide appropriate newborn care</li> <li>Failure to manage the patient as a competent EMT</li> <li>Exhibits unacceptable affect with patient or other personnel</li> <li>Uses or orders a dangerous or inappropriate intervention</li> <li>Failure to receive a total score of 70 or greater</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> <li>Failure to provide appropriate newborn care</li> <li>Failure to manage the patient as a competent EMT</li> <li>Exhibits unacceptable affect with patient or other personnel</li> <li>Uses or orders a dangerous or inappropriate intervention</li> <li>Failure to receive a total score of 70 or greater</li> </ul>	
<ul> <li>Failure to take or verbalize appropriate PPE precautions</li> <li>Failure to identify or manage a nuchal cord</li> <li>Failure to immediately suction the newborn nose and mouth</li> <li>Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately)</li> <li>Failure to provide appropriate newborn care</li> <li>Failure to manage the patient as a competent EMT</li> <li>Exhibits unacceptable affect with patient or other personnel</li> <li>Uses or orders a dangerous or inappropriate intervention</li> <li>Failure to receive a total score of 70 or greater</li> </ul>	
Failure to take or verbalize appropriate PPE precautions Failure to identify or manage a nuchal cord Failure to immediately suction the newborn nose and mouth Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately) Failure to provide appropriate newborn care Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 70 or greater  Comments:	s position,
Failure to take or verbalize appropriate PPE precautions Failure to identify or manage a nuchal cord Failure to immediately suction the newborn nose and mouth Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately) Failure to provide appropriate newborn care Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 70 or greater  Comments:  Comments:  STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her per	s position,
Failure to take or verbalize appropriate PPE precautions Failure to identify or manage a nuchal cord Failure to immediately suction the newborn nose and mouth Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately) Failure to provide appropriate newborn care Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 70 or greater  Comments:	s position,
Failure to take or verbalize appropriate PPE precautions Failure to identify or manage a nuchal cord Failure to immediately suction the newborn nose and mouth Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately) Failure to provide appropriate newborn care Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 70 or greater  Comments:  STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her per and document his/her response to the following question:)	s position,
Failure to take or verbalize appropriate PPE precautions Failure to identify or manage a nuchal cord Failure to immediately suction the newborn nose and mouth Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous pulls on umbilical cord to deliver placenta, handles newborn inappropriately) Failure to provide appropriate newborn care Failure to manage the patient as a competent EMT Exhibits unacceptable affect with patient or other personnel Uses or orders a dangerous or inappropriate intervention Failure to receive a total score of 70 or greater  Comments:  Comments:  STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her per	s position,



#### National Registry of Emergency Medical Technicians® Paramedic Psychomotor Competency Portfolio Manual

#### ABNORMAL DELIVERY WITH NEWBORN CARE SKILLS LAB

Student Name:		Date:	
Instructor Evaluator:		Student Evaluator:	
moura		Signature Signature	
		SCORING	
N/A	Not applicable for the	his patient	
0		red critical or excessive prompting; inconsistent; not yet competent	
1		marginal or inconsistent, this includes partial attempts	
2		ent; no prompting necessary	
			[
	l Time Started:		SCORE
	appropriate PPE pre		
Obtai	ns a history relevan		
	Estimated date of c		
	Frequency of contra		
	Duration of contrac		
	Intensity of contrac		
	1	c sac (time and presence of meconium)	
	Previous pregnancie	es and deliveries (complications, vaginal delivery, C-section)	
	Pre-existing medica	al conditions (HTN, DM, seizure, cardiac)	
	Medications taken	prior to labor	
	Prenatal care (ident	ified abnormalities with pregnancy)	
	Vaginal bleeding		
	Abdominal pain		
Asses	sment		
	Vital signs (BP, P,	R, Temperature)	
		ent delivery (crowning, contractions, urge to push, urge to defecate)	
Prepa	res for delivery		
	Prepares appropriat	te delivery area	
	Removes patient's		
	Opens and prepares		1
	Places clean pad un		
		ge, cord clamps, towels, newborn blanket	
Delive	ers newborn		
		s, urges patient to push	
		rts the emerging fetal presenting part if not the head	
		nal presentation that requires immediate care and transport	
	_	nd, foot, shoulder dystocia)	
		ody if possible and continues to support fetus	
	Delivers head		
		is not promptly delivered, inserts gloved fingers/hand to establish a	1
space for breathing/relieve pressure on umbilical cord			
	•	otes the presence of meconium	
	Initiates rapid trans		+
	-	ers if not previously delivered	+
		nder of the body if not previously delivered	+

Places newborn on mother's abdomen or level with mother's uterus	
Notes the time of birth	
Controls hemorrhage as necessary	
Reassesses mother's vital signs	
Newborn care (Birth – 30 seconds postpartum):	
Warm, dry, and stimulate the newborn	
Clears airway if obvious obstruction to spontaneous breathing or requires PPV	
Wraps newborn in blanket or towels to prevent hypothermia	
Newborn care (30 – 60 seconds postpartum):	
If heart rate is less than 100, gasping or apneic:	
Provides PPV without supplemental oxygen	
Monitors SpO <sub>2</sub> in neonate	
Clamps and cuts umbilical cord	
Places on mother's chest to retain warmth (if not actively resuscitating the neonate)	
Determines 1 minute APGAR score	
Newborn care (after 1 minute postpartum):	
If heart rate is less than 100:	
Takes ventilation corrective steps and continues PPV with supplemental oxygen	
If heart rate is less than 60:	
Considers intubation if no chest rise with PPV	
Begins chest compressions	
If heart rate remains less than 60 after chest compressions and PPV:	
Administers epinephrine IO	
Determines 5 minute APGAR score	
Affective	
Accepts evaluation and criticism professionally	
Shows willingness to learn	
Interacts with simulated patient and other personnel in professional manner	
Actual Time Ended:	
TOTAL	/98
Critical Criteria	
Failure to take or verbalize appropriate PPE precautions	
Failure to identify or appropriately manage an abnormal presentation	
Performs any dangerous activity during delivery (pulls on fetus, places fetus in a dangerous places fetus	position,
pulls on umbilical cord to deliver placenta, handles newborn inappropriately)	
Failure to provide appropriate newborn care (correct sequence and within recommended time	e limits)
Failure to manage the patient as a competent EMT	
Exhibits unacceptable affect with patient or other personnel	
Uses or orders a dangerous or inappropriate intervention	
Failure to receive a total score of 74 or greater	
STUDENT SELE EVALUATION (The evenings is to sele the student to select on his the second	ormones
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performed document his/her response to the following question:)	ormance
STUDENT SELF-EVALUATION (The examiner is to ask the student to reflect on his/her performed and document his/her response to the following question:)	ormance
and document his/her response to the following question:)	ormance
	ormance



### National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

#### How to Use the Formative Skills Lab Instrument

#### **Introduction:**

The psychomotor competency portfolio has 33 formative instruments for use in the Skills Lab phase of Paramedic education. The National Highway Traffic Safety Administration's (NHTSA) (2009) *National Emergency Medical Services Education Standards* identifies 18 psychomotor skills at the Emergency Medical Responder level, and 16 added skills at the Emergency Medical Technician level. The *National Emergency Medical Service Education Standards* (NHTSA, 2009) added another 15 psychomotor skills at the Advanced EMT level and 20 skills at the Paramedic level. Because Paramedic education builds upon the knowledge and skills acquired at the lower levels, not all 69 skills required in the *National Emergency Medical Service Education Standards* (NHTSA, 2009) may be taught in Paramedic education.

#### **Skill Performance:**

Before exposing a student to a formative Skills Lab instrument, it is important to teach the student the steps of the instrument in the classroom. Once the faculty has adequately demonstrated the steps either live or via video, the skill practice can begin. In the beginning of practice, very close faculty and peer supervision is necessary. It is permissible for students to use these formative instruments to correct their own actions or those of peers after initial supervision by faculty. The more complex and comprehensive a skill is, the more laboratory practice time that must be dedicated to ensuring its acquisition.

Students cannot demonstrate skills they do not know or have not seen. Students who merely memorize and recite the steps of a skill may know what to do (procedural knowledge). However, the faculty must then ensure that the student can actually perform the skill from a psychomotor perspective. Students must spend time engaged with formative Skills Lab instruments, practicing until they reach the standard, and then practicing repeatedly. Faculty can

allow students to practice on their own when the standard is known but not yet acquired by everyone in the class. There are some skills that it is imperative that only the faculty (or designated laboratory evaluators) individually evaluate and determine if competency has been met for those skills. Education programs, working with their communities of interest should evaluate which skill need to be evaluated by faculty and which skills can be evaluated by peers.

#### **Skills Lab Instruments:**

The formative Skills Lab instruments, chosen by the National Registry of Emergency Medical Technicians (NREMT), represent a broad spectrum of skills that, when combined, form an adequate representative sample of the necessary skill domain of a Paramedic. Included within this sample, but without inclusion of all specific formative instruments, was the assumption that the student possessed psychomotor competency at lower levels of practice. Paramedic education programs that enroll students who are not yet competent in the knowledge of when and how to deliver the lower level skills must ensure competency over these skills prior to Paramedic program completion.

These instruments attempt to create standardization and imply an entry-level standard. It is understood that communities of interest may desire a different, more rigid standard, and this is acceptable. There are limitations in development of formative Skills Lab instruments. Writings can only be in two directions on paper: horizontally and vertically. Because of this limitation, readers of formative instruments may believe every step must be accomplished in a horizontal or linear order. That assumption is sometimes false, although there has been an attempt to list the steps in a sequential order so that the beginning Paramedic student can proceed from the top of the list to the bottom. Sometimes there are over-arching areas on a formative Skills Lab instrument that globally guide learning and evaluation of the student. The point to understand is

that, at times, it is appropriate for competent students to skip and jump some of the steps found in a formative instrument, yet maintain more than an entry-level of proficiency. These instruments were designed for new students and new student evaluation. Faculty should feel free to improve the instruments for their students as they progress in ability level if they desire.

#### **Student Evaluation:**

The program must document skill practice outcomes, successful and unsuccessful. Students should then review the formative Skills Lab instrument documentation and use it to help improve skill performance. Observance of the student's performance can take many forms in the laboratory. When evaluating students it is acceptable for peers to validate student performance on some skills only after the student demonstrates the ability to consistently perform the skill within acceptable standards. When this type of evaluation and documentation is being accomplished, faculty must be present and observe the peer-reviewed activity. Students must not conduct peer-evaluations without knowledgeable faculty being present (Appendix B).

These instruments guide a knowledgeable student who received a quality demonstration. They are not designed for self-teaching and evaluation. These instruments are not practical examination instruments. The rigors of a standardized psychomotor examination do not apply in the use of these instruments, evaluations and documentation. When a student has only one peer-reviewed instrument of an important but not often accomplished skill in his/her portfolio, there is not sufficient validation of competency for that student in that skill.

Skills that are legally risky or invasive and have been designated as part of the competency package must be evaluated by faculty (or designated laboratory evaluators) individually, while other skills can be evaluated by peers working together in groups. Appendix B lists of each of these skills and who should complete the summative evaluation for each.

It is not realistic to practice all skills on live patients. The use of simulation provides education programs with a method to approximate a realistic patient presentation. Simulation can take on many forms throughout EMS education, ranging from the simple to the very complex. An unresponsive medical patient can be simulated by a student who lies on the floor and does not move. Some simulators allow for easy skill performance, while others require more complex skill performance. High-fidelity patient simulators can mimic many presentations of the sick and injured. The best use of simulation is determined by the faculty within the available resources of the educational program. When using simulation it is important to make it as realistic as possible.

The program must retain this documentation as part of the student psychomotor portfolio. Progression of knowledge and skills is part of program and student quality assurance.

Constructive feedback regarding errors in delivery of skills is part of the learning process. In addition, correct repetition of a standard leads to appropriate automatic performance of a skill. Automation of these discrete skills will be important for managing the load in working memory as students transition to scenarios and actual patient care in the clinical and field settings.

Documentation of student performance using formative Skills Lab instruments retained in a student portfolio is vital for providing evidence of skill acquisition and psychomotor competency.

#### **Rating Scale:**

The Scenario Lab instruments have a 4-point judgment scale. The following helps to standardize judgments and improved inter-rater reliability:

2 = Successful/competent; no prompting necessary – The student performed at the entrylevel of competency as judged by the preceptor. Entry-level of competency takes into

account the amount of education the Paramedic student has undergone at the time of the clinical interface with the patient.

1 = Not yet competent, marginal or inconsistent; this includes partial attempts.

0 = Unsuccessful – required critical or excessive prompting; inconsistent; not yet competent; this includes "Not attempted" when the student was expected to try. The student performed with some errors of commission or omission that would lead the preceptor to a conclusion that the student did not meet the standard of care expected by the program, program medical director and community of interest.

N/A = Not applicable –not needed or expected for this patient. This is a neutral rating. (Example: Student expected to only observe, or the patient did not need intervention).

Scoring student performance as a judge is not a simple exercise. Each judge should act independently and assign a score. Judges who favor a student or have a bias for or against a student are acting improperly. All judges must understand their role in shaping and judging entry-level competency of Paramedic students. The public, our patients, reasonably expect to be cared for by competent Paramedics. Judging the competency of a Paramedic student is a serious responsibility. Judges should know their judgments are going to become part of the portfolio for a student and part of that student's competency record. Students make mistakes. Students and judges learn from student mistakes. Errors found in the Skills Lab setting are safe since they occurred where no actual patient harm could result. The steps of the formative Skills Lab instruments help provide standardization.

#### **Summative Evaluation of Skills:**

Entry-level competency is not mistake-free. Students who are entry-level competent must be able to demonstrate and correctly complete 90% of the steps in a formative instrument.

If a student does not reach the 90% threshold, feedback should be provided and the student should repeat the skill evaluation attempt. If after a second attempt the student cannot reach the 90% threshold, then the student needs more instruction, drill, and practice time. A third evaluation should be accomplished on a different day. Not every student will reach the competency standard with the same number of performances; some may need more, others less. Accomplishing a complex skill to competency one time is insufficient evidence of the automation necessary to deliver that skill in an emergency care situation. What is important is that every student be given proper instruction and time to reach that level before it is determined that the student is incapable of reaching competency. Incompetent students should not progress in the program.

#### References

National Highway Traffic Safety Administration. (2009). *National Emergency Medical Services Education Standards*. (DOT HS 811 077A) Washington, DC: Government Printing

Office



# $\label{eq:appendix} Appendix\ E$ National Registry of Emergency Medical Technicians Paramedic Psychomotor Competency Portfolio Manual

#### SAMPLE ABDOMINAL PAIN SCENARIO

MINIMUM EQUIPMENT		
EMS equipment and Supplies	1 <sup>st</sup> in bag, oxygen cylinder and supplies, ECG monitor	
Props	Throw rug	
Sound clips	Clear lung sounds	
	Barking dog	
Medical Identification jewelry		
SETUP INSTRUCTIONS		
<ul> <li>The patient needs to be sitting in</li> </ul>	the chair holding her RLQ and moaning when the Team enters the room.	
<ul> <li>The throw rug needs to be on the</li> </ul>	e floor between the door and patient.	
• 10 minutes into the scenario the	barking dog sound clip starts to play until the problem is addressed by the Team	
BACKGROUND INFORMATION		
EMS System description	ALS vehicle; You are the primary caregiver and have 1 Paramedic partner	
	(adjusts as needed for individual scenarios)	
Other ancillary personnel needed	Mother or father for pediatric scenarios, law enforcement officers, fire fighters,	
(define personnel and identify who can	EMR's, etc.	
serve in each role)		
MOULAGE INFORMATION		
Integumentary	Pale, cool, diaphoretic	
Head		
Chest		
Abdomen		
Pelvis		
Back		
Extremities		



### $\label{eq:Appendix E} Appendix \ E$ National Registry of Emergency Medical Technicians $^{\otimes}$ Paramedic Psychomotor Competency Portfolio Manual

#### SAMPLE ABDOMINAL PAIN SCENARIO

<b>DISPATCH INFORMATION</b> (Specific script for each scenario; Must be read over radio, telephone or in such a way		
that the	candidate cannot look at the Examiner as he/she reads the dispatch information)	
Dispatch time	09:45 hrs	
Location	Single family residence	
Nature of the call	Abdominal pain	
Weather	Calm and clear. Temp: 82° F	
Personnel on the scene	Law enforcement officer (evaluator, no medical training)	

READ TO STUDENT: Medic 51 respond to 1234 Any Street for a 16 year old female who complains of abdominal pain, time out 09:45 hrs.

SCENE SURVEY INFORMATION	
A scene or safety consideration that	Throw rug inside the door is a trip hazard
must be addressed	
Patient location	Dining room, sitting on a chair
Visual appearance	Patient is in obvious pain, anxious and rubbing her right lower abdominal
	quadrant
Age, sex, weight	16 year old female, 132 lbs.
Immediate surroundings (bystanders,	Patient is home alone
significant others present)	
Mechanism of injury/Nature of illness	Abdominal pain



# $\label{eq:appendix} Appendix\ E$ National Registry of Emergency Medical Technicians Paramedic Psychomotor Competency Portfolio Manual

#### SAMPLE ABDOMINAL PAIN SCENARIO

PRIMARY ASSESSMENT		
General impression	Patient appears to be in pain	
Baseline mental status (AAOX4)	Alert and oriented to person, time, place, and events leading up to complaint	
Airway	Open and maintained by patient	
Ventilation	Spontaneous	
Circulation	No obvious bleeding	
HISTORY (if applicable)		
Chief complaint	Abdominal pain	
History of present illness	<ul> <li>Over the past 5 days the patient has experienced intermittent pain in her lower abdomen</li> <li>Today the pain became constant and so severe she stayed home from school</li> <li>Patient describes sharp, constant pain in her RLQ</li> <li>Denies N/V/D and pain is non-radiating</li> </ul>	
Patient responses, associated	Patient denies sexual activity. Her LMP was about 6 – 7 weeks ago, and she	
symptoms, pertinent negatives	tells you she is normally irregular. Denies use of birth control.	
PAST MEDICAL HISTORY		
Illnesses/Injuries		
Medications and allergies	Ibuprofen for menstrual cramps, she took 4 – 200 mg tablets 30 minutes ago.	
Current health status/Immunizations	She tells you she had a cold last week	
(Consider past travel)	·	
Social/Family concerns		
Medical identification jewelry		
EXAMINATION FINDINGS		
Initial Vital Signs	BP 84/62 P 120 R 24 Temperature – skin temperature feels cool to the touch Pain 10 of 10 GCS = E: Spontaneous; V: Oriented; M: Obeys Commands	
HEENT		
Respiratory/Chest	Lungs sounds clear and equal (Play sound file)	
Cardiovascular		
Gastrointestinal/Abdomen	Abdomen is flat, tenderness upon palpation of RLQ	
Genitourinary	Slight vaginal spotting	
Musculoskeletal/Extremities		
Neurologic		
Integumentary	Pale, cool, diaphoretic	
Hematologic		
Immunologic		
Endocrine		
Psychiatric	Upset	
Additional diagnostic tests as	SpO <sub>2</sub> : 96% on room air	
necessary	ECG: Sinus tachycardia	
nee-comp	200. And monjourum	



#### Appendix E

## National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

#### SAMPLE ABDOMINAL PAIN SCENARIO

PATIENT MANAGEMENT	
Initial stabilization	
Interventions	
Treatments	<ul> <li>Keep the patient warm</li> <li>Establish IV access</li> <li>Administer fluid bolus to maintain a systolic blood pressure of 80-90 mmHg</li> <li>Analgesics for pain as BP allows: Fentanyl, 50 mcg</li> </ul>
Additional Resources	
Patient response to interventions	Improved color and BP with fluid bolus; decreased pain if analgesic administered
EVENT	
10 minutes into the scene play the tape of	f a barking dog. Team Leader needs to address the issue
REASSESSMENT	
Appropriate management of the patient	Patient stabilizes with improvement in vital signs BP: 94/70 P: 110 R: 18 Integumentary: color improves, diaphoresis resolves
Inappropriate management of the patient	Patient decompensate BP: 76/50 P: 134 R: 28 Neurologic: patient develops altered mental status

**TRANSPORT DECISION:** Team Leader should verbalize transport decision, reason for choosing the facility, and describe the appropriate transportation mode.

• Emergent transport to a hospital that has surgical capabilities

**MANDATORY ACTIONS:** List all actions that need to be completed by the Team during the Assessment and Management of the patient.

- Recognize need for rapid transportation
- Initiation of IV fluid resuscitation with permissive hypotension

**POTENTIALLY HARMFUL/DANGEROUS ACTIONS:** List all actions, that if performed, would most likely have an adverse effect on the patient condition

- Delayed transportation for unnecessary interventions
- Failure to recognize patient as a surgical emergency with the need for blood transfusion



### National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

#### **How to Create Psychomotor Scenarios**

#### **Introduction:**

The Scenario Lab is an opportunity for students to showcase what they have learned in a simulated environment and is based upon the foundations established by the use of Skills Lab Instruments. Scenarios should be introduced to the students at appropriate times throughout the curriculum and with increasing complexity. Scenario performances should occur only after the student has demonstrated acceptable and consistent competence of the skills in that unit (airway, trauma, pediatrics, etc.).

Individual programs should decide how to show competence for each student in each skill prior to performing the skills within a scenario. At a minimum, a student's file should include formative and summative Scenario Lab evaluations for pediatric, adult, and geriatric patients that are tracked in the student's portfolio. These evaluation should cover the following Scenario Topic Areas: Respiratory Distress/Failure, Chest Pain, Cardiac Rhythm Disturbance (including cardiac arrest), Stroke, Overdose, Abdominal Pain, Allergic Reaction/Anaphylaxis, Diabetic Emergencies, Psychiatric Conditions, Seizure, OB/GYN, Blunt Trauma, Penetrating Trauma, Burns, and Hemorrhage.

Students are evaluated based on their assigned role on the team. The student who is in charge of patient care is the Team Leader, all others are Team Members. The Team Leader conducts the physical assessment and management of the simulated patient with the assistance of the Team Members. The Team Leader formulates an appropriate treatment plan for the patient. This means that most, if not all of the decisions have been made by the Team Leader, especially the formulation of a field impression, direction of treatment, determination of acuity, disposition, appropriate delegation, and when applicable, packaging/moving of the patient.

© 2015 National Registry of Emergency Medical Technicians, Inc., Columbus, OH All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement Team Members are responsible for assisting in the treatment of the simulated patient as a competent provider. Team Members should be evaluated along with the Team Leader to assess their competency.

#### **Scenario Development:**

These instructions and the "NREMT Scenario Lab Template" (Appendix E) are designed as a best-practice tool to assist Program Directors and instructors in developing the scenarios needed for their students throughout the Scenario Lab phase of education. The scenarios should range in complexity from simple patient presentation and management problems used early in the program, to complex presentation and management issues as students progress. Authors of these scenarios need to keep the objectives of the evaluation and resources available in mind when designing them.

The scenarios are divided into seven sections: Minimum Equipment, Setup Instructions, and Background Information; Dispatch Information; Scene Survey Information; Patient Assessment, History, Past Medical History, Examination Findings, and Reassessment; Patient Management; Transport Decisions; and Mandatory Actions and Potential Harmful/Dangerous Actions. Each of these sections are separated from the others to aid in the efficient use by the individual setting up a scenario as well as the evaluator. Each of these seven sections are color coded to aid in their identification while referring to the scenario.

Minimum Equipment, Setup, Background, and Moulage Information (Yellow Outline):

The minimum equipment needed for the scenario is listed in this section. The individual setting up the scenarios uses this information to ensure that the resources required are available. It should include EMS equipment and supplies, props, sound clips, medical identification jewelry and additional personnel that may be required to complete the scenario successfully. When

selecting EMS equipment, the author should use caution not to provide unintentional clues as to what treatment is necessary for the patient. For example, the patient has a fractured femur and the only splinting equipment available it a traction splint. Props and sound clips can be as simple as a picture of a scene and a recording of lung sounds or as complex as an overhead projection of the scene background onto a wall and audio files played through a sound system.

Authors of the scenarios need to balance the resources of the program, set-up time, and the complexity of the patient presentation when determining what resources are needed. The setup instructions describe how the scene is to be set-up, how props and sound clips will be used, and the level of certification and roles that additional Team Members will play. These factors need to be determined prior to delivery of the scenario to ensure the consistent evaluation of students. Background information is provided to the Team Leader and Team Members prior to beginning the scenario that describes the scene, EMS system, location of the incident, and weather. When assigning ancillary personnel roles, Team Members can be assigned varying roles including EMR, EMT, AEMT, and Paramedic based on the complexity of the scenario and the phase of education. Please note that when Phase One of the NREMT psychomotor examination is implemented, the only additional Paramedic assisting in the scenario will be the Professional Paramedic Partner. If additional personnel are provided, they will be EMRs or EMTs. Any moulage that needs to be done to the simulated patient needs to be listed in this section. At a predetermined time during the scenario an event will occur. The description of this event and the time that it will occur is listed in this section.

**Dispatch Information (Green Outline):** This information is read to the Team Leader and Team Members in such a way that the students are unable to observe the evaluator. Information presented in the dispatch information should correspond to similar information that they would

receive on an EMS call. The dispatch information should include the dispatch time and nature of the call.

Scene Survey Information (Red Outline): When developing scenarios the author should include a safety concern that needs to be addressed for the safety of the Team, patient, or bystanders. Early in the formative phase this can be a simple item such as a barking dog prior to entering the residence, or a trip hazard on the floor near the patient that needs to be addressed. The location of the patient, his or her visual appearance, age, sex, and weight are described.

A simulated patient should be chosen that approximates the patient description given in the scenario to avoid artificiality. If the sex, age, and weight of the patient are not critical, they should be changed to reflect the simulated patient. The immediate surroundings of the patient should be described, including the presence or absence of bystanders and significant others. Additional information or props/sound clips that need to be used are also described here. For example, the evaluator gives the Team Leader and Team Members a picture of a motorcycle crash scene or the overhead projector displays a motorcycle crash scene for all to see.

Primary Assessment, Past Medical History, and Examination Findings (Blue Outline): This section contains the majority of the information about the patient's condition and should be reviewed by the evaluator and simulated patient prior to beginning the scenario. It is impossible to list all negative findings that can be expected in a scenario. When there is no pertinent finding, place "---" in the associated field so the evaluator can give an answer that would be within normal limits for a patient in a similar condition. The Primary Assessment includes information that the Team Leader uses to form his or her general impression, baseline mental status (AVPU), and airway, respiratory, and circulatory status.

If the simulated patient or bystanders are able to provide it, the history should include

information about the patient's chief complaint, history of the present illness, associated symptoms, pertinent negatives and simulated patient responses to the Team's questions or assessment. Past medical history includes any relevant illnesses, injuries, medications, allergies, current health status, immunizations, social or family concerns, and any medical identification jewelry that the patient may be wearing. The examination findings include initial vital signs, examination findings broken down by body systems and the results of any diagnostic test that the Team may perform. The evaluator and simulated patient only provide specific information as the skill is performed, or the body part is examined. If sound files are included, they should be played as the Team Leader or Team Member examines a specific body part or system. Any findings that are unable to be simulated should be discribed for the Team Leader or Team Member after he or she has assessed that body part or system.

Patient Management, Event, and Reassessment (Purple Outline): This section lists initial stabilization and interventions that are needed for the patient. Recommended treatments are listed that the Team needs to perform to manage the patient successfully. It also includes additional resources that should be requested, and the patient's response to the Team's appropriate and inappropriate management.

At a predetermined time in the scenario, an event should occur. This could be a scene safety concern, rapid change in patient condition, or an issue with equipment, bystanders, or additional personnel. The Team Leader and Team Members will need to address this issue while continuing to manage the patient.

Different options should be given in reassessment that describe the patient's response to the Team's treatment. Appropriate management of the patient should result in an improvement in the patient's condition as would be expected in a live patient with a similar condition.

Inappropriate management should result in deterioration of the patient's condition as would be expected in a live patient with a similar condition. At no time should the patient's condition drastically change unless it is physiologically possible.

**Transport Decision (Orange Filled):** This section lists the suggested transport destination based on the local EMS system. The Team Leader should verbalize his or her transport destination and describe the appropriate transport mode.

Mandatory Actions Potentially Harmful/Dangerous Actions (Pink Filled): This section is used to list all actions that need to be completed by the Team during the assessment and management of the simulated patient. Potential harmful/dangerous actions are listed that if performed would have an adverse effect on the patient condition.

#### **Scenario Validation:**

Prior to using a scenario to evaluate students, it should be reviewed by a committee of subject matter experts. This review committee should include members of the program's educational staff, medical director, and the program's community of interest. The content needs to be reviewed to ensure that it is compliant with the *National Emergency Medical Services*\*\*Education Standards\*\* (NHTSA, 2009) and local protocols. The amended scenario should then be pilot tested with students who have already demonstrated the necessary cognitive and psychomotor abilities to determine if any adjustments in the scenario are necessary. Feedback following the evaluation should be gathered from the students and evaluators. This feedback along with commonly missed issues should be used to further refine the scenario.

#### References

National Highway Traffic Safety Administration. (2009). *National Emergency Medical Services Education Standards*. (DOT HS 811 077A) Washington, DC: Government Printing

Office

This page is intentionally blank.



# $\label{eq:appendix} Appendix\ G$ National Registry of Emergency Medical Technicians $^{\otimes}$ Paramedic Psychomotor Competency Portfolio Manual

#### TEAM MEMBER EVALUATION - SCENARIO LAB

Student Name: Date:	
Evaluator:	Signature
□ Instructor □Peer	Age Group: □Pediatric □Adult □Geriatric
Scenario Topic	
□Respiratory Distress/Failure □Chest Pain □Cardiac Rhythi	
□Abdominal Pain □Allergic Reaction/Anaphylaxis □OB/G □Diabetic Emergency □Blunt Trauma □Penetrating Trauma	
Diabetic Emergency abruit Trauma ar energing Trauma	a Burns Erremorriage
SCORING	
N/A Not applicable for this patient	
0 Unsuccessful; required critical or excessive prompting	
1 Not yet competent marginal or inconsistent; includes	partial attempts
2 Successful; competent; no prompting necessary	
Actual Time Started:	SCORE
FOLLOWERSHIP CATEGORY	·
Demonstrates followership (is receptive to position as a Tear	
Team Leader's assessment or management plan unless dange	erous, speaking up when patient
care will be negatively affected, etc.)	
Loss of situational awareness (task overload, unresolved con-	
unclear orders, false sense of comfort, failed to recognize dar	nger to crew, patient, or bystander)
COMMUNICATION	
Uses closed-loop communication (repeats order, announces when order complete, confirms	
Team Leader understands task complete or results of delegate	
Immediately suggests corrective action if a harmful intervent	tion is ordered/performed by
others	anary bystandans and others and
Communicates clearly and professionally with Team Leader, accepts feedback	, crew, bystanders and others, and
AFFECT	+
Demonstrates confidence, compassion, maturity	
Leaves ego/rank at the door (does not offer opinion unless a	danger exists even if Team Leader
is less experienced; willing to perform tasks delegated by Team Leader of lesser	
rank/certification level)	200001 01 100001
Maintains professionalism and demonstrates appropriate affe	ect toward patient and other team
members	

#### Appendix G

SCENE SIZE-UP CATEGORY	
Advocates safety concerns and is safety conscious at all times	
Follows instructions of Team Leader and suggests corrective action as needed	
PATIENT MANAGEMENT CATEGORY	
Performs tasks in a timely manner when directed by Team Leader	
Performs all skills in an acceptable manner based on related skill evaluation instruments	
Reports progress on tasks	
Anticipates needs of the Team Leader by preparing equipment based upon patient information	
obtained by the Team Leader	
Utilizes appreciative inquiry (asks Team Leader for clarification or suggests a correction if	
directions are unclear or not safe for patient or team)	
Actual Time Ended: TOTAL	/30
Critical Criteria	
Failure to recognize life-threatening injuries or illness	
Failure to take or verbalize appropriate PPE precautions	
Failure to address safety concerns	
Failure to correct any dangerous or inappropriate intervention	
Performs any action or uses any equipment in a dangerous or inappropriate manner	
Failure to suggest corrective action if a harmful intervention is ordered/performed by others	
Failure to function as a competent EMT	
Exhibits unacceptable affect with patient or other personnel	
Failure to receive a total score of 22 or greater	
Comments:	
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her perfand document his/her response to the following question:)	ormance
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful	



# ${\color{red} Appendix~G}\\ \textbf{National Registry of Emergency Medical Technicians}^{\textcircled{\$}}$

### Paramedic Psychomotor Competency Portfolio Manual

#### TEAM LEADER EVALUATION – SCENARIO LAB

Stude	lent Name: Date:			
Evalu	luator: Signature:	Signature: Age Group: □Pediatric □Adult □Geriatric		
□Inst	structor $\square$ Peer Age Group:			
	Scenario Topic Area			
□Abo	spiratory Distress/Failure   Chest Pain   Cardiac Rhythm Disturbance   dominal Pain   Allergic Reaction/Anaphylaxis   OB/GYN   Psychiatric   abetic Emergency   Blunt Trauma   Penetrating Trauma   Burns   Her	c Conditions	□Seizure	
	SCORING			
N/A				
0	Unsuccessful; required critical or excessive prompting; inconsistent; i	not yet competent		
1	Not yet competent; marginal or inconsistent; includes partial attempts			
2	Successful; competent; no prompting necessary			
Actu	ual Time Started:		SCORE	
LEA	ADERSHIP CATEGORY			
COC	ORDINATION OF TREATMENT			
	cts Team Members to perform tasks with appropriate timeliness, prioriti	zation/sequence		
Main	ntains accountability for team's actions/outcomes			
	nonstrates confidence, compassion, maturity and command presence			
	s of situational awareness (task overload, unresolved conflict, tunnel visi			
	ear orders, false sense of comfort, failed to recognize danger to crew, pa			
	Critical Prompts by team: □ Timeliness □ Sequence □ Transport dec	rision (specify in com	ıments)	
	Should only be checked if they are serious to this particular scenario	,		
	EXIBILITY			
	pts treatment plan and sequence as information becomes available, lister			
	onciles incongruent information (reassesses, asks again, engages family			
	onfirm information, checks him or herself if delegated information doesn	it fit presentation)		
	MMUNICATION AND DOCUMENTATION	1		
	s closed-loop communication (orders tasks, verifies they were completed towledges results or completion of task)	i, verbany		
	orts progress on tasks			
	nmunicates accurately and concisely while listening and encouraging fee	dback		
	vides succinct and accurate verbal report	doack		
	FECT			
	blishes basic rapport with the patient and interacts professionally with al	l on scene (Uses		
	name, Eye contact, Introduces self)	2 21 20010 (0 200		
	wes ego/rank at the door (carefully considers information from every rank)	k/level person on		
	e, willing to delegate to those of both higher and lower rank or provider			
	onstrate attitude or arrogance)	•		

Appendix G

SCENE SIZE-UP CATEGORY	
Takes charge (steps forward, asks questions of bystanders and patient, gives directions to	
others)	
Takes appropriate safety precautions and begins to manage scene by delegating tasks and	
requesting necessary resources	
Addresses safety concerns and is safety conscious at all times (scene hazards, agitated	
bystanders, sharps handling, etc.)	
Critical Prompts by team: $\Box$ Safety $\Box$ PPE $\Box$ Number of patients $\Box$ Additional resources	
Should only be checked if they are serious to this particular scenario	
PATIENT ASSESSMENT AND MANAGEMENT CATEGORY	
PRIMARY SURVEY/RESUSCITATION (3 minutes to complete)	
Addresses spinal stabilization, airway, ventilation, oxygenation, circulation and hemorrhage	
management	
Critical Prompts by team: $\Box$ AVPU $\Box$ Airway/Reposition/Adjunct $\Box$ Breathing/O <sub>2</sub> /BVM	
□ Pulse check/CPR start Should only be checked if they are serious to this particular scena	rio
Creates, implements and revises an acceptable action plan according to patient presentation	
Assesses situation and resources and modifies accordingly	
Performs tasks accurately and in a timely manner	
Utilizes appreciative inquiry (speaking directly and respectfully, asks if others see anything	
else that should be considered, solicits input and feedback from Team Members)	
HISTORY TAKING	
Determines chief complaint, mechanism of injury, associated symptoms	
Receives, processes, verifies and prioritizes information	
SECONDARY ASSESSMENT	
Obtains vital signs; assesses and manages injuries to HEENT, thorax, abdomen, pelvis,	
extremities, posterior body; identifies pertinent negatives	
PERTINENT PAST MEDICAL HISTORY	
Obtains pertinent SAMPLE/OPQRST history	
Critical Prompts by team: $\Box$ BP, P, R $\Box$ SpO <sub>2</sub> $\Box$ Lung sounds $\Box$ ECG $\Box$ 12-lead ECG	
Should only be checked if they are serious to this particular scenario	
FIELD IMPRESSION AND TREATMENT PLAN CATEGORY	
DIFFERENTIAL DIAGNOSIS	
Creates an appropriate list of differential diagnoses	
Critical Prompts by team:   Critical Differential (specify in comments)	
Should only be checked if they are serious to this particular scenario	
ACUITY	
Makes accurate clinical judgments about patient acuity	
Critical Prompts by team:   Critical   Not Critical (specify in comments)	
Should only be checked if they are serious to this particular scenario	
THERAPEUTIC INTERVENTIONS AND MONITORING	
Develops treatment plan and implements appropriate treatments based on history, physical	
exam and monitoring devices	
Critical Prompts by team:     Treatment (specify in comments)	
Should only be checked if they are serious to this particular scenario	/ F A
Actual Time Ended: TOTAL	/54

#### Appendix G

Critical Criteria
Failure to recognize life-threatening injuries or illness
Failure to take or verbalize appropriate PPE precautions
Failure to address safety concerns
Failure to provide spinal precautions when indicated
Failure to assess or appropriately manage problems with airway, breathing, oxygenation or
ventilation
Failure to complete management of the patient within the given time limit
Failure to initiate transport within 10 minutes for a critical trauma patient
Performs any action or uses any equipment in a dangerous or inappropriate manner
Failure to suggest corrective action if a harmful intervention is ordered/performed by others
Requires excessive prompting or a single critical prompt by team members
Failure to function as a competent EMT
Exhibits unacceptable affect with patient or other personnel
Failure to receive a total score of 40 or greater
Comments:
<b>STUDENT SELF-EVALUATION</b> (The examiner is to ask the student to reflect on his/her performance and document his/her response to the following question:)
Were you successful or unsuccessful in this skill? ☐ Successful ☐ Unsuccessful

This page is intentionally blank



# Appendix H National Registry of Emergency Medical Technicians® Paramedic Psychomotor Competency Portfolio Manual

#### **How to Use Scenario Lab Instruments**

#### **Introduction:**

Scenario Lab instruments are used as an opportunity for the students to demonstrate what they have learned in a simulated environment and are based upon the foundations established by the use of Skills Lab Instruments. Scenarios should be introduced to the students at appropriate times throughout the curriculum and with increasing complexity. This competency package includes Scenario Lab instruments for both Team Leaders and Team Members. These Scenario Lab instruments should be used to critique student performances in order to provide guidance for improvement and/or confirm competency.

#### **Scenario Performance:**

Scenario performances should occur only after the student has demonstrated acceptable and consistent competence of the skills in that unit (airway, trauma, pediatrics, etc.) following sufficient practice. Individual programs should decide how best to document competence for each student in each skill prior to preforming the skills within a scenario. For example, in the formative phase, students can practice individual airway management, oxygenation, and ventilation skills until they feel competent. Then a summative instructor evaluation might occur to confirm and log competency for those given skills. At this point the students are ready to incorporate those skills in a variety of scenarios which could include management of a patient with a difficult airway, removal of an obstruction or management of patient in respiratory distress, failure or respiratory arrest. Other skills such as patient assessment, endotracheal intubation with waveform capnography and percutaneous cricothyrotomy could also be incorporated into scenarios during this unit.

Paramedic students are accountable for EMT skills, so basic skills should also be evaluated during scenario performance. Overall performance by the student for a given

scenario can then be evaluated, and scenario competency determined or remediation prescribed. Programs should not wait to begin scenarios until **all** discrete (individual) skills in the program have been tested. Begin airway scenarios as soon as acceptable performance of airway skills has been documented. Begin trauma scenarios as soon as acceptable performance of the discrete trauma skills has been demonstrated, and so on for each unit within the Paramedic curriculum.

#### **Scenario Lab Instruments:**

Scenario Lab instruments evaluate scenario-type practice in the laboratory setting where the student is expected to demonstrate how he/she would perform with in the context of an EMS call. Simulation should be as realistic as possible within the given restraints of the program (space, resources, equipment, etc.). Simulations should include a team of students, one acting as Team Leader and one as the Team Member at the Paramedic level. Additional first responders can be added based on the complexity of the call. For example, if an EMT or firefighter is needed to perform CPR, another classmate can be called into the scenario to perform EMT tasks. The Scenario Lab instruments can be used to score both formative and summative Team Leader and Team Member performances depending upon whether students are in the early stages of scenario practice for this unit (airway, trauma, cardiology, etc.) or nearing completion of scenario laboratory practice for this type of patient situation.

The Team Leader is in charge of conducting patient assessments, interpreting findings, making decisions about care, and directing treatments. Team Members are responsible for correctly performing all skills as directed by the Team Leader. It is imperative that Team Members **only** offer suggestions when there is concern for patient or team safety. Skills performed by either the Team Leader or Team Member should be evaluated for competency.

#### **Evaluation:**

The Team Leader evaluation instrument includes scene management, patient assessment and management, field impression, treatment plan, and leadership scoring criteria. The standard for scene management evolves from the assessment of data points gathered in the Skills Lab instrument on obtaining a patient history. The standard for patient assessment and management is derived from the steps found in the related patient assessment Skills Lab instrument but condensed. In scenarios, the patient presentations are abnormal. During patient assessment and management, the faculty member creates the scenario, and the students should adjust their assessments and interventions to fit the scenario appropriately. This phase of assessment is where linear presentation of steps no longer is considered, but rather where an appropriate physical examination for the scenario is judged.

Summative laboratory scenarios are learning situations and testing situations. Faculty and peer judges should discuss the care delivered by the team. Appropriateness of therapy, priorities of care, sequence, teamwork, thoroughness of physical examinations and histories, hand-off reports and affective characteristics demonstrated by Team Leaders and Team Members should be all discussed and scored. The summative laboratory scenarios can also be utilized for high stakes testing situations imbedded in the curriculum for the students to prove scenario competence.)

Judges of student performance using scenario instruments must thoroughly understand the standards established during the formative phase of education. Assigning scores based upon their judgment is invalid when a passing or failing score is not correlated with a known standard. The judge documenting performance in the isolated skill may be a student peer who has already demonstrated Skill Lab competency over the skill he/she is judging. For example, a student who

#### Appendix H

has previously proven competency in the Skill Lab phase for establishing an IV may judge another student's IV procedure. Multiple student judges may be used when evaluating performance in the Scenario Lab as each student judge will also learn during this process. Many students can be involved at once in the Scenario Lab phase, especially when all non-team members act as judges of peer performance. Teams and roles within the team should be rotated between students so that each student has ample opportunity to develop all necessary skills.

There are many advantages to team based scenario management. For instance, Team Leaders may under-treat or over-treat a patient. He/she may get priorities out of order or request care that is inappropriate. A Team Member might need to suggest an alternate treatment or point out a scene hazard that the Team Leader failed to notice. These "mistakes" should occur in the laboratory setting where vital learning can take place without jeopardizing actual patient care.

#### **Rating Scale:**

The Scenario Lab instruments have a 4-point rating scale. The following helps to standardize judgments and improve inter-rater reliability:

2 = Successful/competent; no prompting necessary – The student performed at the entry-level of competency as judged by the preceptor. Entry-level of competency takes into account the amount of education the Paramedic student has undergone at the time of the clinical interface with the patient.

1 = Not yet competent, marginal or inconsistent; this includes partial attempts.

0 = Unsuccessful – required critical or excessive prompting; inconsistent; not yet competent; this includes "Not attempted" when the student was expected to try. The student performed with some errors of commission or omission that would lead the preceptor to a conclusion that the student did not meet the standard of care expected by

#### Appendix H

the program, program medical director and community of interest.

N/A = Not applicable –not needed or expected for this patient. This is a neutral rating. (Example: Student expected to only observe, or the patient did not need intervention).

Scoring student performance as a judge is not a simple exercise. Each judge should act independently and assign a score. Judges who favor a student or have a bias for or against a student are acting improperly. All judges must understand their role in shaping and judging entry-level competency of Paramedic students. The public, our patients, reasonably expect to be cared for by competent Paramedics. Judging the competency of a Paramedic student is a serious responsibility. Judges should know their judgments are going to become part of the portfolio for a student and part of that student's competency record. Students make mistakes. Students and judges learn from student mistakes. Errors found in the Scenario Lab setting are safe since they occurred where no actual patient harm could result. The steps of the Scenario Lab instruments help provide standardization.

Scenarios that progress from straight-forward and uncomplicated to more complex near the end of the program should be incorporated into the process. Motivation and practice by the students should enhance their performance throughout the program. Review of standards established by the program and/or found in the Skill Lab instruments should be helpful for remediation. Skill and scenario competency in each unit that has been acquired should be continuously evaluated throughout Paramedic education. For example, airway scenarios should not be run after airway, and then never revisited. Throughout each subsequent section of the program, an airway, trauma, or OB scenario should be incorporated into scenario lab practice days. Scenario Lab evaluations, formative and summative that are scored by both

faculty and peers become part of the student portfolio.

#### Phase 1 Scenario-Based Psychomotor Examination:

The National Registry of Emergency Medical Technicians (NREMT) anticipates incorporating the scenario-based examination in several phases, with Phase 1 beginning on August 1, 2016. In this first phase, a total of six (6) skills will be tested, five (5) of which are currently evaluated in the NREMT Paramedic Psychomotor examination. One scenario will be tested, which will reflect either a pediatric, geriatric or adult patient. A Professional Paramedic Partner will be supplied as part of the examination team and will serve as the candidate's partner. Each candidate will be evaluated in his/her ability to manage a call, lead the team, direct all personnel and resources on scene, effectively communicate, and maintain professionalism throughout the call. The six (6) skills that will comprise the NREMT Paramedic Psychomotor examination effective August 1, 2016, are as follows:

- 1. Patient Assessment Trauma
- 2. Oral Station Case A
- 3. Oral Station Case B
- 4. Dynamic Cardiology
- 5. Static Cardiology
- 6. Out-of-Hospital Scenario

# Paramedic Psychomotor Competency Portfolio Manual CLINICAL SHIFT EVALUATION WORKSHEET Appendix I National Registry of Emergency Medical Technicians $^{\tiny \circledcirc}$



14 4 4 6 6 14 7		6	Chicational Processing of the Control of the Contro			1114		3		عادية ال	9	
Student Name	_	Date	Educational Program							Cilnical Site	ite	
Page of _	Time In:	Out:	Preceptor:		-					ر	Jnit or	Unit or Station:
<b>Directions:</b> Each row marked "S"	ch contact must be rated by and preceptors in row "P."	the student <b>first</b> , and rated by to " Comment on any discrepancie	<b>Directions:</b> Each contact must be rated by the student <b>first</b> , and rated by the preceptor <b>second.</b> Mark student ratings in the row marked "S" and preceptors in row "P." Comment on any discrepancies on back. Preceptors complete shaded sections	int ratings in ti haded section		ating*:    cludes "  ccessful	<b>JA</b> = No: Not atte /compe	t applica :mpted" tent - nc	ble- not when si promp	needed o tudent wa ting ( See	r expec s expec descrip	Rating*: NA = Not applicable- not needed or expected. 0 = Unsuccessful - required excessive or critical prompting; includes "Not attempted" when student was expected to try. 1 = Marginal - inconsistent, not yet competent. 2 = Successful/competent - no prompting ( See description at end of instrument)
				Circle			Clini	Clinical Objectives	ctives			
Patient Age Sex	Impression / Differential Diagnoses	LOC, Complaints, Event/Circumstances	Summary of freatments rendered successfully by student	Patient Contact Type	Rater + weiview +	HX Gathering  Physical Exam	xT\ noisession /Tx	Performance Performance	Communication	Professional Behavior (Affect) Team Team	Membership Initials	Comments and Immediate Plan for Improvement for Next Contact
1.				ALS	S							
				BLS	Ь							
2.				ALS	S							
				BLS	Ь							
3.				ALS	S							
				BLS	۵							
4.				ALS	S							
				BLS	Ь							
5.				ALS	S							
				BLS	Ь							
9				ALS	s							
				BLS	Ь							
7.				ALS	S							
				BLS	۵							



# Appendix 1

# Paramedic Psychomotor Competency Portfolio Manual National Registry of Emergency Medical Technicians $^{ ext{ iny G}}$ CLINICAL SHIFT EVALUATION WORKSHEET

Comment on any unsatisfactory ratings or discrepancies:		
Overall plan for improvement for future shifts:		
Student reported $\ \square$ on time, $\ \square$ well groomed, $\ \square$ in uniform and prepared to begin the shift $\ \square$ Yes $\ \square$ No	5 □ No	Student knows equipment location and use. $\ \square$ Yes $\ \square$ No
Behavior was professional:   Accepts feedback openly   Self-motivated   Efficient   Flexible   Careful   Confident	Careful 🗆 Confident	Student helps clean up and restock, unprompted. 🗆 Yes 🗆 No
Student asked relevant questions and participated in learning answers, used downtime to its highest potential. $\square$ Yes $\square$ No	potential. 🗆 Yes 🗆 No	Student left site early (did not complete shift). 🛘 🗆 Yes 🖺 No
Preceptor requests a follow-up with appropriate program personnel.   Phone call	or 🛮 Email	
Student Signature	I agree to the above ratings: Preceptor Signature	ings:
Clinical Objectives:		

patient(s); demonstrated compassion and /or firm bedside manner depending on the needs of the situation. Pt Interview/Hx Gathering: Student completes an appropriate interview and gathers appropriate history; listens actively, makes eye contact, clarifies complaints, respectfully addresses

Physical Exam: Student completes an appropriate focused physical exam specific to the chief complaint and/or comprehensive head-to-toe physical examination

**Impression & Tx Plan:** Student formulates an impression and verbalizes an appropriate treatment plan

**Skill Performance:** Student performs technical skills accurately and safely.

Communication: Student communicates effectively with team, provides an adequate verbal report to other health care providers and completes a through written patient narrative.

**Professional Behavior Objectives:** Student demonstrates they are:

Efficient: Keeps assessment and treatment times to a minimum, releases other personnel when not needed and organizes team to work faster/better Self-motivated: Takes initiative to complete assignments and improve/correct problems, strives for excellence, incorporates feedback and adjusts behavior/performance.

Flexible: Makes adjustments to communication style, directs team members and changes impressions based on findings.

Careful: Pays attention to detail of skills, documentation, patient comfort, set-up and clean-up and completes tasks thoroughly.

**Confident:** Makes decisions, trusts and exercises good personal judgment and is aware of limitations and strengths.

**Open to feedback:** Listens to preceptor and accepts constructive feedback without being defensive (interrupting, giving excuses)

Team Membership Objective: Clinical Experience evaluation of field performance assesses a student as a Team Member and is isolated to evaluation of individual skill delivery or a portion of only the portion of care completed by the student is evaluated. The Team Member role contains an affective component and evaluates the student's cognitive understanding of complete patient care that is delivered. The student is not assuming the Team Leader role but integrating with other Team Members. When evaluating the student performance as a Team Member, patient care that paramedics are expected to deliver

prompting; includes "Not attempted" when student was expected to try; This is an unsatisfactory rating. 1 = Marginal - inconsistent, not yet competent; This includes partial attempts. 2 = Successful/competent - no Rating: NA = Not applicable - not needed or expected; This is a neutral rating. (Example: Student expected to only observe, or the patient did not need intervention). 0 = Unsuccessful - required excessive or critical and case difficulty will vary. Students should be active and ATTEMPT to perform skills and assess/treat patients early even if this results in frequent prompting and unsuccessful ratings. Unsuccessful ratings are prompting. \*Note: Ideally, students will progress their role from observation to participation in simple skills, to more complex assessments and formulating treatment plans. Students will progress at different ratess. ormal and expected in the early stages of the clinical learning process when student needs prompting. Improvement plans MUST follow any unsuccessful or inconsistent ratings.



### National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

#### How to Use the Clinical Evaluation Instrument

#### **Introduction:**

The overarching objective of Paramedic experiential learning is to prepare Paramedic students as competent entry-level Paramedics. Students are to conduct themselves in a professional and courteous manner at all times and are expected to be self-motivated to engage consistently in learning opportunities during the Clinical Phase. Goals for participation in the Clinical Phase include:

- Observe and participate in the dynamic patient care interactions as members of the interdisciplinary healthcare team.
- 2. Engage patients and family members utilizing various strategies of therapeutic communication.
- 3. Participate in gathering patient histories and performance of physical examinations, synthesizing the information into appropriate differential diagnoses.
- 4. Discuss with preceptors and other clinical staff an appropriate treatment plan.
- 5. Perform psychomotor skills that are within the Paramedic scope of practice and for which the student has received program approval to perform.

#### **Skill Performance:**

Clinical experiences should include the Operating Room, Recovery Room, Intensive Care Unit, Coronary Care Unit, Labor and Delivery, Pediatrics, and Emergency Department. Non-traditional environments may also be useful in exposing students to populations commonly seen by EMS personnel but difficult to gain access to in traditional hospitals. These include pediatric clinics, day care centers, detoxification units, social service shelters (domestic abuse, homeless

etc.), psychiatric clinics, crisis intervention units, specialty medical clinics, free-standing day surgery centers, urgent care clinics and other outpatient healthcare venues. Some Paramedic education programs may also choose to have students experience field clinical time in the out-ofhospital setting during the early phase of their education. The Field Experience is the optional, formative time that may include "planned, scheduled, educational student time spent on an EMS unit, which may include observation and skill development ... and does not contribute to the Committee on Accreditation of Educational Programs for the Emergency Medical Services Professions (CoAEMSP) definition of field internship" (CoAEMSP, 2014, p. 9). The Field Experience is where the student builds his or her skills, learns scene choreography to include taking over more and more of the call, how to approach to the patient, and patient management. This progressive process is best taught in the field on an EMS unit and culminates in Team Leadership. Near the end of the Field Experience the student should be functioning at or near to the Team Leader role. The key point is that a specified number of Team Leads must be accomplished in the Capstone Field Internship independent of what the student accomplished in the Field Experience. Student performance during the Field Experience should be documented on the "Clinical Shift Evaluation Worksheet."

#### **Preceptor Preparation, Training, and Expectations:**

Preceptors are busy providing patient care in most locations throughout the clinical rotation. Preceptors must work with students and use an evaluation instrument that captures information pertinent to student performance. We suggest that the faculty provide a brief orientation to the evaluation worksheet and review the goals for the clinical rotation for each preceptor prior to beginning student rotations. Preceptors should have access to emergency contact numbers for the appropriate program personnel at all times should any questions or

unforeseen issues arise.

Students should assess scene safety, perform patient interviews, conduct physical examinations, and perform treatment and procedures as these opportunities present. Preceptors need to ensure that this occurs without jeopardizing the quality of patient care or adversely affecting the patient. In the event the preceptor deems provider, patient, or public safety is being compromised, the preceptor should intervene in as professional manner as possible to ensure optimal outcomes while ensuring a safe learning environment.

### **Student Self-Evaluation:**

It is important that the Paramedic student evaluate his or her own performance, recognize any disparities in knowledge or performance and correct these in subsequent patient encounters. Honest self-evaluation is imperative for continued growth and improvement and is a characteristic of a professional. It is essential that the preceptor assist any student exhibiting difficulty with accurate self-evaluation of his or her performance. There are numerous methods that a Paramedic education program can use to document the Clinical Experience phase of Paramedic student education. This document describes a best-practice approach to documentation of the Clinical Phase.

The "Clinical Shift Evaluation Worksheet" serves as the overall log for the shift or day's clinical activity. This worksheet is used to document and evaluated the Paramedic student's performance as a Team Member as soon as possible after a patient contact. At the conclusion of each patient encounter, the student should first evaluate his or her performance on the "Clinical Shift Evaluation Worksheet", followed by the evaluator/preceptor's evaluation of his or her performance. This allows the evaluator/preceptor to assess the accuracy of the student self-evaluation prior to providing constructive feedback regarding the process of self-evaluation.

Students should mark their self-evaluation ratings in the row labeled (S). The evaluator/preceptor should document his or her rating of the student in the row marked (P). The evaluator/preceptor should continue to document all shaded sections after the student has completed all of the sections required. Please comment on any discrepancies at the end of the row or on the backside of the form. The following list provides a description of what should be entered in each section of the "Clinical Shift Evaluation Worksheet:"

**Student Name:** Name of Student

**Date:** Date field internship rotation began

**Educational Program:** Name of the Paramedic program the student is attending

Clinical Site: Name of the EMS/ ambulance service

**Page\_of\_:** If additional pages or forms are necessary due to additional patient contacts or additional documentation, indicate the total number of pages.

**Time In and Out:** Time student arrived and departed from the clinical site

**Preceptor:** Name of preceptor

**Unit or Station:** Radio call sign or "report to work" location

Patient Age/Sex: Patient's age and sex

**Impression and / or Differential Diagnosis:** This section is a judgment of the Paramedic student based on findings of the history and physical examination. At times, a patient's differential diagnosis may be unknown as all of the evidence to make a diagnosis is not yet known. Paramedic students should be judged on their differential diagnosis based upon the information that is obtained in the history and physical examination. Students may not know or have access to in-hospital diagnostic data. Consequently, Paramedic students may reach a different diagnosis other than the definitive diagnosis that was

derived after many in-hospital tests were completed.

- **LOC/Complaints/Event/Circumstances:** This section is used by the Paramedic student to document the patient presentation, history of present illness and significant patient assessment findings.
- Summary of treatments rendered successfully by student: The student uses this section to document treatments performed successfully and is judged based upon information that the student has obtained from the history and physical exam. A successful attempt should be based on the outcome of a discussion between the preceptor and the student that answers the question, "How would you, as a Paramedic, treat this patient in the field based on your history and physical examination findings?" Each clinical setting is somewhat different, and each patient presentation may be different.
- Circle Patient Contact Type: The Paramedic student should next circle ALS or BLS based on the condition of the patient. ALS should be circled if the patient condition or complaint requires assessment or interventions by an Advanced Life Support provider. This may include but is not limited to, medication administration, ECG monitoring and establishment of intravenous access. BLS should be circled if the patient condition or complaint requires assessment or interventions that an EMT should be able to perform. While the emphasis of the Clinical is ALS patient contacts, BLS skills performed may be documented in this section.
- Clinical Objectives Rating: This section is used to document Paramedic student performance of Patient Interview and History Gathering; Physical Exam; Impression and Treatment Plan; Skill Performance; Communication; Professional Behavior/Affect; and Team Membership. The Paramedic student should first complete his or her ratings followed

by the preceptor. The following four-point Likert scale will help to standardize judgments and inprove inter-rater reliability:

- 2 = Successful/competent; no prompting necessary The student performed at the entry-level of competency as judged by the preceptor. Entry-level of competency takes into account the amount of education the Paramedic student has undergone at the time of the clinical interface with the patient.
- 1 = Not yet competent, marginal or inconsistent; this includes partial attempts.
- 0 = Unsuccessful required critical or excessive prompting; inconsistent; not yet competent; this includes "Not attempted" when the student was expected to try. The student performed with some errors of commission or omission that would lead the preceptor to a conclusion that the student did not meet the standard of care expected by the program, program medical director and community of interest.
- N/A = Not applicable –not needed or expected for this patient. This is a neutral rating. (Example: Student expected to only observe, or the patient did not need intervention).

\*Note: Ideally, students will progress their role from observation to participation in simple skills, to more complex assessments and formulating treatment plans. Students will progress at different rates and case difficulty will vary. Students should be active, and attempt to perform skills and assess/treat patients early even if this results in frequent prompting and unsuccessful ratings. Unsuccessful ratings are typical and expected in the initial stages of the clinical learning process when students need prompting. Improvement plans must follow any unsuccessful or inconsistent ratings.

### **Preceptor Evaluation**

As soon as possible after the student completes the self-evaluation of the Clinical Objectives, the preceptor should review the information that the student entered and document his or her rating in the section provided (P). Please record any comments necessary to clarify ratings or provide additional feedback. Identify improvements needed for future patient contacts. You may use additional paper or electronic communication to the program as necessary. Any disparate ratings between the student and evaluator ratings should be discussed. The evaluator should briefly document any suggestions for improvement or other comments in the "Comments and Immediate Plan for Improvement for Next Contact" section.

At the completion of the student's shift, the evaluator should document any "Comments on any unsatisfactory ratings or discrepancies" and "Overall plan for improvement for future shifts" if needed. The preceptor should then check the boxes that indicate the student affect during the shift and whether follow-up is requested from appropriate program personnel.

After the student and preceptor have discussed any discrepancies, both should sign the "Clinical Shift Evaluation Worksheet" and it should be turned into the appropriate program personnel without further alteration. Systems need to be developed for returning completed instruments to the program. The system should employ methods to prevent alteration of the evaluation by the student and/or discarding of the evaluation instrument by the student. Systems that permit students to alter preceptor-completed evaluations and/or allow students to throw away unsuccessful patient evaluations are not valid.

### References

Committee on Accreditation of Educational Programs for the Emergency Medical Services Professions. (2014). Standard Revision Updates. Retrieved from <a href="http://coaemsp.org/Standards\_Revisions.htm">http://coaemsp.org/Standards\_Revisions.htm</a>

## CAPSTONE FIELD INTERNSHIP SHIFT EVALUATION WORKSHEET Paramedic Psychomotor Competency Portfolio Manual $\begin{array}{c} \textit{Appendix K} \\ \textbf{National Registry of Emergency Medical Technicians}^{\tiny \textcircled{\tiny \blacksquare}} \end{array}$

Saler   Sale	Student Name	lame	Date	Educational Program				1			Clinical Site	Site	
Type BLS P ALLS SECOND Mark student ratings in a variety by the student files? and rated by the student files and discrepancies on back. Preceptors complete shaded a file of a file of the student files and the student files. Type BLS P ALLS S S S S S S S S S S S S S S S S S	Page			Preceptor:								nit or	tation:
Properties of the protection o	Direction: the row m	is: Each contact must be rated by the narked "S" and preceptors in row '	the student FIRST, and rated by "P." Comment on any discrepar	the preceptor SECOND. Mark stucncies on back. Preceptors complet	lent ratings in e shaded		tings: N/	\ = Not a	ıpplicabl ıpted" ν	le- not n vhen stu	eeded or Ident was	expect expect	<ul> <li>d. 0 = Unsuccessful - required excessive or critical prompting;</li> <li>ed to try. 1 = Marginal - inconsistent, not yet competent. 2 =</li> </ul>
Control   Cont	sections				1	Su	ccessful/	compet	ent - no	prompti	ng		
Comparison				Summary of treatments rendered	Circle		_	Ō	jectives		_	ı	
ALS         BLS         B	Patient Age Sex	Impression and/or Differential Diagnoses	LOC, Complaints, Event/Circumstances	successfully by student	Patient Contact Type	+ weivreth 14		xT noissanqml		Professional	(Affect) ms9T	Preceptor	
B1S	1.					S							
ALS					i	Ь						1	
BLS	2.					S							
ALS           BLS					i	Д						i	
BLS	3.					S							
ALS					i	Д						i	
BLS ALS BLS BLS BLS BLS BLS BLS BLS BLS BLS B	4.					S							
ALS					<u> </u>	Д						1	
BIS	5.					S							
ALS BLS BLS BLS BLS BLS BLS BLS BLS BLS B					i	Ь						1	
BLS ALS BLS BLS	6.					S							
ALS BLS					i	Д							
•	7.					S							
					i	<u>_</u>						i	



## Appendix K

# National Registry of Emergency Medical Technicians® Paramedic Psychomotor Competency Portfolio Manual CAPSTONE FIELD INTERNSHIP SHIFT EVALUATION WORKSHEET

	Clinical Objections
tings:	Student Signature   Lagree to the above ratings:  Preceptor Signature   Preceptor Signat
	Preceptor would appreciate $\Box$ phone call or $\Box$ email from the instructor (please provide contact info). $\Box$ Yes $\Box$ No
Student left site early (did not complete shift). 🗆 Yes 🗀 No	Student asked relevant questions and participated in learning answers, used downtime to its highest potential. $\square$ Yes $\square$ No
Student helps clean up and restock, unprompted. 🗆 Yes 🗆 No	Behavior was professional:   Accepts feedback openly   Self-motivated   Efficient   Flexible   Careful   Confident
Student knows equipment location and use.   Yes   No	Student reported □ on time, □ well groomed, □ in uniform and prepared to begin the shift □ Yes □ No
	Overall plan for improvement for future shifts:
	Comment on any unsatisfactory ratings or discrepancies:

### Clinical Objectives:

(s); demonstrated compassion and /or firm bedside manner depending on the needs of the situation. Pt Interview/Hx Gathering: Student completes an appropriate interview and gathers appropriate history; listens actively, makes eye contact, clarifies complaints, respectfully addresses patient

Physical Exam: Student completes an appropriate focused physical exam specific to the chief complaint and/or comprehensive head-to-toe physical examination

Impression & Tx plan: Student formulates an impression and verbalizes an appropriate treatment plan

**Skill Performance:** Student performs technical skills accurately and safely.

Communication: Student communicates effectively with team, provides an adequate verbal report to other health care providers and completes a through written patient narrative

**Professional Behavior Objectives:** Student demonstrates they are:

Efficient: Keeps assessment and treatment times to a minimum, releases other personnel when not needed and organizes team to work faster/better Self-motivated: Takes initiative to complete assignments and improve/correct problems, strives for excellence, incorporates feedback and adjusts behavior/performance

Flexible: Makes adjustments to communication style, directs team members and changes impressions based on findings.

Careful: Pays attention to detail of skills, documentation, patient comfort, set-up and clean-up and completes tasks thoroughly.

Confident: Makes decisions, trusts and exercises good personal judgment and is aware of limitations and strengths.

Open to feedback: Listens to preceptor and accepts constructive feedback without being defensive (interrupting, giving excuses)

**Team Leadership Objective**: The student has successfully led the team if he or she has conducted a comprehensive assessment (not necessarily performed the entire interview or physical exam, student, especially formulating a field impression, directing the treatment, determining patient acuity, disposition and packaging/moving the patient (if applicable). Minimal to no prompting was needed by the preceptor. No action was initiated/performed that endangered the physical or psychological safety of the patient, bystanders, other responders or crew. (Preceptors but rather been in charge of the assessment), as well as formulated and implemented a treatment plan for the patient. This means that most (if not all) of the decisions have been made by theorem.

should not agree to a "successful" rating unless it is truly deserved. As a general rule, more unsuccessful attempts indicate willingness to try and are better than no attempt at all.)

prompting; includes "Not attempted" when student was expected to try; This is an unsatisfactory rating. 1 = Marginal - inconsistent, not yet competent; This includes partial attempts. 2 = Successful/competent - no Ratings: NA = Not applicable - not needed or expected; This is a neutral rating. (Example: Student expected to only observe, or the patient did not need intervention). 0 = Unsuccessful - required excessive or critical and case difficulty will vary. Students should be active and ATTEMPT to perform skills and assess/treat patients early even if this results in frequent prompting and unsuccessful ratings. Unsuccessful ratings are prompting. Note: Ideally, students will progress their role from observation to participation in simple skills, to more complex assessments and formulating treatment plans. Students will progress at different rates normal and expected in the early stages of the clinical learning process when student needs prompting. Improvement plans MUST follow any unsuccessful or inconsistent ratings.





### **National Registry of Emergency Medical Technicians®** Paramedic Psychomotor Competency Portfolio Manual

### **How to Use the Capstone Field Internship Shift Evaluation Instrument**

### **Introduction:**

Thank you for taking the time to mentor and evaluate the student and potential Paramedic candidate on his or her ability to perform as a competent entry-level Paramedic. The field internship is a capstone experience and as such the student must successfully demonstrate the ability to assess, manage and direct care for sick and injured patients during out-of-hospital patient contacts. Please remember that this is an evaluation of the student's ability to perform as a competent entry-level Paramedic and the last opportunity to identify areas that need potential remediation prior to the student becoming a candidate for Paramedic certification. While we recommend potential employers provide an appropriate orientation and evaluation process prior to allowing the new Paramedic to perform alone as the Team Leader, we recognize that there are EMS systems that will immediately place the newly state-licensed Paramedic in an out-ofhospital situation with an EMT partner upon successful completion of the NREMT Paramedic certification. Therefore, it is imperative that you provide a fair and objective evaluation of each student recognizing that he or she is expected to perform as an entry-level Paramedic.

### **Team Leader Performance:**

The Capstone Field Internship should document a student's progression to a consistently competent entry-level Paramedic. This may be most effectively done by assigning a student to a particular preceptor during the Capstone Field Internship phase. This allows the preceptor to assess the student's initial performance and for both student and preceptor to become comfortable with each other. As the internship progresses, the student would ideally progress to at least minimal entry-level competency which would be documented by the preceptor. Although programs may not have the option, utilizing numerous preceptors for one student

internship can complicate trust, expectations, and continuity for both student and preceptor, particularly with a student who is not exhibiting confidence or who is experiencing any difficulty in the progression from performing as a student to performing consistently as an entry-level Paramedic.

The program should establish a minimum number of hours, competencies, and team leads that the student should achieve in order to be regarded as successfully performing as a competent entry-level Paramedic. These goals should reflect the depth and breadth of the Paramedic profession. The Capstone Field Internship has the unique capacity to assess the student's competence in all three learning domains while performing as they will in the profession. The significance of the Capstone Field Internship cannot be overstated.

### **Preceptor Preparation, Training, and Expectations:**

Preceptors are busy providing patient care in most locations throughout the clinical rotation. Preceptors must work with students and use an evaluation instrument that captures information pertinent to student performance as an entry-level Paramedic. We suggest that the faculty provide a brief orientation to the evaluation worksheet and review the goals for the clinical rotation for each preceptor prior to beginning student rotations. Preceptors should have access to emergency contact numbers for the appropriate program personnel at all times should any questions or unforeseen issues arise.

Students should assess scene safety, perform patient interviews, conduct physical examinations, and perform treatment and procedures as these opportunities present. Preceptors need to ensure that this occurs without jeopardizing the quality of patient care or adversely affecting the patient. In the event the preceptor deems provider, patient, or public safety is being compromised, the preceptor should intervene in as professional manner as possible to ensure

Appendix L

optimal outcomes while ensuring a safe learning environment.

**Student Self-Evaluation** 

It is important that the Paramedic student evaluate his or her own performance, recognize

any disparities in knowledge or performance and correct these in subsequent patient encounters.

Honest self-evaluation is imperative for continued growth and improvement and a characteristic

of a professional. It is essential that the preceptor assist any student exhibiting difficulty with

accurate self-evaluation of his or her performance. There are numerous methods that a

Paramedic education program can use to document the Capstone Field Internship phase of

Paramedic student education. This document describes a best-practice approach to

documentation of the Capstone Field Internship phase.

The "Capstone Field Internship Shift Evaluation Worksheet" serves as the overall log for

the shift or day's clinical activity. This worksheet is used to document and evaluated the

Paramedic student's performance as a Team Member as soon as possible after a patient contact.

At the conclusion of each patient encounter, the student should first evaluate his or her

performance (S) on the "Capstone Field Internship Shift Evaluation Worksheet," followed by the

preceptor's evaluation of his or her performance. This will allow the preceptor to assess the

accuracy of the student self-evaluation prior to providing constructive feedback regarding the

process of self-evaluation.

Students should mark their self-evaluation ratings in the row Labeled (S). The preceptor

should document his or her rating of the student in the row marked (P). The preceptor should

continue to document all shaded sections after the student has completed all of the sections

required. Please comment on any discrepancies at the end of the row or the back of the form.

**Student Name:** Name of Student

Appendix L

**Date:** Date field internship rotation began

**Educational Program:** Name of the Paramedic program the student is attending

Clinical Site: Name of the EMS/ ambulance service

Page\_of\_:If additional pages or forms are necessary due to additional patient contacts or additional documentation, indicate the total number of pages.

**Time In and Out:** Time student arrived and departed from the clinical site

**Preceptor:** Name of preceptor

**Unit or Station:** Radio call sign or "report to work" location

Patient Age/Sex: Patient's age and sex

Impression and / or Differential Diagnosis: This section is a judgment of the Paramedic student based on findings of the history and physical examination. At times, a patient's differential diagnosis may be unknown as all of the evidence to make a diagnosis is not yet known. Paramedic students should be judged on their differential diagnosis based upon the information that is obtained in the history and physical examination. Students may not know or have access to in-hospital diagnostic data. Consequently, Paramedic students may reach a different diagnosis other than the definitive diagnosis that was derived after many in-hospital tests were completed.

**LOC/Complaints/Event/Circumstances:** This section is used by the Paramedic student to document the patient presentation, history of present illness and significant patient assessment findings.

Summary of treatments rendered successfully by student: The student uses this section to document treatments performed successfully and is judged based upon information that the student has obtained from the history and physical exam. A successful attempt

### Appendix L

should be based on the outcome of a discussion between the preceptor and the student that answers the question, "How would you, as a Paramedic, treat this patient in the field based on your history and physical examination findings?" Each clinical setting is somewhat different, and each patient presentation may be different.

Circle Patient Contact Type: The Paramedic student should next circle ALS or BLS based on the condition of the patient. ALS should be circled if the patient condition or complaint requires assessment or interventions by an Advanced Life Support provider. This may include but is not limited to, medication administration, ECG monitoring and establishment of intravenous access. BLS should be circled if the patient condition or complaint requires assessment or interventions that an EMT should be able to perform. While the emphasis of the Clinical Experience is ALS patient contacts, BLS skills performed may be documented in this section.

Clinical Objectives Rating: This section is used to document Paramedic student performance of Patient Interview and History Gathering; Physical Exam; Impression and Treatment Plan; Skill Performance; Communication; Professional Behavior/Affect; and Team Membership. The Paramedic student should first complete his or her ratings followed by the preceptor. The following four-point Likert scale will help to standardize judgments and improve inter-rater reliability:

- 2 = Successful/competent; no prompting necessary The student performed at the entry-level of competency as judged by the preceptor. Entry-level of competency takes into account the amount of education the Paramedic student has undergone at the time of the clinical interface with the patient.
- 1 = Not yet competent, marginal or inconsistent; this includes partial attempts.

- 0 = Unsuccessful required critical or excessive prompting; inconsistent; not yet competent; this includes "Not attempted" when the student was expected to try. The student performed with some errors of commission or omission that would lead the preceptor to a conclusion that the student did not meet the standard of care expected by the program, program medical director and community of interest.
- N/A = Not applicable –not needed or expected for this patient. This is a neutral rating. (Example: Student expected to only observe, or the patient did not need intervention).

\*Note: Ideally, students will progress their role from observation to participation in simple skills, to more complex assessments and formulating treatment plans. Students will progress at different rates and case difficulty will vary. Students should be active, and attempt to perform skills and assess/treat patients early even if this results in frequent prompting and unsuccessful ratings. Unsuccessful ratings are typical and expected in the initial stages of the clinical learning process when students need prompting. Improvement plans must follow any unsuccessful or inconsistent ratings.

### **Preceptor Evaluation**

As soon as possible after the student completes the self-evaluation of the Objectives, the preceptor should review the information that the student entered and document his or her rating in the section provided (P). Please record any comments necessary to clarify ratings or provide additional feedback. Identify improvements needed for future patient contacts. You may use additional paper or electronic communication to the program as necessary. Any disparate ratings between the student and evaluator ratings should be discussed and the evaluator should briefly document any suggestions for

improvement or other comments in the "Comments and Immediate Plan for Improvement for Next Contact" section.

At the completion of the student's shift, the evaluator should document any Comments on any unsatisfactory ratings or discrepancies and Overall plan for improvement for future shifts if needed. The preceptor should then check the boxes that indicate the student affect during the shift and whether follow-up is requested from appropriate program personnel.

After the student and preceptor have discussed any discrepancies, both should sign the "Capstone Field Internship Shift Evaluation Worksheet," and it should be turned into the appropriate program personnel without further alteration. Systems need to be developed for returning completed instruments to the program. The system should employ methods to prevent alteration of the evaluation by the student and/or discarding the evaluation instrument by the student. Systems that allow students to alter preceptor-completed evaluations and/or allow students to throw away unsuccessful patient evaluations are not valid.

Clear and achievable goals to make improvements for the next patient contact and /or shift are necessary for student success. During the formative process, it is not unusual for students to perform inconsistently. As the internship progresses, the student should become more proficient and consistent. In order for the student to achieve these goals, the preceptor must set specific and realistic goals for each encounter and allow the student to act as Team Leader with as minimal disruption as possible without allowing the patient to incur any detrimental outcomes. The student should make incremental adjustments as recommended by the preceptor. This will allow for the continual improvement of student performance. As the

### $Appendix\ L$

preceptor, you should re-evaluate goals after each encounter to assess improvement or the need for remediation. This also emphasizes the expectation of student accountability.



### National Registry of Emergency Medical Technicians<sup>®</sup> Paramedic Psychomotor Competency Portfolio Manual

### **Definitions**

The following list includes definitions of terms that are included in the Paramedic Psychomotor Competency Portfolio, Capstone Field Internship phase of education:

**ALS contact:** Patient condition or complaint requires assessment or interventions by an Advanced Life Support provider. This may include, but is not limited to medication administration, ECG monitoring and establishment of intravascular access.

**BLS Contact:** Patient condition or complaint requires assessment or interventions that an EMT should be able to perform.

Capstone Field Internship: This component includes planned, scheduled, educational student time on an advanced life support (ALS) unit responsible for responding to critical and emergent patients who access the emergency medical system. The primary purpose of the Capstone Field Internship is to experience managing the Paramedic level decision-making associated with out-of-hospital patients in order to develop and evaluate Team Leading skills.

Clinical Phase: This component of a student's education includes planned, scheduled, educational student experience with patient contact activities in settings such as hospitals, clinics, free-standing emergency centers, and may include Field Experience.

**Communication:** Student communicates effectively with the patient, team members, and preceptor/evaluator. The student provides an adequate verbal report to other healthcare providers and completes a through, accurate written patient narrative to include correct spelling and grammar.

Entry-level Competency: Entry-level competency is defined as consistent student performance and safe, appropriate patient management over multiple patient encounters. Please keep in mind that minimally competent EMS providers may not perform to the level that a more experienced provider would; for example, they may not perform as rapidly or as smoothly. It is expected that the student will perform timely and appropriate assessments, skills, and formulate accurate field impressions and provide appropriate management. Cases have varying levels of difficulty and acuity. The preceptor should assign a successful rating if you feel the student has successfully led the team. This means the student conducted a comprehensive physical assessment, which may include the direction of other Team Members to perform parts of the interview and/or physical exam. The student should formulate and implement an appropriate treatment plan for the patient. Most, if not all, of the decisions have been made by the student, especially the formulation of a field impression, direction of treatment, determination of acuity, disposition, appropriate delegation, and when applicable, packaging/moving the patient. A successful rating also infers that minimal to no prompting was provided by the preceptor. At no time should an action have been initiated/performed that endangered the physical or psychological safety of the patient, bystanders, other responders, or the crew. Preceptors should not assign a successful rating unless the student performed adequately as a competent entry-level Paramedic. As a general rule, more unsuccessful attempts indicate a willingness to try and are preferable to no attempt. An unsuccessful rating should be assigned if a student required more than minimal or critical prompting, or ordered or performed an action that could have inappropriately endangered the physical or psychological safety of the patient. Withholding appropriate care or not recognizing appropriate interventions can be just as dangerous as performing incorrect ones.

Evaluator/Preceptor Documentation: In the early stages of learning, performance can be inconsistent. It is impossible to predict when the student will begin to show consistent achievement so it is imperative that each attempt be evaluated and documented. Since competency must be documented and tracked over multiple attempts, monitoring student performance, achievement of set goals, and the response to your coaching is essential. Evaluators/preceptors are encouraged to document additional notes and attach additional documentation as necessary.

**Field Experience:** This optional component includes planned, scheduled, educational student time spent on an EMS unit, which may include observation and skill development, but which does not include Team Leading and does not contribute to the CoAEMSP definition of Capstone Field Internship.

**Impression & Treatment Plan:** Student formulates an impression and verbalizes an appropriate patient care plan.

Patient Interview/ History Gathering: Student completes an appropriate interview and gathers appropriate history; listens actively, makes eye contact, clarifies complaints, respectfully addresses patient(s); demonstrated compassion and/or form bedside manner depending on the needs of the situation.

**Physical Exam:** Student completes an appropriate focused and/or comprehensive physical exam specific to the chief complaint.

**Professional Behavior (Affect):** Student demonstrates that he or she is:

**Self-motivated:** Takes initiative to complete assignments and improve/correct problems, strives for excellence, incorporates feedback, and adjusts behavior/performance.

**Efficient:** Keeps assessment and treatment times to a minimum, releases other personnel when not needed, and organizes team to work more efficiently.

**Flexible:** Makes adjustments to communication style, directs Team Members, changes impressions based on findings.

Careful: Pays attention to detail of skills, documentation, patient comfort, set-up and clean-up, completes tasks thoroughly.

**Confident:** Makes decisions, trusts and exercises good personal judgment, is aware of limitations and strengths.

Open to feedback: Listens to evaluator/preceptor and accepts constructive feedback without being defensive (interrupting, giving excuses).

**Skill Performance:** Student performs technical skills accurately and safely.

**Team Lead:** The Team Lead occurs during the Capstone Field Internship experience in which students apply the concepts acquired and demonstrate that they have achieved the terminal goals for learning established by their educational program, and are able to demonstrate entry-level competency in the profession including the cognitive, psychomotor, and affective learning domains. The Capstone Field Internship occurs after the didactic, lab and clinical, and optional Field Experience components have been completed and of sufficient volume to show competence in a wide range of clinical situations. A successful Team Lead should be clearly defined for preceptors and students to help improve inter-rater reliability.

**Team Leader Attributes:** Creates an action plan; communicates accurately and concisely while listening and encouraging feedback; receives, processes, verifies, and prioritizes information; reconciles incongruent information; demonstrates confidence, compassion, maturity and

command presence; takes charge; maintains accountability for Team's actions/outcomes; assess situation and resources and modifies accordingly (NREMT, 2012)

Team Leadership: The student has successfully led the team if he or she conducted a comprehensive physical assessment. This may include the direction of other Team Members to perform parts of the interview and/or physical exam. The student should formulate and implement an appropriate treatment plan for the patient. This means that most, if not all of the decisions have been made by the student, especially the formulation of a field impression, direction of treatment, determination of acuity, disposition, appropriate delegation, and when applicable, packaging/ moving the patient. A successful rating also infers that minimal to no prompting was provided by the preceptor. At no time should an action have been initiated/ performed that endangered the physical or psychological safety of the patient, bystanders, other responders, or the crew. Preceptors should not assign a successful rating unless the student performed adequately as an entry-level Paramedic. As a general rule, more unsuccessful attempts indicate a willingness to try and are preferable to no attempt.

**Team Member Attributes:** Demonstrates followership – is receptive to leadership; performs functions using situational awareness and maintains it; utilizes appreciative inquiry; avoids freelance activity; listens actively using closed-loop communication and reports progress on tasks; performs tasks accurately and in a timely manner; advocates for safety and is safety conscious at all times; leaves ego/rank at the door (NREMT, 2012)

**Prompting:** Successful ratings in assessment, skills, and Team Leadership requires little to no prompting on the part of the preceptor. The more prompting that a preceptor does, the less the student performed as the Team Leader. Prompts should, therefore, be focused on important interventions that affect patient care and satisfaction. Non-essential prompts that do not affect

patient care may be appropriate, but should not affect the evaluation of the student's performance.

### Reference

National Registry of Emergency Medical Technicians. (2012, March). Team Leader and Team Member Attributes. W.E. Brown (Chair), Team Leader and Team Member Attributes Meeting, National Registry of Emergency Medical Technicians, Columbus, Ohio.