MARKS LAKE

Marshfield Twp., Washington Co. U.S.G.S. Bog Lake, Maine (7½')

Fishes

Brook trout Smallmouth bass Yellow perch Minnows Common shiner White sucker Hornpout(bullhead) Pumpkinseed sunfish American eel

Physical Characteristics

Area - 240 acres	Temperatures
	Surface - 70 °F
Maximum depth - 27 feet	25 feet - 51 [°] F

Principal fishery: Smallmouth bass

This small lake is located a short distance north of Machias. A few homes/camps dot the mostly wooded, boulder-strewn shoreline. A poor public boat launching site is available next to the dam at the outlet.

This water provides a distinctive fishery for smallmouths which are considerably larger than average in size. From 55-70% of angled bass fall within the 16-18in size bracket. Fishing is slow because a scarcity of suitable spawning habitat limits the amount of natural reproduction. Nonetheless, for the inveterate bass angler who enjoys a chance to catch several 2- 2 % lb smallmouhs in a day, this lake is a good bet. Some of the best action occurs in early June during the spawning season. Both fly fishermen and spin-casters may enjoy an especially productive day during this season. Most bass are in excellent condition as a result of preying extensively on abundant juvenile yellow perch. Neither pickerel or white perch are present to compete with the bass for this forage.

A few brook trout are caught periodically as one of the tributaries, Crocker Brook, supports a modest trout population. Years ago, the lake produced occasional 15-16in trout, but such fish have disappeared, probably due to the abundant yellow perch.

Surveyed - August, 1966 (Revised - 1999) Maine Department of Inland Fisheries and Wildlife Funded in part by the Federal Aid in Restoration Act under Federal Project F-28-P L 1282 C

