

Runoff/Floodflow Alteration Functions to wetlands that are (a) contained in a known flood zone, (b) associated with a surfacewater course or waterbody, and

Wetlands act as natural sponges that can hold water, allowing suspended wetlands helps to stabilize soil and slow water flows, thereby reducing scouring and bank erosion. This map assigns Erosion Control / Sediment Retention functions to wetlands with (a) slope < 3%; (b) emergent vegetation; and

Inland wetlands and streams can directly affect the status of coastal shellfish harvest areas. Fecal coliform bacteria and waterborne nutrients resulting from harvestable flats. One failed septic system near a stream could close a mudflat stimulate epiphytic growth that degrades eelgrass meadows. Conservation of freshwater wetlands and stream buffers in coastal watersheds is a key component in marine resource conservation. This map assigns a Shellfish Habitat function to wetlands within 0.5 miles of (a) identified shellfish habitat, palustrine wetlands directly connected by a stream of < 0.5 mile in length to

wetlands during some part of their life cycle. For the purposes of this map, wetlands containing open water or emergent vegetation, 3 or more wetland vegetation classes (see below), and within  $\frac{1}{4}$  mile of a known rare, threatened, significant or essential habitat, or within 1/4 mile of a rare or exemplary natural community have been assigned this function. Rare element occurrences and mapped habitats can be found on Map 2 High Value Plant & Animal Habitats.

CULTURAL/EDUCATIONAL. Wetlands within <sup>1</sup>/<sub>4</sub> mile of a boat ramp or school have been assigned this value as these wetlands are likely candidates for use as outdoor classrooms, or similar social benefit. Wetlands rated for other functions listed above may also demonstrate cultural/educational values

altitude aerial photos. Photo quality often limits the information that can be interpreted from small wetland features, or those with dense canopy cover. Although not assigned a function under this study, ground surveys may reveal

Emergent (herbaceous vegetation), Emergent/Forested Mix (woody vegetation >20 ft tall), Emergent/Shrub-Scrub Mix (woody vegetation <20 ft tall)