Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name LUNT ROAD / I295 Location 0.1 MI E OF JCT RTE 9

Bridge Number 5829

Route Number 0540204 Feature On LUNT ROAD Bridge Region 1 - Southern Region Feature Under | L295 NB & SB Border Bridge N

Bridge or Minor Span Bridge on Townway or State Aid Road Bridge Road Width (Feet) 32

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	109	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems	Channel Condition	N - Not Applicable
	noted)		
Substructure Condition	8 - Very Good Condition (no problems	Approach Condition	8 - Equal to present desirable criteria
	noted)		
Year Built	2019	Annual Average Daily Traffic	7171

INSPECTION AND APPRAISAL

Date of Inspection 5/15/2024	Federal Sufficiency Rating 95.3	
------------------------------	---------------------------------	--

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
-	•	- · ·	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name MACKWORTH ISLAND BR Location .2 MI E JCT US 1
Bridge Number 5600 Route Number 0540002

Feature On ANDREWS AVE Bridge Region 1 - Southern Region

Feature Under CASCO BAY Border Bridge N

Bridge Road Width (Feet) 24 Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	20	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	6 - Satisfactory Condition (minor	Culvert Condition	N - Not Applicable
	deterioration)		
Superstructure Condition	5 - Fair Condition (minor section loss)	Channel Condition	8 - Banks are protected
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	8 - Equal to present desirable criteria
	deterioration)	• •	·
Year Built	1955	Annual Average Daily Traffic	1170

INSPECTION AND APPRAISAL

Date of Inspection	12/6/2023	Federal Sufficiency Rating	11.9

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Girder and Floorbeam System
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Posted for Load	Posted Weight (Tons)	22.00
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Bridge Name Bridge Number Feature On Feature Under Feature Under Bridge Richard Fallow Fallow Feature Under F

Pridre Pood Width (Foot)

Bridge Road Width (Feet) 23 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	47.2	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	5 - Bank eroded major damage
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	6 - Equal to present minimum criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	432

INSPECTION AND APPRAISAL

Date of Inspection 6/20/2023 Federal Sufficiency Rating 84.9	

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

3 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name DUNHAM ROAD Location 1.3 MI N OF JCT WOODS RD
Bridge Number 5462 Route Number 0540446
Feature On WOODSVILLE ROAD Bridge Region 1 - Southern Region

Feature Under EAST BR PISCATAQUA RIVER Border Bridge N

Bridge Road Width (Feet) 0 Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	13	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	6 - Deterioration or initial disintegration
Superstructure Condition	N - Not Applicable	Channel Condition	7 - Bank protection needs minor repairs
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1952	Annual Average Daily Traffic	1260

INSPECTION AND APPRAISAL

Date of Inspection	4/25/2024	Federal Sufficiency Rating	98.9

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Culvert (includes frame culverts)
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Bridge Name ALLENS

Bridge Number 3143

Feature On FALMOUTH ROAD

Bridge Road Width (Feet) 30

Feature Under EAST BR PISCATAQUA RIVER

Route Number 0540203

Location 0.8 MI N OF 195 UNDER

Bridge Region 1 - Southern Region

Border Bridge N

Town2

Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Maximum Span Length (Feet) 89.8

Owner MaineDOT

Federal Bridge Indicator Y

Maintainer MaineDOT

AGE AND CONDITION

Deck Condition 7 - Good Condition (some minor problems) Superstructure Condition 7 - Good Condition (some minor problems)

Substructure Condition 6 - Satisfactory Condition (minor deterioration)

Year Built 1998

Culvert Condition N - Not Applicable

Annual Average Daily Traffic 7579

Channel Condition 7 - Bank protection needs minor repairs Approach Condition 6 - Equal to present minimum criteria

INSPECTION AND APPRAISAL

Date of Inspection 9/7/2023

Federal Sufficiency Rating 75.8

STRUCTURE TYPE AND MATERIAL

Span Material Steel Number of Main Spans 1

Open

Span Type

Stringer/Multi-beam or Girder

LOAD RATING AND POSTING

Posting Status **POSTING TYPE**

4-Axle One-Truck Spacing

Posted Weight (Tons)

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name
Bridge Number 5828 Route Number Feature On 1 295 NB / PRESUMPSCOT RIVER Bridge Region 1 - Southern Region

Feature Under PRESUMPSCOT RIVER Border Bridge N

Bridge Road Width (Feet) 30 Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	110	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
	6 - Satisfactory Condition (minor		6 - Bank slump, widespread minor damage
Superstructure Condition	· · · · · · · · · · · · · · · · · · ·	Charliner Condition	0 - Bank Siump. widespread militor damage
	deterioration)		
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1960	Annual Average Daily Traffic	25340

INSPECTION AND APPRAISAL

Date of Inspection	9/28/2023	Federal Sufficiency Rating	62.2

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

6 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name UNDERWITTED ROAD Location 0.2 MI E OF JCT RTE 100
Bridge Number 0214 Route Number 0500718

Feature On Feature Under PISCATAQUA RIVER Bridge Region 1 - Southern Region Border Bridge N

Bridge Road Width (Feet) 0 Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	15.2	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	6 - Deterioration or initial disintegration
Superstructure Condition	N - Not Applicable	Channel Condition	5 - Bank eroded major damage
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1957	Annual Average Daily Traffic	5182

INSPECTION AND APPRAISAL

Date of Inspection	9/27/2023	Federal Sufficiency Rating	96.5

STRUCTURE TYPE AND MATERIAL

Span Material	Stool	Snan Tyne	Culvert (includes frame culverts)
· •		Span Type	Culvert (includes frame culverts)
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name FALMOUTH SPUR EXIT 15

Bridge Number 5831 Route Number 0495X
Feature On I 495 EB Bridge Region 1 - Southern Region

Feature Under I 295 NB & SB Border Bridge N

Bridge Road Width (Feet) 76 Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	64.5	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition 5 - Fair Condition (minor section loss)		Culvert Condition	N - Not Applicable
Superstructure Condition 5 - Fair Condition (minor section loss)		Channel Condition	N - Not Applicable
Substructure Condition 5 - Fair Condition (minor section loss)		Approach Condition	8 - Equal to present desirable criteria
Year Built	1960	Annual Average Daily Traffic	9060

INSPECTION AND APPRAISAL

Date of Inspection	4/5/2023	Federal Sufficiency Rating	80.4

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDE	NIT	IFI	CA	ΓIΛ	N
IUL	. 1 7 1 1	ш	\mathbf{c}	$\cdot \cdot \cdot \cup$	1

Town Falmouth Town2

Bridge Name RILEY BRIDGE Location .07 Mi N of Winn Rd

Bridge Number 6570 Route Number 0026X

Feature On GRAY RD Bridge Region 1 - Southern Region Border Bridge N

Bridge Road Width (Feet) 0 Bridge or Minor Span Minor Span on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	17.9	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	8 - No noticeable or noteworthy deficiencies
Superstructure Condition	N - Not Applicable	Channel Condition	8 - Banks are protected
Substructure Condition	N - Not Applicable	Approach Condition	6 - Equal to present minimum criteria
Year Built	2021	Annual Average Daily Traffic	6663

INSPECTION AND APPRAISAL

Date of Inspection	1/28/2022	Federal Sufficiency Rating	87.1

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Culvert (includes frame culverts)
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
<u> </u>	•	G , ,	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name JOHNSON ROAD / I295 Location 0.2 MI W OF JCT RTE US 1 Route Number 0500430

Bridge Number 5792

Feature On JOHNSON ROAD Bridge Region 1 - Southern Region

Feature Under | L295 NB & SB Border Bridge N

Bridge Road Width (Feet) 26 Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	62	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	4 - Poor Condition (advanced deterioration)	Culvert Condition	N - Not Applicable
	5 - Fair Condition (minor section loss)	Channel Condition	• •
·	4 - Poor Condition (advanced deterioration)		6 - Equal to present minimum criteria
Year Built	,	Annual Average Daily Traffic	· · ·

INSPECTION AND APPRAISAL

Date of Inspection	9/20/2024	Federal Sufficiency Rating	28.9

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2 Portland

Bridge Name MARTIN POINT Location FALMOUTH-PORTLAND TL

Bridge Number 2515 Route Number 0001X
Feature On ROUTE 1 Bridge Region 1 - Sou

Feature On Feature Under PRESUMPSCOT*RIVER

Bridge Region 1 - Southern Region Border Bridge Y

Bridge Road Width (Feet) 44 Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	75	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	7 - Bank protection needs minor repairs
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	8 - Equal to present desirable criteria
Year Built	2014	Annual Average Daily Traffic	11156

INSPECTION AND APPRAISAL

Date of Inspection	6/25/2024	Federal Sufficiency Rating	88.8

STRUCTURE TYPE AND MATERIAL

Span Material	Prestressed concrete	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	10		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town	Falmouth	Town2	
Bridge Name	WEST FALMOUTH INTERCHANGE	Location	0.304 mi W of SR 100&26
Bridge Number	0278	Route Number	05A0500
Feature On	W. FALMOUTH/CUMBER	Bridge Region	1 - Southern Region
Feature Under	I-95	Border Bridge	N
Bridge Road Width (Feet)	46	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	68	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor	Channel Condition	N - Not Applicable
	deterioration)		
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	6 - Equal to present minimum criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	6170

INSPECTION AND APPRAISAL

Date of Inspection 6/15/2023 Federal Sufficiency Rating 90.4	
--	--

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

12 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name LEIGHTON RD Location 0.259 mi W of SR 100&26

Bridge Number 0361 Route Number 0540306

Feature On LEIGHTON RD Bridge Region 1 - Southern Region

Feature Under I-95 Border Bridge N

Bridge Road Width (Feet) 24 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	71	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
	6 - Satisfactory Condition (minor		N - Not Applicable
Superstructure Condition	· · · · · · · · · · · · · · · · · · ·	Onamic Condition	14 140t Applicable
	deterioration)		
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4196

INSPECTION AND APPRAISAL

Date of Inspection	6/15/2023	Federal Sufficiency Rating	68.1

STRUCTURE TYPE AND MATERIAL

	Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Nu	umber of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

13 of 45

Link to Map Viewer

IDENTIFICATION

Town	Falmouth	Town2	
Bridge Name	RTE 9	Location	0.111 mi S of Woods Rd
Bridge Number	6020	Route Number	0009X
Feature On	SR 9 (MIDDLE ROAD)	Bridge Region	1 - Southern Region
Feature Under	I-495	Border Bridge	N
Bridge Road Width (Feet)	32	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	51.6	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	6 - Satisfactory Condition (minor	Culvert Condition	N - Not Applicable
	deterioration)		
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	6 - Equal to present minimum criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	10384

INSPECTION AND APPRAISAL

Date of Inspection	6/29/2023	Federal Sufficiency Rating	81.9
		3	

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

I	D	FI	N.	П	F	Δ.	ΤI	O	N	ı
ı	$\boldsymbol{\nu}$		4			\neg		v	IX	

Town Bridge Name PISCATAQUA RIVER TRIBUTARY Location Bridge Number 6448 Route Number 0095X

Feature On I-95 Bridge Region 1 - Southern Region

Feature Under Piscataqua Tributary Border Bridge N

Bridge Road Width (Feet) 0 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	12.4	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	6 - Deterioration or initial disintegration
Superstructure Condition	N - Not Applicable	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	33250

INSPECTION AND APPRAISAL

Date of Inspection	6/29/2023	Federal Sufficiency Rating	81.4

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Culvert (includes frame culverts)
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Bridge Name PISCATAQUA RIVER #31 Location 0.095 mi NE of Hurricane 0279 Route Number 0095X Bridge Region 1 - Southern Region N Feature Under PISCATIQUA RIVER STR #31 Border Bridge N

Bridge Road Width (Feet) 64

Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	32.2	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems	Channel Condition	6 - Bank slump. widespread minor damage
	noted)		
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Bu	t 1956	Annual Average Daily Traffic	33250

INSPECTION AND APPRAISAL

Date of Inspection	6/29/2023	Federal Sufficiency Rating	90.6

STRUCTURE TYPE AND MATERIAL

Span Material	Prestressed concrete	Span Type	Slab
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

16 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2 Bridge Name STATION 251

Location 2.9MI N TOWNLINE Bridge Number 6019 Route Number 0295X

Bridge Region 1 - Southern Region Feature On I 295 NB

Feature Under CHENERY BROOK Border Bridge N Bridge Road Width (Feet) 0 Bridge or Minor Span Minor Span on State Highway

CLASSIFICATION

Ow	er MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Fe	<mark>et)</mark> 10	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	5 - Moderate to major deterioration
Superstructure Condition	N - Not Applicable	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1961	Annual Average Daily Traffic	57140

INSPECTION AND APPRAISAL

Date of Inspection	10/4/2023	Federal Sufficiency Rating	63.5

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Culvert (includes frame culverts)
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name PISCATAQUA RIVER #28 Location 0.567 mi W of SR 100&26
Bridge Number O284 Route Number 0095X
Feature On I-95 Bridge Region 1 - Southern Region

Feature Under PISCATIQUA RIVER STR#28 Border Bridge N

Bridge Road Width (Feet) 72 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	42.8	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	5 - Bank eroded major damage
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	8 - Equal to present desirable criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	33250

INSPECTION AND APPRAISAL

Date of Inspection	7/13/2023	Federal Sufficiency Rating	96.7

STRUCTURE TYPE AND MATERIAL

Span Material	Prestressed concrete	Span Type	Slab
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

18 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name Bridge Number O363
Feature On I-495

Town2
Location 0.195 mi N of Davis Farm O495X
Route Number Dridge Region 1 - Southern Region

Feature Under LAMBERT ST/FALMOUTH SPUR Border Bridge N

Bridge Road Width (Feet) 83 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	51	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor	Channel Condition	N - Not Applicable
	deterioration)		
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	8 - Equal to present desirable criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	15410

INSPECTION AND APPRAISAL

Date of Inspection 6/29/2023 Federal Sufficiency Rating 97.5	Date of Inspection	6/29/2023	Federal Sufficiency Rating	97.5
--	--------------------	-----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

19 of 45

Link to Map Viewer

IDENTIFICATION

Town	Falmouth	Town2	
Bridge Name	AUBURN ST	Location	0.420 mi E of Blackstrap
Bridge Number	0365	Route Number	0026X
Feature On	AUBURN ST	Bridge Region	1 - Southern Region
Feature Under	I-495	Border Bridge	N
Bridge Road Width (Feet)	32	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	59.5	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor	Channel Condition	N - Not Applicable
	deterioration)		
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	8 - Equal to present desirable criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	11791

INSPECTION AND APPRAISAL

Date of Inspection 6/29/2023 Federal Sufficiency Rating 84.1	
--	--

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

20 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name SOULE Location .1 MI S TOWNLINE

Bridge Number 2782 Route Number 0026X

Feature On Feature Under HOBBS BROOK Bridge Region 1 - Southern Region Border Bridge N

Bridge Road Width (Feet) 32 Bridge or Minor Span Minor Span on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	12	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	5 - Fair Condition (minor section loss)	Channel Condition	5 - Bank eroded major damage
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1922	Annual Average Daily Traffic	6270

INSPECTION AND APPRAISAL

Date of Inspection	10/4/2023	Federal Sufficiency Rating	63.2

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Slab
Number of Main Spans		, ,,	

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2 Bridge Name W FALMOUTH RD

Bridge Number 3686

Feature On FALMOUTH RD/FAL SP

Feature Under I-495

Bridge Road Width (Feet) 36

Location 0.941 mi E of SR 26

Route Number 0540203

Bridge Region 1 - Southern Region

Border Bridge N

Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	55	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	7 - Better than present minimum criteria
	deterioration)		·
Year Built	1956	Annual Average Daily Traffic	7142

INSPECTION AND APPRAISAL

Date of Inspection 6/29/2023 Federal Sufficiency Rating 92	

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

22 of 45

Link to Map Viewer

IDENTIFICATION

Town Bridge Name Bridge Number Feature On ROUTE 1

Falmouth Town2 Location 3.2MI*N*TOWNLINE Route Number Bridge Region 1 - Southern Region

Feature Under MILL CREEK Border Bridge N

Bridge Road Width (Feet) 0 Bridge or Minor Span Minor Span on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	13.9	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	5 - Moderate to major deterioration
Superstructure Condition	N - Not Applicable	Channel Condition	4 - Protect. severely undermined. sev. damage
Substructure Condition	N - Not Applicable	Approach Condition	9 - Superior to present desirable criteria
Year Built	1942	Annual Average Daily Traffic	10292

INSPECTION AND APPRAISAL

Date of Inspection	11/30/2023	Federal Sufficiency Rating	79.6

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Frame (except frame culverts)
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town	Falmouth	Town2	
Bridge Name	MCRR EB	Location	0.146 mi N of Lambert St
Bridge Number	0364	Route Number	0495X
Feature On	I-495 (EB)	Bridge Region	1 - Southern Region
Feature Under	MCRR	Border Bridge	N
Bridge Road Width (Feet)	34	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	68	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	8 - Very Good Condition (no problems	Culvert Condition	N - Not Applicable
	noted)		
Superstructure Condition	6 - Satisfactory Condition (minor	Channel Condition	N - Not Applicable
	deterioration)		
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	8 - Equal to present desirable criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	6890

INSPECTION AND APPRAISAL

Date of inspection of 23/2023	Date of Inspection		Federal Sufficiency Rating	88.4
-------------------------------	--------------------	--	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Statu	S Open	Posted Weight (Tons)	
POSTING TYP			
4-AxI			
One-Truc	(
Spacin			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name Bucknam RD Over 1295 Location 5830 Route Number Feature On Bucknam RD Bucknam RD Falmouth Bucknam RD Bridge Region 1 - Southern Region

Feature Under I295 NB & SB-from plans Border Bridge N

Bridge Road Width (Feet) 43 Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	124	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	8 - Very Good Condition (no problems	Culvert Condition	N - Not Applicable
	noted)		
Superstructure Condition	9 - Excellent Condition	Channel Condition	N - Not Applicable
Substructure Condition	9 - Excellent Condition	Approach Condition	8 - Equal to present desirable criteria
Year Built	2022	Annual Average Daily Traffic	12729

INSPECTION AND APPRAISAL

Date of Inspection	9/20/2024	Federal Sufficiency Rating	97.7

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

25 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name SPUR/CNRR Location 0.1 MI W OF 195 OVER 1295
Bridge Number 5922 Route Number 0495X

Feature On I 495 EB Bridge Region 1 - Southern Region

Feature Under CNRR Border Bridge N

Bridge Road Width (Feet) 72 Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	25.4	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	5 - Fair Condition (minor section loss)	Channel Condition	N - Not Applicable
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1990	Annual Average Daily Traffic	15410

INSPECTION AND APPRAISAL

Date of Inspection	12/6/2023	Federal Sufficiency Rating	77.7

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Frame (except frame culverts)
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Bridge Name Bridge Number Feature On I-95 (NB)

Falmouth Town2 Dortland 0.095 mi W of Blackstrap 0.095 Mi W of Black

Feature Under PRESUMSPCOT RIVER Border Bridge Y

Bridge Road Width (Feet) 65 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	80	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	7 - Better than present minimum criteria
	deterioration)		
Year Built	1955	Annual Average Daily Traffic	19410

INSPECTION AND APPRAISAL

Date of Ir	nspection 5/1/2024	Federal Sufficiency Rating 96.4	

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

27 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name Bridge Number CPE Feature On Feature Under PRESUMSCOT RIVEAL MOUTH Town2

Location 0.505 mi W of Falmouth Rd
Route Number 0495X

Bridge Region 1 - Southern Region

Feature Under PRESUMSCOT RIV/FALMOUTH Border Bridge N

Bridge Road Width (Feet) 32 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	100	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor	Channel Condition	6 - Bank slump. widespread minor damage
·	deterioration)		
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	6890

INSPECTION AND APPRAISAL

Date of Inspection	5/31/2023	Federal Sufficiency Rating	89.4

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

28 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name HURRICANE RD/MTPK Location 0.487 mi W of SR 100&26

Route Number 0500396

Bridge Number 0280

Feature On HURRICANE ROAD Bridge Region 1 - Southern Region

Feature Under I-95 Border Bridge N

Bridge Road Width (Feet) 22 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	62	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	6 - Equal to present minimum criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	432

INSPECTION AND APPRAISAL

Date of Inspection	6/20/2023	Federal Sufficiency Rating	71.5

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

29 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name PRESUMPSCOT FALLS Location 0.7 MI N OF PORTLAND

Bridge Number 5669 Route Number 0540001

Feature On ALLEN AVE EXT. Bridge Region 1 - Southern Region

Feature Under PRESUMPSCOT RIVER Border Bridge N

Bridge Road Width (Feet) 34 Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	180	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
	7 - Good Condition (some minor problems)		7 - Bank protection needs minor repairs
•	` ' '		8 - Equal to present desirable criteria
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	o - Equal to present desirable criteria
	deterioration)		
Year Built	1995	Annual Average Daily Traffic	7539

INSPECTION AND APPRAISAL

Date of Inspection	4/5/2023	Federal Sufficiency Rating	92.5

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Arch - Deck
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

30 of 45

Link to Map Viewer

IDENTIFICATION

Town Bridge Name Bridge Number Feature On Falmouth Town2 Description Falmouth Town2 Description Town2

Feature Under PRESUMPSCOT RIVER Border Bridge Y

Bridge Road Width (Feet) 54 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	80	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	7 - Better than present minimum criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	19170

INSPECTION AND APPRAISAL

Date of Inspection	5/1/2024	Federal Sufficiency Rating	98.4

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Feature On Feature Under PISCATAQUA RIVER Bridge Region 1 - Southern Region Border Bridge N

Bridge Road Width (Feet) 12 Bridge or Minor Span Low Use/Redundant Bridge

CLASSIFICATION

Owner	Municipality	Maintainer	Municipality
Maximum Span Length (Feet)	34	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	4 - Poor Condition (advanced deterioration)	Culvert Condition	N - Not Applicable
Superstructure Condition	5 - Fair Condition (minor section loss)	Channel Condition	8 - Banks are protected
Substructure Condition	4 - Poor Condition (advanced deterioration)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1960	Annual Average Daily Traffic	100

INSPECTION AND APPRAISAL

Date of Inspection	9/7/2023	Federal Sufficiency Rating	48
2 4.10 00 00 1	0,1,2020	r dudran duminordino, ritatining	

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Posted for Load	Posted Weight (Tons)	4.00
_		·	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name Bridge Number Feature On I 295 SB / PRESUMPSCOT RIVER Location Route Number Bridge Region I - Southern Region

Feature Under PRESUMPSCOT RIVER Border Bridge N

Bridge Road Width (Feet) 30 Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	110	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor	Channel Condition	6 - Bank slump. widespread minor damage
	deterioration)		,
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1960	Annual Average Daily Traffic	23830

INSPECTION AND APPRAISAL

Date of Inspection	Federal Sufficiency Rating	62.4

STRUCTURE TYPE AND MATERIAL

Span Materia	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

33 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2 Bridge Name MOUNTAIN RD

Bridge Number 0362

Feature On MOUNTAIN RD

Feature Under I-95 Bridge Road Width (Feet) 26

Route Number 0540309

Location 0.231 mi W of SR 100&26

Bridge Region 1 - Southern Region

Border Bridge N

Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	57.9	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor	Channel Condition	N - Not Applicable
	deterioration)		
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	6 - Equal to present minimum criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	3830

INSPECTION AND APPRAISAL

Date of Inspection 6/15/2023 Federal Sufficiency Rating 5	58.5
---	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

34 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Bridge Name FIELD

Bridge Number 0213

Feature On FIELD ROAD

Feature Under EAST BRANCH PISCATAQUA Bridge Road Width (Feet) 26

Location 1.0 MI S OF JCT WINN RD

Route Number 0540448

Bridge Region 1 - Southern Region

Border Bridge N

Town2

Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	22	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1999	Annual Average Daily Traffic	505

INSPECTION AND APPRAISAL

2 3.0 0. 11.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	Date of Inspection	4/25/2024	Federal Sufficiency Rating	90
---	--------------------	-----------	----------------------------	----

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Slab
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2
Bridge Name RAILROAD CROSSING Location Bridge Number 2702 Route Number 0026X
Feature On Feature Under MCRR & PRESUMPSCOT RIVER Bridge Road Width (Feet) 32 Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	200	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Cor	ndition 7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Co.	ndition 8 - Very Good Condition (no problems	Channel Condition	6 - Bank slump. widespread minor damage
	noted)		
Substructure Cor	ndition 8 - Very Good Condition (no problems	Approach Condition	8 - Equal to present desirable criteria
	noted)		
Yea	<mark>r Built</mark> 2011	Annual Average Daily Traffic	11857

INSPECTION AND APPRAISAL

Date of Inspection 4/26/2024 Federal Sufficiency Rating 76.8	
--	--

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
-	•	- · ·	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth
Bridge Name LIBBY

Bridge Number 2457

Feature On GRAY RD

Feature Under PISCATAQUA RIVER

Bridge Road Width (Feet) 34

Town2

Location 0.4 MI N JCT FALMOUTH RD

Route Number 0026X

Bridge Region 1 - Southern Region

Border Bridge N

Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)		Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	5 - Fair Condition (minor section loss)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1939	Annual Average Daily Traffic	6663

INSPECTION AND APPRAISAL

Date of Inspection 6/28/2024 Federal Sufficiency Rating 59.6	Date of Inspection	6/28/2024	Federal Sufficiency Rating	59.6
--	--------------------	-----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Tee Beam
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name STAPLES POINT Location 1 MI N TOWNLINE

Bridge Number 5278 Route Number 0009X

Feature On MIDDLE RD Bridge Region 1 - Southern Region

Feature Under PRESUMPSCOT RIVER Border Bridge N

Bridge Road Width (Feet) 32 Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	77	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
	7 - Good Condition (some minor problems)		7 - Bank protection needs minor repairs
•	6 - Satisfactory Condition (minor		8 - Equal to present desirable criteria
Casellaciale Condition	deterioration)	Approach Condition	5 Equal to procent accurate cincina
Year Built	,	Annual Average Daily Traffic	3728

INSPECTION AND APPRAISAL

Date of Inspection	9/27/2023	Federal Sufficiency Rating	94.5

STRUCTURE TYPE AND MATERIAL

Span Material	Prestressed concrete	Span Type	Slab
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town	Falmouth	Town2	
Bridge Name	MCRR WB	Location	0.157 mi N of Lambert St
Bridge Number	1467	Route Number	0495W
Feature On	I-495 (WB)	Bridge Region	1 - Southern Region
Feature Under	MCRR	Border Bridge	N
Bridge Road Width (Feet)	34	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	68	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	8 - Very Good Condition (no problems	Culvert Condition	N - Not Applicable
Superstructure Condition	noted) 6 - Satisfactory Condition (minor	Channel Condition	N - Not Applicable
Substructure Condition	deterioration) 7 - Good Condition (some minor problems)	Approach Condition	8 - Equal to present desirable criteria
Year Built	` ' '	Annual Average Daily Traffic	, ,

INSPECTION AND APPRAISAL

Date of Inspection	6/29/2023	Federal Sufficiency Rating	88.3
Date of mopeonion	0/20/2020	r cacrai camolority realing	00.0

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name LAMBERT STREET Location 1.8 MI N OF JCT RTE 26

Route Number 0540030

Bridge Number 5553

Feature On BLACKSTRAP RD Bridge Region 1 - Southern Region

Feature Under PRESUMPSCOT RIVER Border Bridge N

Bridge Road Width (Feet) 28 Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	60	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	6 - Satisfactory Condition (minor	Culvert Condition	N - Not Applicable
	deterioration)		
Superstructure Condition	5 - Fair Condition (minor section loss)	Channel Condition	8 - Banks are protected
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1961	Annual Average Daily Traffic	3810

INSPECTION AND APPRAISAL

Date of Inspection	9/20/2024	Federal Sufficiency Rating	60.5

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck	i.		
Spacing	•		

40 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name I-95 SPUR / US RTE 1 Location 195 SPUR INTERCHANGE Route Number 05A5036

Bridge Number 5921

Feature On RAMP ON OFF Bridge Region 1 - Southern Region

Feature Under ROUTE 1 Border Bridge N

Bridge Road Width (Feet) 32 Bridge or Minor Span Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	51	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	6 - Satisfactory Condition (minor	Culvert Condition	N - Not Applicable
	deterioration)		
Superstructure Condition	5 - Fair Condition (minor section loss)	Channel Condition	N - Not Applicable
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	7 - Better than present minimum criteria
Year Bui	1955	Annual Average Daily Traffic	2250

INSPECTION AND APPRAISAL

Date of Inspection	4/5/2023	Federal Sufficiency Rating	77.9

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

41 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name MILL CREEK Location 1.3 MI N JCT US 1

Bridge Number 2560 Route Number 0088X

Feature On FORESIDE RD Bridge Region 1 - Southern Region

Feature Under MILL CREEK Border Bridge N

Bridge Road Width (Feet) 30 Bridge or Minor Span Minor Span on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	11.5	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	5 - Fair Condition (minor section loss)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1894	Annual Average Daily Traffic	4847

INSPECTION AND APPRAISAL

Date of Inspection	11/30/2023	Federal Sufficiency Rating	54.2

STRUCTURE TYPE AND MATERIAL

Span Material	Masonry	Span Type	Arch - Deck
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town	Falmouth	Town2	
Bridge Name	PRESUMSCOT RIVER WB	Location	0.491 mi W of Falmouth Rd
Bridge Number	1468	Route Number	0495W
Feature On	1-495 (EB)	Bridge Region	1 - Southern Region
Feature Under	PRESUMPSCOT RIVER / FS	Border Bridge	N
Bridge Road Width (Feet)	30	Bridge or Minor Span	Maine Turnnike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	100	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor	Channel Condition	6 - Bank slump. widespread minor damage
	deterioration)		
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	8520

INSPECTION AND APPRAISAL

Date of Inspection	5/31/2023	Federal Sufficiency Rating	79.2

STRUCTURE TYPE AND MATERIAL

	Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Nu	umber of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

43 of 45

Link to Map Viewer

IDENTIFICATION

Town Falmouth Bridge Name MERRILLS

Bridge Number 3563

Feature On FALMOUTH RD

Bridge Road Width (Feet) 34

Feature Under PISCATAQUA RIVER

Town2

Location 0.2 MI E OF RTES 26 & 100

Route Number 0540203

Bridge Region 1 - Southern Region

Border Bridge N

Bridge or Minor Span Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	31.5	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	7 - Bank protection needs minor repairs
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Built	2008	Annual Average Daily Traffic	5243

INSPECTION AND APPRAISAL

Date of Inspection	9/27/2023	Federal Sufficiency Rating	95.3

STRUCTURE TYPE AND MATERIAL

Span Material	Prestressed concrete	Span Type	Slab
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

Link to Map Viewer

IDENTIFICATION

Town Falmouth Town2

Bridge Name LAMBERT STREET Location 0.458 mi W of SR 100&26 Route Number 0540030

Bridge Number 0283

Feature On BLACKSTRAP RD Bridge Region 1 - Southern Region

Feature Under I-95 Border Bridge N

Bridge Road Width (Feet) 28 Bridge or Minor Span Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	94.2	Federal Bridge Indicator	Υ

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	6 - Satisfactory Condition (minor	Approach Condition	8 - Equal to present desirable criteria
	deterioration)		
Year Built	1956	Annual Average Daily Traffic	3810

INSPECTION AND APPRAISAL

Date of Inspection	5/9/2024	Federal Sufficiency Rating	78.6

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

45 of 45