

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | HURRICANE RD / PISCATAQUA RIVER | Location | 0.070 mi W of I-95 |
| Bridge Number | 0206 | Route Number | 0500396 |
| Feature On | HURRICANE ROAD | Bridge Region | 1 - Southern Region |
| Feature Under | PISCATAQUA RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 23 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 47.2 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---------------------------------------|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 5 - Bank eroded.. major damage |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 432 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/13/2022 | Federal Sufficiency Rating | 84.9 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | FIELD | Location | 1.0 MI S OF JCT WINN RD |
| Bridge Number | 0213 | Route Number | 0540448 |
| Feature On | FIELD ROAD | Bridge Region | 1 - Southern Region |
| Feature Under | EAST BRANCH PISCATAQUA | Border Bridge | |
| Bridge Road Width (Feet) | 26 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 22 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1999 | Annual Average Daily Traffic | 505 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|----|
| Date of Inspection | 1/24/2023 | Federal Sufficiency Rating | 90 |
|--------------------|-----------|----------------------------|----|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|------|
| Span Material | Concrete | Span Type | Slab |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | UNDERWITTED ROAD | Location | 0.2 MI E OF JCT RTE 100 |
| Bridge Number | 0214 | Route Number | 0500718 |
| Feature On | LEIGHTON RD | Bridge Region | 1 - Southern Region |
| Feature Under | PISCATAQUA RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 15.2 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | 6 - Deterioration or initial disintegration |
| Superstructure Condition | N - Not Applicable | Channel Condition | 5 - Bank eroded.. major damage |
| Substructure Condition | N - Not Applicable | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1957 | Annual Average Daily Traffic | 5100 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 11/30/2021 | Federal Sufficiency Rating | 96.5 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-----------------------------------|
| Span Material | Steel | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 2 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | Portland |
| Bridge Name | PRESUMPCOT RIVER NB | Location | 0.095 mi W of Blackstrap |
| Bridge Number | 0277 | Route Number | 0095X |
| Feature On | I-95 (NB) | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPCOT RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 65 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 80 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|--|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 7 - Better than present minimum criteria |
| Year Built | 1955 | Annual Average Daily Traffic | 17770 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/14/2022 | Federal Sufficiency Rating | 96.4 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 2 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | WEST FALMOUTH INTERCHANGE | Location | 0.304 mi W of SR 100&26 |
| Bridge Number | 0278 | Route Number | 05A0500 |
| Feature On | W. FALMOUTH/CUMBER | Bridge Region | 1 - Southern Region |
| Feature Under | I-95 | Border Bridge | |
| Bridge Road Width (Feet) | 46 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 68 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---------------------------------------|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 2012 | Annual Average Daily Traffic | 5760 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/14/2022 | Federal Sufficiency Rating | 90.4 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | PISCATAQUA RIVER #31 | Location | 0.095 mi NE of Hurricane |
| Bridge Number | 0279 | Route Number | 0095X |
| Feature On | I-95 | Bridge Region | 1 - Southern Region |
| Feature Under | PISCATIQUA RIVER STR #31 | Border Bridge | |
| Bridge Road Width (Feet) | 64 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 32.2 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 8 - Very Good Condition (no problems noted) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 15380 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 5/23/2022 | Federal Sufficiency Rating | 90.6 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------------------|-----------|------|
| Span Material | Prestressed concrete | Span Type | Slab |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | HURRICANE RD/MTPK | Location | 0.487 mi W of SR 100&26 |
| Bridge Number | 0280 | Route Number | 0500396 |
| Feature On | HURRICANE ROAD | Bridge Region | 1 - Southern Region |
| Feature Under | I-95 | Border Bridge | |
| Bridge Road Width (Feet) | 22 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 62 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---------------------------------------|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 432 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/13/2022 | Federal Sufficiency Rating | 71.5 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------------------|----------------------|---------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | PRESUMPCOT RIVER EB | Location | 0.505 mi W of Falmouth Rd |
| Bridge Number | 0281 | Route Number | 0495X |
| Feature On | I-495 (WB) | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMSCOT RIV/FALMOUTH | Border Bridge | |
| Bridge Road Width (Feet) | 32 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 100 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 2012 | Annual Average Daily Traffic | 6260 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 6/28/2022 | Federal Sufficiency Rating | 89.4 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|----------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | LAMBERT STREET | Location | 0.458 mi W of SR 100&26 |
| Bridge Number | 0283 | Route Number | 0540030 |
| Feature On | BLACKSTRAP RD | Bridge Region | 1 - Southern Region |
| Feature Under | I-95 | Border Bridge | |
| Bridge Road Width (Feet) | 28 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 94.2 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 3750 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 7/6/2022 | Federal Sufficiency Rating | 78.6 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | PISCATAQUA RIVER #28 | Location | 0.567 mi W of SR 100&26 |
| Bridge Number | 0284 | Route Number | 0095X |
| Feature On | I-95 | Bridge Region | 1 - Southern Region |
| Feature Under | PISCATIQUA RIVER STR#28 | Border Bridge | |
| Bridge Road Width (Feet) | 72 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 42.8 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 8 - Very Good Condition (no problems noted) | Channel Condition | 5 - Bank eroded.. major damage |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 15380 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 6/27/2022 | Federal Sufficiency Rating | 96.7 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------------------|-----------|------|
| Span Material | Prestressed concrete | Span Type | Slab |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | MILL ROAD | Location | 0.1 MI E RT 100 |
| Bridge Number | 0358 | Route Number | 0540308 |
| Feature On | MILL RD | Bridge Region | 1 - Southern Region |
| Feature Under | PISCATAQUA RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 12 | Bridge or Minor Span | Low Use/Redundant Bridge |

CLASSIFICATION

| | | | |
|----------------------------|--------------|--------------------------|--------------|
| Owner | Municipality | Maintainer | Municipality |
| Maximum Span Length (Feet) | 34 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 8 - Banks are protected |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1960 | Annual Average Daily Traffic | 100 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|----|
| Date of Inspection | 11/30/2021 | Federal Sufficiency Rating | 63 |
|--------------------|------------|----------------------------|----|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-------------------------------|
| Span Material | Steel | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|-----------------|----------------------|------|
| Posting Status | Posted for Load | Posted Weight (Tons) | 4.00 |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | LEIGHTON RD | Location | 0.259 mi W of SR 100&26 |
| Bridge Number | 0361 | Route Number | 0540306 |
| Feature On | LEIGHTON RD | Bridge Region | 1 - Southern Region |
| Feature Under | I-95 | Border Bridge | |
| Bridge Road Width (Feet) | 24 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 71 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---------------------------------------|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | N - Not Applicable |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 4130 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/13/2022 | Federal Sufficiency Rating | 68.1 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | MOUNTAIN RD | Location | 0.231 mi W of SR 100&26 |
| Bridge Number | 0362 | Route Number | 0540309 |
| Feature On | MOUNTAIN RD | Bridge Region | 1 - Southern Region |
| Feature Under | I-95 | Border Bridge | |
| Bridge Road Width (Feet) | 26 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 57.9 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---------------------------------------|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 3830 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/13/2022 | Federal Sufficiency Rating | 58.5 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | BLACKSTRAP RD | Location | 0.195 mi N of Davis Farm |
| Bridge Number | 0363 | Route Number | 0495X |
| Feature On | I-495 | Bridge Region | 1 - Southern Region |
| Feature Under | LAMBERT ST/FALMOUTH SPUR | Border Bridge | |
| Bridge Road Width (Feet) | 83 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 51 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 6260 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 6/28/2022 | Federal Sufficiency Rating | 97.5 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | MCRR EB | Location | 0.146 mi N of Lambert St |
| Bridge Number | 0364 | Route Number | 0495X |
| Feature On | I-495 (EB) | Bridge Region | 1 - Southern Region |
| Feature Under | MCRR | Border Bridge | |
| Bridge Road Width (Feet) | 34 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 68 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 8 - Very Good Condition (no problems noted) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 6260 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 6/28/2022 | Federal Sufficiency Rating | 88.4 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-----------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | AUBURN ST | Location | 0.420 mi E of Blackstrap |
| Bridge Number | 0365 | Route Number | 0026X |
| Feature On | AUBURN ST | Bridge Region | 1 - Southern Region |
| Feature Under | I-495 | Border Bridge | |
| Bridge Road Width (Feet) | 32 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 59.5 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 11571 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 6/28/2022 | Federal Sufficiency Rating | 84.1 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | MCRR WB | Location | 0.157 mi N of Lambert St |
| Bridge Number | 1467 | Route Number | 0495W |
| Feature On | I-495 (WB) | Bridge Region | 1 - Southern Region |
| Feature Under | MCRR | Border Bridge | |
| Bridge Road Width (Feet) | 34 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 68 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 8 - Very Good Condition (no problems noted) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | N - Not Applicable |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 7890 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 6/28/2022 | Federal Sufficiency Rating | 88.3 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------------|----------------------|---------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | PRESUMSCOT RIVER WB | Location | 0.491 mi W of Falmouth Rd |
| Bridge Number | 1468 | Route Number | 0495W |
| Feature On | 1-495 (EB) | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPSCOT RIVER / FS | Border Bridge | |
| Bridge Road Width (Feet) | 30 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 100 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 7890 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 6/28/2022 | Federal Sufficiency Rating | 79.2 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | Portland |
| Bridge Name | PRESUMPCOT RIVER SB | Location | 0.107 mi W of Blackstrap |
| Bridge Number | 1489 | Route Number | 0095S |
| Feature On | I-95(SB) | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPCOT RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 54 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 80 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|--|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 7 - Better than present minimum criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 17710 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/14/2022 | Federal Sufficiency Rating | 98.4 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 2 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-----------------------------|----------------------|-------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | I295 SB / PRESUMPSCOT RIVER | Location | 1.0 MI N OF PORTLAND TL |
| Bridge Number | 1505 | Route Number | 0295S |
| Feature On | I 295 SB | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPSCOT RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 30 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 110 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1960 | Annual Average Daily Traffic | 23930 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 12/13/2021 | Federal Sufficiency Rating | 62.4 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | LIBBY | Location | 0.4 MI N JCT FALMOUTH RD |
| Bridge Number | 2457 | Route Number | 0026X |
| Feature On | GRAY RD | Bridge Region | 1 - Southern Region |
| Feature Under | PISCATAQUA RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 34 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 37 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1939 | Annual Average Daily Traffic | 6690 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 7/6/2022 | Federal Sufficiency Rating | 59.6 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|----------|
| Span Material | Concrete | Span Type | Tee Beam |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------------|----------------------|-------------------------|
| Town | Falmouth | Town2 | Portland |
| Bridge Name | MARTIN POINT | Location | FALMOUTH-PORTLAND TL |
| Bridge Number | 2515 | Route Number | 0001X |
| Feature On | ROUTE 1 | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPSCOT*RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 44 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 75 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 2014 | Annual Average Daily Traffic | 10980 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 9/7/2022 | Federal Sufficiency Rating | 88.8 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------------------|-----------|-------------------------------|
| Span Material | Prestressed concrete | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 10 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------|----------------------|-----------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | MILL CREEK | Location | 1.3 MI N JCT US 1 |
| Bridge Number | 2560 | Route Number | 0088X |
| Feature On | FORESIDE RD | Bridge Region | 1 - Southern Region |
| Feature Under | MILL CREEK | Border Bridge | |
| Bridge Road Width (Feet) | 35 | Bridge or Minor Span | Minor Span on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 11.5 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1894 | Annual Average Daily Traffic | 4771 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/27/2021 | Federal Sufficiency Rating | 71.3 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|---------|-----------|-------------|
| Span Material | Masonry | Span Type | Arch - Deck |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | RAILROAD CROSSING | Location | 0.1 MI S OF TPKE INTERCH |
| Bridge Number | 2702 | Route Number | 0026X |
| Feature On | GRAY RD | Bridge Region | 1 - Southern Region |
| Feature Under | MCRR & PRESUMPSCOT RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 32 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 200 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 8 - Very Good Condition (no problems noted) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 8 - Very Good Condition (no problems noted) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 2011 | Annual Average Daily Traffic | 11636 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/27/2022 | Federal Sufficiency Rating | 76.8 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------|----------------------|-----------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | SOULE | Location | .1 MI S TOWNLINE |
| Bridge Number | 2782 | Route Number | 0026X |
| Feature On | GRAY RD | Bridge Region | 1 - Southern Region |
| Feature Under | HOBBS BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 32 | Bridge or Minor Span | Minor Span on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 12 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 5 - Bank eroded.. major damage |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1922 | Annual Average Daily Traffic | 6295 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 4/5/2021 | Federal Sufficiency Rating | 63.2 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|------|
| Span Material | Concrete | Span Type | Slab |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | ALLENS | Location | 0.8 MI N OF I95 UNDER |
| Bridge Number | 3143 | Route Number | 0540203 |
| Feature On | FALMOUTH ROAD | Bridge Region | 1 - Southern Region |
| Feature Under | EAST BR PISCATAQUA RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 30 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 89.8 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 8 - Very Good Condition (no problems noted) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1998 | Annual Average Daily Traffic | 7460 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 12/13/2021 | Federal Sufficiency Rating | 75.8 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-------------------------------|
| Span Material | Steel | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | MERRILLS | Location | 0.2 MI E OF RTES 26 & 100 |
| Bridge Number | 3563 | Route Number | 0540203 |
| Feature On | FALMOUTH RD | Bridge Region | 1 - Southern Region |
| Feature Under | PISCATAQUA RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 34 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 31.5 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 8 - Very Good Condition (no problems noted) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 8 - Very Good Condition (no problems noted) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 2008 | Annual Average Daily Traffic | 5160 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 11/30/2021 | Federal Sufficiency Rating | 95.3 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------------------|-----------|------|
| Span Material | Prestressed concrete | Span Type | Slab |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | W FALMOUTH RD | Location | 0.941 mi E of SR 26 |
| Bridge Number | 3686 | Route Number | 0540203 |
| Feature On | FALMOUTH RD/FAL SP | Bridge Region | 1 - Southern Region |
| Feature Under | I-495 | Border Bridge | |
| Bridge Road Width (Feet) | 36 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 55 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|--|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 7 - Better than present minimum criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 7030 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|----|
| Date of Inspection | 6/28/2022 | Federal Sufficiency Rating | 92 |
|--------------------|-----------|----------------------------|----|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|-----------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | MILL CREEK NO. 2 | Location | 3.2MI*N*TOWNLINE |
| Bridge Number | 5237 | Route Number | 0001X |
| Feature On | ROUTE 1 | Bridge Region | 1 - Southern Region |
| Feature Under | MILL CREEK | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Minor Span on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 13.9 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | 5 - Moderate to major deterioration |
| Superstructure Condition | N - Not Applicable | Channel Condition | 4 - Protect. severely undermined. sev. damage |
| Substructure Condition | N - Not Applicable | Approach Condition | 9 - Superior to present desirable criteria |
| Year Built | 1942 | Annual Average Daily Traffic | 10130 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/27/2021 | Federal Sufficiency Rating | 84.8 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-------------------------------|
| Span Material | Concrete | Span Type | Frame (except frame culverts) |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | STAPLES POINT | Location | 1 MI N TOWNLINE |
| Bridge Number | 5278 | Route Number | 0009X |
| Feature On | MIDDLE RD | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPSCOT RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 32 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 77 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1951 | Annual Average Daily Traffic | 3669 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 11/30/2021 | Federal Sufficiency Rating | 94.5 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------------------|-----------|------|
| Span Material | Prestressed concrete | Span Type | Slab |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | DUNHAM ROAD | Location | 1.3 MI N OF JCT WOODS RD |
| Bridge Number | 5462 | Route Number | 0540446 |
| Feature On | WOODSVILLE ROAD | Bridge Region | 1 - Southern Region |
| Feature Under | EAST BR PISCATAQUA RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 13 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | 6 - Deterioration or initial disintegration |
| Superstructure Condition | N - Not Applicable | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | N - Not Applicable | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1952 | Annual Average Daily Traffic | 1260 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 7/6/2022 | Federal Sufficiency Rating | 98.9 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-----------------------------------|
| Span Material | Steel | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 2 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | LAMBERT STREET | Location | 1.8 MI N OF JCT RTE 26 |
| Bridge Number | 5553 | Route Number | 0540030 |
| Feature On | BLACKSTRAP RD | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPSCOT RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 28 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 60 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 6 - Satisfactory Condition (minor deterioration) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 8 - Banks are protected |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1961 | Annual Average Daily Traffic | 3750 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 10/25/2022 | Federal Sufficiency Rating | 60.5 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-------------------------------|
| Span Material | Steel | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck Spacing | 2 | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | MACKWORTH ISLAND BR | Location | .2 MI E JCT US 1 |
| Bridge Number | 5600 | Route Number | 0540002 |
| Feature On | ANDREWS AVE | Bridge Region | 1 - Southern Region |
| Feature Under | CASCO BAY | Border Bridge | |
| Bridge Road Width (Feet) | 24 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 20 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 8 - Banks are protected |
| Substructure Condition | 7 - Good Condition (some minor problems) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1955 | Annual Average Daily Traffic | 1170 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 5/26/2022 | Federal Sufficiency Rating | 11.9 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-----------------------------|
| Span Material | Steel | Span Type | Girder and Floorbeam System |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|-----------------|----------------------|-------|
| Posting Status | Posted for Load | Posted Weight (Tons) | 22.00 |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | PRESUMPCOT FALLS | Location | 0.7 MI N OF PORTLAND |
| Bridge Number | 5669 | Route Number | 0540001 |
| Feature On | ALLEN AVE EXT. | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPCOT RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 34 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 180 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1995 | Annual Average Daily Traffic | 7420 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 4/5/2023 | Federal Sufficiency Rating | 92.5 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-------------|
| Span Material | Concrete | Span Type | Arch - Deck |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | JOHNSON ROAD / I295 | Location | 0.2 MI W OF JCT RTE US 1 |
| Bridge Number | 5792 | Route Number | 0500430 |
| Feature On | JOHNSON ROAD | Bridge Region | 1 - Southern Region |
| Feature Under | I 295 NB & SB | Border Bridge | |
| Bridge Road Width (Feet) | 26 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 62 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---------------------------------------|
| Deck Condition | 4 - Poor Condition (advanced deterioration) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | N - Not Applicable |
| Substructure Condition | 4 - Poor Condition (advanced deterioration) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1957 | Annual Average Daily Traffic | 1520 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 12/9/2022 | Federal Sufficiency Rating | 28.9 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-----------------------------|----------------------|-------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | I295 NB / PRESUMPSCOT RIVER | Location | 1.0 MI N OF PORTLAND TL |
| Bridge Number | 5828 | Route Number | 0295X |
| Feature On | I 295 NB | Bridge Region | 1 - Southern Region |
| Feature Under | PRESUMPSCOT RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 30 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 110 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1960 | Annual Average Daily Traffic | 24840 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 12/13/2021 | Federal Sufficiency Rating | 62.2 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|-------------------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | LUNT ROAD / I295 | Location | 0.1 MI E OF JCT RTE 9 |
| Bridge Number | 5829 | Route Number | 0540204 |
| Feature On | LUNT ROAD | Bridge Region | 1 - Southern Region |
| Feature Under | I 295 NB & SB | Border Bridge | |
| Bridge Road Width (Feet) | 32 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 109 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 8 - Very Good Condition (no problems noted) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 8 - Very Good Condition (no problems noted) | Channel Condition | N - Not Applicable |
| Substructure Condition | 8 - Very Good Condition (no problems noted) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 2019 | Annual Average Daily Traffic | 7058 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/26/2022 | Federal Sufficiency Rating | 95.3 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 2 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|----------------------|----------------------|-------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | BUCKNAM RD OVER I295 | Location | 0.3 MI W'LY OF JCT US1 |
| Bridge Number | 5830 | Route Number | 0540146 |
| Feature On | BUCKNAM RD | Bridge Region | 1 - Southern Region |
| Feature Under | I295 NB & SB | Border Bridge | |
| Bridge Road Width (Feet) | 26 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 63.5 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 4 - Poor Condition (advanced deterioration) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | N - Not Applicable |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1960 | Annual Average Daily Traffic | 12780 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 12/9/2022 | Federal Sufficiency Rating | 48.9 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------|----------------------|-------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | FALMOUTH SPUR | Location | EXIT 15 |
| Bridge Number | 5831 | Route Number | 0495X |
| Feature On | I 495 EB | Bridge Region | 1 - Southern Region |
| Feature Under | I 295 NB & SB | Border Bridge | |
| Bridge Road Width (Feet) | 76 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 64.5 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | N - Not Applicable |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1960 | Annual Average Daily Traffic | 6260 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 4/5/2023 | Federal Sufficiency Rating | 80.4 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|----------------------|----------------------|-------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | I-95 SPUR / US RTE 1 | Location | I95 SPUR INTERCHANGE |
| Bridge Number | 5921 | Route Number | 05A5036 |
| Feature On | RAMP ON OFF | Bridge Region | 1 - Southern Region |
| Feature Under | ROUTE 1 | Border Bridge | |
| Bridge Road Width (Feet) | 32 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 51 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|--|
| Deck Condition | 6 - Satisfactory Condition (minor deterioration) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | N - Not Applicable |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 7 - Better than present minimum criteria |
| Year Built | 1955 | Annual Average Daily Traffic | 2410 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 4/5/2023 | Federal Sufficiency Rating | 77.9 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-----------|----------------------|---------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | SPUR/CNRR | Location | 0.1 MI W OF I95 OVER I295 |
| Bridge Number | 5922 | Route Number | 0495X |
| Feature On | I 495 EB | Bridge Region | 1 - Southern Region |
| Feature Under | CNRR | Border Bridge | |
| Bridge Road Width (Feet) | 72 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 25.4 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1990 | Annual Average Daily Traffic | 6260 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 3/30/2022 | Federal Sufficiency Rating | 77.7 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-------------------------------|
| Span Material | Concrete | Span Type | Frame (except frame culverts) |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------|----------------------|-----------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | STATION 251 | Location | 2.9MI N TOWNLINE |
| Bridge Number | 6019 | Route Number | 0295X |
| Feature On | I 295 NB | Bridge Region | 1 - Southern Region |
| Feature Under | CHENERY BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Minor Span on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 10 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | 6 - Deterioration or initial disintegration |
| Superstructure Condition | N - Not Applicable | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | N - Not Applicable | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1961 | Annual Average Daily Traffic | 26990 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/27/2021 | Federal Sufficiency Rating | 75.2 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-----------------------------------|
| Span Material | Concrete | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | RTE 9 | Location | 0.111 mi S of Woods Rd |
| Bridge Number | 6020 | Route Number | 0009X |
| Feature On | SR 9 (MIDDLE ROAD) | Bridge Region | 1 - Southern Region |
| Feature Under | I-495 | Border Bridge | |
| Bridge Road Width (Feet) | 32 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 51.6 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---------------------------------------|
| Deck Condition | 6 - Satisfactory Condition (minor deterioration) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | N - Not Applicable |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 10220 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 6/28/2022 | Federal Sufficiency Rating | 81.9 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-------------------------------|
| Span Material | Steel continuous | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 4 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|----------------------------|----------------------|--------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | PISCATAQUA RIVER TRIBUTARY | Location | Mile marker 55.6 |
| Bridge Number | 6448 | Route Number | 0095X |
| Feature On | I-95 | Bridge Region | 1 - Southern Region |
| Feature Under | Piscataqua Tributary | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Maine Turnpike Authority |

CLASSIFICATION

| | | | |
|----------------------------|----------------------|--------------------------|----------------------|
| Owner | State Toll Authority | Maintainer | State Toll Authority |
| Maximum Span Length (Feet) | 12.4 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | 6 - Deterioration or initial disintegration |
| Superstructure Condition | N - Not Applicable | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | N - Not Applicable | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1956 | Annual Average Daily Traffic | 15380 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/15/2022 | Federal Sufficiency Rating | 81.4 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-----------------------------------|
| Span Material | Concrete | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 2 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Falmouth**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------|----------------------|-----------------------------|
| Town | Falmouth | Town2 | |
| Bridge Name | RILEY BRIDGE | Location | .07 Mi N of Winn Rd |
| Bridge Number | 6570 | Route Number | 0026X |
| Feature On | GRAY RD | Bridge Region | 1 - Southern Region |
| Feature Under | STREAM | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Minor Span on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 17.9 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|--|
| Deck Condition | N - Not Applicable | Culvert Condition | 8 - No noticeable or noteworthy deficiencies |
| Superstructure Condition | N - Not Applicable | Channel Condition | 8 - Banks are protected |
| Substructure Condition | N - Not Applicable | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 2021 | Annual Average Daily Traffic | 6690 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 1/28/2022 | Federal Sufficiency Rating | 87.1 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-----------------------------------|
| Span Material | Concrete | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |