

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|----------------|----------------------|--------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | WEEKS MILLS | Location | 100' NE WEEKS MILLS RD |
| Bridge Number | 0406 | Route Number | 0701343 |
| Feature On | MUDDY BROOK RD | Bridge Region | 3 - Western Region |
| Feature Under | MUDDY BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 16 | Bridge or Minor Span | Low Use/Redundant Bridge |

CLASSIFICATION

| | | | |
|----------------------------|--------------|--------------------------|--------------|
| Owner | Municipality | Maintainer | Municipality |
| Maximum Span Length (Feet) | 33.8 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 4 - Protect. severely undermined. sev. damage |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1940 | Annual Average Daily Traffic | 71 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|------|
| Date of Inspection | 5/3/2022 | Federal Sufficiency Rating | 66.5 |
|--------------------|----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-------------------------------|
| Span Material | Steel | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-----------------|----------------------|--------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | BULLENS MILL | Location | 1.5 MI N PERHAM HL RD |
| Bridge Number | 0407 | Route Number | 0700424 |
| Feature On | CRYSTAL VALE RD | Bridge Region | 3 - Western Region |
| Feature Under | MUDDY BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 15 | Bridge or Minor Span | Low Use/Redundant Bridge |

CLASSIFICATION

| | | | |
|----------------------------|--------------|--------------------------|--------------|
| Owner | Municipality | Maintainer | Municipality |
| Maximum Span Length (Feet) | 26 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 8 - Very Good Condition (no problems noted) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 3 - Serious Condition (primary structure affected) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 6 - Equal to present minimum criteria |
| Year Built | 1940 | Annual Average Daily Traffic | 48 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 10/11/2022 | Federal Sufficiency Rating | 29.6 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-------------------------------|
| Span Material | Steel | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|-----------------|----------------------|-------|
| Posting Status | Posted for Load | Posted Weight (Tons) | 15.00 |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|-------------------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | SWAN ROAD | Location | .5 MI NE RT 27 |
| Bridge Number | 0408 | Route Number | 0700437 |
| Feature On | SWAN RD | Bridge Region | 3 - Western Region |
| Feature Under | FILLIBROWN BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 16 | Bridge or Minor Span | Bridge on Townway or State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 50 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 7 - Good Condition (some minor problems) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 8 - Very Good Condition (no problems noted) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 2009 | Annual Average Daily Traffic | 122 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/31/2023 | Federal Sufficiency Rating | 70.9 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-------------------------------|
| Span Material | Steel | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|--------------------------|
| Town | New Sharon | Town2 | Chesterville |
| Bridge Name | TUCKER | Location | 1.1 MI EAST JCT 156 + 41 |
| Bridge Number | 0425 | Route Number | 0700430 |
| Feature On | GEORGE THOMAS RD | Bridge Region | 3 - Western Region |
| Feature Under | MCGURDY STREAM | Border Bridge | |
| Bridge Road Width (Feet) | 15 | Bridge or Minor Span | Minor Span on Town Way |

CLASSIFICATION

| | | | |
|----------------------------|--------------|--------------------------|--------------|
| Owner | Municipality | Maintainer | Municipality |
| Maximum Span Length (Feet) | 16 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|--|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 4 - Protect. severely undermined. sev. damage |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 4 - Meets minimum tolerable limits to be left in place as is |
| Year Built | 1936 | Annual Average Daily Traffic | 210 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 4/13/2021 | Federal Sufficiency Rating | 43.2 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-------------------------------|
| Span Material | Concrete | Span Type | Frame (except frame culverts) |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|-----------------|----------------------|-------|
| Posting Status | Posted for Load | Posted Weight (Tons) | 15.00 |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-----------------|----------------------|--------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | DAY | Location | 0.4 MI W OF JCT US2 |
| Bridge Number | 2220 | Route Number | 0701103 |
| Feature On | LANE ROAD | Bridge Region | 3 - Western Region |
| Feature Under | FILLIBOWN BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 20 | Bridge or Minor Span | Low Use/Redundant Bridge |

CLASSIFICATION

| | | | |
|----------------------------|--------------|--------------------------|--------------|
| Owner | Municipality | Maintainer | Municipality |
| Maximum Span Length (Feet) | 25 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 6 - Satisfactory Condition (minor deterioration) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | 4 - Protect. severely undermined. sev. damage |
| Substructure Condition | 4 - Poor Condition (advanced deterioration) | Approach Condition | 7 - Better than present minimum criteria |
| Year Built | 1923 | Annual Average Daily Traffic | 82 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|----------|----------------------------|----|
| Date of Inspection | 5/2/2022 | Federal Sufficiency Rating | 54 |
|--------------------|----------|----------------------------|----|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|----------|
| Span Material | Concrete | Span Type | Tee Beam |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|---------------|----------------------|-----------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | FRENCH | Location | 3.5 MI SO US 2 |
| Bridge Number | 2295 | Route Number | 0027X |
| Feature On | MILE HILL RD | Bridge Region | 3 - Western Region |
| Feature Under | FILLIBROWN BK | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Minor Span on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 10 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | 5 - Moderate to major deterioration |
| Superstructure Condition | N - Not Applicable | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | N - Not Applicable | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1977 | Annual Average Daily Traffic | 2922 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/22/2021 | Federal Sufficiency Rating | 71.6 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-----------------------------------|
| Span Material | Steel | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------|----------------------|-----------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | HALE | Location | 2.5 MI SO TOWNLINE |
| Bridge Number | 2345 | Route Number | 0134X |
| Feature On | STARKS RD | Bridge Region | 3 - Western Region |
| Feature Under | HALE STR | Border Bridge | |
| Bridge Road Width (Feet) | 27 | Bridge or Minor Span | Minor Span on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 15 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 4 - Protect. severely undermined. sev. damage |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1955 | Annual Average Daily Traffic | 810 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/22/2021 | Federal Sufficiency Rating | 61.5 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|------|
| Span Material | Concrete | Span Type | Slab |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|----------------|----------------------|-------------------------|
| Town | New Sharon | Town2 | Chesterville |
| Bridge Name | MCGURDY POND | Location | 2.2 MI SE US 2 |
| Bridge Number | 2530 | Route Number | 0041X |
| Feature On | VIENNA RD | Bridge Region | 3 - Western Region |
| Feature Under | McGurdy Stream | Border Bridge | |
| Bridge Road Width (Feet) | 23 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 15 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|---|
| Deck Condition | 4 - Poor Condition (advanced deterioration) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 4 - Poor Condition (advanced deterioration) | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | 4 - Poor Condition (advanced deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1931 | Annual Average Daily Traffic | 1020 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 11/21/2022 | Federal Sufficiency Rating | 47.1 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|------|
| Span Material | Concrete | Span Type | Slab |
| Number of Main Spans | 2 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------------------|----------------------|---------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | SUCKER BROOK | Location | 0.2 MI SE OF CHESTERVILLE |
| Bridge Number | 2817 | Route Number | 0041X |
| Feature On | VIENNA RD | Bridge Region | 3 - Western Region |
| Feature Under | WHITTIER (SUCKER) BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 13 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | 6 - Deterioration or initial disintegration |
| Superstructure Condition | N - Not Applicable | Channel Condition | 6 - Bank slump. widespread minor damage |
| Substructure Condition | N - Not Applicable | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1997 | Annual Average Daily Traffic | 1020 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/20/2021 | Federal Sufficiency Rating | 91.4 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-----------------------------------|
| Span Material | Steel | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 2 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|------------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | TANNERY | Location | .5 MI. S. JCT. 2 & 27 |
| Bridge Number | 3131 | Route Number | 0134X |
| Feature On | CAPE COD HILL RD | Bridge Region | 3 - Western Region |
| Feature Under | TANNERY BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Minor Span on State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 10.6 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|---|
| Deck Condition | N - Not Applicable | Culvert Condition | 5 - Moderate to major deterioration |
| Superstructure Condition | N - Not Applicable | Channel Condition | 4 - Protect. severely undermined. sev. damage |
| Substructure Condition | N - Not Applicable | Approach Condition | 7 - Better than present minimum criteria |
| Year Built | 1934 | Annual Average Daily Traffic | 953 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|------------|----------------------------|------|
| Date of Inspection | 10/14/2022 | Federal Sufficiency Rating | 74.4 |
|--------------------|------------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-----------------------------------|
| Span Material | Concrete | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|------------------|----------------------|-------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | FILLIBROWN | Location | 1.5 MI E OF JCT RTE 27 |
| Bridge Number | 3842 | Route Number | 0002X |
| Feature On | MERCER RD | Bridge Region | 3 - Western Region |
| Feature Under | FILLIBROWN BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 31 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 72 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 6 - Satisfactory Condition (minor deterioration) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1955 | Annual Average Daily Traffic | 4318 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 11/1/2021 | Federal Sufficiency Rating | 66.6 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-------------------------------|
| Span Material | Steel | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------|----------------------|------------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | SUCKER BROOK NO. 2 | Location | .3 MI. NO. RTE # 41 |
| Bridge Number | 5178 | Route Number | 0134X |
| Feature On | CAPE COD HILL RD | Bridge Region | 3 - Western Region |
| Feature Under | SUCKER BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 27 | Bridge or Minor Span | Minor Span on State Aid Road |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 14 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|---|------------------------------|--|
| Deck Condition | 5 - Fair Condition (minor section loss) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 5 - Bank eroded.. major damage |
| Substructure Condition | 5 - Fair Condition (minor section loss) | Approach Condition | 7 - Better than present minimum criteria |
| Year Built | 1949 | Annual Average Daily Traffic | 410 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 7/22/2021 | Federal Sufficiency Rating | 74.1 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|------|
| Span Material | Concrete | Span Type | Slab |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------|----------------------|-------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | NEW MUDDY BROOK | Location | 3 MI E'LY OF FARMINGTON |
| Bridge Number | 5723 | Route Number | 0002X |
| Feature On | FARMINGTON FALLS R | Bridge Region | 3 - Western Region |
| Feature Under | MUDDY BROOK | Border Bridge | |
| Bridge Road Width (Feet) | 39 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 113.5 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 8 - Very Good Condition (no problems noted) | Channel Condition | 4 - Protect. severely undermined. sev. damage |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 2002 | Annual Average Daily Traffic | 7684 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|----|
| Date of Inspection | 11/1/2021 | Federal Sufficiency Rating | 77 |
|--------------------|-----------|----------------------------|----|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|-------|-----------|-------------------------------|
| Span Material | Steel | Span Type | Stringer/Multi-beam or Girder |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|-------------|----------------------|-------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | SANDY RIVER | Location | 4 MI E TOWNLINE |
| Bridge Number | 5724 | Route Number | 0002X |
| Feature On | MERCER RD | Bridge Region | 3 - Western Region |
| Feature Under | SANDY RIVER | Border Bridge | |
| Bridge Road Width (Feet) | 31 | Bridge or Minor Span | Bridge on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 132 | Federal Bridge Indicator | Y |

AGE AND CONDITION

| | | | |
|--------------------------|--|------------------------------|---|
| Deck Condition | 7 - Good Condition (some minor problems) | Culvert Condition | N - Not Applicable |
| Superstructure Condition | 5 - Fair Condition (minor section loss) | Channel Condition | 7 - Bank protection needs minor repairs |
| Substructure Condition | 6 - Satisfactory Condition (minor deterioration) | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 1958 | Annual Average Daily Traffic | 7788 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|----|
| Date of Inspection | 5/19/2022 | Federal Sufficiency Rating | 54 |
|--------------------|-----------|----------------------------|----|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|------------------|-----------|-----------------------------|
| Span Material | Steel continuous | Span Type | Girder and Floorbeam System |
| Number of Main Spans | 3 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **New Sharon**

[Link to Map Viewer](#)

IDENTIFICATION

| | | | |
|--------------------------|--------------------|----------------------|-----------------------------|
| Town | New Sharon | Town2 | |
| Bridge Name | GRAY FARM BRIDGE | Location | 1.57 Mi W of Rt 134 |
| Bridge Number | 6486 | Route Number | 0002X |
| Feature On | FARMINGTON FALLS R | Bridge Region | 3 - Western Region |
| Feature Under | GRAY STREAM | Border Bridge | |
| Bridge Road Width (Feet) | 0 | Bridge or Minor Span | Minor Span on State Highway |

CLASSIFICATION

| | | | |
|----------------------------|----------|--------------------------|----------|
| Owner | MaineDOT | Maintainer | MaineDOT |
| Maximum Span Length (Feet) | 15.1 | Federal Bridge Indicator | N |

AGE AND CONDITION

| | | | |
|--------------------------|--------------------|------------------------------|--|
| Deck Condition | N - Not Applicable | Culvert Condition | 8 - No noticeable or noteworthy deficiencies |
| Superstructure Condition | N - Not Applicable | Channel Condition | 8 - Banks are protected |
| Substructure Condition | N - Not Applicable | Approach Condition | 8 - Equal to present desirable criteria |
| Year Built | 2019 | Annual Average Daily Traffic | 7844 |

INSPECTION AND APPRAISAL

| | | | |
|--------------------|-----------|----------------------------|------|
| Date of Inspection | 10/5/2022 | Federal Sufficiency Rating | 93.1 |
|--------------------|-----------|----------------------------|------|

STRUCTURE TYPE AND MATERIAL

| | | | |
|----------------------|----------|-----------|-----------------------------------|
| Span Material | Concrete | Span Type | Culvert (includes frame culverts) |
| Number of Main Spans | 1 | | |

LOAD RATING AND POSTING

| | | | |
|---------------------|------|----------------------|--|
| Posting Status | Open | Posted Weight (Tons) | |
| POSTING TYPE | | | |
| 4-Axle | | | |
| One-Truck | | | |
| Spacing | | | |