

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
ABBOT	34803	00651-6	IR 651 E/O SR 6/15 BETWEEN BRS 0956/3507	I	290 C	-	-	270 S	-	-
ABBOT	36108	00668-6	IR 668 (N GUILFORD RD) NW/O SR 150	I	460 C	-	-	490 C	-	-
ABBOT	36105	0150X-5	SR 150 (BLAINE AVE) S/O IR 531 (BATES)	II+III	850 C	-	-	710 C	-	-
ABBOT	34807	0016X-4	SR 16 W/O SR 6/15 (MOOSEHEAD TR)	II	810 C	-	-	720 C	-	-
ABBOT	34801	0006X-2	SR 6/15 (MOOSEHEAD TR) N/O IR 651	II	3190 C	-	-	2980 C	-	-
ABBOT	43504	0006X-2	SR 6/15 SE/O IR 1552 (MOOSEHORN RD)	II	2370 C	-	-	2190 C	-	-
ABBOT	37400	0006X-2	SR 6/15/16 0.5 MI W/O GUILFORD TL	37400	3100 A	3100 A	3160 A	3090 A	3340 A	3140 A
ABBOT	34805	0006X-2	SR 6/15/16 S/O IR 651 (BACK RD) @BR#2003	37400	3130 C	-	-	3160 S	-	-
ATKINSON	40901	00381-5	IR 381(STAGECOACH RD) N/O IR 431@BR#3134	I	410 C	-	-	480 C	-	-
ATKINSON	46003	00418-6	IR 418 (MAPLE RD) E/O IR 381	I	310 C	-	-	200 C	-	-
ATKINSON	46007	00418-5	IR 418 (RANGE RD) W/O IR 381	I	300 C	-	-	330 C	-	-
ATKINSON	30604	00433-6	IR 433 (MAPLE RD) SE/O IR 418 @ BR# 5920	I	140 C	-	-	90 C	-	-
ATKINSON	41304	00433-6	IR 433 (MAPLE) 1.5MI SE/O IR 452@BR#0935	I	-	-	-	140 C	-	-
BARNARD TWP	42105	00381-5	IR 381 (BARNARD RD) S/O IR 382	I+II	240 C	-	-	200 S	-	-
BARNARD TWP	42101	00381-6	IR 381 (DEXTER MILL RD) N/O IR 382	I	10 C	-	-	20 C	-	-
BARNARD TWP	42103	00382-5	IR 382 (BARNARD RD) E/O IR 381	I	260 C	-	-	200 C	-	-
BARNARD TWP	42200	00396-5	IR 396 (BOWERBANK RD) @ BR# 5117	III	350 C	-	-	390 S	-	-
BEAVER COVE	32103	02257-6	IR 2257(BLACK PT) E/O IR 884(FOREST DEP)	III	-	-	-	180 C	-	-
BEAVER COVE	31800	00306-4	IR 306 (LILY BAY RD) @ GREENVILLE TL	III	1000 C	-	-	860 C	-	-
BEAVER COVE	31602	00306-4	IR 306 (LILY BAY) NE/O IR 2103 @BR# 5560	III	580 C	-	-	450 C	-	-
BEAVER COVE	31606	00306-4	IR 306 (LILY BAY) SW/O IR 2103(STATE PK)	III	820 C	-	-	590 C	-	-
BIG MOOSE TWP	43800	0006X-3	SR 6/15 @ SAPLING TWP TL @ BR # 3101	II+III	1010 C	-	-	1050 C	-	-
BIG MOOSE TWP	30801	0006X-3	SR 6/15 N/O IR 2244(SKI RESORT)@BR#3824	II+III	1080 C	-	-	1070 C	-	-
BLANCHARD TWP	33303	00492-5	IR 492 (BLANCHARD RD) E/O IR 493 (ABBOT)	II	160 C	-	-	160 C	-	-
BLANCHARD TWP	38400	00492-6	IR 492 (MOUNTAIN RD) @ BR# 0940	II	-	-	-	10 S	-	-
BLANCHARD TWP	33307	00492-6	IR 492(MOUNTAIN RD) W/O IR 493(ABBOT RD)	II	130 C	-	-	110 S	-	-
BLANCHARD TWP	33305	00493-6	IR 493 (ABBOT RD) S/O IR 492(BLANCHARD)	II	130 C	-	-	150 C	-	-
BLANCHARD TWP	33301	00493-6	IR 493(SHIRLEY RD) N/O IR 492 @ BR# 3529	II	70 C	-	-	70 C	-	-
BOWERBANK	42307	00396-5	IR 396 (BOWERBANK RD) W/O IR 392	III	140 C	-	-	170 C	-	-
BROWNVILLE	00901	01267-6	CENTER ST N/O NORTH ST	I	100 C	-	-	140 C	-	-
BROWNVILLE	01301	01267-6	CENTER ST N/O RAILROAD AVE	I	200 C	-	-	210 C	-	-
BROWNVILLE	00801	00728-6	FRONT ST N/O NORTH ST	I	-	-	-	150 C	-	-

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
BROWNVILLE	01101	00728-6	FRONT ST N/O RAILROAD AVE	I	290 C	-	-	280 C	-	-
BROWNVILLE	01603	01268-6	HENDERSON ST E/O PINE ST	I	-	-	-	30 C	-	-
BROWNVILLE	01007	01268-6	HENDERSON ST W/O FRONT ST	I	-	-	-	100 C	-	-
BROWNVILLE	32001	02009-6	IR 2009 (PARK RD) N/O SR 11 (DAVIS) @ TL	III	110 C	170 M	-	110 C	-	-
BROWNVILLE	34405	00367-4	IR 367 (CHURCH ST) S/O IR 376	II	680 C	-	-	550 C	-	-
BROWNVILLE	32905	00367-4	IR 367 (CHURCH ST) S/O IR 378 (STICKNEY)	II	1120 C	-	-	940 C	-	-
BROWNVILLE	32305	00367-4	IR 367 (CHURCH) S/O SR 11 (DAVIS)@RRXING	II	320 C	-	-	230 C	-	-
BROWNVILLE	34403	00376-5	IR 376 (SCHOODIC LAKE RD) E/O IR 367	III	500 C	-	-	380 C	-	-
BROWNVILLE	45107	00376-5	IR 376 (SCHOODIC LK) W/O IR 2196@RR XING	III	290 C	-	-	260 C	-	-
BROWNVILLE	32903	00378-5	IR 378(STICKNEY HILL) E/O IR 741(SPRING)	I	200 C	-	-	250 C	-	-
BROWNVILLE	41803	00380-4	IR 380 (CHURCH ST) E/O SR 11 @ BR#0923	II	1510 C	-	-	1120 C	-	-
BROWNVILLE	41807	00380-5	IR 380 (HIGH ST) W/O SR 11 (MAIN)	I	590 C	-	-	490 S	-	-
BROWNVILLE	01601	01269-6	PINE ST N/O HENDERSON ST	I	-	-	-	90 C	-	-
BROWNVILLE	00101	01272-6	RAILROAD AVE N/O SR 11 (MAIN ST)	I	900 C	-	-	870 C	-	-
BROWNVILLE	01307	01270-6	RAILROAD AVE W/O CENTER ST	I	330 C	-	-	340 C	-	-
BROWNVILLE	01107	01270-6	RAILROAD AVE W/O FRONT ST	I	580 C	-	-	540 C	-	-
BROWNVILLE	31900	0011X-3	SR 11 (DAVIS RD) @ BR# 3355	II	670 C	-	-	690 S	-	-
BROWNVILLE	00103	0011X-3	SR 11 (DAVIS) E/O RAILROAD AVE @BR#3222	II	1040 C	-	-	1080 C	-	-
BROWNVILLE	32301	0011X-3	SR 11 (DAVIS) N/O IR 367 (CHURCH)@RRXING	II	770 C	-	-	870 C	-	-
BROWNVILLE	41700	0011X-3	SR 11 (MAIN RD) @ MILO TL	II	2650 C	-	-	2520 C	-	-
BROWNVILLE	41801	0011X-3	SR 11 (MAIN RD) N/O IR 380 (CHURCH ST)	II	2040 C	-	-	1910 C	-	-
BROWNVILLE	00205	0011X-3	SR 11 (MAIN RD) S/O PAGE ST	II	1790 C	-	-	1920 C	-	-
BROWNVILLE	00405	0011X-3	SR 11 (MAIN RD) S/O VAN HORN AVE	II	1730 C	-	-	1780 C	-	-
BROWNVILLE	00107	0011X-3	SR 11 (MAIN ST) W/O RAILROAD AVE	II	1610 C	-	-	1580 C	-	-
BROWNVILLE	32002	0011X-3	SR 11 NE/O IR 2009(PARK)@EBEEMEE TWP TL	III	540 C	-	-	550 C	-	-
BROWNVILLE	00407	00402-6	VAN HORN AVE W/O SR 11 (MAIN RD)	I	250 C	-	-	280 C	-	-
DOVER-FOXCROFT	04303	01359-6	AUTUMN AVE E/O SR 153 (NORTH ST)	I	870 C	-	-	720 C	-	-
DOVER-FOXCROFT	05705	00421-6	BEAR HILL RD S/O SR 15 (E MAIN ST)	I	480 C	-	-	590 C	-	-
DOVER-FOXCROFT	40507	00432-6	BRYANT RD W/O SR 15 (BANGOR RD)	I	-	-	-	120 C	-	-
DOVER-FOXCROFT	00107	01360-6	CHERRY ST W/O SR 153 (NORTH ST)	I	120 C	-	-	140 C	-	-
DOVER-FOXCROFT	40102	00704-6	COTTON BROOK RD NE/O SR 153 @BR# 0953	III	200 C	-	-	270 C	-	-
DOVER-FOXCROFT	03005	00421-6	E DOVER RD S/O DOORE RD @ BR# 0932	I	-	-	-	70 S	-	-

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
DOVER-FOXCROFT	02703	00414-6	ESSEX ST E/O MAPLE ST	I	-	-	-	400 C	-	-
DOVER-FOXCROFT	01802	00414-5	ESSEX ST NE/O RIVER ST @ BR# 5118	I	2170 C	-	-	2240 S	-	-
DOVER-FOXCROFT	01402	00414-5	ESSEX ST NE/O SR 15 (E MAIN ST)	I	-	-	-	2200 C	-	-
DOVER-FOXCROFT	02106	00414-6	ESSEX ST SW/O CEDAR ST	I	590 C	-	-	630 C	-	-
DOVER-FOXCROFT	03604	01380-6	FAIRVIEW AVE SE/O SR 6/16 (SUMMER ST)	I	-	-	-	1130 C	-	-
DOVER-FOXCROFT	36608	00419-6	FOXCROFT CENTER RD NW/O SR 6/16	II	600 C	-	-	530 C	-	-
DOVER-FOXCROFT	35403	00426-6	IR 426(STARBIRD SIDING) E/O IR 894(LINE)	I	270 C	-	-	260 C	-	-
DOVER-FOXCROFT	39703	00430-6	IR 430 (BOARDEDDY) E/O SR 7 @ BR# 0934	I	80 C	-	-	90 S	-	-
DOVER-FOXCROFT	02903	01219-6	LINCOLN ST E/O SR 6/16/153 (NORTH ST)	I	880 C	-	-	740 C	-	-
DOVER-FOXCROFT	02001	01219-6	LINCOLN ST N/O ESSEX ST	I	-	-	-	1630 C	-	-
DOVER-FOXCROFT	04905	01357-6	MECHANIC ST S/O PARK ST	I	-	-	-	320 C	-	-
DOVER-FOXCROFT	03108	01385-6	MORTON AVE NW/O SR 6/16 (SUMMER ST)	I	460 C	-	-	370 C	-	-
DOVER-FOXCROFT	39504	00423-6	OLIVER HILL RD SE/O SR 7 @ TL	I	540 C	-	-	600 C	-	-
DOVER-FOXCROFT	04908	00701-6	PARK ST NW/O MECHANIC ST	I	-	-	-	1490 C	-	-
DOVER-FOXCROFT	04308	00701-6	PARK ST NW/O SR 153 (NORTH ST)	I	1420 C	-	-	1430 C	-	-
DOVER-FOXCROFT	04807	00701-6	PARK ST W/O HANCOCK ST	I	-	-	-	700 C	-	-
DOVER-FOXCROFT	40108	02179-5	PEAKS-KENNY SP RD NW/O SR 153	III	440 C	-	-	600 C	-	-
DOVER-FOXCROFT	00407	00356-4	PINE ST W/O SR 7 (SOUTH ST)	I	1010 C	-	-	1230 C	-	-
DOVER-FOXCROFT	01003	01448-6	PLEASANT ST E/O HARVEY ST	I	650 C	-	-	650 C	-	-
DOVER-FOXCROFT	01607	01448-6	PLEASANT ST W/O SR 15 (E MAIN ST)	I	530 C	-	-	590 C	-	-
DOVER-FOXCROFT	40403	00418-6	RANGE RD E/O SR 15 (BANGOR RD)	I	-	-	-	410 C	-	-
DOVER-FOXCROFT	39508	00423-6	SHAW RD NW/O SR 7 (DEXTER RD)	I	-	-	-	180 C	-	-
DOVER-FOXCROFT	40605	0015X-2	SR 15 (BANGOR RD) S/O ATKINSON RD	I	-	-	-	2740 C	-	-
DOVER-FOXCROFT	40504	0015X-2	SR 15 (BANGOR RD) SE/O BRYANT RD	I	-	-	-	2790 C	-	-
DOVER-FOXCROFT	40404	0015X-2	SR 15 (BANGOR RD) SE/O RANGE RD	I	3120 C	-	-	3100 C	-	-
DOVER-FOXCROFT	00803	0015X-2	SR 15 (E MAIN ST) E/O RIVER ST	I	5110 C	-	-	6010 C	-	-
DOVER-FOXCROFT	05704	0015X-2	SR 15 (E MAIN ST) SE/O BEAR HILL RD	I	3280 C	-	-	3670 C	-	-
DOVER-FOXCROFT	01404	0015X-2	SR 15 (E MAIN ST) SE/O PEARL ST	I	3830 C	-	-	4420 C	-	-
DOVER-FOXCROFT	01604	0015X-2	SR 15 (E MAIN ST) SE/O PLEASANT ST	I	3780 C	-	-	4270 C	-	-
DOVER-FOXCROFT	01407	0015X-2	SR 15 (E MAIN ST) W/O ESSEX ST	I	4510 C	-	-	5130 C	-	-
DOVER-FOXCROFT	00707	0015X-2	SR 15 (E MAIN ST) W/O SR 7 (SOUTH ST)	I	9000 C	-	-	10240 C	-	-
DOVER-FOXCROFT	04501	0153X-4	SR 153 (GREELEY LANDING RD) N/O WHITTIER	III	990 C	-	-	1010 C	-	-

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
DOVER-FOXCROFT	00101	0153X-4	SR 153 (NORTH ST) N/O CHERRY ST	II	2580 C	-	-	2560 C	-	-
DOVER-FOXCROFT	04301	0153X-4	SR 153 (NORTH ST) N/O PARK ST	III	-	-	-	1260 C	-	-
DOVER-FOXCROFT	05608	0153X-4	SR 153 (NORTH ST) NW/O SR 6/16 (SUMMER)	II	4370 C	-	-	3850 C	-	-
DOVER-FOXCROFT	40105	0153X-4	SR 153 S/O PEAKS-KENNY SP RD @BR#3730	III	560 C	-	-	880 C	-	-
DOVER-FOXCROFT	05508	0006X-2	SR 6/15/16 (W MAIN ST) NW/O WINTER ST	I	8870 C	-	-	8960 C	-	-
DOVER-FOXCROFT	02907	0006X-2	SR 6/15/16 (W MAIN ST) W/O SR 153(NORTH)	I	7060 C	-	-	7620 C	-	-
DOVER-FOXCROFT	44607	0006X-2	SR 6/15/16(GUILFORD RD) W/O DF PLAZA ENT	I	4820 C	-	-	5240 C	-	-
DOVER-FOXCROFT	36602	0006X-3	SR 6/16 (MILO) NE/O FOXCROFT CENTER RD	I	3530 C	-	-	3730 S	-	-
DOVER-FOXCROFT	05602	0006X-3	SR 6/16 (SUMMER ST) NE/O SR 153 (NORTH)	I	5670 C	-	-	5300 C	-	-
DOVER-FOXCROFT	03606	0006X-3	SR 6/16 (SUMMER ST) SW/O FAIRVIEW AVE	I	-	-	-	4450 C	-	-
DOVER-FOXCROFT	03106	0006X-3	SR 6/16 (SUMMER ST) SW/O MORTON @ BR2723	I	5420 C	-	-	4400 C	-	-
DOVER-FOXCROFT	03702	0006X-3	SR 6/16 (SUMMER) NE/O NORTHVIEW APTS ENT	I	4530 C	-	-	4390 S	-	-
DOVER-FOXCROFT	02901	0006X-3	SR 6/16/153 (NORTH ST) N/O LINCOLN ST	I	6820 C	-	-	7840 C	-	-
DOVER-FOXCROFT	00205	0007X-3	SR 7 (SOUTH ST) S/O GROVE ST	I	3380 C	-	-	3520 C	-	-
DOVER-FOXCROFT	00706	0007X-3	SR 7 (SOUTH ST) SW/O SR 15 (E MAIN ST)	I	4960 C	-	-	5610 C	-	-
DOVER-FOXCROFT	36308	0007X-3	SR 7 NW/O STARBIRD SIDING RD	I	2880 C	-	-	3030 C	-	-
DOVER-FOXCROFT	39506	0007X-3	SR 7 SW/O OLIVER HILL RD @GARLAND TL	I	2520 C	-	-	2800 C	-	-
DOVER-FOXCROFT	39601	0007X-3	SR 7(DEXTER RD) N/O MERRILLS MILL RD	I	2590 C	-	-	2800 C	-	-
DOVER-FOXCROFT	39605	0007X-3	SR 7(DEXTER RD) S/O MERRILLS MILL	I	2680 C	-	-	2790 C	-	-
DOVER-FOXCROFT	01904	00434-5	VAUGHN ST SE/O ESSEX ST	I	650 C	-	-	650 C	-	-
DOVER-FOXCROFT	05502	01362-6	WINTER ST NE/O SR 6/15/16 (W MAIN ST)	I	2150 C	-	-	2080 C	-	-
EBEEMEE TWP	48408	02009-6	IR 2009 (KI WORKS) NW/O IR 157 @BR# 0921	III	-	-	-	120 S	-	-
EBEEMEE TWP	42802	0011X-3	SR 11 NE/O IR 2204 (PW) @ BR# 3869	III	500 C	-	-	470 S	-	-
ELLIOTTSVILLE TWP	34107	00520-6	IR 520(ELLIOTSVLLE) W/O IR 521 @BR# 3146	III	90 C	-	-	90 C	-	-
ELLIOTTSVILLE TWP	34102	00521-6	IR 521 (BODFISH VALLEY RD) NE/O IR 520	III	-	-	-	60 C	-	-
ELLIOTTSVILLE TWP	34104	00521-6	IR 521 (MOUNTAIN RD) SE/O IR 520	III	70 C	-	-	70 C	-	-
ELLIOTTSVILLE TWP	34603	00861-6	IR 861 (ONAWA RD) E/O IR 521	III	70 C	-	-	60 C	-	-
FRENCHTOWN TWP	31000	00306-4	IR 306 @ BR# 6253	III	370 C	-	-	280 C	-	-
FRENCHTOWN TWP	31106	00306-4	IR 306 SW/O IR 351(FRNCHTWN)@LILY BAY TL	III	360 C	-	-	300 C	-	-
FRENCHTOWN TWP	48200	00351-6	IR 351 @ BR# 1722 (3.6MI FROM IR 306)	II	-	-	-	80 S	-	-
FRENCHTOWN TWP	31104	00351-6	IR 351(FRENCHTOWN) SE/O IR 306 @BR# 1721	II	130 C	160 M	-	130 C	-	-
GREENVILLE	01001	00889-6	CRAFTS RD N/O SR 6/15 (PRITHAM AVE)	III	-	-	-	140 C	-	-

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
GREENVILLE	32601	01546-5	IR 1546 (DREW RD) N/O IR 484 (EAST RD)	III	220 C	-	-	290 C	-	-
GREENVILLE	32603	00484-6	IR 484 (EAST RD) E/O IR 1546 (DREW RD)	III	330 C	-	-	360 C	-	-
GREENVILLE	01301	01459-6	LAKEVIEW ST N/O SR 6/15 (PRITHAM AVE)	III	540 C	-	-	630 C	-	-
GREENVILLE	02601	00306-4	LILY BAY RD N/O SCAMMON RD	III	1590 C	-	-	1370 C	-	-
GREENVILLE	02002	00306-4	LILY BAY RD NE/O PLEASANT ST	III	3360 C	-	-	3740 C	-	-
GREENVILLE	01902	00306-4	LILY BAY RD NE/O SR 6/15 (WEST ST)	III	3930 C	-	-	4460 C	-	-
GREENVILLE	02605	00306-4	LILY BAY RD S/O SCAMMON RD	III	1760 C	-	-	1730 C	-	-
GREENVILLE	02305	00306-4	LILY BAY RD S/O VILLAGE ST	III	2330 C	-	-	2640 C	-	-
GREENVILLE	01406	01474-6	MAYHEW MNR SW/O EVELETH HILL RD	II	-	-	-	210 C	-	-
GREENVILLE	02903	01349-6	MINDEN ST E/O SR 6/15 (MOOSEHEAD LK RD)	I	-	-	-	650 C	-	-
GREENVILLE	02801	00827-6	SPRUCE ST N/O MAYHEW MNR	II	160 C	-	-	280 C	-	-
GREENVILLE	02805	00827-6	SPRUCE ST S/O MAYHEW MNR @ RR XING	II	-	-	-	210 C	-	-
GREENVILLE	01800	0006X-2	SR 6/15 (MOOSEHEAD LK RD) @ RR OVERPASS	II	4530 C	-	-	4670 C	-	-
GREENVILLE	02905	0006X-2	SR 6/15 (MOOSEHEAD LK RD) S/O MINDEN ST	II	4220 C	-	-	4830 C	-	-
GREENVILLE	00803	0006X-3	SR 6/15 (PRITHAM AVE) E/O N BIRCH ST	II+III	-	-	-	3660 C	-	-
GREENVILLE	00103	0006X-3	SR 6/15 (PRITHAM AVE) E/O SPRUCE ST	II+III	3760 C	-	-	4370 C	-	-
GREENVILLE	01007	0006X-3	SR 6/15 (PRITHAM AVE) W/O CRAFTS RD	II+III	3670 C	-	-	4240 C	-	-
GREENVILLE	01307	0006X-3	SR 6/15 (PRITHAM AVE) W/O LAKEVIEW ST	II+III	4510 C	-	-	4770 C	-	-
GREENVILLE	02207	0006X-3	SR 6/15 (PRITHAM AVE) W/O N GREEN ST	II+III	3310 C	-	-	3870 C	-	-
GREENVILLE	37705	0006X-2	SR 6/15 S/O IR 742 (MARSH FARM RD)	II	2950 C	-	-	2700 C	-	-
GREENVILLE	01907	0006X-3	SR 6/15 W/O SR 6/15 (MOOSEHEAD LK RD)@BR	II+III	-	-	-	4390 C	-	-
GREENVILLE	00607	0006X-3	SR 6/15(PRITHAM) W/O BEECH ST@BR3752 @TL	II+III	2750 C	-	-	3370 C	-	-
GUILFORD	01807	00536-6	HIGH ST W/O PINE ST	I	-	-	-	390 C	-	-
GUILFORD	00707	00531-6	HIGH ST W/O SR 150 (BLAINE AVE)	I	700 C	-	-	650 C	-	-
GUILFORD	00500	00351-2	HUDSON AVE @ SANGERVILLE TL	II	-	-	-	2130 C	-	-
GUILFORD	00304	00356-2	HUDSON AVE SE/O SR 150 (MAIN ST)	II	2590 C	-	-	3020 C	-	-
GUILFORD	36401	00533-6	IR 533 (SEBEC SHORE RD) N/O SR 6/15/16	I	320 C	-	-	480 C	-	-
GUILFORD	44304	00537-6	IR 537 (GUILFORD CENTER RD) SE/O SR 150	II+III	360 C	-	-	360 C	-	-
GUILFORD	36508	00537-6	IR 537 (GUILFORD CENTER) NW/O SR 6/15/16	II+III	540 C	-	-	540 C	-	-
GUILFORD	00101	01294-6	NORTH MAIN ST N/O SR 6/15/16/150 (WATER)	I	2110 C	-	-	2110 C	-	-
GUILFORD	00303	01374-6	OAK ST E/O SR 150 (MAIN ST)	I	280 C	-	-	380 C	-	-
GUILFORD	01805	01286-6	PINE ST S/O HIGH ST	I	-	-	-	170 C	-	-

2017 Maine Transportation Count Book

Piscataquis TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
GUILFORD	00708	0150X-5	SR 150 (BLAINE AVE) NW/O HIGH ST(S/O SCH	II	-	-	-	1190 C	-	-
GUILFORD	00908	0150X-5	SR 150 (BLAINE AVE) NW/O SCHOOL DR	II	-	-	-	840 C	-	-
GUILFORD	00200	0150X-3	SR 150 (S MAIN ST) @ PARKMAN TL	I	-	-	-	2170 S	-	-
GUILFORD	00305	0150X-3	SR 150 (S MAIN ST) S/O SR 6/15/16 (ELM)	I	2600 C	-	-	1980 C	-	-
GUILFORD	36101	0150X-5	SR 150 N/O IR 668 (N GUILFORD) @ BR#3512	II+III	390 C	-	-	320 C	-	-
GUILFORD	44306	0150X-5	SR 150 SW/O IR 537 (GUILFORD CENTER)	II	540 C	-	-	470 C	-	-
GUILFORD	44308	0150X-5	SR 150(BLAINE AVE) NW/O IR 537(GUILFORD)	II+III	-	-	-	750 C	-	-
GUILFORD	02507	0006X-2	SR 6/15/16 (ELM ST) W/O ELLIS AVE	37400	-	-	-	3030 C	-	-
GUILFORD	00307	0006X-2	SR 6/15/16 (ELM ST) W/O SR 150 (MAIN ST)	37400	3900 C	-	-	3260 C	-	-
GUILFORD	00703	0006X-2	SR 6/15/16 (WATER ST) E/O SR 150(BLAINE)	I	5770 C	-	-	5270 C	-	-
GUILFORD	36406	0006X-2	SR 6/15/16 SW/O IR 533(SEBEC SHR)@BR3044	I	4700 C	-	-	4730 C	-	-
GUILFORD	00105	0006X-2	SR 6/15/16/150 (MAIN) S/O SR 6/15/16/150	I	5920 C	-	-	5810 S	-	-
GUILFORD	00103	0006X-2	SR 6/15/16/150 (WATER ST) E/O N MAIN ST	I	5470 C	-	-	5190 C	-	-
KINGSBURY PLT	34705	00509-6	IR 509 (HOTEL DR) S/O SR 16 @ BR# 3290	II	80 C	-	-	70 S	-	-
KINGSBURY PLT	34701	0016X-4	SR 16 (KINGSBURY) N/O IR 505 @ BR# 3415	II	370 C	-	-	350 C	-	-
LAKEVIEW PLT	35808	00385-6	IR 385 (LAKEVIEW RD) NW/O IR 753 (MILL)	III	200 C	-	-	170 C	-	-
LAKEVIEW PLT	35804	00385-6	IR 385 (LAKEVIEW RD) SE/O IR 753 (MILL)	III	-	-	-	90 C	-	-
LAKEVIEW PLT	35802	00753-6	IR 753 (MILL) NE/O IR 385 (LAKEVIEW) @RR	III	-	-	-	120 C	-	-
LILY BAY TWP	31505	00306-4	IR 306 (LILY BAY) S/O IR 825 @ BR# 6148	III	-	-	-	400 C	-	-
LILY BAY TWP	31408	00471-6	IR 471 (CASEY RD) NW/O IR 306 @ BR	III	70 C	-	-	90 C	-	-
MEDFORD	35200	01244-6	IR 1244 (NORTH RD) @ MILO TL	II	220 C	-	-	200 C	-	-
MEDFORD	35001	01244-6	IR 1244 (NORTH RD) N/O IR 887 (TRESTLE)	II	140 C	-	-	160 C	-	-
MEDFORD	31702	01244-6	IR 1244 (NORTH) NE/O IR 1317 @ BR#0915	II	210 C	-	-	160 C	-	-
MEDFORD	46508	01244-6	IR 1244 (PLEASANT RV) NW/O IR 2070 (PW)	II	-	-	-	140 C	-	-
MEDFORD	31302	00386-5	IR 386 (MEDFORD CTR) NE/O IR 389@BR#6259	I	180 C	-	-	250 C	-	-
MEDFORD	31307	00386-5	IR 386(PADDY HILL RD) W/O IR 407(MEDFORD)	I	170 C	-	-	210 C	-	-
MEDFORD	35004	00887-6	IR 887 (TRESTLE) SE/O IR 1244 @ BR# 0484	I	60 C	-	-	100 S	-	-
MILO	00302	01241-6	BELMONT ST NE/O SR 6/11/16 (ELM ST)	I	490 C	-	-	360 C	-	-
MILO	02008	01223-5	FERRY RD NW/O RAILROAD ST	I	1000 C	-	-	940 S	-	-
MILO	02004	00722-6	FERRY RD SE/O RIVER RD	I	240 C	-	-	220 C	-	-
MILO	00603	00390-6	HIGH ST E/O SR 11 (MAIN ST)	I	950 C	-	-	670 C	-	-
MILO	00704	01313-6	HIGHLAND AVE SE/O PLEASANT ST	I	610 C	-	-	580 C	-	-

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
MILO	30303	01244-6	IR 1244 (MEDFORD RD) E/O IR 387	II	450 C	-	-	450 C	-	-
MILO	30306	01244-5	IR 1244 (PLEASANT) SW/O IR 367 @ BR#3244	I	940 C	-	-	990 C	-	-
MILO	34201	00385-6	IR 385 (LAKEVIEW RD) N/O IR 387	III	330 C	-	-	270 C	-	-
MILO	30301	00387-5	IR 387 (LAKEVIEW RD) N/O IR 1244	II	470 C	-	-	430 C	-	-
MILO	31203	00869-5	IR 869 (JOE RAYMOND RD) E/O SR 6/16(ELM)	I	340 C	-	-	290 C	-	-
MILO	00702	01244-5	PLEASANT ST NE/O HIGHLAND AVE	I	1850 C	-	-	1860 C	-	-
MILO	00706	01244-5	PLEASANT ST SW/O SUMMER ST	I	1190 C	-	-	1050 C	-	-
MILO	02003	02071-6	RAILROAD ST E/O FERRY RD	I	750 C	-	-	560 C	-	-
MILO	02006	02071-6	RIVER RD SW/O FERRY RD	I	420 C	-	-	360 C	-	-
MILO	01705	01233-5	RIVERSIDE ST S/O SR 6/16 (W MAIN ST)	I	1500 C	-	-	1360 S	-	-
MILO	30207	0011X-4	SR 11 (LYFORD) W/O SR 6/16 (ELM) @RRXING	I	810 C	-	-	870 S	-	-
MILO	00606	0011X-3	SR 11 (MAIN ST) SW/O PLEASANT ST	II	6530 C	-	-	5460 C	-	-
MILO	00601	0011X-3	SR 11 (PARK ST) N/O HIGH ST	II	5800 C	-	-	4940 C	-	-
MILO	37504	0011X-3	SR 11 SE/O IR 1534 (DUSTY LN)(PW)@RRXING	II	2900 C	-	-	2900 C	-	-
MILO	00404	0006X-2	SR 6/11/16 (ELM ST) SE/O CHASE HILL RD	I	-	-	-	4300 C	-	-
MILO	00504	0006X-3	SR 6/11/16 (ELM ST) SE/O SR 11 (MAIN ST)	I	4090 C	-	-	4110 C	-	-
MILO	30208	0006X-2	SR 6/11/16(ELM ST) NW/O SR 11(LYFORD RD)	I	3450 C	-	-	3370 C	-	-
MILO	00100	0006X-3	SR 6/16 (MAIN ST) @ MIDDLE BR# 2931	I	-	-	-	5890 C	-	-
MILO	00506	0006X-3	SR 6/16 (MAIN ST) SW/O SR 6/11/16 (ELM)	I	6200 C	-	-	5650 C	-	-
MILO	01806	0006X-3	SR 6/16 (W MAIN ST) SW/O MOOERS RD	I	-	-	-	3170 C	-	-
MILO	01707	0006X-3	SR 6/16 (W MAIN ST) W/O RIVERSIDE@RRXING	I	-	-	-	4100 C	-	-
MILO	31204	0006X-2	SR 6/16 SE/O IR 869 @ ORNEVILLE TWP TL	I+II	2460 C	-	-	2200 C	-	-
MILO	30107	0006X-3	SR 6/16 W/O IR 715 (SARGENT HILL RD)	I	2760 C	-	-	3120 S	-	-
MILO	31207	0006X-2	SR 6/16 W/O IR 869 (JOE RAYMOND RD)	I+II	2790 C	-	-	2410 C	-	-
MILO	00708	01309-6	SUMMER ST NW/O PLEASANT ST	I	1050 C	-	-	950 C	-	-
MONSON	33707	00492-5	IR 492(BLANCHARD) W/O SR 6/15(MOOSEHEAD)	II	380 C	-	-	440 C	-	-
MONSON	33502	00498-6	IR 498 (TENNEY HILL RD) NE/O SR 6/15	I	340 C	-	-	250 C	-	-
MONSON	33507	00500-6	IR 500 (PLEASANT) W/O SR 6/15(MOOSEHEAD)	III	240 C	-	-	220 C	-	-
MONSON	47400	00523-6	IR 523 (ELLIOTSVILLE RD) @ BR #3184	III	-	-	-	120 S	-	-
MONSON	33401	00523-6	IR 523 (ELLIOTSVILLE RD) N/O SR 6/15	III	-	-	-	260 C	-	-
MONSON	33604	00668-6	IR 668 (N GUILFORD RD) SE/O SR 6/15	I+II	660 C	-	-	610 C	-	-
MONSON	33605	0006X-2	SR 6/15 (MOOSEHEAD TR) S/O IR 668	II	2770 C	-	-	2520 C	-	-

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
MONSON	33504	0006X-2	SR 6/15 (MOOSEHEAD TR) SE/O IR 498	II	3170 C	-	-	2970 C	-	-
MONSON	33508	0006X-2	SR 6/15 (MOOSEHEAD) NW/O IR500(PLEASANT)	II	2750 C	-	-	2460 C	-	-
MONSON	33705	0006X-2	SR 6/15(MOOSEHEAD) S/O IR 492(BLANCHARD)	II	2440 C	-	-	2260 C	-	-
MOOSEHEAD JCT	44105	02080-6	IR 2080 (DEPOT ST) S/O SR 6/15 (PRITHAM)	II	450 C	-	-	400 C	-	-
MOOSEHEAD JCT	30901	00754-6	IR 754 (HARFORDS PT RD) N/O SR 6/15	III	260 C	-	-	310 C	-	-
MOOSEHEAD JCT	44101	0006X-3	SR 6/15 (ROCKWOOD) N/O IR 2080(DEPOT)@TL	II+III	2080 C	-	-	1930 C	-	-
MOOSEHEAD JCT	30907	0006X-3	SR 6/15(ROCKWOOD) W/O IR 754(HARFORDS PT	II+III	1350 C	-	-	1220 C	-	-
ORNEVILLE TWP	34506	00443-6	IR 443(COUNTY RD) SW/O SR 6/16 @ BR#0936	I	60 C	-	-	80 C	-	-
ORNEVILLE TWP	38105	0011X-4	SR 11 S/O IR 418 (MCCORRISON RD)	I	740 C	-	-	630 C	-	-
ORNEVILLE TWP	34504	0006X-2	SR 6/16 SE/O IR 1530 (E COUNTY RD)	I+II	2470 C	-	-	2290 C	-	-
PARKMAN	47700	00545-6	IR 545 (PEASE BR) @ BR #0945	I	-	-	-	30 S	-	-
PARKMAN	47800	00545-6	IR 545 (PEASE BR) @ BR #3419	I	-	-	-	20 S	-	-
PARKMAN	37200	00564-6	IR 564 (LANDER RD) @ BR# 0947	I	-	-	-	10 C	-	-
PARKMAN	47600	00575-6	IR 575 (BRIDGE RD) @ BR #0962	I	-	-	-	80 S	-	-
PARKMAN	37106	00575-6	IR 575 (BRIDGE RD) SW/O IR 577(N DEXTER)	I	180 C	-	-	150 C	-	-
PARKMAN	37101	00577-6	IR 577 (N DEXTER RD) N/O IR 575 (BRIDGE)	I	320 C	-	-	270 C	-	-
PARKMAN	37104	00577-6	IR 577 (N DEXTER RD) SE/O IR 575(BRIDGE)	I	230 C	-	-	220 C	-	-
PARKMAN	36803	00636-6	IR 636 (MCPHETRES RD) E/O SR 150	I	220 C	-	-	320 C	-	-
PARKMAN	36907	00842-6	IR 842 (CROW HILL RD) W/O SR 150	I	270 C	-	-	330 C	-	-
PARKMAN	36903	00842-6	IR 842(N DEXTER RD) E/O SR 150 @BR# 6279	I	200 C	-	-	220 C	-	-
PARKMAN	37001	0150X-3	SR 150 N/O IR 558 (WELLINGTON) @BR# 2668	II	1190 C	-	-	1230 S	-	-
PARKMAN	36802	0150X-3	SR 150 NE/O IR 636 (MCPHETRES RD)	I	2040 C	-	-	1950 S	-	-
PARKMAN	36902	0150X-3	SR 150 NE/O IR 842 (N DEXTER RD)	II	1120 C	-	-	1840 C	-	-
PARKMAN	37005	0150X-3	SR 150 S/O IR 558 (WELLINGTON RD)	II	1320 C	-	-	1160 S	-	-
PARKMAN	47504	0150X-3	SR 150 SE/O IR 564 (LANDER RD)	II	-	-	-	1040 S	-	-
PARKMAN	36807	0150X-3	SR 150 W/O IR 636 (MCPHETRES RD)	I	2170 C	-	-	2060 S	-	-
SANGERVILLE	38004	01205-6	IR 1205 (E SANGERVILLE RD) SE/O IR 356	I	340 C	-	-	510 C	-	-
SANGERVILLE	38003	00356-4	IR 356 (DOUTY HILL RD) E/O IR 1205	I	490 C	-	-	720 C	-	-
SANGERVILLE	38007	00356-4	IR 356 (DOUTY HILL RD) W/O IR 1205	I	600 C	-	-	850 C	-	-
SANGERVILLE	39107	00356-2	IR 356 (PLEASANT AVE) W/O SR 23(MAIN ST)	II	2360 C	-	-	2720 C	-	-
SANGERVILLE	39103	00356-4	IR 356(DOUTY HILL RD) E/O SR 23 @BR#3893	I	810 C	-	-	1120 C	-	-
SANGERVILLE	48301	00424-6	IR 424 (KNOWLTON MILLS RD) N/O IR 698	I	-	-	-	90 C	-	-

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
SANGERVILLE	48303	00424-6	IR 424(BURROUGH RD) E/O IR 698(MILLS RD)	I	-	-	-	50 C	-	-
SANGERVILLE	35503	00426-6	IR 426 (E SANGERVILLE RD) E/O IR 1205	I	190 C	-	-	160 C	-	-
SANGERVILLE	38808	00541-6	IR 541 (SILVER MILL) NW/O IR 546@BR#5559	I	-	-	-	100 C	-	-
SANGERVILLE	46908	00541-6	IR 541 (SILVERS MILLS RD) NW/O IR 550	I	140 C	-	-	90 C	-	-
SANGERVILLE	39304	00541-6	IR 541(SILVER MILL) SE/O IR544(TOWNHOUSE	I	260 C	-	-	270 C	-	-
SANGERVILLE	39203	00542-6	IR 542(FLANDERS HILL RD) E/O SR 23(MAIN)	I	-	-	-	220 C	-	-
SANGERVILLE	37603	00550-6	IR 550 (FRENCHS MILL) E/O SR 23 @BR#5678	I	90 C	-	-	90 C	-	-
SANGERVILLE	39006	00636-6	IR 636 (MCPHETERS) SW/O IR 356(PLEASANT)	I	410 C	-	-	330 C	-	-
SANGERVILLE	48306	00698-6	IR 698 (MILLS RD) SW/O IR 424 @ BR# 0952	I	-	-	-	90 S	-	-
SANGERVILLE	35405	00894-6	IR 894(LINE RD) S/O IR 426 (STARBIRD)	I	110 C	-	-	150 C	-	-
SANGERVILLE	39104	0023X-2	SR 23 (MAIN ST) SE/O IR 1152 (HUNNEWELL)	I	2970 C	-	-	3120 C	-	-
SANGERVILLE	39301	0023X-2	SR 23 (N DEXTER) N/O IR 541(SILVER MILL)	I	-	-	-	2570 C	-	-
SANGERVILLE	39108	0023X-3	SR 23(MAIN ST) NW/O IR 356(DOUTY HILL)	I	2240 C	-	-	2570 C	-	-
SANGERVILLE	39305	0023X-2	SR 23(N DEXTER RD) S/O IR 544(TOWNHOUSE)	I	1980 C	-	-	2240 C	-	-
SEBEC	44908	00381-5	IR 381 (BARNARD RD) NW/O IR 396	I+II	300 C	-	-	290 C	-	-
SEBEC	42408	00381-5	IR 381 (SEBEC VILLAGE RD) NW/O IR 2050	I+II	590 C	-	-	830 C	-	-
SEBEC	30705	00381-5	IR 381 (STAGECOACH RD) S/O SR 6/16(MILO)	I	540 C	-	-	620 C	-	-
SEBEC	41205	00381-5	IR 381 (STAGECOACH) S/O IR 414 @ BR#2879	I	-	-	-	530 C	-	-
SEBEC	42404	00381-5	IR 381(SEBEC VILLAG) SE/O IR 2050@BR0924	I+II	650 C	-	-	880 C	-	-
SEBEC	30708	00381-5	IR 381(SEBEC VILLAGE) NW/O SR 6/16(MILO)	I+II	1000 C	-	-	1090 C	-	-
SEBEC	44907	00396-5	IR 396 (BOWERBANK RD) W/O IR 381	III	380 C	-	-	470 C	-	-
SEBEC	41207	00414-6	IR 414 (RIVER RD) W/O IR 381(STAGECOACH)	I	-	-	-	150 C	-	-
SEBEC	30707	0006X-3	SR 6/16(MILO RD) W/O IR 381 (STAGECOACH)	I	3000 C	-	-	3290 S	-	-
SEBEC	30703	0006X-3	SR 6/16(MILO) E/O IR 381 (SEBEC VILLAGE)	I	2690 C	-	-	3010 S	-	-
SHIRLEY	33007	00488-6	IR 488 (UPR SHIRLEY CNR RD) W/O SR 6/15	II	250 C	-	-	240 C	-	-
SHIRLEY	32807	00488-6	IR 488 (WEST RD) W/O IR 2080(PW)@BR#2761	II	-	-	-	300 C	-	-
SHIRLEY	33108	00489-6	IR 489 (LWR SHIRLEY CNR RD) NW/O SR 6/15	II	-	-	-	120 C	-	-
SHIRLEY	33105	00493-6	IR 493(BLANCHARD RD) S/O SR 6/15	II	-	-	-	80 C	-	-
SHIRLEY	33001	0006X-2	SR 6/15 (MOOSEHEAD TR) N/O IR 488	II	2610 C	-	-	2220 C	-	-
SHIRLEY	33101	0006X-2	SR 6/15 (MOOSEHEAD TR) N/O IR 489	II	2370 C	-	-	2100 C	-	-
SHIRLEY	33104	0006X-2	SR 6/15 SE/O IR 493(BLANCHARD RD)	II	-	-	-	2050 C	-	-
T1 R9 WELS	43300	00314-6	IR 314 (PARK TOTE RD) @ T02 R09 WELS TL	III	-	-	-	390 C	-	-

2017 Maine Transportation Count Book

Piscataquis

TOWN	STA	ROAD-PN	LOCATION	GROUP	AADT12	AADT13	AADT14	AADT15	AADT16	AADT17
T4 R9 NWP	32201	PW-6	(PW) IR 2020 (JO-MARY RD) N/O SR 11	II	-	-	-	140 S	-	-
T4 R9 NWP	42700	0011X-3	SR 11 (DAVIS) @ EBEEEMEE TWP TL	III	450 C	-	-	420 C	-	-
T4 R9 NWP	32202	0011X-3	SR 11 (DAVIS) NE/O IR 2020 (JO-MARY) @TL	III	440 C	-	-	350 S	-	-
T4 R9 NWP	32206	0011X-3	SR 11 SW/O IR 2020 (JO-MARY) @ BR# 3888	III	500 C	-	-	400 C	-	-
WELLINGTON	44403	00508-6	IR 508 (ZION RD) E/O IR 509 @ BR# 2920	I	-	-	-	40 C	-	-
WELLINGTON	30003	00512-5	IR 512 (PARKMAN RD) E/O SR 154	I	40 C	-	-	50 S	-	-
WELLINGTON	30001	00643-6	IR 643 (HUFF CNR RD) N/O IR 2072 (HAMM)	I	180 C	-	-	170 C	-	-
WELLINGTON	30005	0154X-5	SR 154 S/O IR 512(PARKMAN RD) @ BR# 6022	I	210 C	-	-	270 S	-	-
WELLINGTON	48704	0154X-5	SR 154 SE/O IR 647(HUTCHINS CNR) (N JCT)	I	-	-	-	80 S	-	-
WELLINGTON	30007	0154X-5	SR 154 W/O IR 643(HUFF CNR RD) @BR# 6021	I	70 C	-	-	110 S	-	-
WILLIAMSBURG TWP	42008	00379-6	IR 379 (WILLIAMSBURG RD) NW/O IR 382	I	190 C	160 M	-	150 C	-	-
WILLIAMSBURG TWP	42004	00379-5	IR 379 (WILLIAMSBURG RD) SE/O IR 382	I	380 C	-	-	260 S	-	-
WILLIMANTIC	48101	00521-6	IR 521 (ELLIOTSVILLE RD) N/O IR 687	III	200 C	-	-	190 C	-	-
WILLIMANTIC	48106	00521-6	IR 521 (WILLIMANTIC RD) SW/O IR 687	II	140 C	-	-	150 C	-	-
WILLIMANTIC	30502	00521-6	IR 521(ELLIOTSVILLE) NE/O IR 530@BR#2023	III	-	-	-	130 S	-	-
WILLIMANTIC	30402	00525-6	IR 525 (AIRPORT) NE/O SR 150 @ BR#2995	III	-	-	-	30 C	-	-
WILLIMANTIC	34308	00687-6	IR 687 NW/O SR 150 @ BR# 2317	II+III	220 C	-	-	230 S	-	-
WILLIMANTIC	34305	0150X-5	SR 150 S/O IR 687	II+III	320 C	-	-	270 C	-	-
WILLIMANTIC	34302	0150X-5	SR 150(SEBEC LK) NE/O IR 687(ELLIOTSVLL)	III	210 C	-	-	130 C	-	-