

## **DETAILED REPORTS - COMPARISONS BY GENDER AND GRADE**

## MAINE 2019 MIYHS KINDERGARTEN AND 3RD GRADE REPORT

# 2019 MAINE INTEGRATED YOUTH HEALTH SURVEY K/3 Detailed Report - Maine (weighted) Demographics

|              | %      | CI                | N      | n     |
|--------------|--------|-------------------|--------|-------|
|              |        |                   |        |       |
| Total        | 100.0% |                   | 25,227 | 1,132 |
| Sex          |        |                   |        |       |
| Female       | 38.0%  | ( 25.9% - 50.1% ) | 9,593  | 444   |
| Male         | 42.2%  | ( 30.8% - 53.6% ) | 10,642 | 463   |
| Missing      | 19.8%  | ( 0.0% - 42.9% )  | 4,992  | 225   |
| Grade        | -      |                   |        |       |
| Kindergarten | 50.1%  | ( 45.6% - 54.5% ) | 12,633 | 594   |
| Grade 3      | 49.9%  | ( 45.5% - 54.4% ) | 12,594 | 538   |

# 2019 MAINE INTEGRATED YOUTH HEALTH SURVEY K/3 Detailed Report - Maine (weighted) Demographics

|                        | %     | CI                | N      | n   |  |  |  |  |  |  |  |
|------------------------|-------|-------------------|--------|-----|--|--|--|--|--|--|--|
| Public Health District |       |                   |        |     |  |  |  |  |  |  |  |
| Aroostook PHD          | 5.1%  | ( 2.5% - 7.7% )   | 1,284  | 57  |  |  |  |  |  |  |  |
| Central Maine PHD      | 44.3% | ( 19.1% - 69.5% ) | 11,166 | 500 |  |  |  |  |  |  |  |
| Cumberland PHD         | 3.6%  | ( 1.9% - 5.2% )   | 897    | 40  |  |  |  |  |  |  |  |
| Downeast PHD           | 6.0%  | ( 0.0% - 14.6% )  | 1,520  | 69  |  |  |  |  |  |  |  |
| Mid-Coast PHD          | 8.3%  | ( 4.4% - 12.1% )  | 2,084  | 94  |  |  |  |  |  |  |  |
| Penquis PHD            | 15.3% | ( 4.9% - 25.7% )  | 3,865  | 173 |  |  |  |  |  |  |  |
| Western Maine PHD      | 13.2% | ( 0.0% - 26.6% )  | 3,318  | 150 |  |  |  |  |  |  |  |
| York PHD               | 4.3%  | ( 2.3% - 6.4% )   | 1,092  | 49  |  |  |  |  |  |  |  |

# 2019 MAINE INTEGRATED YOUTH HEALTH SURVEY K/3 Detailed Report - Maine (weighted) Demographics

|                     | %     | CI               | N     | n   |
|---------------------|-------|------------------|-------|-----|
| County              |       |                  |       |     |
| Androscoggin County | 0.9%  | ( 0.5% - 1.4% )  | 238   | 11  |
| Aroostook County    | 5.1%  | (2.5% - 7.7%)    | 1,284 | 57  |
| Cumberland County   | 3.6%  | (1.9% - 5.2%)    | 897   | 40  |
| Franklin County     | 1.9%  | (1.0% - 2.7%)    | 471   | 21  |
| Hancock County      | 5.0%  | ( 0.0% - 13.5% ) | 1,252 | 57  |
| Kennebec County     | 29.7% | ( 0.2% - 59.3% ) | 7,498 | 336 |
| Knox County         | 2.2%  | (1.2% - 3.2%)    | 553   | 26  |
| Oxford County       | 10.3% | ( 0.0% - 23.7% ) | 2,609 | 118 |
| Penobscot County    | 15.3% | (4.9% - 25.7%)   | 3,865 | 173 |
| Somerset County     | 14.5% | (2.5% - 26.6%)   | 3,668 | 164 |
| Waldo County        | 6.1%  | (3.2% - 8.9%)    | 1,531 | 68  |
| Washington County   | 1.1%  | ( 0.6% - 1.6% )  | 268   | 12  |
| York County         | 4.3%  | (2.3% - 6.4%)    | 1,092 | 49  |

### K/3 Detailed Report - Maine (weighted)

Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) -MEASURED HEIGHT/WEIGHT (knowt)

|              | Total |               |       |       | Female        | Female |       |               | Male  |  |  |
|--------------|-------|---------------|-------|-------|---------------|--------|-------|---------------|-------|--|--|
|              | %     | CI            | N     | %     | CI            | N      | %     | CI            | N     |  |  |
|              |       |               |       |       |               |        |       |               |       |  |  |
| Total        | 17.0% | (15.0%-18.9%) | 3,312 | 17.3% | (12.6%-21.9%) | 1,604  | 16.7% | (12.7%-20.7%) | 1,708 |  |  |
| Grade        |       |               |       |       |               |        |       |               |       |  |  |
| Kindergarten | 15.3% | (11.5%-19.1%) | 1,468 | 14.4% | (9.3%-19.5%)  | 679    | 16.2% | (9.5%-23.0%)  | 788   |  |  |
| Grade 3      | 18.5% | (16.6%-20.5%) | 1,845 | 20.2% | (13.6%-26.8%) | 925    | 17.1% | (11.8%-22.5%) | 920   |  |  |

<sup>\*</sup>Estimate suppressed due to small cell sizes.

CI = 95% Confidence Interval

N = Number of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) — MEASURED HEIGHT/WEIGHT (weighted). Note: Due to missing data, the sum of demographic categories may not equal the overall total.

K/3 Detailed Report - Maine (weighted)

Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) -- MEASURED HEIGHT/WEIGHT (knobese)

|              | Total |               |       |       | Female        |       |       | Male          |       |  |
|--------------|-------|---------------|-------|-------|---------------|-------|-------|---------------|-------|--|
|              | %     | CI            | N     | %     | CI            | N     | %     | CI            | N     |  |
|              |       |               |       |       |               |       |       |               |       |  |
| Total        | 21.0% | (17.4%-24.6%) | 4,097 | 17.9% | (12.6%-23.1%) | 1,661 | 23.8% | (19.9%-27.8%) | 2,436 |  |
| Grade        |       |               |       |       |               |       |       |               |       |  |
| Kindergarten | 18.9% | (14.0%-23.8%) | 1,808 | 19.4% | (13.5%-25.2%) | 913   | 18.4% | (12.5%-24.4%) | 895   |  |
| Grade 3      | 23.0% | (18.6%-27.4%) | 2,290 | 16.3% | (9.6%-23.1%)  | 749   | 28.7% | (24.6%-32.8%) | 1,541 |  |

<sup>\*</sup>Estimate suppressed due to small cell sizes.

CI = 95% Confidence Interval

## K/3 Detailed Report - Maine (weighted)

Percentage of students who were either overweight or obese (i.e. at or above the 85th percentile for body mass index, by age and sex) -- MEASURED HEIGHT/WEIGHT (knowtob)

|              | Total |               |       |       | Female        |       |       | Male          |       |  |
|--------------|-------|---------------|-------|-------|---------------|-------|-------|---------------|-------|--|
|              | %     | CI            | N     | %     | CI            | N     | %     | CI            | N     |  |
|              |       |               |       |       |               |       |       |               |       |  |
| Total        | 38.0% | (33.3%-42.6%) | 7,410 | 35.1% | (26.7%-43.6%) | 3,266 | 40.5% | (34.1%-47.0%) | 4,144 |  |
| Grade        |       |               |       |       |               |       |       |               |       |  |
| Kindergarten | 34.2% | (27.2%-41.3%) | 3,275 | 33.8% | (25.1%-42.5%) | 1,592 | 34.6% | (25.1%-44.2%) | 1,684 |  |
| Grade 3      | 41.6% | (36.2%-46.9%) | 4,135 | 36.5% | (25.9%-47.2%) | 1,674 | 45.8% | (38.4%-53.3%) | 2,460 |  |

<sup>\*</sup>Estimate suppressed due to small cell sizes.

CI = 95% Confidence Interval

### K/3 Detailed Report - Maine (weighted)

Percentage of students who were at a healthy weight (i.e., at or above the 5th percentile but below the 85th percentile for body mass index, by age and sex) -- MEASURED HEIGHT/WEIGHT (knhlthwt)

|              |       | Total         |        |       | Female        |       |       | Male          |       |  |
|--------------|-------|---------------|--------|-------|---------------|-------|-------|---------------|-------|--|
|              | %     | CI            | N      | %     | CI            | N     | %     | CI            | N     |  |
|              |       |               |        |       |               |       |       |               |       |  |
| Total        | 58.7% | (54.4%-63.0%) | 11,452 | 61.6% | (54.7%-68.5%) | 5,725 | 56.0% | (50.2%-61.8%) | 5,728 |  |
| Grade        |       |               |        |       |               |       |       |               |       |  |
| Kindergarten | 61.6% | (54.8%-68.3%) | 5,891  | 63.1% | (55.4%-70.7%) | 2,971 | 60.1% | (51.7%-68.5%) | 2,920 |  |
| Grade 3      | 55.9% | (50.8%-61.0%) | 5,562  | 60.1% | (51.1%-69.1%) | 2,754 | 52.3% | (44.3%-60.3%) | 2,808 |  |

<sup>\*</sup>Estimate suppressed due to small cell sizes.

CI = 95% Confidence Interval

K/3 Detailed Report - Maine (weighted)

Presence of Treated Dental Caries (Observed during oral health assessment) (kncaries)

|              | Total |               |       |       | Female        |       | Male  |               |       |
|--------------|-------|---------------|-------|-------|---------------|-------|-------|---------------|-------|
|              | %     | CI            | N     | %     | CI            | N     | %     | CI            | N     |
|              |       |               |       |       |               |       |       |               |       |
| Total        | 29.2% | (24.4%-34.1%) | 5,979 | 26.1% | (18.5%-33.6%) | 1,900 | 31.7% | (23.4%-40.0%) | 2,391 |
| Grade        |       |               |       |       |               |       |       |               |       |
| Kindergarten | 25.4% | (18.1%-32.7%) | 2,751 | 23.5% | (13.2%-33.8%) | 900   | 25.5% | (17.0%-33.9%) | 976   |
| Grade 3      | 33.6% | (26.5%-40.6%) | 3,228 | 28.9% | (20.7%-37.1%) | 1,000 | 38.1% | (24.9%-51.3%) | 1,415 |

K/3 Detailed Report - Maine (weighted)

Presence of Untreated Dental Caries (Observed during oral health assessment) (kncavit)

|              | Total |               |       |       | Female        |       |       | Male          |       |  |
|--------------|-------|---------------|-------|-------|---------------|-------|-------|---------------|-------|--|
|              | %     | CI            | N     | %     | CI            | N     | %     | CI            | N     |  |
|              |       |               |       |       |               |       |       |               |       |  |
| Total        | 21.6% | (15.9%-27.2%) | 4,411 | 17.6% | (10.5%-24.7%) | 1,283 | 26.0% | (15.0%-37.1%) | 1,966 |  |
| Grade        |       |               |       |       |               |       |       |               |       |  |
| Kindergarten | 23.7% | (16.8%-30.7%) | 2,574 | 21.9% | (11.6%-32.3%) | 840   | 28.0% | (15.7%-40.4%) | 1,075 |  |
| Grade 3      | 19.1% | (12.3%-25.8%) | 1,837 | 12.8% | (6.1%-19.4%)  | 443   | 24.0% | (11.2%-36.8%) | 891   |  |

K/3 Detailed Report - Maine (weighted)

Caries Experience (Presence of treated or untreated dental caries) (kncarexp)

|              | Total |               |       |       | Female        |       |       | Male          |       |  |
|--------------|-------|---------------|-------|-------|---------------|-------|-------|---------------|-------|--|
|              | %     | CI            | N     | %     | CI            | N     | %     | CI            | N     |  |
|              |       |               |       |       |               |       |       |               |       |  |
| Total        | 41.6% | (36.5%-46.6%) | 8,504 | 37.0% | (28.3%-45.6%) | 2,696 | 47.5% | (38.8%-56.3%) | 3,588 |  |
| Grade        |       |               |       |       |               |       |       |               |       |  |
| Kindergarten | 38.8% | (31.8%-45.7%) | 4,205 | 37.9% | (26.8%-48.9%) | 1,450 | 41.2% | (30.4%-52.1%) | 1,581 |  |
| Grade 3      | 44.7% | (36.6%-52.8%) | 4,299 | 36.0% | (25.3%-46.7%) | 1,246 | 54.0% | (43.1%-64.9%) | 2,007 |  |

K/3 Detailed Report - Maine (weighted)

Presence of Sealants (Observed during oral health assessment) (knseal)

|              | Total |               |       |       | Female        |       |       | Male          |       |
|--------------|-------|---------------|-------|-------|---------------|-------|-------|---------------|-------|
|              | %     | CI            | N     | %     | CI            | N     | %     | CI            | N     |
|              |       |               |       |       |               |       |       |               |       |
| Total        | 28.0% | (20.8%-35.1%) | 5,719 | 30.5% | (23.5%-37.5%) | 2,222 | 30.6% | (17.7%-43.5%) | 2,309 |
| Grade        |       |               |       |       |               |       |       |               |       |
| Kindergarten | 7.0%  | (1.1%-12.8%)  | 755   | 8.3%  | (0.0%-18.0%)  | 317   | 2.8%  | (0.0%-5.8%)   | 106   |
| Grade 3      | 51.6% | (39.4%-63.9%) | 4,964 | 55.0% | (43.8%-66.3%) | 1,905 | 59.3% | (40.5%-78.1%) | 2,203 |

K/3 Detailed Report - Maine (weighted)

Early / Urgent Dental Care Needed (Observed during oral health assessment) (kntreat)

|              |       | Total         |       |       | Female       |       |       | Male          |       |
|--------------|-------|---------------|-------|-------|--------------|-------|-------|---------------|-------|
|              | %     | CI            | N     | %     | CI           | N     | %     | CI            | N     |
|              |       |               |       |       |              |       |       |               |       |
| Total        | 22.3% | (9.5%-35.2%)  | 4,571 | 23.4% | (3.4%-43.4%) | 1,706 | 27.2% | (11.7%-42.8%) | 2,056 |
| Grade        |       |               |       |       |              |       |       |               |       |
| Kindergarten | 23.5% | (11.1%-35.9%) | 2,548 | 29.0% | (6.9%-51.0%) | 1,109 | 27.3% | (14.0%-40.6%) | 1,045 |
| Grade 3      | 21.0% | (6.5%-35.6%)  | 2,023 | 17.2% | (0.0%-36.2%) | 596   | 27.2% | (7.0%-47.4%)  | 1,010 |