



FILED ELECTRONICALLY

February 16, 2026

Mr. Nathan Dore
Manager, Gas Safety
Maine Public Utilities Commission (PUC)
18 State House Station
Augusta, ME 04333

Monthly Maine PUC Reports

Dear Mr. Dore:

Enclosed for filing on behalf of Northern Utilities, Inc. d/b/a Unitil ("Unitil" or the "Company") is the Company's January, 2026 following monthly reports:

- Monthly Leak Report¹
- Plastic Piping Data Collection Initiative
- Monthly Odorization Report
- Monthly Analysis of Response to Gas Odor and Leak Reports

If I can be of further assistance, please contact me at (603) 918-2396.

Sincerely,

A handwritten signature in black ink, appearing to read "Meggan Pena".

Meggan Pena
Director Pipeline Safety & Compliance

¹ Unitil may perform multiple repairs on a single leak ID until there is no gas found upon re-check. As a result, all leak repairs are reported, but may not tie back to a new or carried over leak of a given month. The summary may vary from month to month due to potential record lag within the system.

MONTHLY LEAK REPORT

COMPANY: Unitil, Northern Utilities

DIVISION: PORTLAND

MONTH OF: January 2025

STATUS OF LEAKS

LEAK CLASSIFICATION	CLASS I	CLASS II	CLASS III
NUMBER OF LEAKS AT THE BEGINNING OF THE MONTH	0	0	3
NUMBER OF NEW LEAKS REPORTED DURING THE MONTH	3	1	2
NUMBER OF LEAKS REPAIRED DURING MONTH	3	1	1
TOTAL LEAKS REMAINING AT THE END OF MONTH	0	0	4

COMPANY OFFICIAL: Jennifer Tetrault


Jennifer Tetrault

Title: Supervisor - Shared Services

DATE SUBMITTED: 2/16/2026

Test Order	CMS ID #	Location	Town	Test Date	Test Time (24 hr Clock)	Name	Employee ID #	Threshold (Reading)	Readily Detectable (Reading)	If Test Fails Provide Explanation
	66	HART TRANSPORTATION	AUBURN							
	67	SUNSET AVENUE TELEMETER	AUBURN							
14	68	BIDDEFORD TEXTILE MILL	BIDDEFORD	1-15-26	12:45	clark	4069	.09	.17	
13	69	HILL STREET TELEMETER	BIDDEFORD	1-15-26	12:07	clark	4069	.09	.29	
22	70	SHORE ROAD TELEMETER	CAPE ELIZABETH	1-16-26	11:33	clark	4069	.13	.26	
11	71	CUMMINGS MARKET	KENNEBUNK	1-15-26	10:54	clark	4069	.15	.24	
1	72	PNSY	KITTERY	1-14-26	9:05	clark	4069	.15	.33	
	73	310 LINCOLN ST INLET	LEWISTON							
	74	KC AUTO	LEWISTON							
	75	MAINE VETERANS HOME	LEWISTON							
	76	MARDENS	LEWISTON							
	77	LISBON HIGH SCHOOL	LISBON FALLS							
	78	PINELAND CHEESE BUILDING	NEW GLOUCESTER							
3	79	NE MILLWORKS	NORTH BERWICK	1-14-26	10:19	clark	4069	.15	.26	
4	80	PRATT WHITNEY (7M)	NORTH BERWICK	1-14-26	11:03	clark	4069	.20	.48	
18	81	DUNEGRASS UNIT 1	OLD ORCHARD BEACH	1-16-26	8:40	clark	4069	.24	.37	
	82	MARTIN'S POINT	PORTLAND							
	83	EMBASSY SUITES HOTEL	PORTLAND							
	84	HANNAFORD-RIVERSIDE STREET	PORTLAND							
	85	LP PLANT CONTROL ROOM	PORTLAND							
	86	LYMAN MOORE SCHOOL	PORTLAND							
	88	MERRILL AUDITORIUM	PORTLAND							
23	89	MAINE MEDICAL CENTER (3M)	PORTLAND	1-16-26	1:21	clark	4069	.09	.33	
17	90	35 OCEAN PARK ROAD #14	SACO	1-16-26	8:00	clark	4069	.10	.30	
16	91	SHAW'S	SACO	1-15-26	2:34	clark	4069	.19	.36	
19	92	HANNAFORD-SCARBOROUGH	SCARBOROUGH	1-16-26	9:28	clark	4069	.17	.39	
26	93	SAM'S CLUB	SCARBOROUGH	1-16-26	10:07	clark	4069	.16	.21	
2	94	MARSHWOOD HIGH SCHOOL (3M)	SOUTH BERWICK	1-14-26	9:46	clark	4069	.21	.50	
21	95	COCA COLA (5M)	SOUTH PORTLAND	1-16-26	10:49	clark	4069	.16	.29	
10	96	90 SPENCER DRIVE (16M)	WELLS	1-15-26	10:12	clark	4069	.15	.30	
	97	BRADLEY DRIVE TELEMETER	WESTBROOK							
	98	NEW GORHAM ROAD TELEMETER	WESTBROOK							
8	99	LOWE'S	SANFORD	1-15-26	8:40	clark	4069	.13	.34	
	178	GEIGER ELEMENTARY SCHOOL	LEWISTON							
	179	PIKE HOT TOP PLANT	POLAND							
7	186	SANFORD HIGH SCHOOL	SANFORD	1-14-26	2:01	clark	4069	.16	.38	
12	191	KENNEBUNK HIGH SCHOOL	KENNEBUNK	1-15-26	11:28	clark	4069	.07	.20	
6	196	HANNAFORD - SANFORD	SANFORD	1-14-26	12:37	clark	4069	.18	.46	
9	212	WELLS MIDDLE SCHOOL	WELLS	1-15-26	9:28	clark	4069	.14	.27	
15	214	FAIRFIELD SCHOOL	SACO	1-15-26	1:49	clark	4069	.11	.32	
5	216	MOODY'S COLLISION	SANFORD	1-14-26	11:59	clark	4069	.15	.36	

Note: A combustible gas in a distribution line must contain a natural odorant or be odorized so that at a concentration in air of one-fifth of the lower explosive limit (1% GIA), the gas is readily detectable by a person with a normal sense of smell. **If the readings do not meet this threshold the test will be considered 'failed' and a supervisor must be contacted immediately.**



(Supervisor's Signature)

Test Order	CMS ID #	Location	Town	Test Date	Test Time (24 hr Clock)	Name	Employee ID #	Threshold (Reading)	Readily Detectable (Reading)	If Test Fails Provide Explanation
7.10.11	66	HART TRANSPORTATION	AUBURN	1-14-26	1508	James	4013	0.20	0.35	
8	67	SUNSET AVENUE TELEMETER	AUBURN	1-14-26	1416	James	4013	0.14	0.22	
	68	BIDDEFORD TEXTILE MILL	BIDDEFORD							
	69	HILL STREET TELEMETER	BIDDEFORD							
	70	SHORE ROAD TELEMETER	CAPE ELIZABETH							
	71	CUMMINGS MARKET	KENNEBUNK							
	72	PNSY	KITTERY							
2	73	310 LINCOLN ST INLET	LEWISTON	1-14-26	0922	James	4013	0.20	0.36	
4	74	KC AUTO	LEWISTON	1-14-26	1055	James	4013	0.09	0.17	
5	75	MAINE VETERANS HOME	LEWISTON	1-14-26	1140	James	4013	0.13	0.36	Competing odor
6	76	MARDENS	LEWISTON	1-14-26	1306	James	4013	0.09	0.18	
3	77	LISBON HIGH SCHOOL	LISBON FALLS	1-14-26	1010	James	4013	0.23	0.35	
1	78	PINELAND CHEESE BUILDING	NEW GLOUCESTER	1-14-26	0828	James	4013	0.08	0.17	
	79	NE MILLWORKS	NORTH BERWICK							
	80	PRATT WHITNEY (7M)	NORTH BERWICK							
	81	DUNGRASS UNIT 1	OLD ORCHARD BEACH							
15	82	MARTIN'S POINT	PORTLAND	1-16-26	1003	James	4013	0.07	0.37	
19	83	EMBASSY SUITES HOTEL	PORTLAND	1-16-26	1331	James	4013	0.11	0.22	Fried Food odor
20	84	HANNAFORD-RIVERSIDE STREET	PORTLAND	1-16-26	1415	James	4013	0.15	0.29	
14	85	LP PLANT CONTROL ROOM	PORTLAND	1-16-26	0903	James	4013	0.06	0.33	
16	86	LYMAN MOORE SCHOOL	PORTLAND	1-16-26	1100	James	4013	0.19	0.32	
13	88	MERRILL AUDITORIUM	PORTLAND	1-16-26	0758	James	4013	0.29	0.38	
	89	MAINE MEDICAL CENTER (3M)	PORTLAND							
	90	35 OCEAN PARK ROAD #14	SACO							
	91	SHAW'S	SACO							
	92	HANNAFORD-SCARBOROUGH	SCARBOROUGH							
	93	SAM'S CLUB	SCARBOROUGH							
	94	MARSHWOOD HIGH SCHOOL (3M)	SOUTH BERWICK							
	95	COCA COLA (5M)	SOUTH PORTLAND							
	96	90 SPENCER DRIVE (16M)	WELLS							
18	97	BRADLEY DRIVE TELEMETER	WESTBROOK	1-16-26	1250	James	4013	0.14	0.23	
17	98	NEW GORHAM ROAD TELEMETER	WESTBROOK	1-16-26	1154	James	4013	0.17	0.28	
	99	LOWE'S	SANFORD							
7	178	GEIGER ELEMENTARY SCHOOL	LEWISTON	1-14-26	1340	James	4013	0.15	0.42	
12	179	PIKE HOT TOP PLANT	POLAND	1-15-26	0755	James	4013	0.25	0.48	
	186	SANFORD HIGH SCHOOL	SANFORD							
	191	KENNEBUNK HIGH SCHOOL	KENNEBUNK							
	196	HANNAFORD - SANFORD	SANFORD							
	212	WELLS MIDDLE SCHOOL	WELLS							
	214	FAIRFIELD SCHOOL	SACO							
	216	MOODY'S COLLISION	SANFORD							

Note: A combustible gas in a distribution line must contain a natural odorant or be odorized so that at a concentration in air of one-fifth of the lower explosive limit (1% GIA), the gas is readily detectable by a person with a normal sense of smell. **If the readings do not meet this threshold the test will considered 'failed' and a supervisor must be contacted immediately.**


 (Supervisor's Signature)

SN	ReadingDate	ZeroTime	Zero	TDLTime	TDL	RDLTime	RDL	FixDateTime	Longitude	Latitude	Altitude	Target
2.11E+09	1/14/2026	9:05:44	0.0003	9:06:06	0.1582	9:06:24	0.3381	1/14/2026 9:06	-70.7314	43.08048	16.8	1
2.11E+09	1/14/2026	9:46:02	0.0007	9:46:27	0.2149	9:46:40	0.5025	1/14/2026 9:46	-70.7972	43.19991	72.7	1
2.11E+09	1/14/2026	10:18:07	0.0006	10:18:28	0.1529	10:18:44	0.2683	1/14/2026 10:18	-70.7446	43.29321	58.7	1
2.11E+09	1/14/2026	11:02:07	0.0007	11:02:30	0.2061	11:02:50	0.486	1/14/2026 11:02	-70.7292	43.3089	53.5	1
2.11E+09	1/14/2026	11:58:01	0.0005	11:58:22	0.1544	11:58:40	0.3628	1/14/2026 11:57	-70.7901	43.445425	105.9	1
2.11E+09	1/14/2026	12:36:23	0.0007	12:36:45	0.1825	12:36:59	0.4629	1/14/2026 12:36	-70.783	43.44533	115.2	1
2.11E+09	1/15/2026	13:59:40	0.0003	13:59:55	0.1698	14:00:15	0.3851	1/14/2026 14:00	-70.7476	43.42181	77	1
2.11E+09	1/15/2026	8:39:14	0.0005	8:39:38	0.1373	8:39:58	0.3407	1/15/2026 8:39	-70.7019	43.40237	81.1	1
2.11E+09	1/15/2026	9:22:00	0.0003	9:22:18	0.1495	9:22:37	0.2789	1/15/2026 9:22	-70.5832	43.3197	37.8	1
2.11E+09	1/15/2026	10:10:39	0.0004	10:11:03	0.1528	10:11:19	0.3003	1/15/2026 10:11	-70.5991	43.32293	45.1	1
2.11E+09	1/15/2026	10:52:54	0.0006	10:53:17	0.1549	10:53:33	0.2481	1/15/2026 10:53	-70.5652	43.4057	47.7	1
2.11E+09	1/15/2026	11:27:14	0.0005	11:27:43	0.0779	11:28:06	0.2097	1/15/2026 11:28	-70.5495	43.39725	31.8	1
2.11E+09	1/15/2026	12:05:28	0.0006	12:06:12	0.0918	12:06:46	0.2943	1/15/2026 12:06	-70.4729	43.47	62.2	1
2.11E+09	1/15/2026	12:45:48	0.0005	12:46:08	0.0998	12:46:29	0.1747	1/15/2026 12:46	-70.4538	43.49356	42.7	1
2.11E+09	1/15/2026	13:48:51	0.0008	13:49:10	0.1133	13:49:26	0.3248	1/15/2026 13:49	-70.4404	43.49822	62	1
2.11E+09	1/15/2026	14:32:49	0.0007	14:33:20	0.1926	14:33:34	0.3643	1/15/2026 14:33	-70.4478	43.50238	33.5	1
2.11E+09	1/16/2026	8:01:32	0.0004	8:01:52	0.1038	8:02:04	0.3043	1/16/2026 8:02	-70.4273	43.50981	31.5	1
2.11E+09	1/16/2026	8:40:05	0.0001	8:40:28	0.2612	8:40:42	0.379	1/16/2026 8:39	-70.3943	43.52534	60.1	1
2.11E+09	1/16/2026	9:27:22	0.0008	9:27:46	0.1741	9:27:56	0.3973	1/16/2026 9:27	-70.3318	43.59542	35.4	1
2.11E+09	1/16/2026	10:06:41	0.0009	10:07:04	0.1627	10:07:16	0.2167	1/16/2026 10:07	-70.352	43.62202	30.5	1
2.11E+09	1/16/2026	10:49:06	0.0007	10:49:27	0.1631	10:49:39	0.2937	1/16/2026 10:49	-70.3263	43.63932	29.4	1
2.11E+09	1/16/2026	11:32:34	0.0007	11:32:59	0.136	11:33:13	0.2607	1/16/2026 11:33	-70.2166	43.62522	21.8	1
2.11E+09	1/16/2026	13:22:18	0.0009	13:22:39	0.0951	13:22:50	0.3361	1/16/2026 13:22	-70.2753	43.65412	50	1
2.11E+09	1/14/2026	8:26:40	0.0005	8:27:48	0.0851	8:28:21	0.1714	1/14/2026 8:28	-70.2626	43.90801	78.5	1
2.11E+09	1/14/2026	9:19:21	0.0009	9:21:13	0.2055	9:21:36	0.3677	1/14/2026 9:21	-70.2148	44.08744	46.5	1
2.11E+09	1/14/2026	10:08:04	0.0005	10:09:46	0.2301	10:10:10	0.351	1/14/2026 10:10	-70.0711	44.00304	62	1
2.11E+09	1/14/2026	10:52:58	0.0009	10:54:54	0.0955	10:55:26	0.1739	1/14/2026 10:55	-70.1986	44.06308	61.9	1
2.11E+09	1/14/2026	11:37:53	0.0007	11:39:27	0.1375	11:39:49	0.3634	1/14/2026 11:39	-70.1889	44.07033	91.5	1
2.11E+09	1/14/2026	13:03:17	0.0013	13:05:02	0.0956	13:05:44	0.1807	1/14/2026 13:05	-70.2023	44.12638	69.3	1
2.11E+09	1/14/2026	13:38:35	0.0004	13:40:09	0.1562	13:40:33	0.4231	1/14/2026 13:40	-70.1873	44.12231	72.2	1
2.11E+09	1/14/2026	14:13:40	0.0005	14:15:31	0.1438	14:15:56	0.223	1/14/2026 14:15	-70.2543	44.10434	96	1
2.11E+09	1/14/2026	15:06:18	0.001	15:07:49	0.208	15:08:18	0.3522	1/14/2026 15:07	-70.2769	44.03737	85.7	1
2.11E+09	1/15/2026	7:52:59	0.0009	7:54:41	0.2586	7:55:12	0.4826	1/15/2026 7:55	-70.3485	44.01857	100.5	1
2.11E+09	1/16/2026	7:55:24	0.0006	7:57:08	0.2977	7:57:27	0.3898	1/16/2026 7:57	-70.2575	43.65998	30	1
2.11E+09	1/16/2026	9:00:41	0.0008	9:02:10	0.0657	9:02:35	0.3338	1/16/2026 9:02	-70.2606	43.64563	13.4	1
2.11E+09	1/16/2026	10:01:10	0.0007	10:02:32	0.0731	10:03:04	0.379	1/16/2026 10:03	-70.2465	43.68803	23.8	1
2.11E+09	1/16/2026	10:58:34	0.0003	10:59:58	0.1939	11:00:17	0.3294	1/16/2026 11:00	-70.2871	43.70705	47.9	1
2.11E+09	1/16/2026	11:52:04	0	11:53:40	0.1718	11:54:00	0.2846	1/16/2026 11:54	-70.3793	43.67716	39	1
2.11E+09	1/16/2026	12:48:57	0.0008	12:50:15	0.1482	12:50:39	0.2324	1/16/2026 12:50	-70.3693	43.66475	37.6	1
2.11E+09	1/16/2026	13:29:09	0.0005	13:30:36	0.1165	13:30:53	0.2271	1/16/2026 13:29	-70.3103	43.6509	33	1
2.11E+09	1/16/2026	14:13:07	0.0005	14:14:35	0.1575	14:14:56	0.2986	1/16/2026 14:12	-70.3193	43.70142	29.6	1

MATERIALS SECTION	
Click here to view Definitions Document	
1 PIPE OR FITTING IDENTIFICATION	
TYPE OF MATERIAL (Check one)	OTHER SPECIFICATION: MANUFACTURER:
<input type="checkbox"/> ABS	unknown
<input checked="" type="checkbox"/> HDPE - 3306	ASTM F2897 16-CHARACTER CODE,
<input type="checkbox"/> HDPE - 3406	PRINT LINE OR LABEL:
<input type="checkbox"/> HDPE - 3408	Not available
<input type="checkbox"/> HDPE - 4710	
<input type="checkbox"/> MDPE - 2306	(Circle one and enter the value below)
<input type="checkbox"/> MDPE - 2406	SDR, DR, SCHEDULE or
<input type="checkbox"/> MDPE - 2708	Cap to a Tapping Tee Fitting
	possibly HDPE
<input type="checkbox"/> PB	
<input type="checkbox"/> PVC	NOMINAL SIZE:
	6" by 1.25" Tapping Tee Cap
<input type="checkbox"/> NYLON	
<input type="checkbox"/> PA - 11	
<input type="checkbox"/> OTHER (Describe)	
2 DATE OF MANUFACTURE:	
Circa 2008	

INSTALLATION AND OPERATIONS SECTION			
3	METHOD OF INSTALLATION (Check one)	4	TYPE OF SOIL IN CONTACT WITH PIPE (Check one)
<input checked="" type="checkbox"/>	OPEN TRENCH	<input checked="" type="checkbox"/>	SAND
<input type="checkbox"/>	BORED/HDD	<input type="checkbox"/>	LOAM
<input type="checkbox"/>	PLOWED IN	<input type="checkbox"/>	CLAY
<input type="checkbox"/>	INSERTION	<input type="checkbox"/>	ROCKY
<input type="checkbox"/>	JOINT TRENCH	<input type="checkbox"/>	SLURRY
<input type="checkbox"/>	PLANTED	<input type="checkbox"/>	OTHER (Describe)
<input type="checkbox"/>	UNKNOWN		
<input type="checkbox"/>	OTHER (Describe)		
5 OPERATING PRESSURE			
A.	AT TIME OF FAILURE:		
	less than 56 psig		
B.	NORMAL RANGE (IF KNOWN)		
	56 psig		

6	DATE OF INSTALLATION
	8/4/2008

App	CONTACT NAME:
	Patrick Wells

FAILURE ANALYSIS SECTION	
Leak ID 25597	
7a	FAILURE/LEAK LOCATION
	PIPE (Go to Failure/Leak Cause)
<input checked="" type="checkbox"/>	FITTING (Complete 7b)
	JOINT (Complete 7c)
7b	FAILURE/LEAK IN FITTING (Check one)
	TRANSITION
	VALVE
	METER RISER
	MECHANICAL FITTING (Stab)
	MECHANICAL FITTING (Nut Follower)
	MECHANICAL FITTING (Bolted)
	MECHANICAL FITTING (Other, Describe)
	HEAT FUSION FITTING
	ELECTROFUSION FITTING
<input checked="" type="checkbox"/>	THREADED CAP
	OTHER (Describe)
7c	FAILURE/LEAK IN JOINT (Check one)
	MECHANICAL JOINT (Stab)
	MECHANICAL JOINT (Nut Follower)
	MECHANICAL JOINT (Bolted)
	MECHANICAL JOINT (Other, Describe)
	ELECTROFUSION
	BUTT FUSION
	SOCKET FUSION
	SADDLE FUSION
	SOLVENT
	OTHER (Describe)
8	FAILURE/LEAK CAUSE (Check all that apply)
	SQUEEZE OFF
	POINT LOADING
	EXCESSIVE EXPANSION/CONTRACTION
<input checked="" type="checkbox"/>	EXCESS EXTERNAL EARTH LOADING
	INSTALLATION ERROR
	PREVIOUS IMPACT
	MATERIAL DEFECT (Describe)
<input checked="" type="checkbox"/>	THREADED CAP (Cracked Cap)
	THREADED CAP (Loose cap, not cracked)
	THREADED CAP (Seal/O-ring defect)
	THREADED CAP (Other, Describe)
	CORROSION
	GOPHER/RODENT/WORM DAMAGE
	UNKNOWN: NOT EXCAVATED - ABANDONED
	UNKNOWN: NOT EXCAVATED -REPLACED
	UNKNOWN
	OTHER (Describe)
<input checked="" type="checkbox"/>	Frost Heave
9	DATE OF FAILURE/LEAK
	1/27/2026
	E-MAIL
	PHONE#: 603 918 2862
	welchp@unitil.com

MATERIALS SECTION	
Click here to view Definitions Document	
1 PIPE OR FITTING IDENTIFICATION	
TYPE OF MATERIAL (Check one)	OTHER SPECIFICATION: MANUFACTURER:
<input type="checkbox"/> ABS	unknown
<input checked="" type="checkbox"/> HDPE - 3306	ASTM F2897 16-CHARACTER CODE,
<input type="checkbox"/> HDPE - 3406	PRINT LINE OR LABEL:
<input type="checkbox"/> HDPE - 3408	Not available
<input type="checkbox"/> HDPE - 4710	
<input type="checkbox"/> MDPE - 2306	(Circle one and enter the value below)
<input type="checkbox"/> MDPE - 2406	SDR, DR, SCHEDULE or
<input type="checkbox"/> MDPE - 2708	Cap to a Tapping Tee Fitting
	possibly HDPE
<input type="checkbox"/> PB	
<input type="checkbox"/> PVC	NOMINAL SIZE:
	6" by 1.25" Tapping Tee Cap
<input type="checkbox"/> NYLON	
<input type="checkbox"/> PA - 11	
<input type="checkbox"/> OTHER (Describe)	
2 DATE OF MANUFACTURE:	
Circa 2008	

INSTALLATION AND OPERATIONS SECTION			
3	METHOD OF INSTALLATION (Check one)	4	TYPE OF SOIL IN CONTACT WITH PIPE (Check one)
<input checked="" type="checkbox"/>	OPEN TRENCH	<input checked="" type="checkbox"/>	SAND
<input type="checkbox"/>	BORED/HDD	<input type="checkbox"/>	LOAM
<input type="checkbox"/>	PLOWED IN	<input type="checkbox"/>	CLAY
<input type="checkbox"/>	INSERTION	<input type="checkbox"/>	ROCKY
<input type="checkbox"/>	JOINT TRENCH	<input type="checkbox"/>	SLURRY
<input type="checkbox"/>	PLANTED	<input type="checkbox"/>	OTHER (Describe)
<input type="checkbox"/>	UNKNOWN		
<input type="checkbox"/>	OTHER (Describe)		
5 OPERATING PRESSURE			
A.	AT TIME OF FAILURE:		
	less than 56 psig		
B.	NORMAL RANGE (IF KNOWN)		
	56 psig		

6	DATE OF INSTALLATION
	8/4/2008

	CONTACT NAME:
App: Patrick Welch	

FAILURE ANALYSIS SECTION	
Leak ID 25597	
7a	FAILURE/LEAK LOCATION
	PIPE (Go to Failure/Leak Cause)
<input checked="" type="checkbox"/>	FITTING (Complete 7b)
	JOINT (Complete 7c)
7b	FAILURE/LEAK IN FITTING (Check one)
	TRANSITION
	VALVE
	METER RISER
	MECHANICAL FITTING (Stab)
	MECHANICAL FITTING (Nut Follower)
	MECHANICAL FITTING (Bolted)
	MECHANICAL FITTING (Other, Describe)
	HEAT FUSION FITTING
	ELECTROFUSION FITTING
<input checked="" type="checkbox"/>	THREADED CAP
	OTHER (Describe)
7c	FAILURE/LEAK IN JOINT (Check one)
	MECHANICAL JOINT (Stab)
	MECHANICAL JOINT (Nut Follower)
	MECHANICAL JOINT (Bolted)
	MECHANICAL JOINT (Other, Describe)
	ELECTROFUSION
	BUTT FUSION
	SOCKET FUSION
	SADDLE FUSION
	SOLVENT
	OTHER (Describe)
8	FAILURE/LEAK CAUSE (Check all that apply)
	SQUEEZE OFF
	POINT LOADING
	EXCESSIVE EXPANSION/CONTRACTION
<input checked="" type="checkbox"/>	EXCESS EXTERNAL EARTH LOADING
	INSTALLATION ERROR
	PREVIOUS IMPACT
	MATERIAL DEFECT (Describe)
	THREADED CAP (Cracked Cap)
<input checked="" type="checkbox"/>	THREADED CAP (Loose cap, not cracked)
	THREADED CAP (Seal/O-ring defect)
	THREADED CAP (Other, Describe)
	CORROSION
	GOPHER/RODENT/WORM DAMAGE
	UNKNOWN: NOT EXCAVATED - ABANDONED
	UNKNOWN: NOT EXCAVATED -REPLACED
	UNKNOWN
	OTHER (Describe)
<input checked="" type="checkbox"/>	Frost Heave
9	DATE OF FAILURE/LEAK
	1/27/2026
	E-MAIL PHONE#: 603 918 2862
	welchp@unitil.com