

		NTPEP ID	Type	AASHTO Class	Stabilization 722.01	Subsurface Drainage 722.02	Erosion Control 722.03	Separation 722.04	Recertification Due
ACF Environmental						www.acfenvironmental.com			
18-032	ACF M100N	GTX-2015-01-169	MF-W	2	<input type="checkbox"/>	<input checked="" type="checkbox"/> m,f	<input checked="" type="checkbox"/> m,f	<input type="checkbox"/>	12/4/2023
18-031	ACF M400N	GTX-2015-01-168	MF-W	1	<input type="checkbox"/>	<input checked="" type="checkbox"/> c	<input checked="" type="checkbox"/> c	<input type="checkbox"/>	12/4/2023
18-035	ACF N060N	GTX-2015-01-164	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12/4/2023
18-030	ACF N080N	GTX-2015-01-166	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12/4/2023
18-034	ACF S300N	GTX-2015-01-162	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12/4/2023
18-033	ACF S250N	GTX-2018-01-153	SF-W	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12/4/2023
Advanced Drainage Systems (OH)						www.ads-pipe.com			
16-008	0601T	GTX-2015-01-212	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3/29/2021
16-009	0801T	GTX-2015-01-214	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3/29/2021
16-065	250W	GTX-2015-01-219	SF-W	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	10/31/2021
16-011	315W	GTX-2015-01-220	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3/29/2021
Berry Global, Inc.						www.berryglobal.com			
13-056	TYPAR 3501G	GTX-2015-01-042	HB-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12/26/2023
13-058	TYPAR 3801G	GTX-2015-01-040	HB-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> f	<input checked="" type="checkbox"/>	12/26/2023
10-044	TYPAR 3601G	GTX-2015-01-041	HB-NW	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12/26/2023
Carthage Mills						www.carthagemills.com			
16-032	Carthage 4%-HD	GTX-2016-01-129	MF-W	1	<input type="checkbox"/>	<input checked="" type="checkbox"/> c	<input checked="" type="checkbox"/> c	<input type="checkbox"/>	6/9/2021
16-033	Carthage 6%	GTX-2016-01-128	MF-W	2	<input type="checkbox"/>	<input checked="" type="checkbox"/> m,f	<input checked="" type="checkbox"/> m,f	<input checked="" type="checkbox"/>	6/9/2021

(W)=Woven; (NW)=Non woven; (NP)=Needle punched; (SF)=Slit Film; (MF)=Monofilament; (HB)=Heat Bonded.
 Fabrics for use with specific soil conditions: c = 50 percent in-situ soil passing # 200 sieve; m = 15 to 50 percent;
 F => 50 percent in-situ oil passing # 200 sieve

		NTPEP ID	Type	AASHTO Class	Stabilization 722.01	Subsurface Drainage 722.02	Erosion Control 722.03	Separation 722.04	Recertification Due
16-036	FX-80HS	GTX-2016-01-121	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6/9/2021
16-035	FX-60HS	GTX-2016-01-119	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	6/9/2021
16-034	FX-66	GTX-2016-01-127	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	6/9/2021
Crown Resources					www.crownresources.net				
15-009	R080	GTX-2014-01-134	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6/23/2020
15-008	R060	GTX-2017-01-142	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	6/23/2020
L&M Supply Company					www.landmsupplyco.com				
16-015	LM 800 NT	GTX-2015-01-193	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3/29/2021
Propex Operating Company, LLC					www.propexglobal.com				
13-032	GEOTEX 601	GTX-2018-01-034	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8/31/2023
13-033	GEOTEX 801	GTX-2018-01-037	NP-NW	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8/31/2023
13-030	GEOTEX 250ST	GTX-2017-01-095	SF-W	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/31/2023
13-031	GEOTEX 315ST	GTX-2016-01-245	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/31/2023
SKAPS Industries					www.skaps.com				
10-028	M706	08-01-04	MF-W	2	<input type="checkbox"/>	<input checked="" type="checkbox"/> m,f	<input checked="" type="checkbox"/> m,f	<input type="checkbox"/>	8/21/2023
10-024	GT-180	GTX-2017-01-056	NP-NW	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8/21/2023
10-025	GT-160	GTX-2017-01-142	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/21/2023
18-076	GT116	GTX-2018-01-167	NP-NW	1+	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2/21/2024
10-027	W250	GTX-2016-01-258	SF-W	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/21/2023
18-074	SW 200	GTX-2016-01-266	SF-W	3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2/21/2024

(W)=Woven; (NW)=Non woven; (NP)=Needle punched; (SF)=Slit Film; (MF)=Monofilament; (HB)=Heat Bonded.
 Fabrics for use with specific soil conditions: c = 50 percent in-situ soil passing # 200 sieve; m = 15 to 50 percent;
 F => 50 percent in-situ oil passing # 200 sieve

		NTPEP ID	Type	AASHTO Class	Stabilization 722.01	Subsurface Drainage 722.02	Erosion Control 722.03	Separation 722.04	Recertification Due
10-026	SW315	10-01-12	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/21/2023
TenCate Geosynthetics					www.mirafi.com				
13-038	Mirafi FW404	GTX-2018-01-070	MF-W	1	<input type="checkbox"/>	<input checked="" type="checkbox"/> c	<input checked="" type="checkbox"/> c	<input type="checkbox"/>	8/31/2023
13-039	Mirafi FW700	GTX-2018-01-071	MF-W	2	<input type="checkbox"/>	<input checked="" type="checkbox"/> m,f	<input checked="" type="checkbox"/> m,f	<input type="checkbox"/>	8/31/2023
13-034	Mirafi 160N	GTX-2017-01-106	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/31/2023
13-035	Mirafi 180N	GTX-2017-01-108	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8/31/2023
13-037	Mirafi 600X	GTX-2017-01-112	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/31/2023
Terram Geosynthetics Pvt. Ltd.					www.terramgeo.com				
17-060	T 1300	GTX-2016-01-197	HB-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2/9/2023
17-061	T 1800	GTX-2016-01-198	HB-NW	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2/9/2023
Texel Technical Materials Inc.					www.texel.ca				
18-101	Texel 160C	GTX-2017-01-211	NP-NW	1+	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/21/2024
18-104	Texel 045C	GTX-2017-01-073/079	NP-NW	3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2/21/2024
18-102	Texel 080C	GTX-2017-01-075/081	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2/21/2024
18-103	Texel 060C	GTX-2017-01-074/080	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	2/21/2024
Thrace-LINQ, Inc.					www.thracelinq.com				
14-052	GTF-400E	GTX-2015-01-010	MF-W	2	<input type="checkbox"/>	<input checked="" type="checkbox"/> m,f	<input type="checkbox"/>	<input type="checkbox"/>	8/5/2019
14-053	GTF-400EO	GTX-2015-01-011	MF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> c	<input type="checkbox"/>	8/5/2019
14-047	150EX	GTX-2017-01-153	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/5/2019
14-048	180EX	GTX-2017-01-151	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8/5/2019

(W)=Woven; (NW)=Non woven; (NP)=Needle punched; (SF)=Slit Film; (MF)=Monofilament; (HB)=Heat Bonded.
 Fabrics for use with specific soil conditions: c = 50 percent in-situ soil passing # 200 sieve; m = 15 to 50 percent;
 F => 50 percent in-situ oil passing # 200 sieve

		NTPEP ID	Type	AASHTO Class	Stabilization 722.01	Subsurface Drainage 722.02	Erosion Control 722.03	Separation 722.04	Recertification Due
14-049	GTF-250	GTX-2017-01-161	SF-W	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/5/2019
14-050	GTF-300	GTX-2017-01-160	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/5/2019
US Fabrics, Inc.					www.usfabrics.com				
16-018	US 230	GTX-2016-01-081	MF-W	2	<input type="checkbox"/>	<input checked="" type="checkbox"/> c	<input checked="" type="checkbox"/> c	<input type="checkbox"/>	3/29/2021
13-028	US 670	GTX-2016-01-082	MF-W	2	<input type="checkbox"/>	<input checked="" type="checkbox"/> m,f	<input checked="" type="checkbox"/> m,f	<input type="checkbox"/>	1/3/2023
13-024	US 160NW	GTX-2016-01-098	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1/3/2023
16-026	US 205NW	GTX-2016-01-100	NP-NW	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1/3/2023
16-019	US 380 NW	GTX-2016-01-104	NP-NW	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3/29/2021
16-017	US 200	GTX-2016-01-086	SF-W	3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3/29/2021
13-026	US 250	GTX-2016-01-087	SF-W	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1/3/2023
16-027	US 315	GTX-2016-01-089	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1/3/2023
16-020	US 4800	GTX-2016-01-091	SF-W	1+	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3/29/2021
Willacoochee Industrial Fabrics, Inc.					www.winfabusa.com				
15-013	WINFAB 2404	GTX-2017-01-140	MF-W	1	<input type="checkbox"/>	<input checked="" type="checkbox"/> c	<input checked="" type="checkbox"/> c	<input checked="" type="checkbox"/>	8/16/2023
11-079	WINFAB 2199	GTX-2017-01-132	MF-W	2	<input type="checkbox"/>	<input checked="" type="checkbox"/> m,f	<input checked="" type="checkbox"/> m,f	<input type="checkbox"/>	8/16/2023
11-075	WINFAB 800N	GTX-2016-01-023	NP-NW	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8/31/2023
11-076	WINFAB 600N	GTX-2016-01-025	NP-NW	2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/16/2023
11-077	WINFAB 250W	GTX-2017-01-218	SF-W	2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/16/2023
11-078	WINFAB 315W	GTX-2017-01-219	SF-W	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	8/16/2023

See Product Acceptance Criteria for more information: [GTX Product Acceptance Criteria and Information](#)

(W)=Woven; (NW)=Non woven; (NP)=Needle punched; (SF)=Slit Film; (MF)=Monofilament; (HB)=Heat Bonded.
 Fabrics for use with specific soil conditions: c = 50 percent in-situ soil passing # 200 sieve; m = 15 to 50 percent;
 F => 50 percent in-situ oil passing # 200 sieve