

REF	Product Name	Latest NTPEP Testing	Dry Time	Flashpoint	VOCs (g/L)	Recertification Due
ChemMasters			www.chemmasters.net			
11-114	Safe-Cure 1200 Clear	CCC-2010-02-005	45	> 212	30	1/29/2024
11-112	Safe-Cure 1200 with Dye	CCC-2010-02-004	45	> 212	30	1/29/2024
19-030	Safe-Cure 800	CCC-2018-02-004	1.5 hrs	>212	< 50g/L	5/7/2024
Dayton Superior Corporation			www.daytonsuperior.com			
17-068	Clear Resin Cure J11W & Resin Cure with Dye	CCC-2017-02-003	90	> 212	< 100	12/28/2022
17-067	White Resin Cure J10W	CCC-2017-02-002	210	212	< 300	12/28/2022
45-000	White Wax Cure J9A	CCC-2014-01-002	60	> 212	< 350	9/27/2021
Kaufman Products, Inc.			www.kaufmanproducts.net			
10-031	Thinfilm 420 with Dye	CCC-2014-01-006	30	> 212	48	9/12/2023
98-43	Thinfilm 445	CCC-2011-02-002	230	> 212	< 350	9/12/2023
Vexcon Chemicals, Inc.			www.vexcon.com			
18-053	Certi-Vex Envio Cure 500 Clear w/Dye	CCC-2015-02-005	30 min	211	> 212	12/17/2023
04-062	Certi-Vex Envio Cure White 500	CCC-2015-02-004	30	> 212	295	3/22/2023

See Product Acceptance Criteria for more information: [CCC Product Acceptance Criteria and Information](#)