

REF	Product Name	Prequal. for Anchoring	H2O to Grout Ratio	Use	Recertification Due
American Excelsior Company		www.americanexcelsior.com			
11-013	Harris Construction Grout	Yes	8.0 pints/50 lbs.	Keyways and Anchoring	9/12/2023
ChemMasters		www.chemmasters.net			
12-063	Conset Grout - NY	No	9.0 pints/50 lbs.		1/29/2024
Euclid Chemical Co.		www.euclidchemical.com			
31-000	NC Grout	Yes	8.0 pints/50 lbs.	Keyways and Anchoring	12/11/2022
00-053	NS Grout	Yes	8.0 pints/50 lbs.	Keyways and Anchoring	12/11/2022
43-000	TammsgROUT Supreme	No	7.2 pints/55 lbs.		12/11/2022
H.B. Fuller Construction Products, Inc.		www.prospec.com			
19-025	ProSpec High Strength Precision Grout	No	4.0 quarts/50 lbs.	Keyways	5/7/2024
Kaufman Products, Inc.		www.kaufmanproducts.net			
09-042	SureGrout	Yes	6.8 pints/50 lbs.	Keyways and Anchoring	9/12/2023
MAPEI Corp.		www.mapei.com			
16-074	PlaniGrout 712	No	4.23 quarts/50 lbs.		11/9/2021
Sika Corporation (NJ)		www.usa.sika.com			
39-000	SikaGrout 212	Yes	6.5 pints/50 lbs.	Keyways and Anchoring	2/10/2021

REF	Product Name		Prequal. for Anchoring	H2O to Grout Ratio	Use	Recertification Due
SILPRO, LLC			www.silpro.com			
15-042	SilproGrout 424		Yes	9.0 pints/50 lbs.	Keyways and Anchoring	12/27/2021
The QUIKRETE Companies			www.quikrete.com			
19-053	Quikrete Non-shrink Precision Grout	N/A		9.0 pints/50 lbs.		8/14/2024
US Mix Co.			www.usmix.com			
17-001	RA Grout		No	7.75 quarts/50 lbs.		6/13/2022

See Product Acceptance Criteria for more information: [GRT Product Acceptance Criteria and Information](#)