



**CLOVER MITES**  
*Bryobia praetiosa* (Koch.)

**Insect and Disease Laboratory • 168 State House Station • 50 Hospital Street • Augusta, Maine • 04333-0168**

---

In spring and fall, tiny brown or reddish mites, the size of a pinhead, may be seen crawling on windows and over walls and furniture in the home. These are clover mites, which cause no harm or damage in the home, but constitute an annoyance by their presence in large numbers.

**Hosts**

These mites normally feed on lawn grasses, clovers, and lawn weeds, and their populations may build up to tremendous numbers. They seek sheltered places for egg laying such as under bark of trees, and to escape extreme high or low temperatures. In their searching they may enter houses in large numbers. Since they are most active at temperatures between 45 and 65 degrees, they are primarily seen until June and after September.

**Life History**

The eggs are laid at the base of trees or small plants in the fall. These hatch early in the spring and the young mites rapidly develop to adults. A second generation occurs in late summer. Injury to plants from their feeding may be severe at times.

**Control**

The mites sometimes disappear during the summer even in the absence of treatment. One helpful measure is to maintain a 20 to 30 inch wide grass-free area around the foundation to discourage mites from entering the home. Any of the following chemicals which are available wherever garden supplies are sold can be used where relief is sought when used in accordance to label directions.

Indoors, the nuisance can be relieved by treating window frames, baseboards, and underside of windows with dicofol (Kelthane), diluted and applied according to label directions for indoor use. Household formulations of propoxur (Baygon) or diazinon may also be used for indoor control.

Outdoors, the source of the mites should be treated by applying dicofol (Kelthane) to the lawn and foundation plantings. Diazinon applied in a five foot band of soil around the house next to the foundation will also control these mites.

**NOTE:** Pesticide recommendations are contingent on continued EPA and Maine Board of Pesticides Control registration and are subject to change.

**Caution**

For your own protection and that of the environment use the above pesticides strictly according to label instructions, precautions and warnings.